

Monthly Summary Report

Institution: CRC

Memorandum

Date: November 6, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CRC

The following is a summary of the heat related activity for the month of October,
at CRC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 11

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

Number of days Stage II Alert initiated: 6

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes

Number of days Stage III Alert initiated: 2

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness.1 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GLEN E. PRATT

Warden Name

DocuSigned by:




D56093A88724496...

Warden Signature

Dr. MUHAMMAD NASIR, MD, MPH, MBA

Chief Executive Officer Name

Signed by:



8DF6CD4714B1461...

Chief Executive Officer Signature

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)

Wednesday

Date	Time	Temp.	Name(Print)
	0300	79	HILL
	0600	80	W-POLAR
	0900	80	W-POLAR
	1200	82	W-POLAR
	1500	89	J-LYONS
	1800	91	J-LYONS
	2100	88	J-LYONS
	2400	86	HILL

Friday

Date	Time	Temp.	Name(Print)
	0300	75	HILL
	0600	75	J-Turner
	0900	79	J-Turner
	1200	80	J-Turner
	1500	84°	D. Somer
	1800	87°	D. Somer
	2100	83	D. Somer
	2400	78	DIAZ

Sunday

Date	Time	Temp.	Name(Print)
	0300	76	DIAZ
	0600	75	J-Turner
	0900	77	J-Turner
	1200	78	J-Turner
	1500	88	J-LYONS
	1800	86	J-LYONS
	2100	86	J-LYONS
	2400	84	HILL

Tuesday

Date	Time	Temp.	Name(Print)
	0300	76	HILL
	0600	73	M-VILLANUEVA
	0900	72	M-VILLANUEVA
	1200	82	M-VILLANUEVA
	1500	90	J-LYONS
	1800	90	J-LYONS
	2100	87	J-LYONS
	2400	85	HILL

Thursday

Date	Time	Temp.	Name(Print)
	0300	81	HILL
	0600	80	Sims
	0900	80	Sims
	1200	81	Sims
	1500	81°	D-Ramirez
	1800	89°	D-Ramirez
	2100	83°	D-Ramirez
	2400	79	HILL

Saturday

Date	Time	Temp.	Name(Print)
	0300	76	DIAZ
	0600	71	B-Aybarz
	0900	71	B-Aybarz
	1200	79	B-Aybarz
	1500	89	A-Argueroz
	1800	88	A-Argueroz
	2100	86	A-Argueroz
	2400	80	DIAZ

Notes

10/5/24	1540	90°
10/5/24	1832	85°

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	78	HILL
	0600	70	D. STANARD
	0900	79	S. GRADY
	1200	80	S. GRADY
	1500	87	S. GRADY
	1800	85	S. GRADY
	2100	82	S. GRADY
	2400	81	HILL

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	75	HILL
	0600	70	S. GRADY
	0900	70	S. GRADY
	1200	74	S. GRADY
	1500	88	J. LYONS
	1800	83	J. LYONS
	2100	79	J. LYONS
	2400	75	HILL

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	73	HILL
	0600	78	D. FERRER
	0900	73	D. FERRER
	1200	77	D. FERRER
	1500	80	D. FERRER
	1800	87	D. FERRER
	2100	79	D. FERRER
	2400	76	D. FERRER

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	73	DIAZ
	0600	70	J. TURNER
	0900	70	J. TURNER
	1200	70	J. TURNER
	1500	74	J. LYONS
	1800	74	J. LYONS
	2100	76	J. LYONS
	2400	74	HILL

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	77	HILL
	0600	74	M. VILLENAIR
	0900	74	M. VILLENAIR
	1200	83	M. VILLENAIR
	1500	88	J. LYONS
	1800	86	J. LYONS
	2100	84	J. LYONS
	2400	80	HILL

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	70	HILL
	0600	70	S. GRADY
	0900	72	S. GRADY
	1200	74	S. GRADY
	1500	78	D. ROVENS
	1800	86	D. ROVENS
	2100	82	D. ROVENS
	2400	78	HILL

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	72	DIAZ
	0600	71	GUTIERREZ
	0900	71	GUTIERREZ
	1200	79	GUTIERREZ
	1500	86	ARMANDERIZ
	1800	80	ARMANDERIZ
	2100	79	ARMANDERIZ
	2400	76	DIAZ

Notes

10/11/24 Stage 1 UHT Activated 1520

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	69	HILL
	0600	70	J. Turner
	0900	70	J. Turner
	1200	70	J. Turner
	1500	70	J. Lyons
	1800	70	J. Lyons
	2100	70	J. Lyons
	2400	73	HILL

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	70	HILL
	0600	70	Sirri
	0900	70	Sirri
	1200	70	Sirri
	1500	70	J. Lyons
	1800	70	J. Lyons
	2100	70	J. Lyons
	2400	70	HILL

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	69	HILL
	0600	70	J. Turner
	0900	70	J. Turner
	1200	70	J. Turner
	1500	71	D. Bourne
	1800	73	D. Bourne
	2100	71	D. Bourne
	2400	70	Diaz

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	70	Diaz
	0600	70	J. Bock
	0900	70	J. Bock
	1200	75	J. Bock
	1500	74	J. Bock
	1800	75	J. Bock
	2100	75	J. Bock
	2400	75	HILL

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	71	HILL
	0600	73	Kefalianos
	0900	71	Kefalianos
	1200	70	Kefalianos
	1500	74	J. Lyons
	1800	74	J. Lyons
	2100	73	J. Lyons
	2400	71	HILL

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	70	HILL
	0600	70	Sirri
	0900	70	Sirri
	1200	70	Sirri
	1500	72	D. Bourne
	1800	71	D. Bourne
	2100	70	D. Bourne
	2400	70	HILL

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	69	Diaz
	0600	70	Butterfield
	0900	70	Butterfield
	1200	75	Butterfield
	1500	82	Armenariz
	1800	78	Almanza
	2100	75	Lyon
	2400	74	Diaz

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - B

Temp. Reading Location: Dorm - 201
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
October 21, 2024	0300	73	HILL
	0600	70	J. Turner
	0900	70	J. Turner
	1200	73	J. Turner
	1500	80	J. Lyons
	1800	79	J. Lyons
	2100	77	J. Lyons
	2400	75	HILL

Tuesday

Date	Time	Temp.	Name (Print)
October 22, 2024	0300	73	HILL
	0600	70	D. Johnson
	0900	69	D. Johnson
	1200	75	D. Johnson
	1500	80	J. Lyons
	1800	80	J. Lyons
	2100	80	J. Lyons
	2400	80	HILL

Wednesday

Date	Time	Temp.	Name (Print)
October 23, 2024	0300	75	HILL
	0600	70	C. Elias
	0900	70	C. Elias
	1200	75	C. Elias
	1500	80	J. Lyons
	1800	80	J. Lyons
	2100	80	J. Lyons
	2400	79	HILL

Thursday

Date	Time	Temp.	Name (Print)
October 24, 2024	0300	75	HILL
	0600	70	S. Evans
	0900	70	S. Evans
	1200	78	S. Evans
	1500	79°	D. Brown
	1800	76°	D. Brown
	2100	74°	D. Brown
	2400	73	HILL

Friday

Date	Time	Temp.	Name (Print)
October 25, 2024	0300	71	HILL
	0600	70	J. Turner
	0900	70	J. Turner
	1200	72	J. Turner
	1500	81°	D. Brown
	1800	80	D. Brown
	2100	77	D. Brown
	2400	74	DIAZ

Saturday

Date	Time	Temp.	Name (Print)
October 26, 2024	0300	71	DIAZ
	0600	72	A. Mezony
	0900	76	A. Mezony
	1200	78	A. Mezony
	1500	79	A. Mezony
	1800	79	A. Mezony
	2100	79	A. Mezony
	2400	76	DIAZ

Sunday

Date	Time	Temp.	Name (Print)
October 27, 2024	0300	73	DIAZ
	0600	70	J. Turner
	0900	73	J. Turner
	1200	78	J. Turner
	1500	80	J. Lyons
	1800	80	J. Lyons
	2100	80	J. Lyons
	2400	77	HILL

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 28, 2024	0300	75	HILL
	0600	72	S. Ramirez
	0900	72	S. Taylor
	1200	73	S. Thomas
	1500	73	J. Lyons
	1800	73	J. Lyons
	2100	72	J. Lyons
	2400	70	HILL

Tuesday

Date	Time	Temp.	Name(Print)
October 29, 2024	0300	67	HILL
	0600	67	Gomez
	0900	69	Gomez
	1200	64	Gomez
	1500	70	J. Lyons
	1800	70	J. Lyons
	2100	70	J. Lyons
	2400	70	HILL

Wednesday

Date	Time	Temp.	Name(Print)
October 30, 2024	0300	66	HILL
	0600	66	S. Hill
	0900	68	S. Hill
	1200	70	S. Hill
	1500	72	J. Lyons
	1800	72	J. Lyons
	2100	72	J. Lyons
	2400	70	HILL

Thursday

Date	Time	Temp.	Name(Print)
October 31, 2024	0300	62	HILL
	0600	68	S. Hill
	0900	68	S. Hill
	1200	70	S. Hill
	1500	72	J. Lyons
	1800	72	D. Barnes
	2100	70	D. Barnes
	2400	69	HILL

Temperature Log for October 31, 2024			
Time	Temp.	Comments	
0300			
0600			
0900			
1200			
1500			
1800			
2100			
2400			

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 202
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
10/2/24	0300	78	J. Lyons
	0600	70	A. KAPILA
	0900	74	A. KAPILA
	1200	79	A. KAPILA
	1500	90	Morse
	1800	81	Morse
	2100	87	Morse
	2400	82	Smita

Friday

Date	Time	Temp.	Name(Print)
10/4/24	0300	70	D. Barnes
	0600	70	Smita
	0900	78	Smita
	1200	78	Smita
	1500	80	E. Chisholm
	1800	91	E. Chisholm
	2100	83	E. Chisholm
	2400	79	M. KNUDSEN

Sunday

Date	Time	Temp.	Name(Print)
10/6/24	0300	75	A. KAPILA
	0600	71	S. Gandy
	0900	74	A. KAPILA
	1200	80	A. KAPILA
	1500	92	J. Judd
	1800	90	J. Judd
	2100	86	J. Judd
	2400	80	Diaz

Tuesday

Date	Time	Temp.	Name(Print)
10/1/24	0300	68	M. RODNA
	0600	68	A. KAPILA
	0900	82	A. KAPILA
	1200	76	A. KAPILA
	1500	93	B. Minge
	1800	81	Morse
	2100	85	Morse
	2400	82	J. Lyons

Thursday

Date	Time	Temp.	Name(Print)
10/3/24	0300	71	Smita
	0600	72	Smita
	0900	72	A. KAPILA
	1200	70	A. KAPILA
	1500	84	Morse
	1800	87	Morse
	2100	83	Morse
	2400	80	D. Barnes

Saturday

Date	Time	Temp.	Name(Print)
10/5/24	0300	75	M. KNUDSEN
	0600	75	Smita
	0900	78	Smita
	1200	78	Smita
	1500	83	D. Barnes
	1800	86	D. Barnes
	2100	84	D. Barnes
	2400	80	A. KAPILA

Notes

10-3-2024 -> STAGE 1 ACTIVATED @ 1205

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 2 **02**

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300	77	Diaz
	0600	73	K. AMEZOLA
	0900	75	K. AMEZOLA
	1200	82	K. AMEZOLA
	1500	94	CUSTARD
	1800	92	CUSTARD
	2100	85	CUSTARD
	2400	80	J. LYONS

Wednesday

Date	Time	Temp.	Name(Print)
	0300	73	J. LYONS
	0600	70	A. KAPILA
	0900	74	A. KAPILA
	1200	78	A. KAPILA
	1500	81	CUSTARD
	1800	82	CUSTARD
	2100	76	CUSTARD
	2400	70	CUSTARD

Friday

Date	Time	Temp.	Name(Print)
	0300	71	Bernardino
	0600	71	Sims
	0900	71	Sims
	1200	77	Sims
	1500	89	Morse
	1800	83	Mark
	2100	72	Mark
	2400	80	J. SCOTT

Sunday

Date	Time	Temp.	Name(Print)
	0300	71	Armenedo
	0600	65	Mosero
	0900	66	Mosero
	1200	70	Mosero
	1500	79	D. BOURNE
	1800	76	D. BOURNE
	2100	73	D. BOURNE
	2400	70	M. VEGA

Tuesday

Date	Time	Temp.	Name(Print)
	0300	75	M. VEGA
	0600	72	A. KAPILA
	0900	76	A. KAPILA
	1200	80	A. KAPILA
	1500	94	CUSTARD
	1800	84	CUSTARD
	2100	82	CUSTARD
	2400	80	J. LYONS

Thursday

Date	Time	Temp.	Name(Print)
	0300	820	CUSTARD
	0600	70	A. KAPILA
	0900	74	A. KAPILA
	1200	78	A. KAPILA
	1500	84	CUSTARD
	1800	82	CUSTARD
	2100	81	CUSTARD
	2400	70	Bernardino

Saturday

Date	Time	Temp.	Name(Print)
	0300	74	J. SCOTT
	0600	70	Sims
	0900	80	Sims
	1200	80	Sims
	1500	82°	D. BOURNE
	1800	85°	D. BOURNE
	2100	82°	D. BOURNE
	2400	73	Armendariz

Notes

10/7 01326 Stage II activated Notified Watch

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS: 102, 103, 100, 111, 201, 202, 203, 200, 214
304, 300, 311, 312, 313, 401, 402, 403, 404
406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-B Temp. Reading Location: DORM - 202
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/2024	0300	66	M. RODA
	0600	62	A. KAPILA
	0900	64	A. KAPILA
	1200	68	A. KAPILA
	1500	76	CUSTARD <i>HT</i>
	1800	73	CUSTARD
	2100	71	CUSTARD
	2400	68	M. RODA

Tuesday

Date	Time	Temp.	Name (Print)
10/15/2024	0300	65	M. RODA
	0600	64	A. KAPILA
	0900	68	A. KAPILA
	1200	70	A. KAPILA
	1500	76	CUSTARD
	1800	73	CUSTARD
	2100	71	CUSTARD
	2400	69	J. LYONS

Wednesday

Date	Time	Temp.	Name (Print)
10/16/2024	0300	67	J. LYONS
	0600	68	A. KAPILA
	0900	70	A. KAPILA
	1200	70	A. KAPILA
	1500	67	CUSTARD <i>HT</i>
	1800	66	CUSTARD
	2100	66	CUSTARD
	2400	66	CUSTARD

Thursday

Date	Time	Temp.	Name (Print)
10/17/2024	0300	66	CUSTARD <i>HT</i>
	0600	66	M. VILLANAR
	0900	67	M. VILLANAR
	1200	69	M. VILLANAR <i>HT</i>
	1500	69	CUSTARD
	1800	68	CUSTARD
	2100	68	CUSTARD
	2400	68	P. DAVIS

Friday

Date	Time	Temp.	Name (Print)
10/18/2024	0300	65	P. DAVIS
	0600	68	Sirri
	0900	68	Sirri
	1200	72	Sirri <i>HT</i>
	1500	78	Armedeniz
	1800	76	Armedeniz
	2100	72	Armedeniz
	2400	68	A. SANTOS

Saturday

Date	Time	Temp.	Name (Print)
10/19/2024	0300	68	A. SANTOS
	0600	68	Sirri
	0900	78	Sirri
	1200	78	Sirri
	1500	81	A. TORRES
	1800	80	A. TORRES
	2100	78	A. TORRES
	2400	70	Armedeniz

Sunday

Date	Time	Temp.	Name (Print)
10/20/2024	0300	66	Armedeniz
	0600	62	A. KAPILA
	0900	64	A. KAPILA
	1200	76	A. KAPILA <i>HT</i>
	1500	80	A. KAPILA
	1800	80	A. KAPILA
	2100	80	A. KAPILA
	2400	73	Diaz

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC** Housing Unit: **Facility B** TEMP READING LOCATION: **DORM 202**

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 21, 2024	0300	68	DIAZ
	0600	66	A. KAPILA
	0900	68	A. KAPILA
	1200	78	A. KAPILA
	1500	78	CUSTARD
	1800	75	CUSTARD
	2100	74	CUSTARD
	2400	72	M. ROCHA

Wednesday			
Date	Time	Temp.	Name(Print)
October 23, 2024	0300	73	J. LYONS
	0600	68	A. KAPILA
	0900	70	A. KAPILA
	1200	76	A. KAPILA
	1500	78	CUSTARD
	1800	76	CUSTARD
	2100	74	CUSTARD
	2400	72	CUSTARD

Friday			
Date	Time	Temp.	Name(Print)
October 25, 2024	0300	75	CRESDEN
	0600	70	Siri
	0900	70	Siri
	1200	76	Siri
	1500	84	Armenardiz
	1800	77	Armenardiz
	2100	76	Armenardiz
	2400	74	T-

Sunday			
Date	Time	Temp.	Name(Print)
October 27, 2024	0300	73	Mechristian
	0600	69	XIAOWH
	0900	70	XIAOWH
	1200	75	XIAOWH
	1500	78°	D. Bourne
	1800	75°	D. Bourne
	2100	74	D. Bourne
	2400	72	M. ROCHA

Tuesday			
Date	Time	Temp.	Name(Print)
October 22, 2024	0300	67	M. ROCHA
	0600	69	A. KAPILA
	0900	68	A. KAPILA
	1200	72	A. KAPILA
	1500	84	CUSTARD
	1800	80	CUSTARD
	2100	77	CUSTARD
	2400	73	J. LYONS

Thursday			
Date	Time	Temp.	Name(Print)
October 24, 2024	0300	68	CUSTARD
	0600	70	A. KAPILA
	0900	68	A. KAPILA
	1200	76	A. KAPILA
	1500	85	CUSTARD
	1800	79	CUSTARD
	2100	76	CUSTARD
	2400	75	GREY

Saturday			
Date	Time	Temp.	Name(Print)
October 26, 2024	0300	66	D-
	0600	70	Siri
	0900	70	Siri
	1200	78	Siri
	1500	84°	D. Bourne
	1800	76°	D. Bourne
	2100	74°	D. Bourne
	2400	75	Mechristian

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 202

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 28, 2024	0300	70	M. RockA
	0600	68	A. KAPILA
	0900	70	A. KAPILA
	1200	72	A. KAPILA
	1500	71	CUSTARD
	1800	70	CUSTARD
	2100	68	CUSTARD
	2400	67	M. RockA

Wednesday

Date	Time	Temp.	Name(Print)
October 30, 2024	0300	63	J. Lyons
	0600	60	A. KAPILA
	0900	66	A. KAPILA
	1200	62	A. KAPILA
	1500	69	CUSTARD
	1800	70	CUSTARD
	2100	72	CUSTARD
	2400	70	CUSTARD

Tuesday

Date	Time	Temp.	Name(Print)
October 29, 2024	0300	64	M. RockA
	0600	70	A. KAPILA
	0900	68	A. KAPILA
	1200	68	A. KAPILA
	1500	74	CUSTARD
	1800	72	CUSTARD
	2100	69	CUSTARD
	2400	66	J. Lyons

Thursday

Date	Time	Temp.	Name(Print)
October 31, 2024	0300	61	CUSTARD
	0600	60	A. KAPILA
	0900	60	A. KAPILA
	1200	62	A. KAPILA
	1500	72	CUSTARD
	1800	70	CUSTARD
	2100	69	CUSTARD
	2400	68	Armen

Friday

Date	Time	Temp.	Name(Print)
October 31, 2024	0300	62	
	0600	61	
	0900	60	
	1200	62	
	1500	72	
	1800	70	
	2100	69	
	2400	68	

Saturday

Date	Time	Temp.	Name(Print)
October 31, 2024	0300	63	
	0600	62	
	0900	61	
	1200	63	
	1500	73	
	1800	71	
	2100	70	
	2400	69	

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	76	D. JOHNSON
	0600	77	I. Amaro
	0900	78	I. Amaro
	1200	79	I. Amaro
	1500	80	I. Amaro
	1800	81	M. SERNA
	2100	82	M. SERNA
	2400	83	M. SERNA

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	77	M. RACNA
	0600	76	I. Amaro
	0900	78	I. Amaro
	1200	80	I. Amaro
	1500	89	Saragih <i>ky</i>
	1800	89	Saragih <i>ky</i>
	2100	89.	Saragih
	2400	85	A. Perez

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	74	D. JOHNSON
	0600	72	I. Amaro
	0900	78	I. Amaro
	1200	78	I. Amaro
	1500	89.	Saragih <i>ky</i>
	1800	87	Saragih <i>ky</i>
	2100	83	SARAGIH
	2400	78	D. JOHNSON

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	76	D. JOHNSON
	0600	76	S. ron
	0900	78	S. ron
	1200	80	S. ron
	1500	89	M. SERNA
	1800	85	M. SERNA
	2100	80	M. SERNA
	2400	81	D. JOHNSON

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	75	D. JOHNSON
	0600	74	I. Amaro
	0900	80	I. Amaro
	1200	84	I. Amaro
	1500	90	M. SERNA <i>ky</i>
	1800	89	M. SERNA
	2100	87	M. SERNA
	2400	81	M. ROCKA

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	80	A. Perez
	0600	78	I. Amaro
	0900	74	I. Amaro
	1200	80	I. Amaro
	1500	86	R. Morales <i>ky</i>
	1800	88	R. Morales <i>ky</i>
	2100	82	R. Morales
	2400	77	D. JOHNSON

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	74	D. JOHNSON
	0600	72	I. Amaro
	0900	72	I. Amaro
	1200	80	I. Amaro
	1500	90	Mechristian <i>ky</i>
	1800	89	Mechristian <i>ky</i>
	2100	85	Mechristian
	2400	80	D. JOHNSON

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	77	D. JOHNSON
	0600	78	SANDY
	0900	79	Sandra
	1200	80	SANDY
	1500	91	M. SERNA
	1800	91	M. SERNA
	2100	89	M. SERNA
	2400	81	D. JOHNSON

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	85	A. SANTOS
	0600	72	I. Amely
	0900	70	I. Amely
	1200	74	I. Amel
	1500	82	T. Saragih
	1800	82	T. Saragih
	2100	80	T. Saragih
	2400	77	DURIE

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	73	D. JOHNSON
	0600	70	I. Amely
	0900	74	I. Amel
	1200	78	I. Amel
	1500	86	R. MORALES
	1800	86	R. MORALES
	2100	86	R. MORALES
	2400	78	D. JOHNSON

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	D. JOHNSON
	0600	70	Jordan
	0900	73	Jordan
	1200	75	Jordan
	1500	80	Jordan
	1800	79	Jordan
	2100	75	Jordan
	2400	71	D. JOHNSON

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	76	D. Johnson
	0600	74	I. Amely
	0900	74	I. Amel
	1200	80	I. Amel
	1500	88	M. SERNA
	1800	89	M. SERNA
	2100	88	M. SERNA
	2400	88	A. SANTOS

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	72	DUARTE
	0600	70	I. Amely
	0900	70	I. Amel
	1200	72	I. Amel
	1500	87	T. Saragih
	1800	87	T. Saragih
	2100	80	T. Saragih
	2400	77	D. JOHNSON

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	74	D. JOHNSON
	0600	74	Verges
	0900	74	Verges
	1200	77	Verges
	1500	85	A. Perez
	1800	81	A. Perez
	2100	79	A. Perez
	2400	74	D. JOHNSON

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 203

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	68	D. JOHNSON
	0600	70	SANDOWN
	0900	70	SANDOWN
	1200	70	SANDOWN ✓
	1500	81	M. SERNA
	1800	80	M. SERNA
	2100	76	M. SERNA
	2400	70	D. Johnson

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	67	M. RODA
	0600	70	I. Amerola
	0900	70	I. Amerola
	1200	70	I. Amerola
	1500	71	Saragih
	1800	70	Saragih
	2100	69	Saragih ✓
	2400	68	Fever

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	67	D. JOHNSON
	0600	66	BRAEDON
	0900	67	BRAEDON
	1200	71	BRAEDON
	1500	74	Saragih
	1800	74	Saragih
	2100	74	Saragih ✓
	2400	70	D. JOHNSON

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	69	D. JOHNSON
	0600	69	SIM
	0900	69	SIM
	1200	70	SIM
	1500	75	TLELL
	1800	76	TLELL ✓
	2100	76	T. HEC
	2400	72	D. JOHNSON

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	67	D. JOHNSON
	0600	70	I. Amerola
	0900	70	I. Amerola
	1200	70	I. Amerola
	1500	71	M. SERNA
	1800	70	M. SERNA
	2100	71	M. SERNA
	2400	70	M. RODA

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	67	A. Perez
	0600	69	I. Amerola
	0900	70	I. Amerola
	1200	70	I. Amerola
	1500	72	Saragih
	1800	72	Saragih
	2100	71	Saragih
	2400	70	D. Johnson

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	68	D. JOHNSON
	0600	70	F. Amerola
	0900	72	F. Amerola
	1200	78	F. Amerola
	1500	81	A. Perez
	1800	81	A. Perez
	2100	80	A. Perez
	2400	72	D. Johnson

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

192

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 203
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 21, 2024	0300	70	D. JOHNSON
	0600	70	SANDOVA /
	0900	69	SANDOVA /
	1200	75	SANDOVA /
	1500	71	M. SERNA
	1800	72	M. SERNA
	2100	79	M. SERNA
	2400	75	D. JOHNSON

Wednesday

Date	Time	Temp.	Name(Print)
October 23, 2024	0300	72	M. ROCHA
	0600	72	A. Meza
	0900	74	A. Meza
	1200	80	A. Meza
	1500	88	Saragih
	1800	88	Saragih
	2100	78	Saragih
	2400	72	Saragih

Friday

Date	Time	Temp.	Name(Print)
October 25, 2024	0300	68	Saragih
	0600	68	Amezola
	0900	72	Amezola
	1200	75	Amezola
	1500	84	SARAGIH
	1800	84	SARAGIH
	2100	78	Saragih
	2400	75	D. JOHNSON

Sunday

Date	Time	Temp.	Name(Print)
October 27, 2024	0300	72	D. JOHNSON
	0600	72	K. Amezola
	0900	70	K. Amezola
	1200	79	K. Amezola
	1500	79	C. TOLL
	1800	78	C. TOLL
	2100	78	C. TOLL
	2400	74	D. JOHNSON

Tuesday

Date	Time	Temp.	Name(Print)
October 22, 2024	0300	70	D. JOHNSON
	0600	70	I. Amaro / S
	0900	68	I. Amaro / S
	1200	80	I. Amaro / S
	1500	85	M. SERNA
	1800	84	M. SERNA
	2100	79	M. SERNA
	2400	77	M. RODA

Thursday

Date	Time	Temp.	Name(Print)
October 24, 2024	0300	68	Sergio
	0600	68	I. Amaro / S
	0900	68	I. Amaro / S
	1200	72	I. Amaro / S
	1500	80	Sergio
	1800	80	Sergio
	2100	78	Sergio
	2400	75	JOHNSON

Saturday

Date	Time	Temp.	Name(Print)
October 26, 2024	0300	70	D. JOHNSON
	0600	68	I. Amaro / S
	0900	70	I. Amaro / S
	1200	74	I. Amaro / S
	1500	84	A. Perez
	1800	83	A. Perez
	2100	83	A. Perez
	2400	77	D. JOHNSON

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC** Housing Unit: **Facility B** TEMP READING LOCATION: **DORM 203**
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 28, 2024	0300	72	D. JOHNSON
	0600	68	J. LYONS
	0900	70	J. LYONS
	1200	72	J. LYONS
	1500	77	M. SERNA
	1800	73	M. SERNA
	2100	72	M. SERNA
	2400	66	D. JOHNSON

Tuesday

Date	Time	Temp.	Name(Print)
October 29, 2024	0300	63	D. JOHNSON
	0600	64	J. ANNEALE
	0900	64	J. ANNEALE
	1200	68	J. ANNEALE
	1500	71	M. SERNA
	1800	71	M. SERNA
	2100	70	M. SERNA
	2400	67	LAWRENCE

Wednesday

Date	Time	Temp.	Name(Print)
October 30, 2024	0300	66	LAWRENCE
	0600	68	J. ANNEALE
	0900	64	J. ANNEALE
	1200	68	J. ANNEALE
	1500	70	R. MORALES
	1800	74	R. MORALES
	2100	72	R. MORALES
	2400	67	LAWRENCE

Thursday

Date	Time	Temp.	Name(Print)
October 31, 2024	0300	63	R. MORALES
	0600	60	J. ANNEALE
	0900	60	J. ANNEALE
	1200	66	J. ANNEALE
	1500	66	LAWRENCE
	1800	66	LAWRENCE
	2100	68	LAWRENCE
	2400	65	D. JOHNSON

Friday

Date	Time	Temp.	Name(Print)
November 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name(Print)
November 2, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
November 3, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 204
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
	0300	67	Perez		0300	67	Perez
	0600	66	ZAVALA		0600	66	ZAVALA
	0900	71	ZAVALA		0900	71	ZAVALA
	1200	71	ZAVALA		1200	71	ZAVALA
	1500	78	MARQUEZ		1500	78	MARQUEZ
	1800	78	MARQUEZ		1800	78	MARQUEZ
	2100	81	MARQUEZ		2100	81	MARQUEZ
	2400	70	Perez		2400	70	Perez
Wednesday				Thursday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
October 2, 2024	0300	69	Perez		0300	69	Perez
	0600	69	Lopez		0600	69	Lopez
	0900	75	Lopez		0900	77	Lopez
	1200	82	Lopez		1200	84	Lopez
	1500	92°F	G. ROBLES		1500	89°F	G. ROBLES
	1800	90°F	G. ROBLES		1800	88°F	G. ROBLES
	2100	86°F	G. ROBLES		2100	82°F	G. ROBLES
	2400	70	M. SERNA		2400	76	M. SERNA
Friday				Saturday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
October 4, 2024	0300	73	Perez		0300	72	Kayla
	0600	71	ZAVALA		0600	72	Alay
	0900	76	ZAVALA		0900	73	Alay
	1200	80	ZAVALA		1200	82	Alay
	1500	81	M. SERNA		1500	90	M. SERNA
	1800	90	M. SERNA		1800	91	M. SERNA
	2100	80	M. SERNA		2100	89	M. SERNA
	2400	76	Kayla		2400	76	M. SERNA
Sunday				Notes			
Date	Time	Temp.	Name(Print)	10/4			
October 6, 2024	0300	70	M. SERNA				
	0600	70	ZAVALA				
	0900	73	ZAVALA				
	1200	84	ZAVALA				
	1500	89	MARQUEZ				
	1800	90	MARQUEZ				
	2100	84	MARQUEZ				
	2400	75	M. SERNA				

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility 8.

TEMP READING LOCATION: DORM 204

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	70	M-Perez
	0600	71	Z-Avala
	0900	75	Z-Gutierrez
	1200	79	Z-Avala
	1500	80	M-Morales
	1800	89	M-Morales
	2100	88	M-Morales
	2400	75	M-Perez

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	70	Perez
	0600	69	Lopez
	0900	70	Lopez
	1200	78	Lopez
	1500	85°F	G. ROBLES
	1800	84°F	G. ROBLES
	2100	78°F	G. ROBLES
	2400	75	Perez

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	77	K-Amezcua
	0600	70	Z-Avala
	0900	76	Z-Gutierrez
	1200	78	Z-Avala
	1500	87	M-Serna
	1800	89	M-Serna
	2100	81	M-Serna
	2400	77	Royer

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	Perez
	0600	70	K-Amezcua
	0900	72	K-Amezcua
	1200	75	K-Amezcua
	1500	86	M-Morales
	1800	80	M-Morales
	2100	74	M-Morales
	2400	73	Perez

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	70	Perez-m
	0600	71	Z-Avala
	0900	71	Z-Avala
	1200	84	Z-Avala
	1500	87	M-Morales
	1800	89	M-Morales
	2100	84	M-Morales
	2400	75	Perez

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	70	Perez
	0600	67	Lopez
	0900	70	Lopez
	1200	79	Lopez
	1500	88°F	G. ROBLES
	1800	84°F	G. ROBLES
	2100	78°F	G. ROBLES
	2400	76	Lopez

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	73	Rodriguez
	0600	75	Lay
	0900	76	Lay
	1200	77	Lay
	1500	84	Rodriguez
	1800	82	Rodriguez
	2100	76	Rodriguez
	2400	75	Perez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 204

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	62	Perez
	0600	64	K. AME 201A
	0900	64	K. AME 201A
	1200	69	K. AME 201A
	1500	74	MARQUEZ <i>TV</i>
	1800	72	MARQUEZ
	2100	70	MARQUEZ
	2400	65	Perez

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	62	Perez
	0600	65	Lopez
	0900	66	Lopez
	1200	68	Lopez
	1500	70	J. Tava
	1800	68	J. Tava
	2100	68	J. Tava
	2400	68	Perez

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	64	Lopez
	0600	65	ZAVALA
	0900	68	ZAVALA
	1200	73	ZAVALA
	1500	80	C. Rojas
	1800	75	C. Rojas
	2100	72	C. Rojas
	2400	70	Lopez

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	66	Perez
	0600	65	ZAVALA
	0900	68	ZAVALA
	1200	71	ZAVALA
	1500	72°	R. Becerra
	1800	74°	R. Becerra
	2100	78°	R. Becerra
	2400	65	Perez

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	63	Perez
	0600	64	ZAVALA
	0900	65	ZAVALA
	1200	67	ZAVALA
	1500	75	MARQUEZ <i>TV</i>
	1800	72	MARQUEZ
	2100	71	MARQUEZ
	2400	65	Perez

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	63	Perez
	0600	64	Lopez
	0900	66	Lopez
	1200	68	Lopez
	1500	68	Tava
	1800	71	Tava
	2100	68	Tava
	2400	66	Lopez

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	69	Lopez
	0600	69	Lopez
	0900	73	Lopez
	1200	77	Lopez
	1500	80	m. SERNA
	1800	79	m. SERNA
	2100	78	m. SERNA
	2400	70	Perez m.

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC** Housing Unit: **Facility B** TEMP READING LOCATION: **DORM 204**

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 21, 2024	0300	64	Perez
	0600	64	ZAVALA
	0900	67	ZAVALA
	1200	73	ZAVALA
	1500	80	DURAN
	1800	79	DURAN
	2100	79	DURAN
	2400	65	Perez

Wednesday			
Date	Time	Temp.	Name(Print)
October 23, 2024	0300	63	Perez
	0600	67	Lopez +
	0900	70	Lopez
	1200	77	Lopez
	1500	85	TORRES A
	1800	81	TORRES A
	2100	79	TORRES A
	2400	67	Perez

Friday			
Date	Time	Temp.	Name(Print)
October 25, 2024	0300	71	Rogel
	0600	69	ZAVALA
	0900	70	ZAVALA
	1200	71	ZAVALA
	1500	81	Padilla
	1800	80	Padilla
	2100	80	Padilla
	2400	74	Rogel

Sunday			
Date	Time	Temp.	Name(Print)
October 27, 2024	0300	73	KNUDSEN
	0600	71	ZAVALA
	0900	74	ZAVALA
	1200	75	ZAVALA
	1500	81	TORRES A
	1800	80	TORRES A
	2100	79	TORRES A
	2400	76	Perez

DISTRIBUTION: Original: Institution ADA Coordinator

Tuesday			
Date	Time	Temp.	Name(Print)
October 22, 2024	0300	65	Perez
	0600	65	ZAVALA
	0900	69	ZAVALA
	1200	76	ZAVALA
	1500	89	TORRES A
	1800	85	TORRES A
	2100	81	TORRES A
	2400	64	Perez

Thursday			
Date	Time	Temp.	Name(Print)
October 24, 2024	0300	68	Perez
	0600	67	ZAVALA
	0900	70	ZAVALA
	1200	73	ZAVALA
	1500	85	TORRES A
	1800	83	TORRES A
	2100	80	TORRES A
	2400	73	Rogel

Saturday			
Date	Time	Temp.	Name(Print)
October 26, 2024	0300	72	Rogel
	0600	70	Alay
	0900	71	Alay
	1200	74	Alay
	1500	80	Leo
	1800	80	Leo
	2100	79	Leo
	2400	75	KNUDSEN

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC** Housing Unit: **Facility B** TEMP READING LOCATION: **DORM 204**

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	70	Perez
	0600	70	BRAZON
	0900	72	BRAZON
	1200	74	BRAZON
	1500	74	BRAZON
	1800	70	MARQUEZ
	2100	68	MARQUEZ
	2400	68	Perez

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	65	Perez
	0600	65	R. Shaw
	0900	70	R. Shaw
	1200	70	R. Shaw
	1500	69°F	G. ROBLES
	1800	73°F	G. ROBLES
	2100	71°F	G. ROBLES
	2400	68	Perez

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	65	Perez
	0600	64	Lopez
	0900	62	Lopez
	1200	69°F	G. ROBLES
	1500	72°F	G. ROBLES
	1800	72°F	G. ROBLES
	2100	70°F	G. ROBLES
	2400	68	Perez

Sunday			
Date	Time	Temp.	Name(Print)
November 3, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	64	Perez
	0600	65	GRADY
	0900	67	GRADY
	1200	70	GRADY
	1500	71	MARQUEZ
	1800	72	MARQUEZ
	2100	68	MARQUEZ
	2400	67	Perez

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	65	Perez
	0600	64	Lopez
	0900	62	Lopez
	1200	69°F	G. ROBLES
	1500	72°F	G. ROBLES
	1800	72°F	G. ROBLES
	2100	70°F	G. ROBLES
	2400	68	Perez

Friday			
Date	Time	Temp.	Name(Print)
November 2, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes			

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 206

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	76	Roger
	0600	73°	R. Becerra
	0900	75°	R. Becerra
	1200	85°	R. Becerra
	1500	85°	R. DAU ^{Jr}
	1800	90	R. DAU ^{Jr}
	2100	87	R. DAU ^{Jr}
	2400	82	Roger

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	78	A. Ramirez
	0600	74	R. Amerson
	0900	76	R. Amerson
	1200	80	R. Amerson
	1500	85°	L. McCay
	1800	89°	L. McCay
	2100	83°	L. McCay
	2400	82	A. Ramirez

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	74	Barrera
	0600	72	J. Tch
	0900	71	J. Tch
	1200	80	J. Tch
	1500	82	L. McCay
	1800	88°	L. McCay
	2100	84°	L. McCay
	2400	83	A. Ramirez

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	78	A. Ramirez
	0600	73	J. Elias
	0900	75	J. Elias
	1200	77	J. Elias
	1500	78	R. DAU ^{Jr}
	1800	78	R. DAU ^{Jr}
	2100	78	R. DAU ^{Jr}
	2400	77	Roger

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	78	Roger
	0600	76°	R. Becerra
	0900	76°	R. Becerra
	1200	84°	R. Becerra
	1500	90°	L. McCay
	1800	85°	L. McCay
	2100	87°	L. McCay
	2400	80	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	79	A. Ramirez
	0600	73	J. Tch
	0900	73	J. Tch
	1200	81	J. Tch
	1500	88°	L. McCay
	1800	85°	L. McCay
	2100	84°	L. McCay
	2400	84°	BARRERA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 206

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	79	A. Ramirez
	0600	79	J. Elias
	0900	79	J. Elias
	1200	82	J. Elias
	1500	89	L. McCay
	1800	87	L. McCay
	2100	85	L. McCay
	2400	81	A. Ramirez

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	78	Roger
	0600	72	J. Torn
	0900	70	J. Torn
	1200	74	J. Torn
	1500	78	A. Ortiz
	1800	82	A. Ortiz
	2100	81	A. Ortiz
	2400	73	Roger

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	77	A. Ramirez
	0600	77°	R. Becerra
	0900	79°	R. Becerra
	1200	79°	R. Becerra
	1500	85	L. McCay
	1800	85	L. McCay
	2100	83	L. McCay
	2400	80	A. Ramirez

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	74	A. Ramirez
	0600	67	R. Becerra
	0900	70	R. Becerra
	1200	74°	R. Becerra
	1500	76	L. McCay
	1800	74	L. McCay
	2100	72	L. McCay
	2400	71	A. Ramirez

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	78	A. Ramirez
	0600	78	J. Elias
	0900	78	J. Elias
	1200	80	J. Elias
	1500	88	J. Elias A. Ortiz
	1800	88	A. Ortiz
	2100	86	A. Ortiz
	2400	79	Roger

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	79	Roger
	0600	67	J. Torn
	0900	71	J. Torn
	1200	76	J. Torn
	1500	85	L. McCay
	1800	83	L. McCay
	2100	83	L. McCay
	2400	80	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	78	A. Ramirez
	0600	74°	R. Becerra
	0900	76°	R. Becerra
	1200	79°	R. Becerra
	1500	83'	L. McCay
	1800	83'	L. McCay
	2100	83	L. McCay
	2400	81	A. Ramirez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 206

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 14, 2024	0300	70	A. Ramirez
	0600	68	Moreno
	0900	68	Moreno
	1200	68	Moreno ✓
	1500	75	L. McCay
	1800	74	L. McCay
	2100	72	L. McCay
	2400	72	A. Ramirez

Wednesday			
Date	Time	Temp.	Name(Print)
October 16, 2024	0300	70	Smith
	0600	68	J. True
	0900	68	J. True
	1200	69	J. True
	1500	68	A. Ortiz
	1800	68	A. Ortiz
	2100	67	A. Ortiz ✓
	2400	68	Smith

Friday			
Date	Time	Temp.	Name(Print)
October 18, 2024	0300	69	A. Ramirez
	0600	68	R. Becerra
	0900	70	R. Becerra ✓
	1200	72	R. Becerra
	1500	74	L. McCay
	1800	74	L. McCay
	2100	72	L. McCay
	2400	70	A. Ramirez

Sunday			
Date	Time	Temp.	Name(Print)
October 20, 2024	0300	69	A. Ramirez
	0600	68	R. Becerra
	0900	74	R. Becerra
	1200	77	R. Becerra ✓
	1500	80	A. Tonkos
	1800	81	A. Tonkos
	2100	79	A. Tonkos
	2400	78	A. Ramirez

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	70	A. Ramirez
	0600	68	A. Moreno
	0900	68	A. Moreno
	1200	70	A. Moreno ✓
	1500	73	A. Ortiz
	1800	74	A. Ortiz
	2100	73	A. Ortiz
	2400	70	P. Palito

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	68	Smith
	0600	68	True
	0900	68	True
	1200	69	True
	1500	72	L. McCay
	1800	70	L. McCay
	2100	70	L. McCay
	2400	69	A. Ramirez

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	69	A. Ramirez
	0600	68	R. Becerra
	0900	72	R. Becerra
	1200	76	L. McCay
	1500	74	L. McCay
	1800	72	L. McCay
	2100	72	L. McCay
	2400	71	A. Ramirez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 206
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 21, 2024	0300	70	A. Ramirez
	0600	69	E. Sanchez
	0900	70	E. Sanchez
	1200	73	E. Sanchez
	1500	84	R. Bonte
	1800	83	R. Bonte
	2100	80	R. Bonte
	2400	78	A. Ramirez

Wednesday			
Date	Time	Temp.	Name(Print)
October 23, 2024	0300	73	Roger
	0600	70°	R. Becerra
	0900	70°	R. Becerra
	1200	70	R. Becerra
	1500	75	A. Ortiz
	1800	77	A. Ortiz
	2100	74	A. Ortiz
	2400	74	J. Diaz

Friday			
Date	Time	Temp.	Name(Print)
October 25, 2024	0300	71	A. Ramirez
	0600	70°	R. Becerra
	0900	70°	R. Becerra
	1200	74°	R. Becerra
	1500	78°	Crooniger
	1800	77	Crooniger
	2100	77	Crooniger
	2400	76	A. Ramirez

Sunday			
Date	Time	Temp.	Name(Print)
October 27, 2024	0300	74	A. Ramirez
	0600	70	Tina
	0900	71	J. Yau
	1200	76	Tina
	1500	78	L. Ron
	1800	80	L. Ron
	2100	70	L. Ron
	2400	70	A. Ramirez

Tuesday			
Date	Time	Temp.	Name(Print)
October 22, 2024	0300	72	A. Ramirez
	0600	68	J. Elias
	0900	78	J. Elias
	1200	78	J. Elias
	1500	82	A. Ortiz
	1800	81	A. Ortiz
	2100	81	A. Ortiz
	2400	74	Kyle

Thursday			
Date	Time	Temp.	Name(Print)
October 24, 2024	0300	72	Kyle
	0600	70°	F. Becerra
	0900	70°	R. Becerra
	1200	74°	R. Becerra
	1500	84	R. Bonte
	1800	78	R. Bonte
	2100	77	R. Bonte
	2400	75	A. Ramirez

Saturday			
Date	Time	Temp.	Name(Print)
October 26, 2024	0300	72	A. Ramirez
	0600	66	Tina
	0900	67	Tina
	1200	73	Tina
	1500	82	Mehchristian
	1800	84	Mehchristian
	2100	79	Mehchristian
	2400	77	A. Ramirez

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC** Housing Unit: **Facility B** TEMP READING LOCATION: **DORM 206**
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	70	A. Ramirez
	0600	70	J. ELIAS
	0900	70	J. ELIAS
	1200	70	J. ELIAS
	1500	72	man
	1800	70	man
	2100	70	man
	2400	70	A. Ramirez

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	68	Royal
	0600	66	Tone
	0900	63	Tone
	1200	66	Tone
	1500	75	M. Vazquez
	1800	75	Vazquez M.
	2100	72	M. Vazquez
	2400	70	Royal

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	67	A. Ramirez
	0600	64	J. ELIAS
	0900	66	J. ELIAS
	1200	66	S. ELIAS
	1500	69	THOMAS
	1800	72	Thomas
	2100	72	Thomas
	2400	70	Royal

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	77	Royal
	0600	66	Tan
	0900	63	Tan
	1200	69	Fan
	1500	70	L. McCay
	1800	73	L. McCay
	2100	71	L. McCay
	2400	71	L. McCay

Friday			
Date	Time	Temp.	Name(Print)
November 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
November 2, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
November 3, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 207

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
September 26, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	78	JEFFERS
	0600	72	R. Gomez
	0900	73	R. Gomez
	1200	76	R. Gomez
	1500	80	J. Gomez JR
	1800	80	J. Gomez JR
	2100	84	J. Gomez
	2400	79	M. MIRANDA

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	74	S. HILL
	0600	70	Lopez
	0900	74	Lopez
	1200	79	Lopez
	1500	88	ZACHARIE JK
	1800	84	ZACHARIE J
	2100	84	ZACHARIE
	2400	80	ZACHARIE

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	76	S. HILL
	0600	76°	E. Chisholm
	0900	78°	E. Chisholm
	1200	80°	E. Chisholm
	1500	84	J. Gomez
	1800	84	J. Gomez
	2100	84	J. Gomez
	2400	78	C. BRAYFIELD

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	79	C. BRAYFIELD
	0600	72	J. GILES
	0900	74	J. GILES
	1200	80	J. GILES
	1500	88	J. GOMEZ JK
	1800	90	J. GOMEZ J
	2100	84	J. GOMEZ
	2400	79	JEFFERS

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	74	M. MIRANDA
	0600	73	R. MARTINEZ
	0900	74	R. MARTINEZ
	1200	82	R. MARTINEZ
	1500	88	BENEDICT JK
	1800	90	BENEDICT J
	2100	87	BENEDICT
	2400	85	SCHIFFEL

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	76	C. HILL
	0600	78	JK
	0900	75°	E. CHISHOLM
	1200	73°	JK
	1500	81	ALY JK
	1800	70	JONES J
	2100	78	JOLY
	2400	78	SCHIFFEL

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CNC Housing Unit: FAC B Temp. Reading Location: 207
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-7-2024	0300	74	C. BRAYSHAW
	0600	74	C. GIGENA
	0900	74	C. GIGENA
	1200	82	C. GIGENA
	1500	88	J. GOMEZ
	1800	80	J. GOMEZ
	2100	84	J. GOMEZ
	2400	77	C. BRAYSHAW

Wednesday

Date	Time	Temp.	Name (Print)
10-9-2024	0300	78	J. GOMEZ
	0600	89	A. GARCIA
	0900	85	A. GARCIA
	1200	79	A. GARCIA
	1500	80	J. GOMEZ
	1800	80	J. GOMEZ
	2100	80	J. GOMEZ
	2400	77	M. MIRANKA

Friday

Date	Time	Temp.	Name (Print)
10/11/2024	0300	68	S. HORN
	0600	69	A. GARCIA
	0900	72	A. GARCIA
	1200	73	A. GARCIA
	1500	76	ZADIE
	1800	79	LAWL
	2100	79	Z. LEE
	2400	76	S. HORN

Sunday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	66	S. HORN
	0600	65	A. GARCIA
	0900	75	A. GARCIA
	1200	78	A. GARCIA
	1500	78	J. GOMEZ
	1800	76	J. GOMEZ
	2100	74	J. GOMEZ
	2400	71	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name (Print)
10-8-2024	0300	73	C. BRAYSHAW
	0600	70	A. GARCIA
	0900	70	A. GARCIA
	1200	83	A. GARCIA
	1500	80	J. GOMEZ
	1800	84	J. GOMEZ
	2100	82	J. GOMEZ
	2400	80	J. GOMEZ

Thursday

Date	Time	Temp.	Name (Print)
10-10-2024	0300	69	M. MARTINEZ
	0600	69	M. MARTINEZ
	0900	72	M. MARTINEZ
	1200	76	M. MARTINEZ
	1500	80	J. GOMEZ
	1800	80	J. GOMEZ
	2100	80	J. GOMEZ
	2400	72	D. VASIOS

Saturday

Date	Time	Temp.	Name (Print)
10/12/2024	0300	68	S. HORN
	0600	69	A. GARCIA
	0900	70	A. GARCIA
	1200	81	A. GARCIA
	1500	80	Z. LEE
	1800	78	Z. LEE
	2100	77	Z. LEE
	2400	76	S. HORN

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 207

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	66	C. BRAYSHAW
	0600	67	A. Garcia
	0900	69	A. Garcia
	1200	69	A. Garcia
	1500	74	J. Gomez
	1800	74	J. Gomez
	2100	76	J. Gomez
	2400	68	C. BRAYSHAW

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	66	J. Gomez
	0600	66	A. Garcia
	0900	69	A. Garcia
	1200	70	A. Garcia
	1500	70	J. GOMEZ
	1800	70	J. GOMEZ
	2100	70	J. GOMEZ
	2400	68	J. Gomez

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	64	S. HILL
	0600	64	Lyon
	0900	68	Lyon
	1200	70	Lyon
	1500	73	ZAUN
	1800	72	ZAUN
	2100	72	ZAUN
	2400	68	S. HILL

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	62	S. HILL
	0600	61	A. Garcia
	0900	70	A. Garcia
	1200	74	A. Garcia
	1500	75	Mechristian
	1800	79	Mechristian
	2100	75	Mechristian
	2400	73	C. BRAYSHAW

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	66	C. BRAYSHAW
	0600	63	A. Garcia
	0900	71	A. Garcia
	1200	70	A. Garcia
	1500	72	J. GOMEZ
	1800	70	J. GOMEZ
	2100	70	J. GOMEZ
	2400	70	J. GOMEZ

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	66	J. GOMEZ
	0600	66	R. MARTINEZ
	0900	71	R. MARTINEZ
	1200	70	R. MARTINEZ
	1500	70	J. GOMEZ
	1800	70	J. GOMEZ
	2100	70	J. GOMEZ
	2400	68	S. HILL

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	64	S. HILL
	0600	62	A. Garcia
	0900	70	A. Garcia
	1200	72	A. Garcia
	1500	75	A. Lay
	1800	71	A. Lay
	2100	75	A. Lay
	2400	68	S. HILL

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 207
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 21, 2024	0300	68	C. BRAYSHAW
	0600	63	A. Garcia
	0900	67	A. Garcia
	1200	74	A. Garcia
	1500	80	J. Gomez
	1800	78	J. Gomez
	2100	79	J. Gomez
	2400	72	C. BRAYSHAW

Wednesday			
Date	Time	Temp.	Name(Print)
October 23, 2024	0300	72	Joffson
	0600	65	A. Garcia
	0900	69	A. Garcia
	1200	81	A. Garcia
	1500	82	J. Gomez
	1800	80	J. Gomez
	2100	80	J. Gomez
	2400	79	Miranda

Friday			
Date	Time	Temp.	Name(Print)
October 25, 2024	0300	68	S. HELL
	0600	69	T. Ig
	0900	70	S. HELL
	1200	72	S. HELL
	1500	76	ZAVALA
	1800	79	ZAVALA
	2100	78	ZAVALA
	2400	76	S. HELL

Sunday			
Date	Time	Temp.	Name(Print)
October 27, 2024	0300	70	
	0600	67	A. Garcia
	0900	72	A. Garcia
	1200	75	A. Garcia
	1500	76	F. Joffson
	1800	76	F. Joffson
	2100	75	F. Joffson
	2400	72	C. BRAYSHAW

Tuesday			
Date	Time	Temp.	Name(Print)
October 22, 2024	0300	69	C. BRAYSHAW
	0600	62	A. Garcia
	0900	63	A. Garcia
	1200	73	A. Garcia
	1500	80	J. Gomez
	1800	78	J. Gomez
	2100	76	J. Gomez
	2400	75	Joffson

Thursday			
Date	Time	Temp.	Name(Print)
October 24, 2024	0300	68	Miranda
	0600	63	R. MARTINEZ
	0900	64	R. MARTINEZ
	1200	77	R. MARTINEZ
	1500	80	J. Gomez
	1800	80	J. Gomez
	2100	78	J. Gomez
	2400	74	S. HELL

Saturday			
Date	Time	Temp.	Name(Print)
October 26, 2024	0300	65	S. HELL
	0600	61	A. Garcia
	0900	67	A. Garcia
	1200	73	A. Garcia
	1500	78	A. Lay
	1800	76	Paul
	2100	78	Paul
	2400	73	A. Garcia

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to moniter and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 207
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday			
Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)	Date	Time	Temp.	Name(Print)
October 28, 2024	0300	69	G. BRAYSHAW	October 29, 2024	0300	63	C. BRAYSHAW	October 30, 2024	0300	60	T. Howard	October 31, 2024	0300	60	T. Howard
	0600	67	A. Garcia		0600	59	F. Gaines		0600	59	F. Gaines		0600	59	F. Gaines
	0900	69	A. Garcia		0900	59	F. Gaines		0900	59	F. Gaines		0900	59	F. Gaines
	1200	72	A. Garcia		1200	60	A. Garcia		1200	60	A. Garcia		1200	60	A. Garcia
	1500	71	NOTE		1500	70	J. Gomez		1500	70	J. Gomez		1500	70	J. Gomez
	1800	70	MOTTO		1800	70	J. Gomez		1800	70	J. Gomez		1800	70	J. Gomez
	2100	69	MOTTO		2100	68	J. Gomez		2100	70	J. Gomez		2100	70	J. Gomez
	2400	66	C. BRAYSHAW		2400	65	J. Foss		2400	70	D. Morris		2400	70	D. Morris
Wednesday				Thursday				Friday				Saturday			
October 30, 2024	0300	60	J. Jefferson	October 31, 2024	0300	60	T. Howard	November 1, 2024	0300	60	T. Howard	November 2, 2024	0300	60	T. Howard
	0600	59	S. Lewis		0600	59	F. Gaines		0600	59	F. Gaines		0600	59	F. Gaines
	0900	59	S. Sealevy		0900	59	F. Gaines		0900	59	F. Gaines		0900	59	F. Gaines
	1200	65	S. Lewis		1200	65	F. Gaines		1200	65	F. Gaines		1200	65	F. Gaines
	1500	69	S. Lewis		1500	70	J. Gomez		1500	70	J. Gomez		1500	70	J. Gomez
	1800	69	J. Gomez		1800	70	J. Gomez		1800	70	J. Gomez		1800	70	J. Gomez
	2100	68	J. Gomez		2100	70	J. Gomez		2100	70	J. Gomez		2100	70	J. Gomez
	2400	65	T. Howard		2400	70	D. Morris		2400	70	D. Morris		2400	70	D. Morris
Sunday				Notes											
October 29, 2024	0300	60	T. Howard												
	0600	59	F. Gaines												
	0900	59	F. Gaines												
	1200	65	F. Gaines												
	1500	69	F. Gaines												
	1800	69	J. Gomez												
	2100	68	J. Gomez												
	2400	65	T. Howard												

DISTRIBUTION: Original: Institution ADA Coordinator

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 208

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	75	
10/01/2024	0600	70	
10/01/2024	0900	73	
10/01/2024	1200	78	
10/01/2024	1500	89	
10/01/2024	1800	89	
10/01/2024	2100	84	
10/01/2024	2400	80	

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	75	T Roy
10/02/2024	0600	70	G.Perez
10/02/2024	0900	73	G.Perez
10/02/2024	1200	84	G.Perez
10/02/2024	1500	89	M.Ratlaff
10/02/2024	1800	93	M.Ratlaff
10/02/2024	2100	90	M.Ratlaff
10/02/2024	2400	88	G.Perez

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	81	G.Perez
10/04/2024	0600	77	Harkness
10/04/2024	0900	82	Harkness
10/04/2024	1200	84	Harkness
10/04/2024	1500	89	M.Ratlaff
10/04/2024	1800	89	M.Ratlaff
10/04/2024	2100	89	M.Ratlaff
10/04/2024	2400	81	T Roy

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	74	T Roy
10/06/2024	0600	74°	J.Martinez
10/06/2024	0900	84°	J.Martinez
10/06/2024	1200	84°	J.Martinez
10/06/2024	1500	88°/89°	A.Chavez
10/06/2024	1800	88°	A.Chavez
10/06/2024	2100	85°	A.Chavez
10/06/2024	2400	83	T Roy

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	73	T Roy
	0600	70	G.Perez
	0900	71	G.Perez
	1200	78	G.Perez
	1500	89	L.Placencia
	1800	89	L.Placencia
	2100	84	L.Placencia
	2400	80	T Roy

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	82	G.Perez
	0600	71	G.Perez
	0900	74	G.Perez
	1200	83	G.Perez
	1500	89	M.Ratlaff
	1800	91	M.Ratlaff
	2100	90	M.Ratlaff
	2400	88	G.Perez

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	74	T Roy
	0600	72	E.Amenah
	0900	76	E.Amenah
	1200	79	E.Amenah
	1500	88	M.Ratlaff
	1800	86	M.Ratlaff
	2100	84	M.Ratlaff
	2400	80	T Roy

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B - 208 TEMP. READING LOCATION: DORM 208

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
10-7-24	0300	75	T Roy
	0600	78	L. Xiong
	0900	79	L. Xiong
	1200	82	L. Xiong
	1500	85	Lockett
	1800	86	Lockett
	2100	85	Lockett
	2400	79	T Roy

Wednesday

Date	Time	Temp.	Name(Print)
10-9-24	0300	73	T Roy
	0600	69	G.Perez
	0900	71	G.Perez
	1200	76	G.Perez
	1500	85	M.Martinez
	1800	86	M.Martinez
	2100	83	M.Martinez
	2400	80	TT

Friday

Date	Time	Temp.	Name(Print)
10-11-24	0300	78	
	0600	68	Harkness
	0900	70	Harkness
	1200	75	Harkness
	1500	85	Harkness
	1800	84	M.Martinez
	2100	83	M.Martinez
	2400	73	T Roy

Sunday

Date	Time	Temp.	Name(Print)
10-13-24	0300	68	T Roy
	0600	64	G.Perez
	0900	66	G.Perez
	1200	72	G.Perez
	1500	80	N. Miranda
	1800	80	N. Miranda
	2100	76	N. Miranda
	2400	74	T Roy

Tuesday

Date	Time	Temp.	Name(Print)
10-8-24	0300	74	T Roy
	0600	70	G.Perez
	0900	71	G.Perez
	1200	81	G.Perez
	1500	88	L.Placencia
	1800	89	L.Placencia
	2100	81	L.Placencia
	2400	81	T Roy

Thursday

Date	Time	Temp.	Name(Print)
10-10-24	0300	78	
	0600	68	G.Perez
	0900	70	G.Perez
	1200	73	G.Perez
	1500	84	M.Martinez
	1800	85	M.Martinez
	2100	81	M.Martinez
	2400	80	TT

Saturday

Date	Time	Temp.	Name(Print)
10-12-24	0300	74	T Roy
	0600	72	F.Amorosy
	0900	79	F.Amorosy
	1200	78	F.Amorosy
	1500	84	M.Martinez
	1800	81	M.Martinez
	2100	79	M.Martinez
	2400	74	T Roy

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

208

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

TEMP READING LOCATION: DORM 2 08

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
10-14-24	0300	68	T ROY
	0600	65	G.Perez
	0900	66	G.Perez
	1200	71	G.Perez
	1500	70	GARIBASO
	1800	70	GARIBASO
10-15-24	2100	69	GARIBASO
	2400	70	T ROY

Wednesday

Date	Time	Temp.	Name(Print)
10-16-24	0300	68	T ROY
	0600	65	G.Perez
	0900	66	G.Perez
	1200	68	G.Perez
	1500	70	MARLAET
	1800	70	MARLAET
10-17-24	2100	70	L.JANI
	2400	68	GARIBASO

Friday

Date	Time	Temp.	Name(Print)
10-18-24	0300	67	GARIBASO
	0600	66	J.YPIÑA
	0900	64	J.YPIÑA
	1200	70	J.YPIÑA
	1500	78	MARLAET
	1800	78	MARLAET
10-19-24	2100	73	MARLAET
	2400	70	J.YPIÑA

Sunday

Date	Time	Temp.	Name(Print)
10-20-24	0300	68	T ROY
	0600	70	K.AMEZOYA
	0900	70	K.AMEZOYA
	1200	70	K.AMEZOYA
	1500	78	M.MOORE
	1800	79	M.MOORE
	2100	77	M.MOORE
	2400	75	T ROY

Tuesday

Date	Time	Temp.	Name(Print)
10-15-24	0300	68	T ROY
	0600	65	G.Perez
	0900	66	G.Perez
	1200	69	G.Perez
	1500	70	L.PLACENCIA
	1800	70	L.PLACENCIA
10-16-24	2100	73	L.PLACENCIA
	2400	70	T ROY

Thursday

Date	Time	Temp.	Name(Print)
10-17-24	0300	68	GARIBASO
	0600	68	G.Perez
	0900	68	G.Perez
	1200	71	G.Perez
	1500	71	MARLAET
	1800	71	MARLAET
10-18-24	2100	71	MARLAET
	2400	70	GARIBASO

Saturday

Date	Time	Temp.	Name(Print)
10-19-24	0300	70	T ROY
	0600	69	S.BYRNIE
	0900	71	S.BYRNIE
	1200	78	S.BYRNIE
	1500	78	MARLAET
	1800	78	MARLAET
10-20-24	2100	78	MARLAET
	2400	72	T ROY

Notes

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - BTemp. Reading Location: Dorm 208
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-21-24	0300	70	T. Roy
	0600	64	G. Payerse
	0900	66	G. Payerse
	1200	68	G. Payerse
	1500	70	GARIBAYO
	1800	72	GARIBAYO
	2100	70	GARIBAYO
	2400	68	T. Roy

Wednesday

Date	Time	Temp.	Name (Print)
10-23-24	0300	70	T. Roy
	0600	66	G. Payerse
	0900	68	G. Payerse
	1200	70	G. Payerse
	1500	82	M. Rios
	1800	82	M. Rios
	2100	81	M. Rios
	2400	80	GARIBAYO

Friday

Date	Time	Temp.	Name (Print)
10-25-24	0300	72	GARIBAYO
	0600	71	Harkness
	0900	72	Harkness
	1200	73	Harkness
	1500	82	M. Rios
	1800	80	M. Rios
	2100	77	M. Rios
	2400	75	M. Rios

Sunday

Date	Time	Temp.	Name (Print)
10-27-24	0300	71	T. Roy
	0600	69	Godinez
	0900	71	Godinez
	1200	76	Godinez
	1500	80	N. Miranda
	1800	81	N. Miranda
	2100	78	N. Miranda
	2400	78	R. Shaw

Tuesday

Date	Time	Temp.	Name (Print)
10-22-24	0300	67	T. Roy
	0600	66	G. Payerse
	0900	68	G. Payerse
	1200	73	G. Payerse
	1500	76	Rios
	1800	80	L. Placencia
	2100	81	L. Placencia
	2400	75	T. Roy

Thursday

Date	Time	Temp.	Name (Print)
10-24-24	0300	78	GARIBAYO
	0600	64	G. Payerse
	0900	66	G. Payerse
	1200	75	G. Payerse
	1500	82	M. Rios
	1800	84	M. Rios
	2100	78	GARIBAYO
	2400	76	GARIBAYO

Saturday

Date	Time	Temp.	Name (Print)
10-26-24	0300	76	DUARTE
	0600	66	S. BYRNE
	0900	65	S. BYRNE
	1200	71	S. BYRNE
	1500	73	M. Rios
	1800	81	M. Rios
	2100	81	M. Rios
	2400	77	T. Roy

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 208
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	76	R. Shaw
	0600	76	R. Shaw
	0900	70	K. Amuzola
	1200	70	M. M. M. A.
	1500	72	Garcia, S.
	1800	71	Garcia, S.
	2100	70	Garcia, S.
	2400	69	T. Roy

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	64	T. Roy
	0600	64	S. Raymundo
	0900	69	S. Raymundo
	1200	71	S. Raymundo
	1500	73	M. M. M. A.
	1800	74	M. M. M. A.
	2100	71	M. M. M. A.
	2400	69	Garcia, S.

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	64	T. Roy
	0600	62	S. Raymundo
	0900	64	S. Raymundo
	1200	67	S. Raymundo
	1500	68	S. Raymundo
	1800	70	S. Raymundo
	2100	70	S. Raymundo
	2400	67	T. Roy

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	65	Garcia, S.
	0600	59	S. Raymundo
	0900	60	S. Raymundo
	1200	66	S. Raymundo
	1500	72	M. M. M. A.
	1800	74	M. M. M. A.
	2100	69	M. M. M. A.
	2400	68	Garcia, S.

Friday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 209

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	79	R.Hernandez
	0600	77	RAMIREZ
	0900	75	RAMIREZ
	1200	78	RAMIREZ
	1500	88	ARROYO JC
	1800	89	ARROYO JC
	2100	86	ARROYO
	2400	77	R.Hernandez

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	71	R.Hernandez
	0600	69	Diaz
	0900	84	Diaz
	1200	80	Diaz
	1500	88	J.DAVIS JC
	1800	86	J.DAVIS JC
	2100	82	J.DAVIS
	2400	76	Miranda

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	76	K.Amezola
	0600	69	Diaz
	0900	76	Diaz
	1200	82	Diaz
	1500	89	Arreco
	1800	89	Arreco
	2100	85	Arreco
	2400	76	R.Hernandez

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	73	R.Hernandez
	0600	70	M.Rocha
	0900	72	M.Rocha
	1200	86	M.Rocha
	1500	89	ARROYO JC
	1800	89	ARROYO JC
	2100	85	ARROYO
	2400	80	R.Hernandez

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	72	R.Hernandez
	0600	70	J.DAVIS
	0900	71	J.DAVIS
	1200	80	J.DAVIS
	1500	87	J.DAVIS JC
	1800	88	J.DAVIS JC
	2100	82	J.DAVIS
	2400	75	R.Hernandez

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	72	Miranda
	0600	70	DIAZ
	0900	76	DIAZ
	1200	80	DIAZ
	1500	85	ARROYO JC
	1800	85	ARROYO JC
	2100	85	ARROYO
	2400	78	K.Amezola

Notes

10/2 STAGE 1 ACTIVATE 1135

10/3 STAGE 1 1205

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 201

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300	72	R. Hernandez
	0600	69	M. Roche
	0900	72	M. Roche
	1200	81	M. Roche
	1500	85	A. Arceo
	1800	85	A. Arceo
	2100	83	A. Arceo
	2400	76	R. Hernandez

Wednesday

Date	Time	Temp.	Name(Print)
	0300	66	R. Hernandez
	0600	67	R. Hernandez
	0900	72	R. Hernandez
	1200	78	R. Hernandez
	1500	80	A. Arceo
	1800	80	A. Arceo
	2100	73	A. Arceo
	2400	71	R. Hernandez

Friday

Date	Time	Temp.	Name(Print)
	0300	72	R. Hernandez
	0600	67	Diaz
	0900	70	Diaz
	1200	82	Diaz
	1500	82	R. Roche
	1800	84	R. Roche
	2100	82	R. Roche
	2400	76	M. Roche

Sunday

Date	Time	Temp.	Name(Print)
	0300	71	K. Arceo
	0600	66	M. Roche
	0900	63	M. Roche
	1200	72	M. Roche
	1500	72	A. Arceo
	1800	75	A. Arceo
	2100	75	A. Arceo
	2400	71	R. Hernandez

Tuesday

Date	Time	Temp.	Name(Print)
	0300	73	R. Hernandez
	0600	68	M. Roche
	0900	73	M. Roche
	1200	83	M. Roche
	1500	85	A. Arceo
	1800	84	A. Arceo
	2100	78	A. Arceo
	2400	71	R. Hernandez

Thursday

Date	Time	Temp.	Name(Print)
	0300	68	R. Hernandez
	0600	68	Hansen
	0900	68	Hansen
	1200	72	Hansen
	1500	84	R. Roche
	1800	84	R. Roche
	2100	80	R. Roche
	2400	76	R. Hernandez

Saturday

Date	Time	Temp.	Name(Print)
	0300	72	M. Arceo
	0600	68	Diaz
	0900	74	Diaz
	1200	78	Diaz
	1500	83	A. Arceo
	1800	76	A. Arceo
	2100	76	A. Arceo
	2400	73	K. Arceo

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 103, 100, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 400, 409, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY-3 Temp. Reading Location: DORM - 209
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-14-2024	0300	69	R.Hernandez
	0600	67	M.Rodriguez
	0900	66	M.Rodriguez
	1200	70	M.Rodriguez
	1500	74	ARROYO
	1800	71	ANNUCO
	2100	71	ANNUCO
	2400	71	R.Hernandez

Tuesday

Date	Time	Temp.	Name (Print)
10-15-2024	0300	69	R.Hernandez
	0600	67	M.Rodriguez
	0900	66	M.Rodriguez
	1200	68	M.Rodriguez
	1500	71	ARROYO
	1800	76	ARROYO
	2100	71	ANNUCO
	2400	71	R.Hernandez

Wednesday

Date	Time	Temp.	Name (Print)
10-16-2024	0300	69	R.Hernandez
	0600	68	J.DAVIS
	0900	68	J.DAVIS
	1200	69	J.DAVIS
	1500	70	ANNUCO
	1800	70	ANNUCO
	2100	70	ANNUCO
	2400	69	R.Hernandez

Thursday

Date	Time	Temp.	Name (Print)
10-17-2024	0300	68	R.Hernandez
	0600	67	J.DAVIS
	0900	68	J.DAVIS
	1200	70	J.DAVIS
	1500	70	J.DAVIS
	1800	70	J.DAVIS
	2100	70	J.DAVIS
	2400	68	R.Hernandez

Friday

Date	Time	Temp.	Name (Print)
10-18-2024	0300	67	R.Hernandez
	0600	63	DIAZ
	0900	70	DIAZ
	1200	73	DIAZ
	1500	72	J.DAVIS
	1800	72	J.DAVIS
	2100	72	J.DAVIS
	2400	72	M.Addison

Saturday

Date	Time	Temp.	Name (Print)
10-19-2024	0300	71	M.Addison
	0600	69	DIAZ
	0900	72	DIAZ
	1200	74	DIAZ
	1500	85	ARROYO
	1800	81	ANNUCO
	2100	80	ANNUCO
	2400	73	K.Amezola

Notes

Date	Time	Temp.	Name (Print)
10-20-2024	0300	70	K.Amezola
	0600	63	DIAZ
	0900	65	DIAZ
	1200	67	DIAZ
	1500	80	ANNUCO
	1800	61	ANNUCO
	2100	72	ANNUCO
	2400	75	R.Hernandez

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 209
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 21, 2024	0300	69	R.Hernandez
	0600	66	M.Rocha
	0900	69	M.Rocha
	1200	72	M.Rocha
	1500	78	ARROYO
	1800	78	ARROYO
	2100	75	ARROYO
	2400	73	R.Hernandez

Wednesday			
Date	Time	Temp.	Name(Print)
October 23, 2024	0300	70	R.Hernandez
	0600	69	L.Sentia
	0900	70	Ramonita
	1200	74	Ramonita
	1500	84	ARROYO
	1800	84	ARROYO
	2100	77	ARROYO
	2400	75	R.Hernandez

Friday			
Date	Time	Temp.	Name(Print)
October 25, 2024	0300	69	R.Hernandez
	0600	69	A.Mora
	0900	72	A.Mora
	1200	74	A.Mora
	1500	80	D.Jones
	1800	80	J.Davis
	2100	79	J.Davis
	2400	72	Miranda

Sunday			
Date	Time	Temp.	Name(Print)
October 27, 2024	0300	70	L.Sentia
	0600	69	M.Rocha
	0900	70	M.Rocha
	1200	73	M.Rocha
	1500	74	ARROYO
	1800	76	ARROYO
	2100	76	ARROYO
	2400	72	Brownford

Tuesday			
Date	Time	Temp.	Name(Print)
October 22, 2024	0300	69	R.Hernandez
	0600	67	M.Rocha
	0900	66	M.Rocha
	1200	76	M.Rocha
	1500	80	ARROYO
	1800	78	ARROYO
	2100	77	ARROYO
	2400	74	R.Hernandez

Thursday			
Date	Time	Temp.	Name(Print)
October 24, 2024	0300	69	R.Hernandez
	0600	67	Ramonita
	0900	69	Ramonita
	1200	76	Ramonita
	1500	80	J.Davis
	1800	80	J.Davis
	2100	80	J.Davis
	2400	75	R.Hernandez

Saturday			
Date	Time	Temp.	Name(Print)
October 26, 2024	0300	68	M.Rocha
	0600	65	D.Gil
	0900	68	D.Gil
	1200	70	D.Gil
	1500	78	Ramonita
	1800	71	Ramonita
	2100	78	L.Sentia
	2400	73	L.Sentia

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC** Housing Unit: **Facility B** TEMP READING LOCATION: **DORM 209**

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	70	Bradford
	0600	67	M. ROCHA
	0900	69	M. ROCHA
	1200	73	M. ROCHA
	1500	75	ARNAYO
	1800	73	Annaro
	2100	70	Annaro
	2400	68	R. Hernandez

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	73	R. Hernandez
	0600	70	R. Hernandez
	0900	74	R. Hernandez
	1200	68	R. Hernandez
	1500	69	ARNAYO
	1800	71	Annaro
	2100	72	Annaro
	2400	70	R. Hernandez

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	65	R. Hernandez
	0600	63	M. ROCHA
	0900	63	M. ROCHA
	1200	68	M. ROCHA
	1500	70	ARNAYO
	1800	70	ARNAYO
	2100	69	ARNAYO
	2400	66	R. Hernandez

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	64	R. Hernandez
	0600	61	R. Hernandez
	0900	60	R. Hernandez
	1200	68	R. Hernandez
	1500	69	J. VARGAS
	1800	68	J. VARGAS
	2100	68	J. VARGAS
	2400	65	A. SANTOS

Friday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	74	ALVAREZ
	0600	74	
	0900	76	
	1200	80	
	1500	89	N JORDAN
	1800	90	N JORDAN
	2100	82	N JORDAN
	2400	78	ALVAREZ

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	76	F. AMEADIN
	0600	74	NAVAMO
	0900	78	NAVAMO
	1200	82	NAVAMO
	1500	88	SMITH
	1800	89	SMITH
	2100	84	SMITH
	2400	80	F. AMEADIN

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	70	ALVAREZ
	0600	68	ALVAREZ
	0900	70	
	1200	70	
	1500	80	
	1800	80	JAY
	2100	7	JAY
	2400	72	JAY

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	72	ALVAREZ
	0600	72	
	0900	74	
	1200	80	
	1500	88	Shaw
	1800	82	Shaw
	2100	78	Shaw
	2400	76	ALVAREZ

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	73	ALVAREZ
	0600	72	Navamo
	0900	74	Navamo
	1200	82	Navamo
	1500	88	R. Becerra
	1800	86°	R. Becerra
	2100	88	R. Becerra
	2400	80	Edmewin

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	79	F. Amezola
	0600	70	
	0900	76	
	1200	78	
	1500	78	LENNY L
	1800	79	LENNY L
	2100	78	LENNY L
	2400	74	ALVAREZ

Notes

91 @ 1504 STAGE II

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	70	H. [Signature]
	0600	73	H. [Signature]
	0900	76	H. [Signature]
	1200	78	H. [Signature]
	1500	87	R. BONTE
	1800	87	R. BONTE
	2100	79	R. BONTE
	2400	77	C. R. [Signature]

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	77	C. R. [Signature]
	0600	72	C. R. [Signature]
	0900	69	R. [Signature]
	1200	70	P. C. [Signature]
	1500	80	P. C. [Signature]
	1800	80	P. C. [Signature]
	2100	86	P. C. [Signature]
	2400	76	P. C. [Signature]

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	72	F. AMEZCUA
	0600	72	F. AMEZCUA
	0900	76	F. AMEZCUA
	1200	80	F. AMEZCUA
	1500	80	D. C. [Signature]
	1800	78	D. C. [Signature]
	2100	76	D. C. [Signature]
	2400	76	F. AMEZCUA

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	69	T. TORRES A.
	0600	70	H. [Signature]
	0900	77	H. [Signature]
	1200	76	H. [Signature]
	1500	79	D. GAMEZ
	1800	80	D. GAMEZ
	2100	78	D. GAMEZ
	2400	72	A. VASQUEZ

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	76	C. R. [Signature]
	0600	74	C. R. [Signature]
	0900	76	H. [Signature]
	1200	77	H. [Signature]
	1500	85	K. [Signature]
	1800	83	D. C. [Signature]
	2100	84	D. C. [Signature]
	2400	82	C. R. [Signature]

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	72	P. [Signature]
	0600	67	P. [Signature]
	0900	67	N. NAVARRO
	1200	68	N. NAVARRO
	1500	80	D. C. [Signature]
	1800	80	D. C. [Signature]
	2100	78	D. C. [Signature]
	2400	76	F. AMEZCUA

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	79	F. AMEZCUA
	0600	76	[Signature]
	0900	70	D. C. [Signature]
	1200	76	D. C. [Signature]
	1500	80	D. C. [Signature]
	1800	78	D. C. [Signature]
	2100	78	D. C. [Signature]
	2400	71	A. TORRES

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 14, 2024	0300	69	ALVAREZ
	0600	70	H. J.
	0900	70	H. J.
	1200	71	J. DAVIS
	1500	72	J. DAVIS
	1800	74	J. DAVIS
	2100	74	J. DAVIS
	2400	70	ALVAREZ

Wednesday			
Date	Time	Temp.	Name(Print)
October 16, 2024	0300	68	ALVAREZ
	0600	70	H. J.
	0900	70	H. J.
	1200	71	J. DAVIS
	1500	70	J. DAVIS
	1800	68	J. DAVIS
	2100	68	J. DAVIS
	2400	68	ALVAREZ

Friday			
Date	Time	Temp.	Name(Print)
October 18, 2024	0300	68	F. AMARILLA
	0600	63	NARROW
	0900	69	NARROW
	1200	72	NARROW
	1500	70	D. L.
	1800	70	D. L.
	2100	70	D. L.
	2400	70	F. AMARILLA

Sunday			
Date	Time	Temp.	Name(Print)
October 20, 2024	0300	70	J. DAVIS
	0600	70	H. J.
	0900	71	H. J.
	1200	72	J. DAVIS
	1500	79	D. GAMER
	1800	79	D. GAMER
	2100	79	D. GAMER
	2400	73	ALVAREZ

Tuesday			
Date	Time	Temp.	Name(Print)
October 15, 2024	0300	68	ALVAREZ
	0600	70	H. J.
	0900	70	H. J.
	1200	70	H. J.
	1500	77	R. DAVIS
	1800	76	R. DAVIS
	2100	76	R. DAVIS
	2400	70	ALVAREZ

Thursday			
Date	Time	Temp.	Name(Print)
October 17, 2024	0300	67	ALVAREZ
	0600	67	NARROW
	0900	68	NARROW
	1200	70	NARROW
	1500	70	D. L.
	1800	70	D. L.
	2100	70	D. L.
	2400	70	F. AMARILLA

Saturday			
Date	Time	Temp.	Name(Print)
October 19, 2024	0300	68	F. AMARILLA
	0600	70	H. J.
	0900	72	H. J.
	1200	73	H. J.
	1500	80	L. NIX
	1800	80	L. NIX
	2100	79	L. NIX
	2400	70	J. DAVIS

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - BTemp. Reading Location: Dorm - 210
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/21/2024	0300	68	ALVAREZ
	0600	68	J. Miranda
	0900	68	J. Miranda
	1200	70	J. Miranda
	1500	80	J. ANGUS
	1800	78	J. DAVIS
	2100	78	J. DAVIS
	2400	72	ALVAREZ

Tuesday

Date	Time	Temp.	Name (Print)
10/22/2024	0300	68	ALVAREZ
	0600	72	Hugh
	0900	69	Hugh
	1200	70	Hugh
	1500	78	A. ANGUS
	1800	85°	A. ANGUS
	2100	78	A. ANGUS
	2400	72	ALVAREZ

Wednesday

Date	Time	Temp.	Name (Print)
10/23/2024	0300	69	ALVAREZ
	0600	70	Hugh
	0900	72	Hugh
	1200	70	Hugh
	1500	82	D. L.
	1800	80	D. L.
	2100	80	D. L.
	2400	71	ALVAREZ

Thursday

Date	Time	Temp.	Name (Print)
10/24/2024	0300	67	ALVAREZ
	0600	65	N. NAVARRO
	0900	67	N. NAVARRO
	1200	73	N. NAVARRO
	1500	80	D. L.
	1800	80	D. L.
	2100	80	D. L.
	2400	78	F. AMEZCOA

Friday

Date	Time	Temp.	Name (Print)
10/25/2024	0300	72	F. AMEZCOA
	0600	72	N. NAVARRO
	0900	72	N. NAVARRO
	1200	73	N. NAVARRO
	1500	82	D. L.
	1800	80	D. L.
	2100	80	D. L.
	2400	76	F. AMEZCOA

Saturday

Date	Time	Temp.	Name (Print)
10/26/2024	0300	74	F. AMEZCOA
	0600	75	D. GAMEZ
	0900	76	D. GAMEZ
	1200	76	D. GAMEZ
	1500	79	D. GAMEZ
	1800	80	D. GAMEZ
	2100	80	D. GAMEZ
	2400	73°	ZBS

Sunday

Date	Time	Temp.	Name (Print)
10/27/2024	0300	73°	
	0600	73	A. MEZA
	0900	74	A. MEZA
	1200	77	A. MEZA
	1500	79	D. GAMEZ
	1800	78	D. GAMEZ
	2100	77	D. GAMEZ
	2400	70	ALVAREZ

Notes

P

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC

Housing Unit: Facility B

TEMP READING LOCATION: DORM 210

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	62	ALVAREZ
	0600	71	
	0900	71	
	1200	71	
	1500	70	J. DAVIS
	1800	70	J. DAVIS
	2100	70	J. DAVIS
	2400	66	ALVAREZ

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	62	ALVAREZ
	0600	67	
	0900	71	
	1200	71	
	1500	75	Davis
	1800	70	Davis
	2100	71	Davis
	2400	71	

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	62	ALVAREZ
	0600	71	
	0900	68	
	1200	69	
	1500	70	Davis
	1800	70	Davis
	2100	70	Davis
	2400	66	ALVAREZ

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	76	Davis
	0600	60	Nunes
	0900	60	Nunes
	1200	69	Nunes
	1500	65	S. S.
	1800	67	S. S.
	2100	67	
	2400	63	Andrea

Date	Time	Temp.	Name(Print)
10/28/24	0300		
10/28/24	0600		
10/28/24	0900		
10/28/24	1200		
10/28/24	1500		
10/28/24	1800		
10/28/24	2100		
10/28/24	2400		

Date	Time	Temp.	Name(Print)
10/29/24	0300		
10/29/24	0600		
10/29/24	0900		
10/29/24	1200		
10/29/24	1500		
10/29/24	1800		
10/29/24	2100		
10/29/24	2400		

Date	Time	Temp.	Name(Print)
10/30/24	0300		
10/30/24	0600		
10/30/24	0900		
10/30/24	1200		
10/30/24	1500		
10/30/24	1800		
10/30/24	2100		
10/30/24	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	76°	Fierro
	0600	78°	M. Bown
	0900	79°	M. Bown
	1200	82°	M. Bown
	1500	90°	P. Bocerra
	1800	92°	P. Bocerra
	2100	88°	P. Bocerra
	2400	82°	Fierro

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	72°	Fierro
	0600	74	M. Bown
	0900	79	M. Bown
	1200	83	M. Bown
	1500	90	GAMEZ
	1800	92	GAMEZ
	2100	88	GAMEZ
	2400	77°	Fierro

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300		C. Sans
	0600	71	T. Bown
	0900	72	T. Bown
	1200	80	T. Bown
	1500	90	A. Perez
	1800	91	A. Perez
	2100	82	A. Perez
	2400	78	Machristian

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	78	Fierro
	0600	78	C. Felix
	0900	78	C. Felix
	1200	86	C. Felix
	1500	88	C. Felix
	1800	88	C. Felix
	2100	88	C. Felix
	2400	82°	Fierro

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	78°	Fierro
	0600	73	C. Felix
	0900	78	C. Felix
	1200	86	C. Felix
	1500	90	C. Felix
	1800	92	C. Felix
	2100	90	C. Felix
	2400	77°	Fierro

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	72°	Fierro
	0600	72	T. Bown
	0900	72	T. Bown
	1200	80	T. Bown
	1500	88	T. Bown
	1800	87	T. Bown
	2100	83	T. Bown
	2400	80	C. Sans

Notes

1630 90° Stage II Oct 1
 STAGE II 10/2/24 @ 1430 - Deactivated @ 1936
 STAGE II 10/3/24 @ 1435
 STAGE I 10/3/24 @ 2100
 10-5-24 Stage II activated at 1541 hours

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	76	Machastian
	0600	76	Angie
	0900	76	Angie
	1200	84	Angie
	1500	89	Vargas
	1800	89	Vargas
	2100	89	Vargas
	2400	80°	Fierro

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	72°	Fierro
	0600	74	C. Felix
	0900	78	C. Felix
	1200	80	C. Felix
	1500	85	Delao
	1800	89	Delao
	2100	82	Delao
	2400	79	A. SANTOS

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	72	A. SANTOS
	0600	75	DELAO
	0900	75	DELAO
	1200	80	DELAO
	1500	85	E. Chisholm
	1800	86	E. Chisholm
	2100	83	E. Chisholm
	2400	77°	Fierro

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	68	R. Casas
	0600	70	E. Gonzalez
	0900	75	E. Gonzalez
	1200	80	E. Gonzalez
	1500	81	Cedeno
	1800	81	Cedeno
	2100	76	Cedeno
	2400	74	R. Casas

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	72°	Fierro
	0600	74	C. Felix
	0900	78	C. Felix
	1200	80	C. Felix
	1500	88	C. Felix
	1800	88	C. Felix
	2100	86	C. Felix
	2400	76°	Fierro

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	73	A. SANTOS
	0600	73	MIRANDA
	0900	72	MIRANDA
	1200	72	C. Felix
	1500	85	DELAO
	1800	87	DELAO
	2100	80	DELAO
	2400	78	A. SANTOS

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	73	Fierro
	0600	73	E. Gonzalez
	0900	75	E. Gonzalez
	1200	80	E. Gonzalez
	1500	85	DELAO
	1800	87	DELAO
	2100	80	DELAO
	2400	73	R. Casas

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 211

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	69	R Casas
	0600	67	M. Serrano
	0900	66	M. Serrano
	1200	66	M. Serrano
	1500	74	C. Cedeno
	1800	74	Cedeno
	2100	74	Cedeno
	2400	71°	FIERRO

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	69°	FIERRO
	0600	68	C. Felix
	0900	70	C. Felix
	1200	70	C. Felix
	1500	70	C. Felix
	1800	69	C. Felix
	2100	69	C. Felix
	2400	69	A. SANTOS

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	74	J. DIAZ
	0600	71	J. DIAZ
	0900	72	DELNO
	1200	77	DELNO
	1500	80	DELNO
	1800	80	DELNO
	2100	80	DELNO
	2400	68	D.C.

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	68	R Casas
	0600	67	T. Long
	0900	67	T. Long
	1200	74	T. Long
	1500	84	Cedeno
	1800	80	Cedeno
	2100	80	Cedeno
	2400	76	R Casas

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	68°	FIERRO
	0600	72	C. Felix
	0900	67	C. Felix
	1200	72	C. Felix
	1500	72	E. Felix
	1800	74	C. Felix
	2100	73	C. Felix
	2400	71°	FIERRO

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	67	A. SANTOS
	0600	66	M. Serrano
	0900	66	M. Serrano
	1200	71	M. Serrano
	1500	79	DELNO
	1800	80	DELNO
	2100	78	DELNO
	2400	78	J. DIAZ

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	66	D.C.
	0600	70	T. Long
	0900	72	T. Long
	1200	77	T. Long
	1500	83	T. Long
	1800	81	T. Long
	2100	78	T. Long
	2400	74	R Casas

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP. READING LOCATION: DORM 211
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 21, 2024	0300	69°	R. Casas
	0600	68°	Serrano
	0900	69	Serrano
	1200	75	Serrano
	1500	78	Cedeno
	1800	79	Cedeno
	2100	78	Cedeno
	2400	75°	Fierro

Wednesday			
Date	Time	Temp.	Name(Print)
October 23, 2024	0300	72°	Fierro
	0600	72	C. Felix
	0900	74	C. Felix
	1200	78	C. Felix
	1500	84	T. Delao
	1800	89	T. Delao
	2100	85	T. Delao
	2400	75°	Fierro

Friday			
Date	Time	Temp.	Name(Print)
October 25, 2024	0300	72°	Fierro
	0600	72	Delao
	0900	72	Delao
	1200	74	Delao
	1500	82	Delao
	1800	83	Delao
	2100	78	Delao
	2400	74°	Fierro

Sunday			
Date	Time	Temp.	Name(Print)
October 27, 2024	0300	72	R. Casas
	0600	72	Montoya
	0900	74	Montoya
	1200	80	Montoya
	1500	62	Murie
	1800	79	Murie
	2100	77	Murie
	2400	74	R. Casas

Tuesday			
Date	Time	Temp.	Name(Print)
October 22, 2024	0300	71°	Fierro
	0600	71	A. Mora
	0900	67	A. Mora
	1200	74	A. Mora
	1500	83	C. Felix
	1800	78	C. Felix
	2100	78	C. Felix
	2400	76°	Fierro

Thursday			
Date	Time	Temp.	Name(Print)
October 24, 2024	0300	71°	Fierro
	0600	72	C. Felix
	0900	79	C. Felix
	1200	76	C. Felix
	1500	84	Delao
	1800	87	Delao
	2100	80	Delao
	2400	73°	Fierro

Saturday			
Date	Time	Temp.	Name(Print)
October 26, 2024	0300	71°	Fierro
	0600	68	Tony
	0900	70	Tony
	1200	74	Tony
	1500	77	Tony
	1800	83	Tony
	2100	83	A. Perez
	2400	77	R. Casas

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 211
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	69	R Casas
	0600	62	
	0900	70	
	1200	72	
	1500	74	Delano
	1800	72	Coyote
	2100	69	Coyote
	2400	68	Fierro

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	64	Fierro
	0600	66	C. Felix
	0900	66	C. Felix
	1200	70	C. Felix
	1500	74	C. Felix
	1800	76	C. Felix
	2100	76	C. Felix
	2400	68	Fierro

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	66	Fierro
	0600	68	C. Felix
	0900	70	C. Felix
	1200	72	C. Felix
	1500	74	C. Felix
	1800	79	C. Felix
	2100	72	C. Felix
	2400	70	Fierro

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	64	Fierro
	0600	68	C. Felix
	0900	72	C. Felix
	1200	72	C. Felix
	1500	74	Fierro
	1800	72	Delano
	2100	70	Delano
	2400	70	Fierro

Friday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Monday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From 45107 through CRC, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 212

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	76	R. Gonzalez
	0600	72	J. Strickby
	0900	76	J. Strickby
	1200	80	J. Strickby
	1500	92	A. KAPILA
	1800	91	A. KAPILA
	2100	90	A. KAPILA
	2400	87	A. SANTOS

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	73	R. Gonzalez
	0600	77	N. Jordan
	0900	75	N. Jordan
	1200	80	N. Jordan
	1500	88	A. TORRES
	1800	89	A. TORRES
	2100	85	A. TORRES
	2400	78	R. Sano

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	73	J. Lyons
	0600	70	J. Lyons
	0900	70	J. Lyons
	1200	74	J. Lyons
	1500	88	Mechristian
	1800	89	Mechristian
	2100	85	Mechristian
	2400	81	Aghaknumu

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	75	R. Gonzalez
	0600	77	J. Strickby
	0900	77	J. Strickby
	1200	80	J. Strickby
	1500	91	G. Vela
	1800	89	G. Vela
	2100	88	G. Vela
	2400	81	R. Gonzalez

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	80	A. SANTOS
	0600	77	A. SANTOS
	0900	72	N. Jordan
	1200	84	N. Jordan
	1500	90	C. Elias
	1800	80	C. Elias
	2100	81	C. Elias
	2400	77	Bernardo

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	70	L. Sano
	0600	71	Aghaknumu
	0900	72	Aghaknumu
	1200	79	Aghaknumu
	1500	80	Vasga
	1800	89	Vasga
	2100	87	Vasga
	2400	77	J. Lyons

Notes

10-2-24 → Stable II @ 1440 Non-Fixed WATCH
10/13/24 - Stage II DEACTIVATED @ 2200 80°

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 212

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	75	Agbakwun
	0600	75	STriby
	0900	75	STriby
	1200	95	STriby
	1500	89	L Placencia
	1800	89	L Placencia
	2100	84	L Placencia
	2400	78	K. MORGAN

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	70	M. Perez
	0600	70	M. Perez
	0900	74	STriby
	1200	91	STriby
	1500	88	C. Felix
	1800	88	C. Felix
	2100	80	C. Felix
	2400	79	M. Perez

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	71	R. Casas
	0600	70	E. GONZALEZ
	0900	70	E. GONZALEZ
	1200	72	E. GONZALEZ
	1500	89	Vargas
	1800	83	Vargas
	2100	83	Vargas
	2400	79	R. Casas

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	C. Rogers
	0600	66	STriby
	0900	66	STriby
	1200	76	STriby
	1500	80	C. Rogers
	1800	79	C. Rogers
	2100	75	C. Rogers
	2400	75	M. Adkins

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	73	K. MORGAN
	0600	72	J. Triby
	0900	77	STriby
	1200	81	STriby
	1500	81	MARTINEZ
	1800	80	MARTINEZ
	2100	79	MARTINEZ
	2400	70	M. Ramirez

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	71	M. Ramirez
	0600	70	M. Ramirez
	0900	72	E. Chisholm
	1200	76	E. Chisholm
	1500	82	Babin
	1800	84	Babin
	2100	78	Babin
	2400	76	R. Casas

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	72	R. Casas
	0600	72	STriby
	0900	75	STriby
	1200	79	STriby
	1500	85	Cedeno
	1800	81	Cedeno
	2100	81	Cedeno
	2400	77	Cedeno

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B

TEMP READING LOCATION: DORM 212

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	74	M. Adams
	0600	71	Strickly
	0900	71	Strickly
	1200	79	Soriano
	1500	77	M. Soriano
	1800	76	M. Soriano
	2100	74	M. Soriano
	2400	72	Agbakwuru

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	68°	G. Olufola
	0600	68°	G. Olufola
	0900	70	Strickly
	1200	70	Strickly
	1500	70	M. Soriano
	1800	70	M. Soriano
	2100	70	M. Soriano
	2400	68°	G. Olufola

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	67	R. Casas
	0600	67	Rom
	0900	69	Rom
	1200	73	Rom
	1500	73	Vasco
	1800	73	Vasco
	2100	73	Vasco
	2400	71	C. Casas

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	77	L. next
	0600	75	Strickly
	0900	74	Strickly
	1200	78	Strickly
	1500	82	M. Soriano
	1800	83	M. Soriano
	2100	81	M. Soriano
	2400	75	Agbakwuru

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	70	Aglanum
	0600	66	Strickly
	0900	67	Strickly
	1200	74	Strickly
	1500	74	M. Soriano
	1800	76	M. Soriano
	2100	74	M. Soriano
	2400	69°	G. Olufola

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	68°	G. Olufola
	0600	67°	G. Olufola
	0900	70	Deleso
	1200	70	Deleso
	1500	73	M. Soriano
	1800	74	M. Soriano
	2100	71	M. Soriano
	2400	70	R. Casas

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	75	next
	0600	71	Strickly
	0900	71	Strickly
	1200	70	Strickly
	1500	84	Cedeno
	1800	84	Cedeno
	2100	81	Cedeno
	2400	79	C. next

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 212
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 21, 2024	0300	75	Aqbaknum
	0600	70	Strieby
	0900	74	Strieby
	1200	80	Strieby
	1500	85	M. Serrano
	1800	83	M. Serrano
	2100	82	M. Serrano
	2400	68°	G. O'Ulier

Wednesday			
Date	Time	Temp.	Name(Print)
October 23, 2024	0300	70	G. O'Ulier
	0600	67	Strieby
	0900	69	Strieby +
	1200	74	Strieby
	1500	84	M. Serrano
	1800	85	M. Serrano
	2100	82	M. Serrano
	2400	71	Aqbaknum

Friday			
Date	Time	Temp.	Name(Print)
October 25, 2024	0300	69	D. Casas
	0600	67	C. Elias
	0900	67	C. Elias
	1200	76	C. Elias
	1500	76	Sudex
	1800	75	Sudex
	2100	75	Sudex
	2400	75	D. Casas

Sunday			
Date	Time	Temp.	Name(Print)
October 27, 2024	0300	65	D. Casas
	0600	65	Strieby
	0900	71	Strieby
	1200	75	Strieby
	1500	82	M. Serrano
	1800	84	M. Serrano
	2100	79	M. Serrano
	2400	77	S. Brooks

Tuesday			
Date	Time	Temp.	Name(Print)
October 22, 2024	0300	66°	G. O'Ulier
	0600	69	Strieby
	0900	68	Strieby
	1200	75	Strieby
	1500	87	M. Serrano
	1800	85	M. Serrano
	2100	83	M. Serrano
	2400	79	G. O'Ulier

Thursday			
Date	Time	Temp.	Name(Print)
October 24, 2024	0300	71	Aqbaknum
	0600	72	Delao
	0900	67	Delao
	1200	73	Delao
	1500	77	M. Serrano
	1800	82	M. Serrano
	2100	79	M. Serrano
	2400	76	R. Casas

Saturday			
Date	Time	Temp.	Name(Print)
October 26, 2024	0300	69	D. Casas
	0600	65	Strieby
	0900	74	Strieby
	1200	78	Strieby
	1500	82	D. Casas
	1800	85	D. Casas
	2100	80	D. Casas
	2400	75	D. Casas

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC** Housing Unit: **Facility B** TEMP READING LOCATION: **DORM 212**
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension **4311** when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	70	S Brooks
	0600	69	Strieby
	0900	72	Strieby
	1200	75	Strieby
	1500	70	M. Scranio
	1800	73	M. Scranio
	2100	70	M. Scranio
	2400	66	K. Morgan

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	68	Strieby
	0600	61	Strieby
	0900	64	Strieby
	1200	69	Strieby
	1500	70	R Shaw
	1800	70	R Shaw
	2100	70	R Shaw
	2400	69	

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	65	K. Morgan
	0600	61	Strieby
	0900	63	Strieby
	1200	68	Strieby
	1500	72	LEO
	1800	70	LEO
	2100	70	LEO
	2400	69	LEO

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	68	
	0600	69	
	0900	61	Deluso
	1200	64	Deluso
	1500	72	C. Elias
	1800	73	C. Elias
	2100	71	F. Elias
	2400	67	A. Gutierrez

Friday			
Date	Time	Temp.	Name(Print)
November 1, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name(Print)
November 2, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name(Print)
November 3, 2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS : 102, 103, 109, 111, 201, 202, 203, 204, 300, 311, 312, 313, 401, 402, 403, 407, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM - 214
(e.g., 1st tier, 2nd tier, 3rd tier, etc)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72	K. Amezaica
	0600	70	D. Martinez
	0900	74	J. Hernandez
	1200	78	J. Macleod
	1500	82	Cobanmby JC
	1800	80	Cobanmby JC
	2100	80	Cobanmby JC
	2400	80	UR

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300	78	C. Rivera
	0600	76	D. S.
	0900	76	D. S.
	1200	79	D. S.
	1500	82	Cobanmby JC
	1800	82	Cobanmby JC
	2100	80	Cobanmby JC
	2400	79	Duran

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300	76	Duran
	0600	77	D. S.
	0900	76	D. S.
	1200	80	D. S.
	1500	83	Cobanmby JC
	1800	84	Cobanmby JC
	2100	82	Cobanmby JC
	2400	79	A. Perez

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300	78	A. Perez
	0600	76	Cobanmby
	0900	78	Cobanmby
	1200	80	Cobanmby
	1500	80	G. Ferrez JC
	1800	80	G. Ferrez JC
	2100	79	G. Ferrez
	2400	78	A. Perez

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300	78	A. Perez
	0600	76	M. Lact
	0900	76	M. Lact
	1200	80	M. Lact
	1500	80	M. Lact
	1800	82	M. Lact
	2100	82	M. Lact
	2400	78	M. Lact

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300	78	M. Christian
	0600	76	D. B.
	0900	76	D. B.
	1200	78	D. B.
	1500	80	J. Davis JC
	1800	80	J. Davis JC
	2100	80	J. Davis JC
	2400	80	Duran

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214.

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 214
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	72	R. DURAN
	0600	72	R. (101101)
	0900	75	R. (101101)
	1200	80	R. (101101)
	1500	82	Morse
	1800	82	Morse
	2100	81	Mark
	2400	79	DURAN

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	70	
	0600	75	Dur
	0900	76	Dur
	1200	78	Dur
	1500	80	Cabanillas
	1800	79	Cabanillas
	2100	78	Cabanillas
	2400	77	DURAN

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	74	A. Perez
	0600	74	Navarro
	0900	74	Navarro
	1200	76	Navarro
	1500	79	Navarro
	1800	78	Navarro
	2100	78	Navarro
	2400	75	A. Perez

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	Jones
	0600	70	Moore
	0900	70	Moore
	1200	75	Moore
	1500	75	J. Turner
	1800	75	J. Turner
	2100	74	J. Turner
	2400	74	DURAN

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	75	DURAN
	0600	75	O. Randolph
	0900	76	O. Randolph
	1200	79	O. Randolph
	1500	81	Cabanillas
	1800	82	Cabanillas
	2100	81	Cabanillas
	2400	80	DURAN

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	74	Xian
	0600	74	Xian
	0900	74	Xian
	1200	76	Xiong
	1500	77	Cabanillas
	1800	77	Cabanillas
	2100	76	Cabanillas
	2400	74	A. Perez

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	74	A. Perez
	0600	73	M. Alatt
	0900	73	M. Alatt
	1200	77	M. Alatt
	1500	78	Gutierrez
	1800	79	Gutierrez
	2100	77	Gutierrez
	2400	77	Jones

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS: 201, 202, 203, 204, 205, 206, 207, 208,
209, 210, 211, 212, 214,

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 214
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 14, 2024	0300	73	DURAN
	0600	72	Duran
	0900	72	Rez
	1200	73	Rez
	1500	74	Cobanlors <i>R</i>
	1800	73	Cobanlors
	2100	73	Cobanlors
	2400	73	DURAN

Wednesday			
Date	Time	Temp.	Name(Print)
October 16, 2024	0300	71	cu Bunn
	0600	71	P.Gomez
	0900	71	P.Gomez
	1200	72	P.Gomez
	1500	71	Gutierrez <i>N</i>
	1800	71	Gutierrez
	2100	71	Gutierrez
	2400	71	DURAN

Friday			
Date	Time	Temp.	Name(Print)
October 18, 2024	0300	70	A.Perez
	0600	70	RAMIREZ
	0900	70	RAMIREZ
	1200	70	RAMIREZ
	1500	70	RAMIREZ
	1800	70	RAMIREZ
	2100	70	RAMIREZ
	2400	71	A.Perez

Sunday			
Date	Time	Temp.	Name(Print)
October 20, 2024	0300	74	MONTOYA
	0600	74	L.DUARTE
	0900	70	M.Moore
	1200	72	M.Moore
	1500	72	M.Moore <i>R</i>
	1800	72	S.Turner
	2100	72	S.Turner
	2400	73	DURAN

Tuesday			
Date	Time	Temp.	Name(Print)
October 15, 2024	0300	72	DURAN
	0600	72	G.VELA
	0900	72	G.VELA
	1200	73	G.VELA
	1500	73	B.LOMELI
	1800	73	B.LOMELI
	2100	73	B.LOMELI <i>R</i>
	2400	71	cu Bunn

Thursday			
Date	Time	Temp.	Name(Print)
October 17, 2024	0300	70	DURAN
	0600	70	Duran
	0900	71	Rez
	1200	71	Rez
	1500	72	Cobanlors
	1800	71	Cobanlors
	2100	71	Cobanlors
	2400	70	A.Perez

Saturday			
Date	Time	Temp.	Name(Print)
October 19, 2024	0300	70	A.Perez
	0600	71	RAMIREZ
	0900	71	RAMIREZ
	1200	72	RAMIREZ
	1500	75	Gutierrez
	1800	75	Gutierrez
	2100	74	Gutierrez
	2400	74	MONTOYA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - BTemp. Reading Location: Dorm - 214(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21/2018	0300	68	DURAN
	0600	70	K. AMEZOLA
	0900	69	K. AMEZOLA
	1200	73	K. AMEZOLA
	1500	76	G. VELA
	1800	75	G. VELA
	2100	75	G. VELA
	2400	74	K. AMEZOLA

Tuesday

Date	Time	Temp.	Name (Print)
5/22/2018	0300	72	DURAN
	0600	72	BRAGDON
	0900	74	BRAGDON
	1200	76	BRAGDON
	1500	76	Cobarrubias
	1800	76	Cobarrubias
	2100	76	Cobarrubias
	2400	74	LO BURG

Wednesday

Date	Time	Temp.	Name (Print)
5/23/2018	0300	74	LO BURG
	0600	72	DeB P
	0900	71	DeB
	1200	72	DeB
	1500	78	Cobarrubias
	1800	77	Cobarrubias
	2100	72	Cobarrubias
	2400	75	TORRES A

Thursday

Date	Time	Temp.	Name (Print)
5/24/2018	0300	71	TORRES A.
	0600	72	Amezola
	0900	72	Amezola
	1200	75	Amezola
	1500	77	Cobarrubias
	1800	76	Cobarrubias
	2100	76	Cobarrubias
	2400	75	A. Perez

Friday

Date	Time	Temp.	Name (Print)
5/25/2018	0300	75	A. Perez
	0600	74	DALE
	0900	74	DALE
	1200	74	DALE
	1500	74	NAVARRO
	1800	74	NAVARRO
	2100	75	NAVARRO
	2400	75	KNUDSEN

Saturday

Date	Time	Temp.	Name (Print)
5/26/2018	0300	74	KNUDSEN
	0600	71	MARLAD
	0900	71	MARLAD
	1200	75	MARLAD
	1500	77	GUTIERREZ
	1800	78	GUTIERREZ
	2100	76	GUTIERREZ
	2400	74	A. Perez

Sunday

Date	Time	Temp.	Name (Print)
5/27/2018	0300	73	A. Perez
	0600	75	DALE
	0900	73	DALE
	1200	75	DALE
	1500	78	J. DAVIS
	1800	78	J. DAVIS
	2100	78	J. DAVIS
	2400	77	DURAN

Notes

10/21/24 STAGE 1 ACTIVATED @1405
10/21/24 STAGE 1 DEACTIVATED @1610

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility B TEMP READING LOCATION: DORM 214
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 28, 2024	0300	75	DRAN
	0600	74	DeB
	0900	73	DeZ
	1200	74	DeR
	1500	75	Cobanwess
	1800	75	Cobanwess
	2100	71	Cobanwess
	2400	71	DWV

Wednesday			
Date	Time	Temp.	Name(Print)
October 30, 2024	0300	71	clo Rume
	0600	68	DeZ
	0900	68	DeR
	1200	69	DeZ
	1500	70	Cobanwess
	1800	70	Cobanwess
	2100	71	Cobanwess
	2400	72	DWAN

Tuesday			
Date	Time	Temp.	Name(Print)
October 29, 2024	0300	70	DAN
	0600	72	BRADON
	0900	74	BRADON
	1200	74	BRADON
	1500	72	WV
	1800	72	WV
	2100	71	WV
	2400	71	clo Rume

Thursday			
Date	Time	Temp.	Name(Print)
October 31, 2024	0300	70	DRAN
	0600	67	DeZ
	0900	64	DeR
	1200	67	DeZ
	1500	71	Cobanwess
	1800	71	Cobanwess
	2100	71	Cobanwess
	2400	71	DWAN

Date	Time	Temp.	Name(Print)

Date	Time	Temp.	Name(Print)

Date	Time	Temp.	Name(Print)

Notes			

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)	
			Print	Signature
October 2, 2024	0300	74	PETROSKY	
	0600	73	A. Elliott	
	0900	77	A. Elliott	
	1200	81	A. Elliott	
	1500	93	L. Placencia	
	1800	90	L. Placencia	
	2100	84	L. Placencia	
	2400	80	PETROSKY	

Friday

Date	Time	Temp.	Name(Print)	
			Print	Signature
October 4, 2024	0300	73	PETROSKY	
	0600	73	E. Martinez	
	0900	76	E. Gonzalez	
	1200	81	E. Gonzalez	
	1500	81	Armento	
	1800	80	Armento	
	2100	76	Armento	
	2400	74	PETROSKY	

Sunday

Date	Time	Temp.	Name(Print)	
			Print	Signature
October 6, 2024	0300	74	Rogel	
	0600	72	K. Amelola	
	0900	70	K. Amelola	
	1200	80	K. Amelola	
	1500	80	Garcia	
	1800	84	Garcia	
	2100	84	Garcia	
	2400	84	Z.Z.	

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	71	PETROSKY
	0600	70	A. Elliott
	0900	73	A. Elliott
	1200	80	A. Elliott
	1500	88	MARCI
	1800	86	ENRIET
	2100	87	GARCIA
	2400	78	PETROSKY

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	75	PETROSKY
	0600	73	PETROSKY
	0900	75	CLIFTON
	1200	81	CLIFTON
	1500	91	Smith
	1800	87	Smith
	2100	84	Smith
	2400	79	PETROSKY

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	72	PETROSKY
	0600	72	J. Woods
	0900	72	J. Woods
	1200	76	J. Woods
	1500	88	BOTELLO
	1800	88	BOTELLO
	2100	84	BOTELLO
	2400	78	RIGHT

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	73	POTTERY
	0600	72	A. Elliott
	0900	73	A. Elliott
	1200	81	A. Elliott
	1500	85	GARCIA
	1800	89	GARCIA
	2100	78	GARCIA
	2400	73	POTTERY

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	72	POTTERY
	0600	72	CORONADEZ
	0900	74	CORONADEZ
	1200	80	CORONADEZ
	1500	85	Placencia
	1800	82	Placencia
	2100	76	Placencia
	2400	72	POTTERY

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	71	POTTERY
	0600	68	COSS
	0900	75	COSS
	1200	80	COSS
	1500	82	COSS
	1800	83	COSS
	2100	80	COSS
	2400	75	POTTERY

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	Rogel
	0600	70	A. Elliott
	0900	66	A. Elliott
	1200	72	A. Elliott
	1500	80	GARCIA
	1800	80	GARCIA
	2100	78	GARCIA
	2400	74	Rogel

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	72	POTTERY
	0600	72	Armon
	0900	75	Armon
	1200	80	Armon
	1500	80	Mica
	1800	84	Finer
	2100	84	Finer
	2400	75	POTTERY

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	70	POTTERY
	0600	70	CHFTON
	0900	75	CHFTON
	1200	78	CHFTON
	1500	84	Morse
	1800	81	Morse
	2100	80	Morse
	2400	75	POTTERY

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	71	POTTERY
	0600	70	Woods
	0900	70	Woods
	1200	76	Woods
	1500	77	M. Brown
	1800	78	M. Brown
	2100	78	M. Brown
	2400	76	Roger

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	70	<u>P. Elliott</u>
	0600	66	<u>A. Elliott</u>
	0900	65	<u>A. Elliott</u>
	1200	66	<u>A. Elliott</u>
	1500	76	<u>Garcia</u> <u>H</u>
	1800	76	<u>Garcia</u>
	2100	74	<u>Garcia</u>
	2400	70	<u>P. Elliott</u>

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	70	<u>P. Elliott</u>
	0600	67	<u>A. Elliott</u>
	0900	66	<u>A. Elliott</u>
	1200	68	<u>A. Elliott</u> <u>H</u>
	1500	68	<u>L. Placencia</u>
	1800	68	<u>L. Placencia</u>
	2100	68	<u>L. Placencia</u>
	2400	68	<u>P. Elliott</u>

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	65	<u>P. Elliott</u>
	0600	68	<u>Coss</u>
	0900	68	<u>Coss</u>
	1200	74	<u>Coss</u> <u>H</u>
	1500	75	<u>Azum</u>
	1800	73	<u>Azum</u>
	2100	72	<u>Azum</u>
	2400	70	<u>G. Gonzalez</u>

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	68	<u>Rodriguez</u>
	0600	66	<u>A. Elliott</u>
	0900	68	<u>A. Elliott</u>
	1200	71	<u>A. Elliott</u>
	1500	72	<u>Rodriguez</u>
	1800	75	<u>Rodriguez</u>
	2100	77	<u>Rodriguez</u>
	2400	74	<u>Rodriguez</u>

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	69	<u>P. Elliott</u>
	0600	68	<u>A. Elliott</u>
	0900	66	<u>A. Elliott</u>
	1200	68	<u>A. Elliott</u>
	1500	78	<u>Garcia</u>
	1800	78	<u>Garcia</u>
	2100	74	<u>Garcia</u>
	2400	72	<u>P. Elliott</u>

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	65	<u>P. Elliott</u>
	0600	65	<u>Coss</u>
	0900	68	<u>Coss</u>
	1200	69	<u>Coss</u>
	1500	70	<u>Chavez</u>
	1800	71	<u>Chavez</u>
	2100	72	<u>Chavez</u>
	2400	67	<u>P. Elliott</u>

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	69	<u>G. Gonzalez</u>
	0600	71	<u>Rodriguez</u>
	0900	80	<u>Rodriguez</u>
	1200	80	<u>Rodriguez</u>
	1500	80	<u>M. Knudsen</u>
	1800	75	<u>M. Knudsen</u>
	2100	72	<u>M. Knudsen</u>
	2400	70	<u>Neyra</u>

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - 8C Temp. Reading Location: Dorm - 302
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)	Date	Time	Temp.	Name (Print)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
10/21/2024	0300	70	A. Lopez	10/22/2024	0300	70	POTENSKI	10/23/2024	0300	74	POTENSKI	10/24/2024	0300	70	POTENSKI	10/25/2024	0300	79	POTENSKI	10/26/2024	0300	72	POTENSKI	10/27/2024	0300	72	Royer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	0600	69	A. Elliott		0600	67	A. Elliott		0600	71	A. Elliott		0600	70	Clifton		0600	71	Clifton		0600	71	Clifton			0900	70	A. Elliott		0900	67	A. Elliott		0900	72	A. Elliott		0900	70	Clifton		0900	72	Clifton		0900	70	Clifton			1200	74	A. Elliott		1200	74	A. Elliott		1200	75	A. Elliott		1200	75	Clifton		1200	75	Clifton		1200	75	Clifton			1500	82	Annie		1500	84	Annie		1500	81	Chavez		1500	81	Chavez		1500	79	Knudsen		1500	79	Knudsen			1800	82	Annie		1800	81	Knudsen		1800	81	Knudsen			2100	80	Correa		2100	79	Knudsen		2100	79	Knudsen			2400	74	POTENSKI		2400	76	POTENSKI		2400	76	POTENSKI		2400	78	POTENSKI		2400	77	POTENSKI		2400	77	POTENSKI		Wednesday				Thursday				Friday				Saturday				Sunday				Notes				10/23/2024	0300	74	POTENSKI	10/24/2024	0300	70	POTENSKI	10/25/2024	0300	74	POTENSKI	10/26/2024	0300	72	POTENSKI	10/27/2024	0300	72	Royer									0600	68	A. Elliott		0600	70	A. Elliott		0600	70	A. Elliott		0600	71	Clifton		0600	71	Clifton		0600	71	Clifton			0900	68	A. Elliott		0900	72	A. Elliott		0900	72	A. Elliott		0900	72	Clifton		0900	72	Clifton		0900	72	Clifton			1200	76	A. Elliott		1200	76	A. Elliott		1200	75	A. Elliott		1200	75	Clifton		1200	75	Clifton		1200	75	Clifton			1500	85	L. Placencia		1500	81	Chavez		1500	81	Chavez		1500	81	Chavez		1500	79	Knudsen		1500	79	Knudsen			1800	82	L. Placencia		1800	81	Knudsen		1800	81	Knudsen			2100	80	L. Placencia		2100	79	Knudsen		2100	79	Knudsen			2400	73	POTENSKI		2400	77	POTENSKI		2400	77	POTENSKI		Friday				Saturday				Sunday				Notes												10/25/2024	0300	69	POTENSKI	10/26/2024	0300	72	POTENSKI	10/27/2024	0300	72	Royer																0600	69	Corvantes		0600	71	Corvantes		0600	71	Corvantes																0900	70	Corvantes		0900	72	Corvantes		0900	70	Corvantes																1200	77	Corvantes		1200	77	Corvantes		1200	75	Corvantes																1500	80	Azuarce		1500	79	Azuarce		1500	79	Azuarce																1800	78	Azuarce		1800	78	Azuarce		1800	78	Azuarce																2100	75	Azuarce		2100	75	Azuarce		2100	75	Azuarce																2400	75	POTENSKI		2400	75	POTENSKI		2400	77	POTENSKI															Sunday																								10/27/2024	0300	72	Royer																								0600	70	A. Elliott																								0900	72	A. Elliott																								1200	76	A. Elliott																								1500	81	Correa																								1800	82	Correa																								2100	78	Correa																								2400	74	Zel																																																																																		
	0900	70	A. Elliott		0900	67	A. Elliott		0900	72	A. Elliott		0900	70	Clifton		0900	72	Clifton		0900	70	Clifton																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1200	74	A. Elliott		1200	74	A. Elliott		1200	75	A. Elliott		1200	75	Clifton		1200	75	Clifton		1200	75	Clifton																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1500	82	Annie		1500	84	Annie		1500	81	Chavez		1500	81	Chavez		1500	79	Knudsen		1500	79	Knudsen																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1800	82	Annie		1800	81	Knudsen		1800	81	Knudsen																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2100	80	Correa		2100	79	Knudsen		2100	79	Knudsen																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2400	74	POTENSKI		2400	76	POTENSKI		2400	76	POTENSKI		2400	78	POTENSKI		2400	77	POTENSKI		2400	77	POTENSKI																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Wednesday				Thursday				Friday				Saturday				Sunday				Notes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
10/23/2024	0300	74	POTENSKI	10/24/2024	0300	70	POTENSKI	10/25/2024	0300	74	POTENSKI	10/26/2024	0300	72	POTENSKI	10/27/2024	0300	72	Royer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	0600	68	A. Elliott		0600	70	A. Elliott		0600	70	A. Elliott		0600	71	Clifton		0600	71	Clifton		0600	71	Clifton																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0900	68	A. Elliott		0900	72	A. Elliott		0900	72	A. Elliott		0900	72	Clifton		0900	72	Clifton		0900	72	Clifton																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1200	76	A. Elliott		1200	76	A. Elliott		1200	75	A. Elliott		1200	75	Clifton		1200	75	Clifton		1200	75	Clifton																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1500	85	L. Placencia		1500	81	Chavez		1500	81	Chavez		1500	81	Chavez		1500	79	Knudsen		1500	79	Knudsen																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1800	82	L. Placencia		1800	81	Knudsen		1800	81	Knudsen																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2100	80	L. Placencia		2100	79	Knudsen		2100	79	Knudsen																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2400	73	POTENSKI		2400	77	POTENSKI		2400	77	POTENSKI																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Friday				Saturday				Sunday				Notes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
10/25/2024	0300	69	POTENSKI	10/26/2024	0300	72	POTENSKI	10/27/2024	0300	72	Royer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	0600	69	Corvantes		0600	71	Corvantes		0600	71	Corvantes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	0900	70	Corvantes		0900	72	Corvantes		0900	70	Corvantes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	1200	77	Corvantes		1200	77	Corvantes		1200	75	Corvantes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	1500	80	Azuarce		1500	79	Azuarce		1500	79	Azuarce																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	1800	78	Azuarce		1800	78	Azuarce		1800	78	Azuarce																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2100	75	Azuarce		2100	75	Azuarce		2100	75	Azuarce																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	2400	75	POTENSKI		2400	75	POTENSKI		2400	77	POTENSKI																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
Sunday																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
10/27/2024	0300	72	Royer																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	0600	70	A. Elliott																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	0900	72	A. Elliott																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	1200	76	A. Elliott																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	1500	81	Correa																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	1800	82	Correa																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	2100	78	Correa																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	2400	74	Zel																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 302
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 28, 2024	0300	68	RIZ
	0600	68	A. Elliott
	0900	68	A. Elliott
	1200	73	A. Elliott
	1500	78	Bryan
	1800	72	Gwen
	2100	70	Gwyn
	2400	68	PETROSKY

Wednesday

Date	Time	Temp.	Name(Print)
October 30, 2024	0300	64	PETROSKY
	0600	66	A. Elliott
	0900	66	A. Elliott
	1200	66	A. Elliott
	1500	70	A. CHAVEZ
	1800	71	A. CHAVEZ
	2100	72	A. CHAVEZ
	2400	70	PETROSKY

Friday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name(Print)
October 29, 2024	0300	66	PETROSKY
	0600	66	A. Elliott
	0900	66	A. Elliott
	1200	67	A. Elliott
	1500	71	Gwen
	1800	72	Gwen
	2100	70	Gwen
	2400	67	PETROSKY

Thursday

Date	Time	Temp.	Name(Print)
October 31, 2024	0300	66	PETROSKY
	0600	65	Bernardino
	0900	63	Bernardino
	1200	67	Bernardino
	1500	74	Bernardino
	1800	72	N/A
	2100	70	N/A
	2400	70	PETROSKY

Saturday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
 304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
 406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
October 2, 2024	0300	73	CECIL
	0600	69	ARELIO NAGAO
	0900	72	ARELIO NAGAO
	1200	80	ARELIO NAGAO
	1500	85	GARCIAS RAST NAGAO
	1800	88	GARCIAS RAST
	2100	86	GARCIAS RAST
	2400	70	CECIL

Friday			
Date	Time	Temp.	Name(Print)
October 4, 2024	0300	73	M. ADAMS
	0600	72	R. GARCIA
	0900	74	R. GARCIA
	1200	80	R. GARCIA
	1500	88	F. SANCHEZ
	1800	86	F. SANCHEZ
	2100	82	F. SANCHEZ
	2400	78	M. ADAMS

Sunday			
Date	Time	Temp.	Name(Print)
October 6, 2024	0300	82	
	0600	70	R. GARCIA
	0900	73	R. GARCIA
	1200	81	R. GARCIA
	1500	86	R. MORALES
	1800	88	R. MORALES
	2100	84	R. MORALES
	2400	90	A. JONES

Tuesday			
Date	Time	Temp.	Name(Print)
October 1, 2024	0300	73	CECIL
	0600	73	ARELIO
	0900	75	ARELIO
	1200	77	ARELIO
	1500	79	GARCIAS RAST
	1800	78	GARCIAS RAST
	2100	76	GARCIAS RAST
	2400	70	CECIL

Thursday			
Date	Time	Temp.	Name(Print)
October 3, 2024	0300	69	CECIL
	0600	69	F. MIGUEL R. GARCIA
	0900	72	F. MIGUEL R. GARCIA
	1200	80	F. MIGUEL R. GARCIA
	1500	86	F. CANALE
	1800	87	F. CANALE
	2100	82	M. MIGUEL
	2400	78	M. MIGUEL

Saturday			
Date	Time	Temp.	Name(Print)
October 5, 2024	0300	76	M. ADAMS
	0600	69	R. GARCIA
	0900	72	R. GARCIA
	1200	80	R. GARCIA
	1500	88	D. GAMEZ
	1800	88	D. GAMEZ
	2100	84	D. GAMEZ
	2400	84	ZZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	76	A. FAY
	0600	77	C. DELATORRE
	0900	78	C. DELATORRE
	1200	79	C. DELATORRE
	1500	80	M. Addison
	1800	80	M. Addison
	2100	80	M. Addison
	2400	79	CFCIS

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	70	LOCKETT
	0600	70	Nigro
	0900	70	Nigro
	1200	71	Nigro
	1500	87	LOCKETT
	1800	85	LOCKETT
	2100	78	LOCKETT
	2400	78	Molino

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	74	Molino
	0600	70	R. GARCIA
	0900	73	R. GARCIA
	1200	80	R. GARCIA
	1500	85	F. SANCHEZ
	1800	85	F. SANCHEZ
	2100	80	F. SANCHEZ
	2400	76	102

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	102
	0600	67	R. GARCIA
	0900	69	R. GARCIA
	1200	74	R. GARCIA
	1500	75	F. SANCHEZ
	1800	79	F. SANCHEZ
	2100	73	F. SANCHEZ
	2400	71	102

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	74	CFCIS
	0600	77	C. DELATORRE
	0900	72	C. DELATORRE
	1200	80	C. DELATORRE
	1500	88	LOCKETT
	1800	86	LOCKETT
	2100	84	LOCKETT
	2400	73	CFCIS

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	74	Molino
	0600	70	R. GARCIA
	0900	72	R. GARCIA
	1200	73	R. GARCIA
	1500	81	F. SANCHEZ
	1800	80	F. SANCHEZ
	2100	79	F. SANCHEZ
	2400	78	Molino

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	70	102
	0600	68	R. GARCIA
	0900	73	R. GARCIA
	1200	80	R. GARCIA
	1500	82	F. SANCHEZ
	1800	80	F. SANCHEZ
	2100	75	F. SANCHEZ
	2400	72	102

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 303
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	70	CECS
	0600	71	C. DELATORRE
	0900	71	C. DELATORRE
	1200	71	C. DELATORRE
	1500	72	R. SANCHEZ
	1800	72	R. SANCHEZ
	2100	72	R. SANCHEZ
	2400	65	CECS

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	68	CECS
	0600	67	R. GARCIA
	0900	70	R. GARCIA
	1200	70	R. GARCIA
	1500	70°	R. Paramo
	1800	67°	R. Paramo
	2100	69°	R. Paramo
	2400	69	Moreno

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	68	Villanueva
	0600	67	R. GARCIA
	0900	72	R. GARCIA
	1200	75	R. GARCIA
	1500	76	R. SANCHEZ
	1800	75	F. Sanchez
	2100	73	F. Sanchez
	2400	71	Mechanician

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	68	E. Chisholm
	0600	65	E. Chisholm
	0900	70	E. Chisholm
	1200	79	E. Chisholm
	1500	83	E. Chisholm
	1800	80	E. Chisholm
	2100	75	E. Chisholm
	2400	70	W. PERIN

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	69	CECS
	0600	71	C. DELATORRE
	0900	71	C. DELATORRE
	1200	71	C. DELATORRE
	1500	72	R. GARCIA
	1800	70	GABRIEL
	2100	75	GAMSHAD
	2400	68	CECS

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	68	W. PERIN
	0600	67	R. GARCIA
	0900	67	R. GARCIA
	1200	70	R. GARCIA
	1500	70	R. SANCHEZ
	1800	69	R. SANCHEZ
	2100	68	R. SANCHEZ
	2400	68	W. PERIN

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	70	Machinist
	0600	68	R. GARCIA
	0900	70	R. GARCIA
	1200	77	R. GARCIA
	1500	79	F. GONZALEZ
	1800	73	F. GONZALEZ
	2100	73	F. GONZALEZ
	2400	70	722

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air-temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C Temp. Reading Location: Dorm - 303
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10-21-2011	0300	71	A. TECOY
	0600	71	C. DELATRELL
	0900	71	C. DELATRELL
	1200	75	C. DELATRELL
	1500	80	D. JONES
	1800	90	R. RODRIGUEZ
	2100	78	C. COOKS
	2400	75	C. COOKS

Tuesday			
Date	Time	Temp.	Name (Print)
10-22-2011	0300	71	C. COOKS
	0600	72	C. DELATRELL
	0900	74	C. DELATRELL
	1200	77	C. DELATRELL
	1500	79	GARCIAS
	1800	78	GARCIAS
	2100	77	GARCIAS
	2400	75	C. COOKS

Wednesday			
Date	Time	Temp.	Name (Print)
10-23-2011	0300	69	R. MURRAY
	0600	69	N. GARCIA
	0900	74	N. GARCIA
	1200	76	N. GARCIA
	1500	83	GARCIAS
	1800	82	GARCIAS
	2100	80	GARCIAS
	2400	78	MURRAY

Thursday			
Date	Time	Temp.	Name (Print)
10-24-2011	0300	72	MURRAY
	0600	73	L. LOON
	0900	74	L. LOON
	1200	74	L. LOON
	1500	81	F. CANOES
	1800	77	F. CANOES
	2100	77	F. CANOES
	2400	77	MURRAY

Friday			
Date	Time	Temp.	Name (Print)
10-25-2011	0300	70	MURRAY
	0600	71	M. BROWN
	0900	73	M. BROWN
	1200	77	M. BROWN
	1500	80	F. SANCHEZ
	1800	78	F. SANCHEZ
	2100	76	F. SANCHEZ
	2400	65	R. SANCHEZ

Saturday			
Date	Time	Temp.	Name (Print)
10-26-2011	0300	66	R. SANCHEZ
	0600	68	R. GARCIA
	0900	70	R. GARCIA
	1200	75	R. GARCIA
	1500	82	F. SANCHEZ
	1800	75	F. SANCHEZ
	2100	77	F. SANCHEZ
	2400	77	F. SANCHEZ

Sunday			
Date	Time	Temp.	Name (Print)
	0300	72	
	0600	70	
	0900	72	R. GARCIA
	1200	78	R. GARCIA
	1500	80	F. SANCHEZ
	1800	80	R. SANCHEZ
	2100	75	R. SANCHEZ
	2400	77	C. COOKS

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility -

Temp. Reading Location: Dorm - 303
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28	0300	75	CELIS
	0600	70	DELATORRE
	0900	70	DELATORRE
	1200	74	DELATORRE
	1500	74	J. ELIAS
	1800	72	J. ELIAS
	2100	69	J. ELIAS
	2400	67	CELIS

Wednesday

Date	Time	Temp.	Name (Print)
10/30	0300	68	SANTOS
	0600	63	NAGAO
	0900	66	NAGAO
	1200	66	NAGAO
	1500	72	GARCILASO
	1800	70	GARCILASO
	2100	69	GARCILASO
	2400	70	MORENO

Friday

Date	Time	Temp.	Name (Print)
N/A	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
N/A	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29	0300	65	CELIS
	0600	69	DELATORRE
	0900	68	DELATORRE
	1200	70	DELATORRE
	1500	71	GARCILASO
	1800	72	GARCILASO
	2100	70	GARCILASO
	2400	69	SANTOS

Thursday

Date	Time	Temp.	Name (Print)
10/31	0300	70	MORENO
	0600	63	R. GARCIA
	0900	66	R. GARCIA
	1200	68	R. GARCIA
	1500	71	F. GARCIA
	1800	72	F. GARCIA
	2100	70	F. GARCIA
	2400	69	DURANTE

Saturday

Date	Time	Temp.	Name (Print)
N/A	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
October 2, 2024	0300	79	L.NFX
	0600	74	SERRATO
	0900	74	SERRATO
	1200	80	SERRATO
	1500	88	moore
	1800	89	moore
	2100	89	moore
	2400	89	T.Howard

Friday			
Date	Time	Temp.	Name(Print)
October 4, 2024	0300	78	D.Smith
	0600	72	A.Arredondo
	0900	74°	A.Muniz
	1200	80°	A.Muniz
	1500	85	A.Arredondo
	1800	86	A.Araiza
	2100	87	A.Muniz
	2400	87°	D.Burke

Sunday			
Date	Time	Temp.	Name(Print)
October 6, 2024	0300	76	Carroll
	0600	76	Carroll
	0900	76	A.Meza
	1200	84	A.Meza
	1500	86	222
	1800	86	222
	2100	84	222
	2400	84	John

Tuesday			
Date	Time	Temp.	Name(Print)
October 1, 2024	0300	74	M.Addaya
	0600	77°	A.Arredondo
	0900	78°	A.Muniz
	1200	82°	A.Muniz
	1500	89	R.Gonzalez
	1800	87	R.Gonzalez
	2100	85	R.Gonzalez
	2400	84	L.NFX

Thursday			
Date	Time	Temp.	Name(Print)
October 3, 2024	0300	74	T.Howard
	0600	76	SERRATO
	0900	75	SERRATO
	1200	82	SERRATO
	1500	86	A.Castro
	1800	94	A.Castro
	2100	88	A.Castro
	2400	87	S.Muth

Saturday			
Date	Time	Temp.	Name(Print)
October 5, 2024	0300	82°	D.Burke
	0600	78	POTTER
	0900	80	POTTER
	1200	84	POTTER
	1500	86	222
	1800	88	222
	2100	85	222
	2400	84	Carroll

Notes

10/11 - Stage 11 @ 1600 90°
- Stage 11 deactivated 1725

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	68	J JUDD
	0600	69	M
	0900	72	M
	1200	80	M
	1500	87	M
	1800	89	M
	2100	93	M
	2400	75	R DELARDO

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	75	T Hause
	0600	72	SERRATO
	0900	78	SERRATO
	1200	75	SERRATO
	1500	88°	GOUNDAW
	1800	86°	GOUNDAW
	2100	90°	GOUNDAW
	2400	74	BERNARDINO

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	70	Smith
	0600	70	CERVANTES
	0900	72	CERVANTES
	1200	80	CERVANTES
	1500	82°	GONZALEZ
	1800	81°	GONZALEZ
	2100	76°	GONZALEZ
	2400	73	SMITH

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	76	C. GARCIA
	0600	74	R. BONTE
	0900	68	R. BONTE
	1200	74	R. BONTE
	1500	76	Lockett
	1800	74	Lockett
	2100	74	Lockett
	2400	72	Mechanician

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	69	P. DELARDO
	0600	70	P. DELARDO
	0900	71	M
	1200	72	M
	1500	76	M
	1800	83°	C. GARCIA
	2100	78°	C. GARCIA
	2400	77	T. Hause

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	67	BERNARDINO
	0600	70	SERRATO
	0900	68	SERRATO
	1200	73	SERRATO
	1500	82°	GONZALEZ
	1800	79°	GONZALEZ
	2100	76°	GONZALEZ
	2400	75	SMITH

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	72	SMITH
	0600	71	M. BROWN
	0900	71	M. BROWN
	1200	73	M. BROWN
	1500	76	R. BACERRA
	1800	76°	R. BACERRA
	2100	76°	R. BACERRA
	2400	77	R. SANCHEZ

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 304
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	69	Machristian
	0600	70	R. Sanchez
	0900	70	R. Sanchez
	1200	72	R. Sanchez
	1500	78°	Gordon [#]
	1800	73°	Gordon
	2100	66°	Gordon
	2400	68	Marcado

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	68	Rodriguez
	0600	68	Serrato
	0900	67	Serrato
	1200	67	Serrato [#]
	1500	73°	C. Ochoa
	1800	69°	S. Oviedo
	2100	67°	Gonzales
	2400	68	P. Davis

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	67	Smith
	0600	67	Smith
	0900	70	R. Sanchez
	1200	79	R. Sanchez [#]
	1500	78°	Gordon
	1800	78°	Gordon
	2100	74°	C. Ochoa
	2400	70	L. Pacheco

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	67	J. Robles
	0600	68	R. Sanchez
	0900	70	R. Sanchez
	1200	73	R. Sanchez
	1500	78	22
	1800	78	22
	2100	74	22
	2400	74	D. Marcado

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	69	Marcado
	0600	70	P. Davis
	0900	70	P. Davis
	1200	72	P. Davis
	1500	73°	Gordon [#]
	1800	71°	Gordon
	2100	68°	Gordon
	2400	70	Rodriguez

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	68	P. Davis
	0600	67	Serrato
	0900	68	Serrato
	1200	70	Serrato
	1500	71°	Gordon
	1800	69°	Gordon
	2100	68°	Gordon
	2400	67	Smith

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	68	J. Lopez
	0600	70	R. Sanchez
	0900	70	R. Sanchez
	1200	76	R. Sanchez [#]
	1500	78	22
	1800	78	22
	2100	72	22
	2400	70	J. Robles

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C Temp. Reading Location: Dorm - 304
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10 - 21 - 24	0300	70°	D. MERCADO
	0600	68°	D. MERCADO
	0900	72°	A. Arevalo
	1200	78°	A. Arevalo
	1500	88°	C. Ochoa
	1800	90°	G. Ochoa
	2100	77°	C. Ochoa
	2400	75°	D. MERCADO

Wednesday			
Date	Time	Temp.	Name (Print)
10 - 23 - 24	0300	68°	C. Ochoa
	0600	68	Serrato
	0900	68	Serrato
	1200	73	Serrato
	1500	88°	G. Ochoa
	1800	89°	G. Ochoa
	2100	79°	C. Ochoa
	2400	76	Bernardino

Friday			
Date	Time	Temp.	Name (Print)
10 - 25 - 24	0300	71°	A. Arevalo
	0600	68	A. Arevalo
	0900	70°	A. Arevalo
	1200	73°	A. Arevalo
	1500	86°	G. Ochoa
	1800	89°	G. Ochoa
	2100	79°	C. Ochoa
	2400	76	Machristian

Sunday			
Date	Time	Temp.	Name (Print)
10 - 27 - 24	0300	70	TORRES A
	0600	71	N. Miranda
	0900	69	N. Miranda
	1200	74	N. Miranda
	1500	76	xx
	1800	78	xx
	2100	70	xx
	2400	74	D. Mercado

Tuesday			
Date	Time	Temp.	Name (Print)
10 - 22 - 24	0300	71	D. Mercado
	0600	68°	A. Arevalo
	0900	67°	A. Arevalo
	1200	74°	A. Arevalo
	1500	80°	C. Ochoa
	1800	78°	C. Ochoa
	2100	71°	C. Ochoa
	2400	70°	C. Ochoa

Thursday			
Date	Time	Temp.	Name (Print)
10 - 24 - 24	0300	71	BERNARDINO
	0600	69	Serrato
	0900	70	Serrato
	1200	72	Serrato
	1500	80°	G. Ochoa
	1800	80°	G. Ochoa
	2100	74°	C. Ochoa
	2400	71	M. Serrano

Saturday			
Date	Time	Temp.	Name (Print)
10 - 26 - 24	0300	74	Machristian
	0600	74	A. Mera
	0900	72	A. Mera
	1200	73	A. Mera
	1500	80	xx
	1800	82	xx
	2100	79	xx
	2400	76	TORRES A

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: Facility - CTemp. Reading Location: Dorm - 304(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10-28-24	0300	72	D. MERCADO
	0600	70	M. M.
	0900	70	M. M.
	1200	72	M. M.
	1500	73°	G. COCAO
	1800	70°	G. COCAO
	2100	69°	G. COCAO
	2400	67°	D. MERCADO

Wednesday			
Date	Time	Temp.	Name (Print)
10-30-24	0300	66	T. HANNAH
	0600	66	E. CHISHOLM
	0900	66	E. CHISHOLM
	1200	70	E. CHISHOLM
	1500	71°	G. GOVINDA
	1800	70°	G. GOVINDA
	2100	69°	G. GOVINDA
	2400	69	DIAZTE

Friday			
Date	Time	Temp.	Name (Print)
11-01-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
11-03-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-29-24	0300	66	D. MERCADO
	0600	69	M. M.
	0900	70	M. M.
	1200	70	M. M.
	1500	70°	G. GOVINDA
	1800	68°	G. GOVINDA
	2100	64°	G. GOVINDA
	2400	64	T. HANNAH

Thursday

Date	Time	Temp.	Name (Print)
10-31-24	0300	67	D. MERCADO
	0600	67	A. MEZA
	0900	65	A. MEZA
	1200	67	A. MEZA
	1500	73°	G. GOVINDA
	1800	70°	G. GOVINDA
	2100	69°	G. GOVINDA
	2400	68	S. SURESH

Saturday

Date	Time	Temp.	Name (Print)
11-02-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
October 2, 2024	0300	75	AVILA
	0600	72	M. Nunez
	0900	73	M. Nunez
	1200	75	M. Nunez
	1500	81	Edwards
	1800	83	Edwards
	2100	82	Edwards
	2400	81	AVILA

Friday			
Date	Time	Temp.	Name(Print)
October 4, 2024	0300	64	A. DIAL
	0600	65	M. Nunez
	0900	69	M. Nunez
	1200	74	M. Nunez
	1500	85	Cabreva
	1800	83	Cabreva
	2100	80	Cabreva
	2400	78	DUARTE

Sunday			
Date	Time	Temp.	Name(Print)
October 6, 2024	0300	75	AVILA
	0600	71	R. DELGADO
	0900	71	R. DELGADO
	1200	80	R. DELGADO
	1500	81	L. RON
	1800	81	L. RON
	2100	85	L. RON
	2400	82	AVILA

Tuesday			
Date	Time	Temp.	Name(Print)
October 1, 2024	0300	72	AVILA
	0600	70	DIAZ
	0900	70	DIAZ
	1200	78	DIAZ
	1500	89	T. Edwards
	1800	89	T. Edwards
	2100	82	T. Edwards
	2400	79	AVILA

Thursday			
Date	Time	Temp.	Name(Print)
October 3, 2024	0300	77	AVILA
	0600	74	M. Nunez
	0900	77	M. Nunez
	1200	79	M. Nunez
	1500	89	Cabreva
	1800	85	Cabreva
	2100	81	Cabreva
	2400	78	A. DIAL

Saturday			
Date	Time	Temp.	Name(Print)
October 5, 2024	0300	72	DUARTE
	0600	70	R. DELGADO
	0900	76	R. DELGADO
	1200	79	R. DELGADO
	1500	84	Cabreva
	1800	82	Cabreva
	2100	82	Cabreva
	2400	79	AVILA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	74	AVILA
	0600	74	CERVANTES
	0900	75	CERVANTES
	1200	80	CERVANTES
	1500	88	Cabrona
	1800	91	Cabrona
	2100	86	Cabrona
	2400	79	AVILA

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	73	AVILA
	0600	72	DIAZ
	0900	72	DIAZ
	1200	78	DIAZ
	1500	82	Cabrera
	1800	83	Cabrona
	2100	91	Cabrona
	2400	75	AVILA

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	71	AVILA
	0600	72	DIAZ
	0900	72	DIAZ
	1200	78	DIAZ
	1500	82	Cabrona
	1800	83	Cabrona
	2100	81	Cabrona
	2400	75	AVILA

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	72	AVILA
	0600	72	MUNIZ
	0900	73	MUNIZ
	1200	74	MUNIZ
	1500	85	Cliff
	1800	82	Cliff
	2100	79	Cliff
	2400	74°	D. Bovene

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	72°	D. Bovene
	0600	72	MUNIZ
	0900	74	MUNIZ
	1200	77	MUNIZ
	1500	85	T. Edwards
	1800	85	T. Edwards
	2100	79	T. Edwards
	2400	77	A. SANTOS

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	75	A. SANTOS
	0600	70	T. Edwards
	0900	74	T. Edwards
	1200	79	T. Edwards
	1500	79	T. Edwards
	1800	79	T. Edwards
	2100	77	T. Edwards
	2400	74	AVILA

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	74	AVILA
	0600	67	Rodriguez
	0900	65	Rodriguez
	1200	69	Rodriguez
	1500	78	Rodriguez
	1800	76	Rodriguez
	2100	73	Rodriguez
	2400	71	AVILA

Stage 1/1655 @ 90

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 305
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	69	AUVA
	0600	67	T. Edwards
	0900	65	T. Edwards
	1200	66	T. Edwards
	1500	72	Cabrera
	1800	72	Cabrera
	2100	72	Cabrera
	2400	72	AUVA

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	69	AUVA
	0600	67	M. Nuñez
	0900	70	M. Nuñez
	1200	72	M. Nuñez
	1500	68	E. Hill
	1800	68	E. Hill
	2100	68	E. Hill
	2400	68	AUVA

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	66	A. DIAL
	0600	66	M. Nuñez
	0900	68	M. Nuñez
	1200	71	M. Nuñez
	1500	75	T. Edwards
	1800	75	T. Edwards
	2100	74	T. Edwards
	2400	76	D. MERCADO

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	71	AUVA
	0600	66	Rodriguez
	0900	65	Rodriguez
	1200	67	Rodriguez
	1500	70	Rodriguez
	1800	72	Rodriguez
	2100	74	Rodriguez
	2400	75	AUVA

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	68	AUVA
	0600	68	Rodriguez
	0900	68	Rodriguez
	1200	70	Rodriguez
	1500	74	Gabriel
	1800	74	Gabriel
	2100	72	Gabriel
	2400	71	AUVA

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	67	AUVA
	0600	67	M. Nuñez
	0900	69	M. Nuñez
	1200	72	M. Nuñez
	1500	72	E. Hill
	1800	70	E. Hill
	2100	68	E. Hill
	2400	68	A. DIAL

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	68	D. MERCADO
	0600	70	R. DELGADO
	0900	75	R. DELGADO
	1200	80	R. DELGADO
	1500	80	T. Edwards
	1800	80	T. Edwards
	2100	78	T. Edwards
	2400	76	AUVA

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: Facility -Temp. Reading Location: Dorm - 305(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	69	AVILA
	0600	64	Moore
	0900	68	Moore
	1200	73	Moore
	1500	75	Cabrona
	1800	77	Cabrona
	2100	76	Cabrona
	2400	77	

Tuesday			
Date	Time	Temp.	Name (Print)
10/22/24	0300	68	
	0600	68	CERVANTES
	0900	69	CERVANTES
	1200	73	CERVANTES
	1500	80	E. CABRONA
	1800	79	E. CABRONA
	2100	76	E. CABRONA
	2400	76	AVILA

Wednesday			
Date	Time	Temp.	Name (Print)
10/23	0300	71	AVILA
	0600	69	J. YPINIA
	0900	69	J. YPINIA
	1200	72	J. YPINIA
	1500	86	
	1800	83	
	2100	80	
	2400	77	AVILA

Thursday			
Date	Time	Temp.	Name (Print)
10/24	0300	72	AVILA
	0600	68	J. YPINIA
	0900	66	J. YPINIA
	1200	73	J. YPINIA
	1500	79	
	1800	78	
	2100	77	
	2400	74	A. VIAL

Friday			
Date	Time	Temp.	Name (Print)
10/25	0300	72	A. VIAL
	0600	68	J. YPINIA
	0900	66	J. YPINIA
	1200	72	J. YPINIA
	1500	78	EDWARDS
	1800	80	EDWARDS
	2100	78	EDWARDS
	2400	74	B. APONTE

Saturday			
Date	Time	Temp.	Name (Print)
10/26/24	0300	72	APONTE
	0600	68	RODRIGUEZ
	0900	66	RODRIGUEZ
	1200	76	RODRIGUEZ
	1500	80	DAZ
	1800	78	DAZ
	2100	79	DAZ
	2400	78	DAZ

Sunday			
Date	Time	Temp.	Name (Print)
10/27/24	0300	76	
	0600	71	M. BROWN
	0900	72	M. BROWN
	1200	75	M. BROWN
	1500	80	EDWARDS
	1800	78	EDWARDS
	2100	75	EDWARDS
	2400	73	H. AVILA

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility -Temp. Reading Location: Dorm - C305
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/28/2024	0300	71	AVILA
	0600	67	DIAZ
	0900	68	DIAZ
	1200	72	DIAZ
	1500	73	Cabreva
	1800	70	Cabreva
	2100	68	Cabreva
	2400	67	AVILA

Wednesday			
Date	Time	Temp.	Name (Print)
10/30/24	0300	65	DIAZ
	0600	62	DIAZ
	0900	62	DIAZ
	1200	68	M. Nunez
	1500	68	Cahill
	1800	68	Cahill
	2100	68	Cahill
	2400	69	AVILA

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600	63	M. Nunez
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday			
Date	Time	Temp.	Name (Print)
10/29/2024	0300	64	AVILA
	0600	65	DIAZ
	0900	62	DIAZ
	1200	62	DIAZ
	1500	71	E. Cabreva
	1800	70	E. Cabreva
	2100	68	E. Cabreva
	2400	68	AVILA

Thursday			
Date	Time	Temp.	Name (Print)
10/31/24	0300	63	AVILA
	0600	63	M. Nunez
	0900	64	M. Nunez
	1200	67	M. Nunez
	1500	78	Cahill
	1800	69	Cahill
	2100	66	M. Nunez
	2400	64	D. Mercado

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
October 2, 2024	0300	78	BEAUCAMP
	0600	73°	TAPIA
	0900	73°	TAPIA
	1200	78°	TAPIA ✓
	1500	90°	J. SILVA PONCE
	1800	90°	J. SILVA PONCE
	2100	84	J. SILVA PONCE
	2400	81	BEAUCAMP

Friday			
Date	Time	Temp.	Name(Print)
October 4, 2024	0300	74	BEAUCAMP
	0600	72°	TAPIA
	0900	71°	TAPIA
	1200	78°	TAPIA ✓
	1500	88	✓
	1800	87	✓
	2100	82	✓
	2400	78	BEAUCAMP

Sunday			
Date	Time	Temp.	Name(Print)
October 6, 2024	0300	75	✓
	0600	72°	TAPIA
	0900	73°	TAPIA ✓
	1200	78°	TAPIA
	1500	89°	J. SILVA PONCE
	1800	88°	J. SILVA PONCE
	2100	83	J. SILVA PONCE
	2400	81	✓

Tuesday			
Date	Time	Temp.	Name(Print)
October 1, 2024	0300	74	BEAUCAMP
	0600	72	T. EDWARDS
	0900	80	T. EDWARDS
	1200	82	T. EDWARDS
	1500	89	J. SILVA PONCE
	1800	87	J. SILVA PONCE
	2100	84	J. SILVA PONCE
	2400	80	BEAUCAMP

Thursday			
Date	Time	Temp.	Name(Print)
October 3, 2024	0300	74	BEAUCAMP
	0600	76	SUDAN
	0900	77	SUDAN
	1200	79	SUDAN
	1500	88	R. MARTINEZ
	1800	89	R. MARTINEZ
	2100	89	R. MARTINEZ
	2400	77	BEAUCAMP

Saturday			
Date	Time	Temp.	Name(Print)
October 5, 2024	0300	73	BEAUCAMP
	0600	71°	TAPIA
	0900	70°	TAPIA
	1200	83°	TAPIA
	1500	88	✓
	1800	86	✓
	2100	83	✓
	2400	79	BEAUCAMP

Notes

1501 STAGE II ACTIVATED 10-2-24 90°
1825 STAGE II DEACTIVATED 10-2-24
1537 STAGE II DEACTIVATED 10-2-24 90°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	89	Champ
	0600	70	Cabrera
	0900	74	Cabrera
	1200	80	Cabrera
	1500	88	J. SILVA PONCE
	1800	88	J. SILVA PONCE
	2100	84	J. SILVA PONCE
	2400	79	BEAUCHAMP

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	70	BEAUCHAMP
	0600	71	Cabrera
	0900	73	Cabrera
	1200	79	Cabrera
	1500	81	J. SILVA PONCE
	1800	86	J. SILVA PONCE
	2100	84	J. SILVA PONCE
	2400	79	BEAUCHAMP

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	77	BEAUCHAMP
	0600	70°	TAPIA
	0900	70°	TAPIA
	1200	78°	TAPIA
	1500	83°	J. SILVA PONCE
	1800	83°	J. SILVA PONCE
	2100	78°	J. SILVA PONCE
	2400	76	BEAUCHAMP

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	74	BEAUCHAMP
	0600	69°	TAPIA
	0900	67°	TAPIA
	1200	71°	TAPIA
	1500	82	R. MARTINEZ
	1800	84	R. MARTINEZ
	2100	78	R. MARTINEZ
	2400	74	BEAUCHAMP

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	69	BEAUCHAMP
	0600	67°	TAPIA
	0900	68°	TAPIA
	1200	77°	TAPIA
	1500	85	CHILL
	1800	81	CHILL
	2100	75	CHILL
	2400	76	BEAUCHAMP

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	72	BEAUCHAMP
	0600	71	Bernardino
	0900	73	Bernardino
	1200	78	Bernardino
	1500	80	MARSH
	1800	78	MARSH
	2100	75	MARSH
	2400	73	N. Miranda

Notes

Stage II @ 1543 on 10/11/24 *

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	68°	N. Miranda
	0600	68°	TAPIA
	0900	65°	TAPIA
	1200	68°	TAPIA
	1500	78	J. SILVA PONCE
	1800	75	J. SILVA PONCE
	2100	75	J. SILVA PONCE
	2400	72	G. Gonzalez

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 306
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 14, 2024	0300	72	G. Gonzalez
	0600	64	E. Cabreia
	0900	65	E. Cabreia
	1200	69	E. Cabreia
	1500	76	J. Silva Ponce
	1800	74	J. Silva Ponce
	2100	73	J. Silva Ponce
	2400	71	BEAUCHAMP

Wednesday			
Date	Time	Temp.	Name(Print)
October 16, 2024	0300	67	BEAUCHAMP
	0600	67°	TAPIA
	0900	66°	TAPIA
	1200	67°	TAPIA
	1500	68°	J. Silva Ponce
	1800	67°	J. Silva Ponce
	2100	68°	J. Silva Ponce
	2400	67	BEAUCHAMP

Friday			
Date	Time	Temp.	Name(Print)
October 18, 2024	0300	67	BEAUCHAMP
	0600	67°	TAPIA
	0900	67°	TAPIA
	1200	72°	TAPIA
	1500	72	R. Becerra
	1800	74	R. Becerra
	2100	71	R. Becerra
	2400	69	CEC7

Sunday			
Date	Time	Temp.	Name(Print)
October 20, 2024	0300	72	D. Mercado
	0600	68°	TAPIA
	0900	65°	TAPIA
	1200	71°	TAPIA
	1500	71°	J. Silva Ponce
	1800	79	J. Silva Ponce
	2100	78	J. Silva Ponce
	2400	73	VILLA

Tuesday			
Date	Time	Temp.	Name(Print)
October 15, 2024	0300	69	BEAUCHAMP
	0600	62	Cabreia
	0900	64	Cabreia
	1200	69°	Cabreia
	1500	74°	J. Silva Ponce
	1800	72°	J. Silva Ponce
	2100	69°	J. Silva Ponce
	2400	69	BEAUCHAMP

Thursday			
Date	Time	Temp.	Name(Print)
October 17, 2024	0300	67	BEAUCHAMP
	0600	67°	TAPIA
	0900	66°	TAPIA
	1200	69°	TAPIA
	1500	70	R. Martinez
	1800	68	R. Martinez
	2100	67	R. Martinez
	2400	67	BEAUCHAMP

Saturday			
Date	Time	Temp.	Name(Print)
October 19, 2024	0300	66	CEC7
	0600	70°	TAPIA
	0900	71°	TAPIA
	1200	79°	TAPIA
	1500	80°	R. Becerra
	1800	78°	R. Becerra
	2100	76	R. Becerra
	2400	74	D. Mercado

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C

Temp. Reading Location: Dorm - 306
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
Oct. 21, 2024	0300	70°	VILLA
	0600	70	KEPHART
	0900	67	KEPHART
	1200	73	KEPHART
	1500	82	SILVA PONCE
	1800	80°	SILVA PONCE
	2100	77	SILVA PONCE
	2400	72	BEAUCHAMP

Wednesday			
Date	Time	Temp.	Name (Print)
Oct. 23, 2024	0300	71	BEAUCHAMP
	0600	69°	TAPIA
	0900	69°	TAPIA
	1200	77°	TAPIA
	1500	81°	SILVA PONCE
	1800	81°	SILVA PONCE
	2100	79°	SILVA PONCE
	2400	74	BEAUCHAMP

Friday			
Date	Time	Temp.	Name (Print)
Oct. 25, 2024	0300	70°	BEAUCHAMP
	0600	67°	TAPIA
	0900	67°	TAPIA
	1200	70°	TAPIA
	1500	79	TAPIA
	1800	77	TAPIA
	2100	76	TAPIA
	2400	73	BEAUCHAMP

Sunday			
Date	Time	Temp.	Name (Print)
Oct. 27, 2024	0300	73°	D. MERCADO
	0600	71°	TAPIA
	0900	67°	TAPIA
	1200	75°	TAPIA
	1500	82°	SILVA PONCE
	1800	76°	SILVA PONCE
	2100	75°	SILVA PONCE
	2400	71	VILLA

Tuesday			
Date	Time	Temp.	Name (Print)
OCT. 22, 2024	0300	70	BEAUCHAMP
	0600	67	E. CABRERA
	0900	68	E. CABRERA
	1200	74	E. CABRERA
	1500	82°	SILVA PONCE
	1800	83°	SILVA PONCE
	2100	79°	SILVA PONCE
	2400	75	BEAUCHAMP

Thursday			
Date	Time	Temp.	Name (Print)
OCT. 24, 2024	0300	71	MEXICANO
	0600	67°	TAPIA
	0900	67°	TAPIA
	1200	71°	TAPIA
	1500	75	RODRIGUEZ
	1800	78	KEPHART
	2100	77	KEPHART
	2400	73	BEAUCHAMP

Saturday			
Date	Time	Temp.	Name (Print)
OCT. 26, 2024	0300	70	BEAUCHAMP
	0600	68°	TAPIA
	0900	65°	TAPIA
	1200	72°	TAPIA
	1500	78	TAPIA
	1800	76	TAPIA
	2100	74	TAPIA
	2400	74°	D. MERCADO

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - CTemp. Reading Location: Dorm - 306
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>10/22/24</u>	0300	67°	VILLA
	0600	64°	Cabrera
	0900	67°	Cabrera
	1200	70°	Cabrera
	1500	73°	SILVA PONCE
	1800	69°	SILVA PONCE
	2100	67°	SILVA PONCE
	2400	66°	BEAUCHAMP

Wednesday

Date	Time	Temp.	Name (Print)
<u>10/30/24</u>	0300	65°	BEAUCHAMP
	0600	62°	TAPIA
	0900	62°	TAPIA
	1200	64°	TAPIA
	1500	72°	SILVA PONCE
	1800	71°	SILVA PONCE
	2100	70°	SILVA PONCE
	2400	68°	BEAUCHAMP

Friday

Date	Time	Temp.	Name (Print)
<u>10/31/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
<u>10/31/24</u>	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
<u>10/29/24</u>	0300	64°	BEAUCHAMP
	0600	60°	Cabrera
	0900	62°	Cabrera
	1200	66°	Cabrera
	1500	69°	SILVA PONCE
	1800	68°	SILVA PONCE
	2100	68°	SILVA PONCE
	2400	66°	BEAUCHAMP

Thursday

Date	Time	Temp.	Name (Print)
<u>10/30/24</u>	0300	68°	BEAUCHAMP
	0600	62°	TAPIA
	0900	62°	TAPIA
	1200	69°	TAPIA
	1500	71°	R. RAMOS
	1800	70°	R. RAMOS
	2100	68°	R. RAMOS
	2400	67°	Pedell

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	71	VILLA
	0600	72	JORDAN
	0900	74	JORDAN
	1200	81	JORDAN
	1500	93	APONTE ✓
	1800	90	APONTE
	2100	82	APONTE
	2400	78	L. PACHIN

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	70	JTHumar
	0600	70	Cabreva
	0900	71	Cabreva
	1200	77	Cabreva
	1500	72	APONTE ✓
	1800	75	APONTE
	2100	73	APONTE
	2400	71	JTHumar

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	70	JTHumar
	0600	70	Ashaknumi
	0900	70	Ashaknumi
	1200	80	Ashaknumi
	1500	83	CBILL
	1800	86	CBILL
	2100	82	CBILL
	2400	77	JTHumar

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	71	VILLA
	0600	69	BRAZDAN
	0900	71	BRAZDAN
	1200	90	BRAZDAN
	1500	92	APONTE
	1800	90	APONTE
	2100	80	APONTE
	2400	76	VILLA

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	74	JTHumar
	0600	72	Ashaknumi
	0900	75	Ashaknumi
	1200	80	Ashaknumi
	1500	71	APONTE
	1800	85	APONTE
	2100	97	APONTE
	2400	72	JTHumar

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	70	JTHumar
	0600	68	Cabreva
	0900	72	Cabreva
	1200	79	Cabreva
	1500	89	Rajay
	1800	88	Rajay
	2100	85	Rajay
	2400	77	JTHumar

Notes

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	70	J. Johnson
	0600	70	O. Randolph
	0900	70	O. Randolph
	1200	81	O. Randolph
	1500	86	PEPER
	1800	86	PEPER
	2100	86	PEPER
	2400	78	VILLA

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	70	VILLA
	0600	67	Agbakwuru
	0900	70	Agbakwuru
	1200	75	Agbakwuru
	1500	80	Bernal A
	1800	80	Bernal A
	2100	77	Bernal A
	2400	74	Smith

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	72	T. Edwards
	0600	62	T. Edwards
	0900	68	T. Edwards
	1200	68	T. Edwards
	1500	80	D. COSS
	1800	87	D. COSS
	2100	87	D. COSS
	2400	78	J. Johnson

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	D. COSS
	0600	66	Agbakwuru
	0900	66	Agbakwuru
	1200	70	Agbakwuru
	1500	73	C. GIGENA
	1800	73	C. GIGENA
	2100	71	C. GIGENA
	2400	69	J. Johnson

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	71	VILLA
	0600	70	Agbakwuru
	0900	72	Agbakwuru
	1200	82	Agbakwuru
	1500	85	Amore
	1800	80	Amore
	2100	75	Amore
	2400	70	VILLA

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	70	Smith
	0600	66	Agbakwuru
	0900	68	
	1200	76	
	1500	84	E. Chisholm
	1800	81	E. Chisholm
	2100	80	E. Chisholm
	2400	74	Padilla

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	70	J. Johnson
	0600	64	C. GIGENA
	0900	70	C. GIGENA
	1200	80	C. GIGENA
	1500	84	Placencia
	1800	80	Placencia
	2100	72	Placencia
	2400	77	Davalos

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 307
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	65	J. THOMAS
	0600	65	Ashakwum
	0900	65	Ashakwum
	1200	68	Ashakwum
	1500	80	PEREZ
	1800	80	PEREZ
	2100	78	PEREZ
	2400	71	VILLA

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	60	VILLA
	0600	67	Ashakwum
	0900	67	Ashakwum
	1200	67	Ashakwum
	1500	70	APONTE
	1800	70	APONTE
	2100	67	APONTE
	2400	65	THURMAN

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	66	THURMAN
	0600	64	T. EDWARDS
	0900	64	T. EDWARDS
	1200	65	T. EDWARDS
	1500	70	APONTE
	1800	75	APONTE
	2100	70	APONTE
	2400	65	KORNER

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	66	KORNER
	0600	64	Ashakwum
	0900	63	Ashakwum
	1200	75	Ashakwum
	1500	70	R. DAVIS
	1800	80	R. DAVIS
	2100	75	APONTE
	2400	75	APONTE

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	67	VILLA
	0600	67	Ashakwum
	0900	66	Ashakwum
	1200	68	Ashakwum
	1500	70	APONTE
	1800	76	APONTE
	2100	70	APONTE
	2400	70	VILLA

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	65	THURMAN
	0600	66	Ashakwum
	0900	67	Ashakwum
	1200	70	Ashakwum
	1500	76	APONTE
	1800	72	APONTE
	2100	70	APONTE
	2400	68	THURMAN

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	66	KORNER
	0600	68	T. EDWARDS
	0900	71	T. EDWARDS
	1200	80	T. EDWARDS
	1500	83	E. CHISHOLM
	1800	83	E. CHISHOLM
	2100	80	E. CHISHOLM
	2400	76	N. KORNER

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - CTemp. Reading Location: Dorm - 307
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90

degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	75	CRESPI
	0600	66	Agbakwuru
	0900	66	Agbakwuru
	1200	74	Agbakwuru
	1500	80	PEREZ
	1800	80	PEREZ
	2100	78	PEREZ
	2400	73	VILLA

Wednesday			
Date	Time	Temp.	Name (Print)
10/23/24	0300	74	VILLA
	0600	67	Agbakwuru
	0900	67	Agbakwuru
	1200	73	Agbakwuru
	1500	88	APONTE
	1800	85	APONTE
	2100	73	APONTE
	2400	72	SANTOS

Friday			
Date	Time	Temp.	Name (Print)
10/25/24	0300	72	SMITH
	0600	67	SMITH
	0900	65	T. EDWARDS
	1200	71	T. EDWARDS
	1500	78	T. EDWARDS
	1800	80	B. APONTE
	2100	80	B. APONTE
	2400	74	A. BRADFORD

Sunday			
Date	Time	Temp.	Name (Print)
	0300	70	J. SCOTT
	0600	79	E. CHISHOLM
	0900	76	F. MCGOWAN
	1200	80	F. MCGOWAN
	1500	79	G. ROBLES
	1800	79	G. ROBLES
	2100	78	G. ROBLES
	2400	76	ADDISON

Tuesday			
Date	Time	Temp.	Name (Print)
10/22/24	0300	71	VILLA
	0600	67	Agbakwuru
	0900	65	Agbakwuru
	1200	74	Agbakwuru
	1500	85	APONTE
	1800	80	APONTE
	2100	80	APONTE
	2400	77	VILLA

Thursday			
Date	Time	Temp.	Name (Print)
10/24/24	0300	69	SANTOS
	0600	66	Agbakwuru
	0900	66	Agbakwuru
	1200	76	Agbakwuru
	1500	84	Morse
	1800	80	Morse
	2100	75	Morse
	2400	72	SMITH

Saturday			
Date	Time	Temp.	Name (Print)
	0300	70	A. BRADFORD
	0600	70	M. BROWN
	0900	71	M. BROWN
	1200	79	M. BROWN
	1500	84	G. ROBLES
	1800	79	G. ROBLES
	2100	74	G. ROBLES
	2400	70	J. SCOTT

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C Temp. Reading Location: Dorm - 307
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/28	0300	70	M. Addison
	0600	70	M. Addison
	0900	73	BENJAMIN
	1200	74	BENJAMIN
	1500	78	PEPPER
	1800	78	PEPPER
	2100	76	PEPPER
	2400	70	VILLA

Tuesday			
Date	Time	Temp.	Name (Print)
10/29	0300	65	VILLA
	0600	61	Agbakunru
	0900	63	Agbakunru
	1200	66	Agbakunru
	1500	71	Agbakunru
	1800	72	CATHI
	2100	72	CATHI
	2400	68	VILLA

Wednesday			
Date	Time	Temp.	Name (Print)
10/30	0300	60	VILLA
	0600	60	APONTE
	0900	62	APONTE
	1200	62	APONTE
	1500	70	APONTE
	1800	75	APONTE
	2100	75	APONTE
	2400	69	S. OMUR

Thursday			
Date	Time	Temp.	Name (Print)
10/31	0300	66	S. OMUR
	0600	60	Agbakunru
	0900	59	Agbakunru
	1200	68	Agbakunru
	1500	70	Agbakunru
	1800	70	Agbakunru
	2100	69	Agbakunru
	2400	67	S. OMUR

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday		Date	Time	Temp.	Name(Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Wednesday		Date	Time	Temp.	Name(Print)
October 2, 2024		0300	76	C SANDOVAL	
		0600	72	BENJAMIN	
		0900	73	BENJAMIN	
		1200	81	BENJAMIN	
		1500	92	E. GARCIA	+
		1800	82	F. GARCIA	
		2100	88	F. GARCIA	
		2400	82	C SANDOVAL	

Friday		Date	Time	Temp.	Name(Print)
October 4, 2024		0300	74	C SANDOVAL	
		0600	72	C SANDOVAL	
		0900	72	C SANDOVAL	
		1200	78	C SANDOVAL	
		1500	85	S GRADY	
		1800	87	S GRADY	+
		2100	86	S GRADY	
		2400	82	CHRISTIAN	

Sunday		Date	Time	Temp.	Name(Print)
October 6, 2024		0300	71	C	
		0600	69	CABRERA	
		0900	71	CABRERA	
		1200	79	CABRERA	
		1500	89	F. GARCIA	+
		1800	87	F. GARCIA	
		2100	89	F. GARCIA	
		2400	79	C SANDOVAL	

Tuesday		Date	Time	Temp.	Name(Print)
October 1, 2024		0300	72	C SANDOVAL	
		0600	70	BENJAMIN	
		0900	71	BENJAMIN	
		1200	81	BENJAMIN	+
		1500	90	BENJAMIN	
		1800	88	F. GARCIA	
		2100	84	F. GARCIA	
		2400	80	C SANDOVAL	

Thursday		Date	Time	Temp.	Name(Print)
October 3, 2024		0300	77	C SANDOVAL	
		0600	70	P. GOMEZ	
		0900	72	P. GOMEZ	
		1200	75	P. GOMEZ	+
		1500	88	PEREZ	
		1800	80	PEREZ	
		2100	89	PEREZ	
		2400	77	C SANDOVAL	

Saturday		Date	Time	Temp.	Name(Print)
October 5, 2024		0300	70	C	
		0600	70	CABRERA	
		0900	75	CABRERA	+
		1200	80	CABRERA	
		1500	86	A. AGUILAR	
		1800	84	A. AGUILAR	
		2100	82	A. AGUILAR	
		2400	80	CABRERA	

Notes
 10-1 Stage 2 activated 1526
 10-1 1806 deactivated St. 2
 10-2 Stage 2 activated C 1453
 10-2 Stage 2 deactivated C 2011

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, CHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	76	C SANDOVAL
	0600	76	MARTINEZ
	0900	76	MARTINEZ
	1200	80	MARTINEZ
	1500	90	F. GORE
	1800	87	F. GORE
	2100	85	F. GORE
	2400	78	C SANDOVAL

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	72	C SANDOVAL
	0600	73	BENJAMIN
	0900	74	BENJAMIN
	1200	78	BENJAMIN
	1500	83	F. GORE
	1800	82	F. GORE
	2100	80	F. GORE
	2400	73	C SANDOVAL

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	72	C SANDOVAL
	0600	67	BENJAMIN
	0900	68	BENJAMIN
	1200	78	BENJAMIN
	1500	85	GRADY
	1800	82	GRADY
	2100	80	GRADY
	2400	75	K. MORGAN

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	CH
	0600	69	CABRERA
	0900	65	CABRERA
	1200	68	CABRERA
	1500	78	F. GORE
	1800	76	F. GORE
	2100	74	F. GORE
	2400	72	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	73	C SANDOVAL
	0600	72	BENJAMIN
	0900	75	BENJAMIN
	1200	82	BENJAMIN
	1500	88	F. GORE
	1800	84	F. GORE
	2100	80	F. GORE
	2400	76	C SANDOVAL

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	72	C SANDOVAL
	0600	68	BENJAMIN
	0900	75	BENJAMIN
	1200	77	BENJAMIN
	1500	80°	PEREZ
	1800	80°	PEREZ
	2100	80°	PEREZ
	2400	74	C SANDOVAL

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	71	K. MORGAN
	0600	68	BENJAMIN
	0900	67	BENJAMIN
	1200	76	BENJAMIN
	1500	80°	A. AGUON
	1800	80°	A. AGUON
	2100	78°	A. AGUON
	2400	74	CABRERA

Notes

1154 STAGE 1 (ACTIVATED)

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 308
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 14, 2024	0300	70	C SANDOVAL
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	72	MARTINEZ
	1500	76	F GARCIA
	1800	73	F GARCIA
	2100	71	F GARCIA
	2400	71	C SANDOVAL

Wednesday			
Date	Time	Temp.	Name(Print)
October 16, 2024	0300	70	C SANDOVAL
	0600	69	BENJAMIN
	0900	67	BENJAMIN
	1200	68	BENJAMIN
	1500	68	F GARCIA
	1800	68	F GARCIA
	2100	68	F GARCIA
	2400	68	C SANDOVAL

Friday			
Date	Time	Temp.	Name(Print)
October 18, 2024	0300	68	C SANDOVAL
	0600	67	BENJAMIN
	0900	69	BENJAMIN
	1200	73	BENJAMIN
	1500	75	GRADY
	1800	74	GRADY
	2100	72	GRADY
	2400	70	DIAZ

Sunday			
Date	Time	Temp.	Name(Print)
October 20, 2024	0300	70	GARIBOLDI
	0600	67	GARIBOLDI
	0900	66	GARIBOLDI
	1200	79	GARIBOLDI
	1500	81	F GARCIA
	1800	81	F GARCIA
	2100	77	F GARCIA
	2400	76	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name(Print)
October 15, 2024	0300	70	SANDOVAL
	0600	69	BENJAMIN
	0900	67	BENJAMIN
	1200	69	BENJAMIN
	1500	74	F GARCIA
	1800	73	F GARCIA
	2100	71	F GARCIA
	2400	70	C SANDOVAL

Thursday			
Date	Time	Temp.	Name(Print)
October 17, 2024	0300	68	C SANDOVAL
	0600	67	BENJAMIN
	0900	69	BENJAMIN
	1200	68	BENJAMIN
	1500	74	PEREZ
	1800	74	PEREZ
	2100	71	PEREZ
	2400	68	C SANDOVAL

Saturday			
Date	Time	Temp.	Name(Print)
October 19, 2024	0300	68	DIAZ
	0600	66	BENJAMIN
	0900	68	BENJAMIN
	1200	75	BENJAMIN
	1500	78	A AGUILAR
	1800	77	A AGUILAR
	2100	77	A AGUILAR
	2400	72	CANCUNA

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C Temp. Reading Location: Dorm - 308
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
OCTOBER 21, 2024	0300	72	C SANDOVAL
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	82	F. GARCIA
	1800	80	F. GARCIA
	2100	77	F. GARCIA
	2400	75	C SANDOVAL

Tuesday			
Date	Time	Temp.	Name (Print)
OCTOBER 22, 2024	0300	72	C SANDOVAL
	0600	68	BENJAMIN
	0900	67	BENJAMIN
	1200	74	BENJAMIN
	1500	82	F. GARCIA
	1800	82	F. GARCIA
	2100	79	F. GARCIA
	2400	75	C SANDOVAL

Wednesday			
Date	Time	Temp.	Name (Print)
OCTOBER 23, 2024	0300	73	C SANDOVAL
	0600	71	BENJAMIN
	0900	74	BENJAMIN
	1200	77	BENJAMIN
	1500	85	F. GARCIA
	1800	83	F. GARCIA
	2100	79	F. GARCIA
	2400	74	C SANDOVAL

Thursday			
Date	Time	Temp.	Name (Print)
OCTOBER 24, 2024	0300	72	C SANDOVAL
	0600	71	BENJAMIN
	0900	67	BENJAMIN
	1200	75	BENJAMIN
	1500	82	A. AGUILAR
	1800	79	A. AGUILAR
	2100	78	A. AGUILAR
	2400	75	C SANDOVAL

Friday			
Date	Time	Temp.	Name (Print)
OCTOBER 25, 2024	0300	73	C SANDOVAL
	0600	71	BENJAMIN
	0900	71	BENJAMIN
	1200	71	BENJAMIN
	1500	80	GRADY
	1800	79	GRADY
	2100	77	GRADY
	2400	74	F. GARCIA

Saturday			
Date	Time	Temp.	Name (Print)
OCTOBER 26, 2024	0300	70	F. GARCIA
	0600	66	BENJAMIN
	0900	70	BENJAMIN
	1200	73	DOROTHY
	1500	71	RUEFUL
	1800	71	RUEFUL
	2100	71	RUEFUL
	2400	75	K. MORGAN

Sunday			
Date	Time	Temp.	Name (Print)
OCTOBER 27, 2024	0300	69	K. MORGAN
	0600	68	F. GARCIA
	0900	66	F. GARCIA
	1200	72	F. GARCIA
	1500	81	F. GARCIA
	1800	77	F. GARCIA
	2100	79	F. GARCIA
	2400	73	C SANDOVAL

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C Temp. Reading Location: Dorm - 308
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Oct 28, 2024	0300	72	C SANDOVAL
	0600	70	MARTINEZ
	0900	70	HARVEY
	1200	72	MARSHAL
	1500	73	F. GARCIA
	1800	70	F. GARCIA
	2100	68	F. GARCIA
	2400	68	C SANDOVAL

Tuesday

Date	Time	Temp.	Name (Print)
Oct 29, 2024	0300	69	C SANDOVAL
	0600	60	C SANDOVAL
	0900	60	C SANDOVAL
	1200	67	C SANDOVAL
	1500	70	F. GARCIA
	1800	69	F. GARCIA
	2100	68	F. GARCIA
	2400	66	C SANDOVAL

Wednesday

Date	Time	Temp.	Name (Print)
Oct 30, 2024	0300	64	C SANDOVAL
	0600	61	BENJAMIN
	0900	64	BENJAMIN
	1200	70	BENJAMIN
	1500	72	F. GARCIA
	1800	73	F. GARCIA
	2100	70	F. GARCIA
	2400	68	C SANDOVAL

Thursday

Date	Time	Temp.	Name (Print)
Oct 31, 2024	0300	66	C SANDOVAL
	0600	62	BENJAMIN
	0900	64	BENJAMIN
	1200	71	BENJAMIN
	1500	73	BENJAMIN
	1800	70	BENJAMIN
	2100	69	BENJAMIN
	2400	68	C SANDOVAL

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
October 2, 2024	0300	70	
	0600	70	
	0900	80	
	1200	85	
	1500	85	
	1800	89	Morales
	2100	88	Morales
	2400	78	Esquivel

Friday			
Date	Time	Temp.	Name(Print)
October 4, 2024	0300	72	Gomez
	0600	72	CECIS
	0900	73	CECIS
	1200	75	CECIS
	1500	89	Morales
	1800	83	Morales
	2100	80	Morales
	2400	78	Allan

Sunday			
Date	Time	Temp.	Name(Print)
October 6, 2024	0300	76	Allan
	0600	72	Zamora
	0900	72	Zamora
	1200	78	Zamora
	1500	80	J. True
	1800	85	J. True
	2100	82	J. True
	2400	80	Allan

Tuesday			
Date	Time	Temp.	Name(Print)
October 1, 2024	0300	70	Gomez
	0600	70	V. MARTINEZ
	0900	75	V. MARTINEZ
	1200	80	V. MARTINEZ
	1500	88	CECIS
	1800	87	CECIS
	2100	87	CECIS
	2400	80	12

Thursday			
Date	Time	Temp.	Name(Print)
October 3, 2024	0300	74	Esquivel
	0600	75	RIVELLA
	0900	75	RIVELLA
	1200	80	RIVELLA
	1500	89	Morales
	1800	88	Morales
	2100	87	Morales
	2400	72	Gomez

Saturday			
Date	Time	Temp.	Name(Print)
October 5, 2024	0300	76	Allan
	0600	76	R. Morales
	0900	76	R. Morales
	1200	78	R. Morales
	1500	76	Brown
	1800	80	Brown
	2100	80	Brown
	2400	78	Allan

Notes

STAGE 1 - 1205

Stage 1 - 10-6-24 e 1228

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____
90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	70	Allen
	0600	72	S. CEJA
	0900	73	S. CEJA
	1200	79	S. CEJA
	1500	89	CEJA ✓
	1800	93	CEJA
	2100	89	CEJA
	2400	85	E. Guzman

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	76	
	0600	78	
	0900	80	
	1200	80	✓
	1500	89	Morales
	1800	86	Morales
	2100	85	Morales
	2400	84	

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	70	E. Guzman
	0600	70	Riviera
	0900	69	Riviera
	1200	71	Riviera
	1500	78	M. Rivera
	1800	77	M. Rivera
	2100	77	M. Rivera
	2400	74	T. Howard

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	Allen
	0600	70	Guzman
	0900	68	Guzman
	1200	70	Guzman
	1500	78	A. Elliott
	1800	77	A. Elliott
	2100	75	A. Elliott
	2400	75	Allen

Tuesday			
Date	Time	Temp.	Name(Print)
October 8, 2024	0300	82	Guzman
	0600	80	MARTINEZ
	0900	80	MARTINEZ
	1200	85	MARTINEZ
	1500	89	CFCS
	1800	86	CFCS
	2100	80	CFCS
	2400	60	

Thursday			
Date	Time	Temp.	Name(Print)
October 10, 2024	0300	84	
	0600	73	✓
	0900	70	RIVIERA
	1200	72	RIVIERA
	1500	80	Martinez
	1800	82	Martinez
	2100	82	Martinez
	2400	80	E. Guzman

Saturday			
Date	Time	Temp.	Name(Print)
October 12, 2024	0300	70	T. Howard
	0600	70	RIUEMA
	0900	79	RIUEMA
	1200	78	RIUEMA
	1500	78	MARTINEZ
	1800	80	MARTINEZ
	2100	80	MARTINEZ
	2400	76	Allen

Notes

10/7 STATE II @ 1455

10/11/24 STATE I @ 1320

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 309
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 14, 2024	0300	69	AH
	0600	88	RIVERA
	0900	65	RIVERA
	1200	80	RIVERA
	1500	70	COCIS
	1800	71	COCIS
	2100	70	COCIS
	2400	69	KERMA

Wednesday			
Date	Time	Temp.	Name(Print)
October 16, 2024	0300	70	TP
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	74	MARTINEZ
	1800	69	Martinez
	2100	69	Martinez
	2400	69	TP

Friday			
Date	Time	Temp.	Name(Print)
October 18, 2024	0300	70	GOMEZ
	0600	70	S. CEJA
	0900	72	S. CEJA
	1200	72	S. CEJA
	1500	72	Morales
	1800	70	Morales
	2100	70	Morales
	2400	70	AH

Sunday			
Date	Time	Temp.	Name(Print)
October 20, 2024	0300	70	AH
	0600	70	KERMA
	0900	73	KERMA
	1200	75	KERMA
	1500	76	PEREZ
	1800	78	PEREZ
	2100	70	PEREZ
	2400	76	AH

Tuesday			
Date	Time	Temp.	Name(Print)
October 15, 2024	0300	67	KERMA
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	72	CEJA
	1800	70	CEJA
	2100	68	CEJA
	2400	68	TP

Thursday			
Date	Time	Temp.	Name(Print)
October 17, 2024	0300	69	TP
	0600	69	CEJAS
	0900	69	CEJAS
	1200	73	CEJAS
	1500	74	Morales
	1800	72	Morales
	2100	71	Morales
	2400	70	Greco

Saturday			
Date	Time	Temp.	Name(Print)
October 19, 2024	0300	70	AH
	0600	70	S. BROOKS
	0900	70	S. BROOKS
	1200	74	S. BROOKS
	1500	79	GRADY
	1800	77	GRADY
	2100	76	GRADY
	2400	74	GRADY

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: Facility - CTemp. Reading Location: Dorm - C 309
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	69	Allie
	0600	70	CEJA
	0900	70	CEJA
	1200	71	CEJA
	1500	70	CEC4
	1800	71	CEC4
	2100	78	CECS
	2400	70	Guzman

Wednesday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	70	DR
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	70	MARTINEZ
	1500	80	Morales
	1800	79	Morales
	2100	78	Morales
	2400	78	DR

Friday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	69	Allie
	0600	69	RIVERA
	0900	70	RIVERA
	1200	75	RIVERA
	1500	85°	TAPIA
	1800	83°	TAPIA
	2100	76°	TAPIA
	2400	74	Allie

Sunday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	73	Bradford
	0600	72	RIVERA
	0900	72	RIVERA
	1200	79	RIVERA
	1500	79	UCO
	1800	80	UCO
	2100	79	UCO
	2400	74	McChristian

Tuesday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	70	Guzman
	0600	70	MARTINEZ
	0900	70	MARTINEZ
	1200	72	MARTINEZ
	1500	78	CEC13
	1800	78	CEC13
	2100	76	CECS
	2400	70	DR

Thursday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	71	DR
	0600	71	DR
	0900	69	RIVERA
	1200	73	RIVERA
	1500	78	Morales
	1800	78	Morales
	2100	77	Morales
	2400	75	Allie

Saturday			
Date	Time	Temp.	Name (Print)
10/21/24	0300	69	Allie
	0600	71	RIVERA
	0900	78	RIVERA
	1200	78	RIVERA
	1500	77	Brown
	1800	77	Brown
	2100	77	Brown
	2400	75	Bradford

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: Facility -Temp. Reading Location: Dorm - 309(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/24	0300	71	Mechanahan
	0600	70	S. CEJA
	0900	70	S. CEJA
	1200	71	S. CEJA
	1500	74	CEJA
	1800	72	CEJA
	2100	70	CEJA
	2400	70	G. JONES

Wednesday

Date	Time	Temp.	Name (Print)
10/30/24	0300	60	
	0600	60	
	0900	60	MARTINEZ
	1200	63	MARTINEZ
	1500	65	MORRAN
	1800	75	MORRAN
	2100	72	MORRAN
	2400	70	

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/24	0300	65	GUNN
	0600	65	MARINER
	0900	65	MARINER
	1200	64	MARTIN
	1500	70	TORRES A
	1800	75	TORRES A
	2100	71	TORRES A
	2400	70	TORRES A

Thursday

Date	Time	Temp.	Name (Print)
10/31/24	0300	61	
	0600	70	
	0900	60	RUEHLA
	1200	67	GRADY
	1500	71	GRADY
	1800	70	GRADY
	2100	69	GRADY
	2400	68	GRADY

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday			
Date	Time	Temp.	Name(Print)
October 2, 2024	0300	75	B.Cox
	0600	70°	R.Paramo
	0900	74°	R.Paramo
	1200	88°	R.Paramo
	1500	82	Rencher
	1800	82	Rencher
	2100	82	Rencher
	2400	79	B.Cox

Friday			
Date	Time	Temp.	Name(Print)
October 4, 2024	0300	72	Esquibel
	0600	68°	R.Paramo
	0900	72°	R.Paramo
	1200	80°	R.Paramo
	1500	81°	Rencher
	1800	81°	Rencher
	2100	78°	Rencher
	2400	71	Jas

Sunday			
Date	Time	Temp.	Name(Print)
October 6, 2024	0300	73	Agbakwuru
	0600	70	Agbakwuru
	0900	72	M.KNUSEN
	1200	78	M.KNUSEN
	1500	79	Rencher
	1800	79	Rencher
	2100	79	Rencher
	2400	77	B.Cox

Tuesday			
Date	Time	Temp.	Name(Print)
October 1, 2024	0300	74	B.Cox
	0600	71°	R.Paramo
	0900	73°	R.Paramo
	1200	85°	R.Paramo
	1500	93°	VILLA
	1800	91°	VILLA
	2100	87°	VILLA
	2400	84	B.Cox

Thursday			
Date	Time	Temp.	Name(Print)
October 3, 2024	0300	76	B.Cox
	0600	74°	R.Paramo
	0900	77°	R.Paramo
	1200	80°	R.Paramo
	1500	82°	Rencher
	1800	82°	Rencher
	2100	82°	Rencher
	2400	75	Esquibel

Saturday			
Date	Time	Temp.	Name(Print)
October 5, 2024	0300	70	Jas
	0600	71	C.Elias
	0900	70°	C.Elias
	1200	80	C.Elias
	1500	79°	Rencher
	1800	79°	Rencher
	2100	79°	Rencher
	2400	74	Agbakwuru

Notes

10/1 - Stage II @ 1500 HRS. Dorm received ice water
 10/2 - Stage I active 1400 HRS | Received water ice
 10/5 Stage I active 1241 hours
 10/6 STAGE 1 @ 1228

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 7, 2024	0300	74	B.Cox
	0600	72°	R.Paramo
	0900	78°	R.Paramo
	1200	80°	R.Paramo
	1500	92	VILLA
	1800	90	VILLA
	2100	88	VILLA
	2400	82	B.Cox

Wednesday			
Date	Time	Temp.	Name(Print)
October 9, 2024	0300	72	B.Cox
	0600	72	R.Shaw
	0900	76	R.Shaw
	1200	80	R.Shaw
	1500	80°	Renger
	1800	80°	Renger
	2100	79	Renger
	2400	76	B.Cox

Friday			
Date	Time	Temp.	Name(Print)
October 11, 2024	0300	70	Esquivel
	0600	70	Darrow
	0900	72	Darrow
	1200	74	Darrow
	1500	82	Renger
	1800	82	Renger
	2100	80	Renger
	2400	75	Esquivel

Sunday			
Date	Time	Temp.	Name(Print)
October 13, 2024	0300	70	M.K.Jones
	0600	70	BUSTOS
	0900	75	BUSTOS
	1200	75	BUSTOS
	1500	80	Renger
	1800	80	Renger
	2100	80	Renger
	2400	74	R.Cox

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	74	B.Cox
	0600	71°	R.Paramo
	0900	72°	R.Paramo
	1200	75°	R.Paramo
	1500	91	VILLA
	1800	90	VILLA
	2100	81	VILLA
	2400	76	B.Cox

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	71	B.Cox
	0600	67	K.MORGAN
	0900	68	K.MORGAN
	1200	69	K.MORGAN
	1500	79°	Renger
	1800	77°	Renger
	2100	77°	Renger
	2400	75	Esquivel

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	70	Esquivel
	0600	70	BUSTOS
	0900	75	BUSTOS
	1200	80	BUSTOS
	1500	84	Renger
	1800	84	Renger
	2100	81	Renger
	2400	78	M.K.NOPEN

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 310
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	70	B. COX
	0600	68°	R. Paramo
	0900	70°	R. Paramo
	1200	71°	R. Paramo
	1500	70°	VILLA <i>WT</i>
	1800	72°	VILLA
	2100	70°	VILLA
	2400	70°	B. COX

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	70°	B. COX
	0600	67°	R. Paramo
	0900	66°	R. Paramo
	1200	69°	R. Paramo
	1500	70°	Rencher <i>WT</i>
	1800	72	Rencher
	2100	72	Rencher
	2400	70	B. COX

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	63	ESQUIBEL
	0600	67°	R. Paramo
	0900	70°	R. Paramo
	1200	71°	R. Paramo
	1500	75	Rencher <i>WT</i>
	1800	75	Rencher
	2100	75	Rencher
	2400	73	ESQUIBEL

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	70	B. COX
	0600	68°	G. OUNDA <i>WT</i>
	0900	70°	G. OUNDA
	1200	74°	G. OUNDA
	1500	85	A. ELLIOTT <i>WT</i>
	1800	80	A. ELLIOTT
	2100	78	A. ELLIOTT
	2400	75	B. COX

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	69°	B. COX
	0600	65°	R. Paramo
	0900	70°	R. Paramo
	1200	70°	R. Paramo
	1500	73°	VILLA <i>WT</i>
	1800	71°	VILLA
	2100	70°	VILLA
	2400	70°	B. COX

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	68°	B. COX
	0600	66°	R. Paramo
	0900	70°	R. Paramo
	1200	71°	R. Paramo
	1500	73	Rencher <i>WT</i>
	1800	73	Rencher
	2100	73	Rencher
	2400	68	ESQUIBEL

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	69	ESQUIBEL
	0600	69	BUSTOS
	0900	70	BUSTOS
	1200	71	BUSTOS <i>WT</i>
	1500	71	Rencher
	1800	71	Rencher
	2100	71	Rencher
	2400	70	B. COX

Notes

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - CTemp. Reading Location: Dorm - 310
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10 - 21 - 2024	0300	70	B. COX
	0600	70°	R. Parame
	0900	70°	R. Parame
	1200	71°	R. Parame
	1500	75°	VILLA
	1800	73°	VILLA
	2100	72°	VILLA
	2400	70°	B. COX

Wednesday			
Date	Time	Temp.	Name (Print)
10 - 23 - 2024	0300	73	B. COX
	0600	70°	R. Parame
	0900	71°	R. Parame
	1200	80	R. Parame
	1500	80°	Rendur
	1800	80°	Rendur
	2100	78°	Rendur
	2400	75	B. COX

Friday			
Date	Time	Temp.	Name (Print)
10 - 25 - 2024	0300	72	Esquivel
	0600	72	R. Morales
	0900	72	R. Morales
	1200	72	R. Morales
	1500	76°	Rendur
	1800	76°	Rendur
	2100	74°	Rendur
	2400	72	Esquivel

Sunday			
Date	Time	Temp.	Name (Print)
10 - 27 - 2024	0300	70	B. COX
	0600	70	BUSTOS
	0900	71	BUSTOS
	1200	72	BUSTOS
	1500	85	A. Elliott
	1800	82	A. Elliott
	2100	78	A. Elliott
	2400	75	C. Sans

Tuesday			
Date	Time	Temp.	Name (Print)
10 - 22 - 2024	0300	68°	B. COX
	0600	68°	R. Parame
	0900	70°	R. Parame
	1200	71°	R. Parame
	1500	70°	VILLA
	1800	70°	VILLA
	2100	74°	VILLA
	2400	74	B. COX

Thursday			
Date	Time	Temp.	Name (Print)
10 - 24 - 2024	0300	70	
	0600	70	Gomez
	0900	70	Gomez
	1200	77	Gomez
	1500	75	Rendur
	1800	75	Rendur
	2100	75	Rendur
	2400	74	Esquivel

Saturday			
Date	Time	Temp.	Name (Print)
10 - 26 - 2024	0300	72	Esquivel
	0600	68°	N. Miranda
	0900	70°	N. Miranda
	1200	74°	N. Miranda
	1500	78°	Rendur
	1800	78	Rendur
	2100	78°	Rendur
	2400	71	B. COX

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C Temp. Reading Location: Dorm - 310
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/01 10/01 10/02 10/03 10/04 10/05 10/06 10/07	0300	68	Sanson
	0600	69	N. Miranda
	0900	69	N. Miranda
	1200	75	N. Miranda
	1500	70	VILLA
	1800	73	VILLA
	2100	70	VILLA
	2400	68	B.Cox

Wednesday

Date	Time	Temp.	Name (Print)
10/02 10/03 10/04 10/05 10/06 10/07 10/08 10/09	0300	67	Rodriguez
	0600	63	Rodriguez
	0900	60°	R.Paramo
	1200	59°	R.Paramo
	1500	74	Rendur
	1800	74	Rendur
	2100	75°	Rendur
	2400	67	SANTOS

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10/01 10/02 10/03 10/04 10/05 10/06 10/07 10/08	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/02 10/03 10/04 10/05 10/06 10/07 10/08 10/09	0300	66	B.Cox
	0600	63°	R.Paramo
	0900	63°	R.Paramo
	1200	64°	R.Paramo
	1500	73	VILLA
	1800	72	VILLA
	2100	70	VILLA
	2400	67	Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
10/02 10/03 10/04 10/05 10/06 10/07 10/08 10/09	0300	64	SANTOS
	0600	60°	R.Paramo
	0900	60°	R.Paramo
	1200	64°	R.Paramo
	1500	74	SMITH
	1800	75	SMITH
	2100	71	SMITH
	2400	67	R.Garcia

Saturday

Date	Time	Temp.	Name (Print)
10/01 10/02 10/03 10/04 10/05 10/06 10/07 10/08	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	74	S Brooks
	0600	74	Lynn
	0900	74	CR
	1200	80	Lynn
	1500	80	Neph
	1800	81	Neph
	2100	80	Neph
	2400	78	S Brooks

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	75	S Brooks
	0600	75	Lynn
	0900	75	CR
	1200	85	CR
	1500	89	Caranza
	1800	87	CR
	2100	84	CR
	2400	78	S Brooks

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	77	A Perez
	0600	71	DURAN
	0900	73	DURAN
	1200	78	DURAN
	1500	79	Perez
	1800	78	Perez
	2100	78	Perez
	2400	83	K. Morgan

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	75	S Brooks
	0600	72	G. VELA
	0900	73	G. VELA
	1200	78	G. VELA
	1500	79	A. Arredondo
	1800	90	A. Arredondo
	2100	80	M. Perez
	2400	79	S Brooks

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	78	S Brooks
	0600	78	Lynn
	0900	79	CR
	1200	81	CR
	1500	81	R. Bovie
	1800	80	R. Bovie
	2100	80	R. Bovie
	2400	78	S Brooks

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	72	S Brooks
	0600	72	Lynn
	0900	73	CR
	1200	78	CR
	1500	88	Caranza
	1800	87	CR
	2100	84	CR
	2400	78	A. Perez

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	78	K. Morgan
	0600	76	G. Gora
	0900	76	G. Gora
	1200	80	G. Gora
	1500	82	R. Restra
	1800	94	Lustam
	2100	90	Lustam
	2400	79	S. Brooks

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	78	S. Brooks
	0600	69	L. Restra
	0900	69	L. Restra
	1200	83	L. Restra
	1500	80	J. Restra
	1800	80	J. Restra
	2100	78	J. Restra
	2400	78	S. Brooks

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	70	S. Brooks
	0600	73	L. Restra
	0900	78	L. Restra
	1200	80	L. Restra
	1500	83	L. Restra
	1800	89	L. Restra
	2100	83	L. Restra
	2400	76	S. Brooks

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	76	G. Bonzalez
	0600	75	Duran
	0900	73	Duran
	1200	73	Duran
	1500	71	F. Restra
	1800	72	F. Restra
	2100	74	F. Restra
	2400	71	K. Morgan

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	73	S. Brooks
	0600	73	S. Ceja
	0900	71	S. Ceja
	1200	80	S. Ceja
	1500	79	P. Restra
	1800	78	P. Restra
	2100	78	S. Brooks
	2400	78	S. Brooks

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	72	S. Brooks
	0600	71	Ramirez
	0900	72	Ramirez
	1200	72	S. Sanchez
	1500	86	S. Smith
	1800	85	S. Smith
	2100	81	S. Smith
	2400	74	S. Brooks

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	69	S. Brooks
	0600	69	Moreno
	0900	69	Moreno
	1200	78	Moreno
	1500	86	G. Gonzalez
	1800	89	G. Gonzalez
	2100	80	G. Gonzalez
	2400	78	O. Gonzalez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 305, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 311
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	69	K. MORGAN
	0600	70	Ongoro
	0900	70	Ongoro
	1200	70	Ongoro
	1500	71	Perry, L
	1800	70	Perry, L
	2100	70	Perry, L
	2400	70	ATZEN

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	68	S Brooks
	0600	68	L. Kamm
	0900	70	L. Kamm
	1200	70	L. Kamm
	1500	70	Smith
	1800	70	Smith
	2100	70	Smith
	2400	70	S Brooks

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	68	S Brooks
	0600	68	R. Bonito
	0900	69	R. Bonito
	1200	75	R. Bonito
	1500	74	R. Bonito
	1800	73	R. Bonito
	2100	76	R. Bonito
	2400	69	S Brooks

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	76°	BARRERA
	0600	74	DURAN
	0900	74	DURAN
	1200	76	DURAN
	1500	76	CERVANTES, L.
	1800	74	CERVANTES, L.
	2100	74	CERVANTES, L.
	2400	75	K. MORGAN

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	70	Gress
	0600	70	R. Morales
	0900	72	R. Morales
	1200	73	R. Morales
	1500	71	Perry, L
	1800	72	Perry, L
	2100	71	Perry, L
	2400	70	S Brooks

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	68	S Brooks
	0600	68	L. Kamm
	0900	68	L. Kamm
	1200	72	L. Kamm
	1500	73	Lee
	1800	70	Lee
	2100	70	Lee
	2400	70	S Brooks

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	68	S Brooks
	0600	66	E. Chisholm
	0900	67	E. Chisholm
	1200	67	E. Chisholm
	1500	84	Cervantes
	1800	80	Cervantes
	2100	77	Cervantes
	2400	76°	BARRERA

Notes

C311

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - C

Temp. Reading Location: Dorm - 311
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10-21-24	0300	67	K. MORGAN
	0600	71	G. Gilm
	0900	71	G. Gilm
	1200	79	G. Gilm
	1500	76	M. Addison
	1800	76	M. Addison
	2100	73	M. Addison
	2400	70	S. Brooks

Wednesday			
Date	Time	Temp.	Name (Print)
10-23-24	0300	72	S. Brooks
	0600	67	L. Lee
	0900	67	L. Lee
	1200	75	L. Lee
	1500	76	P. Becker
	1800	86°	P. Becker
	2100	85°	P. Becker
	2400	75	S. Brooks

Friday			
Date	Time	Temp.	Name (Print)
10-25-24	0300	70	S. Brooks
	0600	72	L. Lee
	0900	74	L. Lee
	1200	76	L. Lee
	1500	78	C. Garcia
	1800	79	L. Lee
	2100	79	C. Garcia
	2400	76	S. Brooks

Sunday			
Date	Time	Temp.	Name (Print)
10/27/24	0300	71	Shaw
	0600	72	D. Chan
	0900	72	D. Chan
	1200	75	D. Chan
	1500	84	Shaw
	1800	82	Shaw
	2100	78	Shaw
	2400	74	K. MORGAN

Tuesday			
Date	Time	Temp.	Name (Print)
10-22-24	0300	68	S. Brooks
	0600	68	N. Miranda
	0900	65	N. Miranda
	1200	73	N. Miranda
	1500	79	A. Brown
	1800	75	A. Brown
	2100	74	A. Brown
	2400	74	S. Brooks

Thursday			
Date	Time	Temp.	Name (Print)
10-24-24	0300	70	S. Brooks
	0600	70	L. Lee
	0900	71	L. Lee
	1200	77	L. Lee
	1500	74	S. Brooks
	1800	74	S. Brooks
	2100	73	S. Brooks
	2400	74	S. Brooks

Saturday			
Date	Time	Temp.	Name (Print)
10-26-24	0300	70	S. Brooks
	0600	70	L. Lee
	0900	70	L. Lee
	1200	72	M. Brown
	1500	73	M. Brown
	1800	73	M. Brown
	2100	74	M. Brown
	2400	73	M. Brown

Notes

10/21 Stage 1 JHT activated @ 1405 HRS
 10/21 Stage 1 deactivated @ 1610 HRS

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRCHousing Unit: Facility - CTemp. Reading Location: Dorm - 311(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/28/2024	0300	70	K. MORGAN
	0600	70	SAM
	0900	72	Gloria
	1200	74	Glenda
	1500	70	R. Shaw
	1800	70	R. SHAW
	2100	70	R. SHAW
	2400	68	S. Brooks

Wednesday			
Date	Time	Temp.	Name (Print)
10/30/2024	0300	64	S. Brooks
	0600	60	L. Martinez
	0900	67	L. Martinez
	1200	61	R. Moore
	1500	72	moore
	1800	75	Moore
	2100	73	moore
	2400	69	S. Brooks

Friday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday			
Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	66	S. Brooks
	0600	70	C. Cord
	0900	70	Gloria
	1200	70	CERDA
	1500	70	L. CERVANTES
	1800	70	L. CERVANTES
	2100	70	L. CERVANTES
	2400	70	S. Brooks

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	66	S. Brooks
	0600	60	L. Martinez
	0900	60	L. Martinez
	1200	68	L. Martinez
	1500	70	Spanier
	1800	68	Spanier
	2100	64	Spanier
	2400	68	S. Brooks

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303
304, 308, 311, 312, 313, 401, 402, 403, 404, 405
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	93	J.C. MERCEROS
	0600	83	J. Chavee
	0900	89	Sanchez
	1200	85	Sanchez
	1500	94	Bernardino
	1800	93	Bernardino
	2100	89	Bernardino
	2400	84	K. MORGAN

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	73	K. MORGAN
	0600	73	G. G. A.
	0900	79	G. G. A.
	1200	76	G. G. A.
	1500	76	C. Sanchez
	1800	76	C. Sanchez
	2100	74	C. Sanchez
	2400	74	T. Hunter

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	80	J.C. MERCEROS
	0600	71	J. Chavee
	0900	71	J. Chavee
	1200	80	J. Chavee
	1500	84	C. Sanchez
	1800	84	C. Sanchez
	2100	84	J. Chavee
	2400	83	J.C. MERCEROS

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	80	J.C. MERCEROS
	0600	71	J. Chavee
	0900	71	J. Chavee
	1200	84	J. Chavee
	1500	93	Bernardino
	1800	92	Bernardino
	2100	86	Bernardino
	2400	88	J.C. MERCEROS

Thursday 2359

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	78	K. MORGAN
	0600	74	K. MORGAN
	0900	76	F. Nigro
	1200	80	F. Nigro
	1500	94	Bernardino
	1800	92	Bernardino
	2100	83	Bernardino
	2400	77	K. MORGAN

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	72	T. Hunter
	0600	70	G. G. A.
	0900	72	G. G. A.
	1200	72	G. G. A.
	1500	78	K. Sansan
	1800	78	F. Sansan
	2100	78	F. Sansan
	2400	80	J.C. MERCEROS

Notes 2359

9/1/24 - STAGE II @ 1453 hours 93°
10/1/24 - STAGE II DEACTIVATED @ 2100 86°
10/2/24 - STAGE II @ 1441 hours 94°
10/3/24 - STAGE II @ 1515 hours 94°

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) days, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	80	J. CENICEROS
	0600	73	J. CHAVEZ
	0900	74	J. CHAVEZ
	1200	85	J. CHAVEZ
	1500	89	R. DELGADO
	1800	87	R. DELGADO
	2100	85	R. DELGADO
	2400	82	J. CENICEROS

Wednesday ~~2359~~

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	82	J. CENICEROS
	0600	70	J. CHAVEZ
	0900	70	J. CHAVEZ
	1200	83	J. CHAVEZ
	1500	89	Bernardino
	1800	87	Bernardino
	2100	80	Bernaldo
	2400	75	K. MORGAN

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	72	K. MORGAN
	0600	72	G. San
	0900	74	G. San
	1200	72	G. San
	1500	80	E. Sanc
	1800	79	E. Sanc
	2100	79	E. Sanc
	2400	79	E. Sanc

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	69	A. Perez
	0600	66	CHAVEZ
	0900	64	CHAVEZ
	1200	73	CHAVEZ
	1500	84	Machristian
	1800	84	Machristian
	2100	77	Machristian
	2400	78	E. Sanc

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	80	J. CENICEROS
	0600	71	J. CHAVEZ
	0900	71	J. CHAVEZ
	1200	82	J. CHAVEZ
	1500	89	Bernardino
	1800	86	Bernardino
	2100	84	Bernardino
	2400	83	J. CENICEROS

Thursday ~~2359~~

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	71	K. MORGAN
	0600	70	F. Nagao
	0900	70	F. Nagao
	1200	78	F. Nagao
	1500	82	Bernardino
	1800	87	Bernardino
	2100	80	Bernardino
	2400	76	K. MORGAN

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	71	C. San
	0600	72	G. San
	0900	74	G. San
	1200	78	G. San
	1500	78	E. Sanc
	1800	77	E. Sanc
	2100	76	E. Sanc
	2400	70	A. Perez

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
 (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name(Print)
October 14, 2024	0300	76	L. Sison
	0600	69	CHAVEZ, J
	0900	66	CHAVEZ, J
	1200	72	CHAVEZ, J
	1500	81	R. DELCERO
	1800	76	R. DELCERO
	2100	74	R. DELCERO
	2400	70	B. FISHER

Wednesday			
Date	Time	Temp.	Name(Print)
October 16, 2024	0300	69	SANTOS, A.
	0600	69	CHAVEZ, J
	0900	69	CHAVEZ, J
	1200	69	CHAVEZ, J
	1500	70	BERNARDINO, E.
	1800	70	BERNARDINO, E.
	2100	69	BERNARDINO, E.
	2400	70	K. MORGAN

Friday			
Date	Time	Temp.	Name(Print)
October 18, 2024	0300	69	D. ROZARIO
	0600	70	G. Gora
	0900	72	G. Gora
	1200	72	G. Gora
	1500	79	E. EVERETT
	1800	77	E. EVERETT
	2100	75	E. EVERETT
	2400	70	B. FISHER

Sunday			
Date	Time	Temp.	Name(Print)
October 20, 2024	0300	70	B. FISHER
	0600	70	J. LYONS
	0900	72	J. LYONS
	1200	72	J. LYONS
	1500	74	C. MARGA
	1800	79	C. MARGA
	2100	70	B. FISHER
	2400	77	B. FISHER

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	69	B. FISHER
	0600	68	CHAVEZ, J
	0900	67	CHAVEZ, J
	1200	69	CHAVEZ, J
	1500	79	BERNARDINO, E.
	1800	78	BERNARDINO, E.
	2100	73	BERNARDINO, E.
	2400	71	SANTOS, A.

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	69	K. MORGAN
	0600	69	F. NAGAO
	0900	76	F. NAGAO
	1200	70	F. NAGAO
	1500	73	N. MCNAUL
	1800	72	N. MCNAUL
	2100	71	N. MCNAUL
	2400	70	K. MORGAN

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	69	B. FISHER
	0600	70	G. Gora
	0900	74	G. Gora
	1200	71	G. Gora
	1500	75	J. LYONS
	1800	70	J. LYONS
	2100	75	J. LYONS
	2400	72	B. FISHER

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 312
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 21, 2024	0300	68	PFISTER B
	0600	68	J CHAVEZ
	0900	70	J CHAVEZ
	1200	70	J. CHAVEZ
	1500	72	DAVIS R
	1800	74	DAVIS R
	2100	72	DAVIS R
	2400	70	PFISTER B

Wednesday

Date	Time	Temp.	Name(Print)
October 23, 2024	0300	70	PFISTER B
	0600	70	J CHAVEZ
	0900	70	J CHAVEZ
	1200	72	J CHAVEZ
	1500	74	VELA G
	1800	76	VELA G
	2100	72	VELA G
	2400	70	MORGAN K

Friday

Date	Time	Temp.	Name(Print)
October 25, 2024	0300	70	MORGAN K
	0600	70	CERDA G
	0900	70	CERDA G
	1200	72	CERDA G
	1500	72	SANSON
	1800	72	SANSON
	2100	72	SANSON
	2400	70	PFISTER B

Sunday

Date	Time	Temp.	Name(Print)
October 27, 2024	0300	70	KNUDSEN M
	0600	70	CHAVEZ J
	0900	72	CHAVEZ J
	1200	74	CHAVEZ J
	1500	76	CARLANZA Y
	1800	76	CARLANZA Y
	2100	74	CARLANZA Y
	2400	70	PFISTER B

Tuesday

Date	Time	Temp.	Name(Print)
October 22, 2024	0300	70	PFISTER B
	0600	70	J. CHAVEZ
	0900	72	J CHAVEZ
	1200	72	J. CHAVEZ
	1500	74	ROJAS C
	1800	74	ROJAS C
	2100	72	ROJAS C
	2400	70	PFISTER B

Thursday

Date	Time	Temp.	Name(Print)
October 24, 2024	0300	70	MORIAN K
	0600	70	MAGAO F
	0900	72	MAGAO F
	1200	74	MAGAO F
	1500	76	BERNARDINO E
	1800	78	BERNARDINO E
	2100	76	BERNARDINO E
	2400	70	MORGAN K

Saturday

Date	Time	Temp.	Name(Print)
October 26, 2024	0300	70	PFISTER B
	0600	70	CERDA G
	0900	72	CERDA G
	1200	74	CERDA G
	1500	76	SANSON E
	1800	76	SANSON E
	2100	72	SANSON E
	2400	70	KNUDSEN M

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - CTemp. Reading Location: Dorm - 312(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/18	0300	73	B. PISER
	0600	69	MARCEL, J
	0900	68	CHAVEZ, J
	1200	76	CHAVEZ, J
	1500	77	R. DELAUAO
	1800	77	R. DELAUAO
	2100	77	R. DELAUAO
	2400	75	B. PISER

Tuesday

Date	Time	Temp.	Name (Print)
10/19	0300	71	B. PISER
	0600	63	D. JOHNSON
	0900	62	D. JOHNSON
	1200	67	D. JOHNSON
	1500	77	D. JOHNSON
	1800	74	D. JOHNSON
	2100	70	D. JOHNSON
	2400	70	B. PISER

Wednesday

Date	Time	Temp.	Name (Print)
10/20	0300	69	B. PISER
	0600	62	CHAVEZ, J
	0900	68	CHAVEZ, J
	1200	67	CHAVEZ, J
	1500	77	R. DELAUAO
	1800	74	B. PISER
	2100	71	B. PISER
	2400	68	K. MORGAN

Thursday

Date	Time	Temp.	Name (Print)
10/21	0300	64	R. MORGAN
	0600	64	R. MORGAN
	0900	68	R. MORGAN
	1200	70	R. MORGAN
	1500	78	R. MORGAN
	1800	74	B. PISER
	2100	70	B. PISER
	2400	67	K. MORGAN

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From 45323 through 45351, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name(Print)
October 2, 2024	0300	77°	S. Lahey
	0600	71	WHICH
	0900	80	WHICH
	1200	82	WHICH
	1500	89	CARLTON ✓
	1800	93	CARLTON ✓
	2100	87	CARLTON ✓
	2400	82°	S. Lahey

Friday

Date	Time	Temp.	Name(Print)
October 4, 2024	0300	72°	S. Lahey
	0600	78	WHICH
	0900	72	WHICH
	1200	78	WHICH
	1500	89	J. MORENO ✓
	1800	84	J. CABRERA
	2100	84	C. BILLEA
	2400	78	K. MORGAN

Sunday

Date	Time	Temp.	Name(Print)
October 6, 2024	0300	74	K. MORGAN
	0600	74	R. MORALES
	0900	74	R. MORALES ✓
	1200	86	R. Morales
	1500	85	R. DELLAZO
	1800	87	R. DELLAZO
	2100	86	R. DELLAZO
	2400	85	S. Lahey

Tuesday

Date	Time	Temp.	Name(Print)
October 1, 2024	0300	74°	S. Lahey
	0600	72	J. CABRERA
	0900	72	J. CABRERA
	1200	78	J. CABRERA
	1500	92	J. CABRERA
	1800	87	J. CABRERA ✓
	2100	86	J. CABRERA
	2400	79°	S. Lahey

Thursday

Date	Time	Temp.	Name(Print)
October 3, 2024	0300	78°	S. Lahey
	0600	79	WHICH
	0900	72	WHICH
	1200	76	WHICH
	1500	80	WHICH
	1800	84	WHICH ✓
	2100	83	WHICH
	2400	79°	S. Lahey

Saturday

Date	Time	Temp.	Name(Print)
October 5, 2024	0300	75	K. MORGAN
	0600	73	WHICH
	0900	74	WHICH
	1200	77	WHICH
	1500	80	WHICH
	1800	87	WHICH
	2100	86	WHICH
	2400	76	K. MORGAN

Notes

STAGE II 1520 70/1/2024
OFF 10340
ICE DELIVERED 1450 Hours 10-2-24
STAGE II 1622 10-2-24
GEP AT 2030
ICE DELIVERED 1520 10/1/2024

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 308, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 7, 2024	0300	76°	S. Lahey
	0600	75°	PEREZ
	0900	76°	PEREZ
	1200	80°	PEREZ ✓
	1500	88	J CABRERA
	1800	87	J CABRERA
	2100	86	J CABRERA
	2400	82°	S. Lahey

Wednesday

Date	Time	Temp.	Name(Print)
October 9, 2024	0300	72°	S. Lahey
	0600	73	WHITE
	0900	75	WHITE
	1200	78	WHITE
	1500	84	J CABRERA
	1800	84	J CABRERA
	2100	80	J CABRERA
	2400	76°	S. Lahey

Friday

Date	Time	Temp.	Name(Print)
October 11, 2024	0300	73°	S. Lahey
	0600	74	WHITE
	0900	75	WHITE
	1200	76	WHITE
	1500	86	KOSEN
	1800	86	KOSEN
	2100	84	KOSEN
	2400	71	WHITE

Sunday

Date	Time	Temp.	Name(Print)
October 13, 2024	0300	74	K. MORIAN
	0600	74	Anthony
	0900	78	Anthony
	1200	79	Anthony
	1500	82	WHITE
	1800	84	WHITE
	2100	75	WHITE
	2400	72°	S. Lahey

Tuesday

Date	Time	Temp.	Name(Print)
October 8, 2024	0300	76°	S. Lahey
	0600	79	J CABRERA
	0900	74	J CABRERA
	1200	80	J CABRERA
	1500	87	J CABRERA
	1800	88	J CABRERA
	2100	82	J CABRERA
	2400	78	S. Lahey

Thursday

Date	Time	Temp.	Name(Print)
October 10, 2024	0300	71°	S. Lahey
	0600	78	WHITE
	0900	78	WHITE
	1200	79	WHITE
	1500	82	WHITE
	1800	83	WHITE
	2100	83	WHITE
	2400	76°	S. Lahey

Saturday

Date	Time	Temp.	Name(Print)
October 12, 2024	0300	70	WHITE
	0600	70	WHITE
	0900	73	WHITE
	1200	77	WHITE
	1500	82	M. KNUDSEN
	1800	81	M. KNUDSEN
	2100	80	M. KNUDSEN
	2400	76	K. MORGAN

Notes

10/8/24 ICE RESEND 1430

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313
(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 14, 2024	0300	71°	S. Lahey
	0600	70°	PEREZ
	0900	72°	PEREZ
	1200	72°	PEREZ
	1500	74	J CABRERA
	1800	74	J CABRERA
	2100	74	J CABRERA
	2400	72°	S. Lahey

Wednesday

Date	Time	Temp.	Name(Print)
October 16, 2024	0300	72°	S. Lahey
	0600	70	WILKINSON
	0900	70	WILKINSON
	1200	70	WILKINSON
	1500	72	J CABRERA
	1800	72	J CABRERA
	2100	70	J CABRERA
	2400	70°	S. Lahey

Friday

Date	Time	Temp.	Name(Print)
October 18, 2024	0300	70°	S. Lahey
	0600	70	CORVANTO
	0900	70	CORVANTO
	1200	72	CORVANTO
	1500	72	CABRERA
	1800	72	CABRERA
	2100	72	CABRERA
	2400	71	K. MORGAN

Sunday

Date	Time	Temp.	Name(Print)
October 20, 2024	0300	69	K. MORGAN
	0600	69°	PEREZ
	0900	72°	PEREZ
	1200	76°	PEREZ
	1500	74	BROWN
	1800	76	BROWN
	2100	74	BROWN
	2400	76	V. Morgan

Tuesday

Date	Time	Temp.	Name(Print)
October 15, 2024	0300	70°	S. Lahey
	0600	70	J CABRERA
	0900	70	J CABRERA
	1200	72	J CABRERA
	1500	74	J CABRERA
	1800	78	J CABRERA
	2100	74	GABRIELA
	2400	72°	S. Lahey

Thursday

Date	Time	Temp.	Name(Print)
October 17, 2024	0300	70°	S. Lahey
	0600	70	WILKINSON
	0900	70	WILKINSON
	1200	71	WILKINSON
	1500	73	WILKINSON
	1800	70	WILKINSON
	2100	73	WILKINSON
	2400	70°	S. Lahey

Saturday

Date	Time	Temp.	Name(Print)
October 19, 2024	0300	70	K. MORGAN
	0600	70	M. BROWN
	0900	70	M. BROWN
	1200	71	M. BROWN
	1500	84	R. DELARDO
	1800	86	R. DELARDO
	2100	79	R. DELARDO
	2400	75	K. MORGAN

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/19)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS-102, 103, 109, 111, 201, 202, 203, 208, 214, 303,
304, 306, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, OHU

From through , the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on heat risk list may be housed.
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Use an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility C Temp. Reading Location: Dorm 313

(e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name(Print)
October 21, 2024	0300	70	B. MIRENO
	0600	71	T. PEREZ
	0900	72	T. PEREZ
	1200	72	T. PEREZ
	1500	72	J. CABRERA
	1800	72	J. CABRERA
	2100	74	J. CABRERA
	2400	70	S. LACKLEY

Wednesday

Date	Time	Temp.	Name(Print)
October 23, 2024	0300	68	S. LACKLEY
	0600	66	S. Whitcher
	0900	67	S. Whitcher
	1200	67	S. Whitcher
	1500	72	J. CABRERA
	1800	72	J. CABRERA
	2100	74	J. CABRERA
	2400	70	S. LACKLEY

Friday

Date	Time	Temp.	Name(Print)
October 25, 2024	0300	68	S. LACKLEY
	0600	66	S. Whitcher
	0900	70	S. Whitcher
	1200	70	S. Whitcher
	1500	74	Brown
	1800	72	Brown
	2100	72	Brown
	2400	70	K. MORGAN

Sunday

Date	Time	Temp.	Name(Print)
October 27, 2024	0300	68	K. MORGAN
	0600	70	S. Whitcher
	0900	70	S. Whitcher
	1200	74	S. Whitcher
	1500	74	R. DAVIS
	1800	72	R. DAVIS
	2100	70	R. DAVIS
	2400	69	S. LACKLEY

Tuesday

Date	Time	Temp.	Name(Print)
October 22, 2024	0300	68	S. LACKLEY
	0600	66	S. Whitcher
	0900	67	S. Whitcher
	1200	67	S. Whitcher
	1500	70	J. CABRERA
	1800	72	J. CABRERA
	2100	72	J. CABRERA
	2400	70	S. LACKLEY

Thursday

Date	Time	Temp.	Name(Print)
October 24, 2024	0300	68	S. LACKLEY
	0600	63	S. Whitcher
	0900	63	S. Whitcher
	1200	67	S. Whitcher
	1500	72	J. CABRERA
	1800	74	J. CABRERA
	2100	72	J. CABRERA
	2400	70	S. LACKLEY

Saturday

Date	Time	Temp.	Name(Print)
October 26, 2024	0300	65	K. MORGAN
	0600	63	S. Whitcher
	0900	65	S. Whitcher
	1200	70	S. Whitcher
	1500	74	R. DAVIS
	1800	74	R. DAVIS
	2100	72	R. DAVIS
	2400	70	K. MORGAN

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - CTemp. Reading Location: Dorm - 313
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	73°	S. Lahey
	0600	70°	PEPER
	0900	72°	PEPER
	1200	74°	PEPER
	1500	74°	J.CABILENA
	1800	72°	J.CABILENA
	2100	70°	J.CABILENA
	2400	68°	S. Lahey

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	65°	S. Lahey
	0600	63°	WHITE
	0900	63°	WHITE
	1200	68°	WHITE
	1500	72°	WHITE
	1800	70°	WHITE
	2100	70°	WHITE
	2400	70°	S. Lahey

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	66°	S. Lahey
	0600	62°	J.CABILENA
	0900	62°	J.CABILENA
	1200	66°	J.CABILENA
	1500	90°	J.CABILENA
	1800	70°	J.CABILENA
	2100	70°	C.BREWER
	2400	69°	S. Lahey

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	67°	S. Lahey
	0600	64°	C.Elias
	0900	64°	C.Elias
	1200	65°	C.Elias
	1500	68°	T.Karukow
	1800	70°	KIES
	2100	70°	KIES
	2400	68°	S. Lahey

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DESIGNATED HEAT DORMS - 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- D Temp. Reading Location: DORM - 401
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/1/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10/2/2024	0300	75	J. Gonzalez
	0600	75	Darrow
	0900	77	Darrow
	1200	80	Darrow
	1500	85	C. Elias
	1800	87	C. Elias
	2100	85	C. Elias
	2400	81	L. Diaz

Friday

Date	Time	Temp.	Name (Print)
10/4/2024	0300	80	J. Gonzalez
	0600	77	Chambers
	0900	78	Chambers
	1200	80	Chambers
	1500	85	J. Tice
	1800	80	J. Tice
	2100	80	J. Tice
	2400	80	J. Gonzalez

Sunday

Date	Time	Temp.	Name (Print)
10/6/2024	0300	78	Sequoia
	0600	76	D. Chambers
	0900	75	D. Chambers
	1200	79	D. Chambers
	1500	82	Perry
	1800	85	Perry
	2100	81	Perry
	2400	78	M. Adams

Tuesday

Date	Time	Temp.	Name (Print)
10/1/2024	0300	73	Fariaz
	0600	75	Darrow
	0900	77	Darrow
	1200	78	Darrow
	1500	82	Fariaz
	1800	84	Fariaz
	2100	84	Fariaz
	2400	78	J. Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
10/3/2024	0300	80	L. Diaz
	0600	80	Darrow
	0900	81	Darrow
	1200	81	Darrow
	1500	84	J. Gonzalez
	1800	79	J. Gonzalez
	2100	79	J. Gonzalez
	2400	81	J. Gonzalez

Saturday

Date	Time	Temp.	Name (Print)
10/5/2024	0300	75	J. Gonzalez
	0600	76	Avalos
	0900	76	Avalos
	1200	78	Avalos
	1500	80	Woods
	1800	80	Woods
	2100	81	Woods
	2400	80	Enciso

Notes

10/5/24 UHT Activated 1241

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

 Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300	76	A-Bettencourt
	0600	78	A-Bettencourt
	0900	79	A-Bettencourt
	1200	80	A-Bettencourt
	1500	84	Fay
	1800	82	Fay
	2100	80	Fay
	2400	80	Fay

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300	78	Fay
	0600	79	A-Bettencourt
	0900	79	A-Bettencourt
	1200	80	A-Bettencourt
	1500	82	Fay
	1800	82	Fay
	2100	83	Fay
	2400	81	J.Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300	78	J.Gonzalez
	0600	78	A-Bettencourt
	0900	78	A-Bettencourt
	1200	78	A-Bettencourt
	1500	80	Fay
	1800	80	Fay
	2100	89	Fay
	2400	79	J.Gonzalez

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300	78	J.Gonzalez
	0600	78	A-Bettencourt
	0900	78	A-Bettencourt
	1200	78	A-Bettencourt
	1500	79	J.Gonzalez
	1800	79	J.Gonzalez
	2100	78	J.Gonzalez
	2400	78	J.Gonzalez

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300	78	J.Gonzalez
	0600	77	R.Perez
	0900	77	R.Perez
	1200	78	R.Perez
	1500	80	R.Gomez
	1800	80	R.Gomez
	2100	80	R.Gomez
	2400	80	J.Gonzalez

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300	79	J.Gonzalez
	0600	75	Colivas
	0900	73	Colivas
	1200	77	Colivas
	1500	79	Gomez
	1800	79	Gomez
	2100	76	Gomez
	2400	74	Enciso

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300	74	Enciso
	0600	72	A-Bettencourt
	0900	69	A-Bettencourt
	1200	73	A-Bettencourt
	1500	76	Fay
	1800	76	Fay
	2100	75	Fay
	2400	74	Enciso

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/14/2024	0300	73	ENCISO
	0600	76	A. Betancourt
	0900	70	A. Betancourt
	1200	70	A. Betancourt
	1500	74	Fay
	1800	73	Fay
	2100	72	Fay
	2400	70	Fay

Tuesday

Date	Time	Temp	Name (Print)
10/15/2024	0300	70	Fay
	0600	71	A. Betancourt
	0900	69	A. Betancourt
	1200	70	A. Betancourt
	1500	72	Fay
	1800	73	Fay
	2100	73	Fay
	2400	70	J. Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
10/16/2024	0300	70	J. Gonzalez
	0600	71	A. Betancourt
	0900	70	A. Betancourt
	1200	69	A. Betancourt
	1500	69	Fay
	1800	69	Fay
	2100	69	Fay
	2400	69	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
10/17/2024	0300	69	J. Gonzalez
	0600	69	A. Betancourt
	0900	69	A. Betancourt
	1200	70	A. Betancourt
	1500	71	J. Gonzalez
	1800	71	J. Gonzalez
	2100	71	J. Gonzalez
	2400	69	J. Gonzalez

Friday

Date	Time	Temp	Name (Print)
10/18/2024	0300	69	J. Gonzalez
	0600	69	Briley
	0900	69	Briley
	1200	72	Briley
	1500	73	D. Gamez
	1800	73	D. Gamez
	2100	73	D. Gamez
	2400	69	J. Gonzalez

Saturday

Date	Time	Temp	Name (Print)
10/19/2024	0300	69	J. Gonzalez
	0600	70	Collras
	0900	73	Collras
	1200	75	Collras
	1500	76	GAMEZ
	1800	76	GAMEZ
	2100	76	GAMEZ
	2400	75	Alison

Sunday

Date	Time	Temp	Name (Print)
10/20/2024	0300	74	A. Betancourt
	0600	72	A. Betancourt
	0900	70	A. Betancourt
	1200	73	A. Betancourt
	1500	79	Fay
	1800	79	Fay
	2100	77	Fay
	2400	77	Bradford

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO Housing Unit: DORM 401 Temp. Reading Location: Building 3rd Floor
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday								
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)					
10/2/12	0300	75	A. Brantford	10/2/12	0300	78	J. Gonzalez	10/3/12	0300	79	A. Gonzalez	10/3/12	0300	78	A. Gonzalez	10/4/12	0300	75	J. Gonzalez	10/4/12	0300	75	J. Gonzalez					
	0600	73	A. Betencourt		0600	74	A. Betencourt		0600	74	A. Betencourt		0600	74	A. Betencourt		0600	75	A. Betencourt		0600	72	C. Bailey					
	0900	73	A. Betencourt		0900	72	A. Betencourt		0900	72	A. Betencourt		0900	71	A. Betencourt		0900	72	A. Betencourt		0900	72	C. Bailey					
	1200	74	A. Betencourt		1200	75	A. Betencourt		1200	75	A. Betencourt		1200	75	A. Betencourt		1200	76	A. Betencourt		1200	76	C. Bailey					
	1500	80			1500	81				1500	81				1500	81				1500	81							
	1800	79			1800	81				1800	81				1800	81				1800	81							
	2100	78			2100	79				2100	79				2100	79				2100	79							
	2400	79	J. Gonzalez		2400	79	J. Gonzalez			2400	79	J. Gonzalez			2400	79	J. Gonzalez			2400	77	ENCISO						
DO NOT PRINT																												
Wednesday																												
10/3/12	0300	79	J. Gonzalez		0300	75	A. Gonzalez		0300	75	A. Gonzalez		0300	75	A. Gonzalez		0300	75	A. Gonzalez		0300	75	A. Gonzalez					
	0600	74	A. Betencourt			0600	74	A. Betencourt			0600	74	A. Betencourt			0600	74	A. Betencourt			0600	74	A. Betencourt					
	0900	75	A. Betencourt			0900	75	A. Betencourt			0900	75	A. Betencourt			0900	75	A. Betencourt			0900	75	A. Betencourt					
	1200	77	A. Betencourt			1200	77	A. Betencourt			1200	77	A. Betencourt			1200	77	A. Betencourt			1200	77	A. Betencourt					
	1500	83				1500	83				1500	83				1500	83				1500	83	R. Bocorn					
	1800	80				1800	80				1800	80				1800	80				1800	80	R. Bocorn					
	2100	78				2100	78				2100	78				2100	78				2100	78	T. Bocorn					
	2400	78	J. Gonzalez			2400	78	J. Gonzalez			2400	78	J. Gonzalez			2400	78	J. Gonzalez			2400	78	J. Gonzalez					
Thursday																												
10/4/12	0300	79	J. Gonzalez			0300	75	A. Gonzalez			0300	75	A. Gonzalez			0300	75	A. Gonzalez			0300	75	A. Gonzalez					
	0600	74	A. Betencourt				0600	74	A. Betencourt				0600	74	A. Betencourt				0600	74	A. Betencourt			0600	74	A. Betencourt		
	0900	71	A. Betencourt				0900	71	A. Betencourt				0900	71	A. Betencourt				0900	71	A. Betencourt			0900	71	A. Betencourt		
	1200	77	A. Betencourt				1200	77	A. Betencourt				1200	77	A. Betencourt				1200	77	A. Betencourt			1200	77	A. Betencourt		
	1500	79					1500	79					1500	79					1500	79				1500	79			
	1800	79					1800	79					1800	79					1800	79				1800	79			
	2100	76					2100	76					2100	76					2100	76				2100	76			
	2400	75					2400	75					2400	75					2400	75				2400	75			
Friday																												
10/5/12	0300	75	J. Gonzalez			0300	72	C. Bailey			0300	72	C. Bailey			0300	72	C. Bailey			0300	72	C. Bailey					
	0600	75	J. Gonzalez				0600	75	J. Gonzalez				0600	75	J. Gonzalez				0600	75	J. Gonzalez			0600	75	J. Gonzalez		
	0900	76	J. Gonzalez				0900	76	J. Gonzalez				0900	76	J. Gonzalez				0900	76	J. Gonzalez			0900	76	J. Gonzalez		
	1200	78	J. Gonzalez				1200	78	J. Gonzalez				1200	78	J. Gonzalez				1200	78	J. Gonzalez			1200	78	J. Gonzalez		
	1500	78	D. Gamez				1500	78	D. Gamez				1500	78	D. Gamez				1500	78	D. Gamez			1500	78	D. Gamez		
	1800	79	D. Gamez				1800	79	D. Gamez				1800	79	D. Gamez				1800	79	D. Gamez			1800	79	D. Gamez		
	2100	76	D. Gamez				2100	76	D. Gamez				2100	76	D. Gamez				2100	76	D. Gamez			2100	76	D. Gamez		
	2400	72	J. Gonzalez				2400	72	J. Gonzalez				2400	72	J. Gonzalez				2400	72	J. Gonzalez			2400	72	J. Gonzalez		
Sunday																												
10/7/12	0300	72	ENCISO				0300	72	ENCISO				0300	72	ENCISO				0300	72	ENCISO			0300	72	ENCISO		
	0600	73	ENCISO					0600	73	ENCISO					0600	73	ENCISO				0600	73	ENCISO			0600	73	ENCISO
	0900	73	ENCISO					0900	73	ENCISO					0900	73	ENCISO				0900	73	ENCISO			0900	73	ENCISO
	1200	72	ENCISO					1200	72	ENCISO					1200	72	ENCISO				1200	72	ENCISO			1200	72	ENCISO
	1500	78	ENCISO					1500	78	ENCISO					1500	78	ENCISO				1500	78	ENCISO			1500	78	ENCISO
	1800	72	ENCISO					1800	72	ENCISO					1800	72	ENCISO				1800	72	ENCISO			1800	72	ENCISO
	2100	74	ENCISO					2100	74	ENCISO					2100	74	ENCISO				2100	74	ENCISO			2100	74	ENCISO
	2400	74	ENCISO					2400	74	ENCISO					2400	74	ENCISO				2400	74	ENCISO			2400	74	ENCISO
Notes																												

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 401

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/28/2024	0300	73	enciso
	0600	73	Darrow
	0900	74	Darrow
	1200	76	Darrow
	1500	76	Leo
	1800	75	Leo
	2100	74	Leo
	2400	72	J. Gonzalez

Tuesday

Date	Time	Temp	Name (Print)
10/29/2024	0300	72	J. Gonzalez
	0600	72	Darrow
	0900	74	Darrow
	1200	75	Darrow
	1500	74	Fay
	1800	72	Fay
	2100	70	Fay
	2400	70	J. Gonzalez

Wednesday

Date	Time	Temp	Name (Print)
10/30/2024	0300	70	J. Gonzalez
	0600	70	Darrow
	0900	72	Darrow
	1200	74	Darrow
	1500	70	Fay
	1800	71	Fay
	2100	70	Fay
	2400	70	J. Gonzalez

Thursday

Date	Time	Temp	Name (Print)
10/31/2024	0300	70	J. Gonzalez
	0600	70	Darrow
	0900	70	Darrow
	1200	71	Darrow
	1500	70	Fay
	1800	70	Fay
	2100	69	Fay
	2400	69	Fay

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300	75	B.PRISER
	0600	78	
	0900	75	
	1200	78	
	1500	82	S. Brown
	1800	84	S. Brown
	2100	84	S. Brown
	2400	78	B.PRISER

Tuesday

Date	Time	Temp	Name (Print)
10/1/2024	0300	75	B.PRISER
	0600	76	Mary
	0900	77	
	1200	80	
	1500	83	S. Brown
	1800	83	S. Brown
	2100	83	S. Brown
	2400	78	B.PRISER

Wednesday

Date	Time	Temp	Name (Print)
10/2/2024	0300	75	P.Fisher
	0600	75	P.Fisher
	0900	77	Reyes
	1200	80	Reyes
	1500	85	S. Brown
	1800	85	S. Brown
	2100	85	S. Brown
	2400	81	SILVAS

Thursday

Date	Time	Temp	Name (Print)
10/3/2024	0300	80	SILVAS
	0600	80	BOTELLO
	0900	79	BOTELLO
	1200	80	BOTELLO
	1500	84	BOTELLO
	1800	79	BOTELLO
	2100	79	BOTELLO
	2400	81	SILVAS

Friday

Date	Time	Temp	Name (Print)
10/4/2024	0300	80	SILVAS
	0600	77	
	0900	78	B.Fisher
	1200	80	
	1500	85	J. HUNTER
	1800	80	J. HUNTER
	2100	81	J. HUNTER
	2400	80	B.PRISER

Saturday

Date	Time	Temp	Name (Print)
10/5/2024	0300	75	B.PRISER
	0600	76	
	0900	76	
	1200	80	
	1500	88	P.Bailey
	1800	88	P.Bailey
	2100	81	P.Bailey
	2400	80	P.Bailey

Sunday

Date	Time	Temp	Name (Print)
10/6/2024	0300	78	P.Bailey
	0600	79	
	0900	75	
	1200	79	
	1500	82	C.Bailey
	1800	85	C.Bailey
	2100	81	C.Bailey
	2400	81	BERBERICHT

Notes

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300	81°	BERBERICH
	0600	78	S. M.
	0900	78	J. M.
	1200	83	J. M.
	1500	81	D. M.
	1800	82	D. M.
	2100	80	D. M.
	2400	80	Chogolla

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300	80	Chogolla
	0600	77	M.
	0900	78	J. M.
	1200	80	J. M.
	1500	81	S. M.
	1800	83	S. M.
	2100	83	S. M.
	2400	81	Chogolla

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300	80	Chogolla
	0600	78	M.
	0900	78	J. M.
	1200	78	J. M.
	1500	80	R. Morales
	1800	80	R. Morales
	2100	80	R. Morales
	2400	79	SILVAS

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300	78	SILVAS
	0600	78	BOTELLO
	0900	78	BOTELLO
	1200	78	COLTRAS
	1500	79	COLTRAS
	1800	79	COLTRAS
	2100	78	COLTRAS
	2400	78	SILVAS

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300	78	SILVAS
	0600	78	M. Brown
	0900	78	M. Brown
	1200	79	M. Brown
	1500	80	(COLTRAS)
	1800	80	(COLTRAS)
	2100	80	(COLTRAS)
	2400	80	J. BERBERICH

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300	79°	J. BERBERICH
	0600	75	J. M.
	0900	73	J. M.
	1200	77	J. M.
	1500	79	(COLTRAS)
	1800	79	(COLTRAS)
	2100	78	(COLTRAS)
	2400	75	J. BERBERICH

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300	74°	J. BERBERICH
	0600	72	J. M.
	0900	69	J. M.
	1200	73	J. M.
	1500	76	COLTRAS
	1800	76	COLTRAS
	2100	75	COLTRAS
	2400	74°	J. BERBERICH

Notes

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
10/14/2024	0300	73°	J. BERBERICH
	0600	71	S. g. prep
	0900	70	S. g. prep
	1200	70	S. g. prep
	1500	74	(COLLRA)
	1800	73	(COLLRA)
	2100	72	(COLLRA)
	2400	72	Chagolla

Tuesday			
Date	Time	Temp	Name (Print)
10/15/2024	0300	72	Chagolla
	0600	71	S. g. prep
	0900	69	S. g. prep
	1200	71	J. Ber
	1500	70	S. Brown
	1800	73	S. Brown
	2100	73	S. Brown
	2400	70	Chagolla

Wednesday			
Date	Time	Temp	Name (Print)
10/16/2024	0300	70	Chagolla
	0600	70	Chagolla
	0900	70	Chagolla
	1200	69	Chagolla
	1500	69	S. Brown
	1800	69	S. Brown
	2100	69	S. Brown
	2400	69	SILVAS

Thursday			
Date	Time	Temp	Name (Print)
10/17/2024	0300	69	SILVAS
	0600	69	(COLLRA)
	0900	69	(COLLRA)
	1200	70	(COLLRA)
	1500	71	(COLLRA)
	1800	71	(COLLRA)
	2100	71	SILVAS
	2400	71	SILVAS

Friday			
Date	Time	Temp	Name (Print)
10/18/2024	0300	70	SILVAS
	0600	70	R. Chacon
	0900	69	R. Chacon
	1200	72	R. Chacon
	1500	73	(COLLRA)
	1800	75	(COLLRA)
	2100	73	(COLLRA)
	2400	72	J. BERBERICH

Saturday			
Date	Time	Temp	Name (Print)
10/19/2024	0300	69	J. BERBERICH
	0600	70	J. Ber
	0900	73	S. g.
	1200	75	S. g.
	1500	76	(COLLRA)
	1800	76	(COLLRA)
	2100	76	(COLLRA)
	2400	75	J. BERBERICH

Sunday			
Date	Time	Temp	Name (Print)
10/20/2024	0300	74°	J. BERBERICH
	0600	72	E. ENGRICO
	0900	73	E. ENGRICO
	1200	73	E. ENGRICO
	1500	79	(COLLRA)
	1800	78	(COLLRA)
	2100	77	(COLLRA)
	2400	77	J. BERBERICH

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/21/2024	0300	75	J. BERBERICH
	0600	73	J. Rego
	0900	73	J. R.
	1200	79	J. M.
	1500	80	DIAZ
	1800	79	DIAZ
	2100	78	DIAZ
	2400	79	Chagolla

Tuesday

Date	Time	Temp	Name (Print)
10/22/2024	0300	76	Chagolla
	0600	74	J. M.
	0900	72	S. R.
	1200	75	S. R.
	1500	80	S. DIAZ
	1800	81	S. DIAZ
	2100	80	S. DIAZ
	2400	80	Chagolla

Wednesday

Date	Time	Temp	Name (Print)
10/23/2024	0300	79	Chagolla
	0600	74	J. R.
	0900	72	J. R.
	1200	77	S. R.
	1500	83	QUINONES
	1800	80	QUINONES
	2100	78	QUINONES
	2400	75	SILVAS

Thursday

Date	Time	Temp	Name (Print)
10/24/2024	0300	75	SILVAS
	0600	75	BATELLO
	0900	71	BATELLO
	1200	77	BATELLO
	1500	79	COLIRAS
	1800	79	COLIRAS
	2100	74	COLIRAS
	2400	75	SILVAS

Friday

Date	Time	Temp	Name (Print)
10/25/2024	0300	75	SILVAS
	0600	75	BATELLO
	0900	76	BATELLO
	1200	78	BATELLO
	1500	78	COLIRAS
	1800	79	COLIRAS
	2100	76	COLIRAS
	2400	74	J. BERBERICH

Saturday

Date	Time	Temp	Name (Print)
10/26/2024	0300	72	J. BERBERICH
	0600	72	J. M.
	0900	72	J. M.
	1200	76	J. M.
	1500	71	Coliray
	1800	74	Coliray
	2100	71	Coliray
	2400	77	J. BERBERICH

Sunday

Date	Time	Temp	Name (Print)
10/27/2024	0300	72	J. BERBERICH
	0600	72	J. M.
	0900	73	J. M.
	1200	71	J. M.
	1500	78	COLIRAS
	1800	76	COLIRAS
	2100	74	COLIRAS
	2400	74	J. BERBERICH

Notes

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 402

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	73	J. BERBERICH
	0600	72	SJL
	0900	74	SJL
	1200	74	SJL
	1500	76	DIAZ
	1800	75	DIAZ
	2100	75	DIAZ
	2400	72	Chagolla

Tuesday

Date	Time	Temp.	Name (Print)
10/29/2024	0300	72	Chagolla
	0600	70	SILVA
	0900	70	SILVA
	1200	70	SILVA
	1500	74	S. omra
	1800	70	S. omra
	2100	70	S. omra
	2400	70	Chagolla

Wednesday

Date	Time	Temp.	Name (Print)
10/30/2024	0300	70	Chagolla
	0600	68	SILVA
	0900	69	SILVA
	1200	67	SILVA
	1500	70	QUINONEZ
	1800	71	QUINONEZ
	2100	70	QUINONEZ
	2400	70	SILVAS

Thursday

Date	Time	Temp.	Name (Print)
10/31/2024	0300	70	SILVAS
	0600	68	COLVRS
	0900	70	COLVRS
	1200	71	COLVRS
	1500	70	(COLVRS)
	1800	69	COLVRS
	2100	69	SILVRA
	2400	70	GAVIN

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: **Building 2nd Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300	70	ROJAS
	0600	68	E. CLAUDIO
	0900	70	E. CLAUDIO
	1200	80	E. CLAUDIO
	1500	80	<i>George</i>
	1800	80	<i>George</i>
	2100	78	<i>George</i>
	2400	76	12/4/24

Wednesday

Date	Time	Temp	Name (Print)
	0300	74	
	0600	73	
	0900	80	E. CLAUDIO
	1200	82	E. CLAUDIO
	1500	81	NIESEN
	1800	81	NIESEN
	2100	81	NIESEN
	2400	81	K RAGLE

Thursday

Date	Time	Temp	Name (Print)
	0300	80	K RAGLE
	0600	80	E. CLAUDIO
	0900	80	E. CLAUDIO
	1200	84	E. CLAUDIO
	1500	84	NIESEN
	1800	83	NIESEN
	2100	82	NIESEN
	2400	80	K RAGLE

Friday

Date	Time	Temp	Name (Print)
	0300	78	K RAGLE
	0600	78	E. CLAUDIO
	0900	80	E. CLAUDIO
	1200	80	E. CLAUDIO
	1500	80	NIESEN
	1800	80	NIESEN
	2100	80	NIESEN
	2400	80	A TORRES

Saturday

Date	Time	Temp	Name (Print)
	0300	76	A. TORRES
	0600	78	E. CLAUDIO
	0900	80	E. CLAUDIO
	1200	80	E. CLAUDIO
	1500	80	NIESEN
	1800	80	NIESEN
	2100	80	NIESEN
	2400	79	C Rojas

Sunday

Date	Time	Temp	Name (Print)
	0300	77	C. Rojas
	0600	74	C. Rojas
	0900	78	C Bailey
	1200	80	C Bailey
	1500	80	Kefalios
	1800	80	Kefalios
	2100	80	Kefalios
	2400	80	L Sancan

Notes

OCT 02@135 UHT STAGE 1 ACTIVATED.
OCT 03@1205 UHT STAGE 1 ACTIVATED.
OCT 04@1240 UHT STAGE 1 ACTIVATED.
OCT 05@1241 UHT STAGE 1 ACTIVATED

403

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

DCCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300	76	Sanson
	0600	76	F.Ochoa
	0900	77	F.Ochoa
	1200	81	F.Ochoa
	1500	82	Adeanye
	1800	82	Adeanye
	2100	72	Adeanye
	2400	80	S.Oronoz

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300	76	S.Oronoz
	0600	80	CLAUDIO
	0900	80	CLAUDIO
	1200	82	CLAUDIO
	1500	60	Clay
	1800	80	Clay
	2100	78	Clay
	2400	78	S.Oronoz

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300	75	S.Oronoz
	0600	78	CLAUDIO
	0900	80	CLAUDIO
	1200	80	CLAUDIO
	1500	70	NIELSEN
	1800	79	NIELSEN
	2100	77	NIELSEN
	2400	77	KRAGLE

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300	75	KRAGLE
	0600	74	CLAUDIO
	0900	72	CLAUDIO
	1200	75	CLAUDIO
	1500	75	NIELSEN
	1800	75	NIELSEN
	2100	75	NIELSEN
	2400	77	KRAGLE

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300	75	KRAGLE
	0600	78	E.CLAUDIO
	0900	78	E.CLAUDIO
	1200	80	E.CLAUDIO
	1500	75	NIELSEN
	1800	75	NIELSEN
	2100	75	NIELSEN
	2400	79	Milner

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300	77	Milner
	0600	77	CLAUDIO
	0900	78	CLAUDIO
	1200	78	CLAUDIO
	1500	76	NIELSEN
	1800	75	NIELSEN
	2100	75	NIELSEN
	2400	74	GRANGE

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300	72	Ramsey
	0600	71	EVERTT
	0900	71	EVERTT
	1200	71	EVERTT
	1500	74	Kefalianos
	1800	76	Kefalianos
	2100	75	Kefalianos
	2400	75	Ramsey

Notes

10/11/24 1320 HRS STAGE 1 ACTIVATED.

403

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/14/2024	0300	71	<u>Conrad</u>
	0600	72	<u>F.ochoa</u>
	0900	72	<u>F.ochoa</u>
	1200	72	<u>F.ochoa</u>
	1500	74	<u>Davis</u>
	1800	74	<u>Davis</u>
	2100	73	<u>Dolan</u>
	2400	71	<u>Soriano</u>

Tuesday

Date	Time	Temp	Name (Print)
10/15/2024	0300	71	<u>Soriano</u>
	0600	70	<u>CLAUDIO</u>
	0900	70	<u>CLAUDIO</u>
	1200	70	<u>CLAUDIO</u>
	1500	73	<u>Davis</u>
	1800	72	<u>Davis</u>
	2100	71	<u>Dolan</u>
	2400	70	<u>Rangel</u>

Wednesday

Date	Time	Temp	Name (Print)
10/16/2024	0300	70	<u>Rangel</u>
	0600	70	<u>CLAUDIO</u>
	0900	70	<u>CLAUDIO</u>
	1200	70	<u>CLAUDIO</u>
	1500	70	<u>Melissa</u>
	1800	70	<u>Nelson</u>
	2100	70	<u>Nelson</u>
	2400	69	<u>T. Howard</u>

Thursday

Date	Time	Temp	Name (Print)
10/17/2024	0300	69	<u>T. Howard</u>
	0600	69	<u>Chamis</u>
	0900	69	<u>CLAUDIO</u>
	1200	70	<u>CLAUDIO</u>
	1500	70	<u>Nelson</u>
	1800	70	<u>Nelson</u>
	2100	70	<u>Nelson</u>
	2400	69	<u>T. Howard</u>

Friday

Date	Time	Temp	Name (Print)
10/18/2024	0300	69	<u>T. Howard</u>
	0600	69	<u>CLAUDIO</u>
	0900	68	<u>CLAUDIO</u>
	1200	72	<u>CLAUDIO</u>
	1500	70	<u>Nelson</u>
	1800	70	<u>Nelson</u>
	2100	70	<u>Nelson</u>
	2400	71	<u>Rangel</u>

Saturday

Date	Time	Temp	Name (Print)
10/19/2024	0300	70	<u>Rangel</u>
	0600	70	<u>CLAUDIO</u>
	0900	72	<u>CLAUDIO</u>
	1200	72	<u>CLAUDIO</u>
	1500	72	<u>Nelson</u>
	1800	70	<u>Nelson</u>
	2100	70	<u>Nelson</u>
	2400	73	<u>CLAUDIO</u>

Notes

Date	Time	Temp	Name (Print)
10/20/2024	0300	73	<u>Anthony</u>
	0600	73	<u>Anthony</u>
	0900	72	<u>Anthony</u>
	1200	74	<u>Anthony</u>
	1500	77	<u>Kefalios</u>
	1800	76	<u>Kefalios</u>
	2100	75	<u>Kefalios</u>
	2400	74	<u>Rangel</u>

403

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CRC/NORCO	Housing Unit:	DORM 403	Temp. Reading Location:	Building 2nd Floor
					(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)
10/21/2024	0300	71	Murphy	10/22/2024	0300	75	S. O'Donn
	0600	72	Ochoa		0600	75	CLAUDIO
	0900	72	Ochoa		0900	70	CLAUDIO
	1200	74	Ochoa		1200	75	CLAUDIO
	1500	79	E Hernandez		1500	80	E Hernandez
	1800	79	E Hernandez		1800	81	E Hernandez
	2100	78	E Hernandez		2100	79	E Hernandez
	2400	76	S. O'Donn		2400	78	M. Martinez
Wednesday				Thursday			
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)
10/23/2024	0300	71	74	10/24/2024	0300	74	K. Ragle
	0600	71	CLAUDIO		0600	70	CLAUDIO
	0900	71	CLAUDIO		0900	70	CLAUDIO
	1200	77	CLAUDIO		1200	74	CLAUDIO
	1500	77	N. JORDAN		1500	78	C. Felt
	1800	77	N. JORDAN		1800	78	C. Felt
	2100	75	N. JORDAN		2100	77	C. Felt
	2400	74	K. Ragle		2400	75	M. Martinez
Friday				Saturday			
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)
10/25/2024	0300	75	M. Martinez	10/26/2024	0300	76	R. Chisholm
	0600	70	CLAUDIO		0600	76	D. Duran
	0900	70	CLAUDIO		0900	77	D. Duran
	1200	74	CLAUDIO		1200	77	D. Duran
	1500	80	E. Chisholm		1500	70	E. Chisholm
	1800	70	E. Chisholm		1800	70	E. Chisholm
	2100	78	B. Chisholm		2100	70	P. Chisholm
	2400	77	B. Chisholm		2400	77	P. Chisholm
Sunday				Notes			
Date	Time	Temp	Name (Print)				
10/27/2024	0300	77	G. M. Lef				
	0600	74	L. O'Brien				
	0900	74	L. O'Brien				
	1200	75	L. O'Brien				
	1500	75	E. Chisholm				
	1800	75	E. Chisholm				
	2100	74	E. Chisholm				
	2400	77	G. M. Lef				

403

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 403Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/28/2024	0300	74	Dangler
	0600	69	F-Ochoa
	0900	70	F-Ochoa
	1200	72	F-Ochoa
	1500	72	Casper
	1800	72	Casper
	2100	70	Casper
	2400	68	Dangler

Tuesday

Date	Time	Temp	Name (Print)
10/29/2024	0300	66	Sommer
	0600	66	CLAUDIO
	0900	67	CLAUDIO
	1200	68	CLAUDIO
	1500	69	Danger
	1800	69	Danger
	2100	69	Danger
	2400	69	Sommer

Wednesday

Date	Time	Temp	Name (Print)
10/30/2024	0300	67	Sommer
	0600	66	CLAUDIO
	0900	66	CLAUDIO
	1200	67	CLAUDIO
	1500	66	Mick
	1800	66	Mick
	2100	67	Mick
	2400	69	K Ragle

Thursday

Date	Time	Temp	Name (Print)
10/31/2024	0300	69	K Ragle
	0600	69	D. CREGGTON
	0900	70	D. CREGGTON
	1200	70	D. CREGGTON
	1500	70	D. Posada
	1800	70	D. Posada
	2100	70	D. Posada
	2400	69	K Ragle

Friday

Date	Time	Temp	Name (Print)
	0300		Vander
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300	76	R. Valencia
	0600	78	Rustaq
	0900	76	Rustaq
	1200	79	Rustaq
	1500	80	
	1800	80	
	2100	78	
	2400	80	R. Valencia

Wednesday

Date	Time	Temp	Name (Print)
	0300	80	R. Valencia
	0600	78	Rustaq
	0900	79	Rustaq
	1200	81	Rustaq
	1500	81	
	1800	81	
	2100	82	
	2400	82	R. Valencia

Thursday

Date	Time	Temp	Name (Print)
	0300	80	R. Valencia
	0600	80	J. Woods
	0900	80	J. Woods
	1200	84	J. Woods
	1500	85	Esquivel
	1800	85	Esquivel
	2100	85	Esquivel
	2400	80	J. Scott

Friday

Date	Time	Temp	Name (Print)
	0300	78	J. Scott
	0600	78	S. Bustos
	0900	80	S. Bustos
	1200	80	S. Bustos
	1500	80	Leo
	1800	80	Leo
	2100	80	Leo
	2400	79	K. Krable

Saturday

Date	Time	Temp	Name (Print)
	0300	78	K. Krable
	0600	78	Narvaez
	0900	78	Narvaez
	1200	79	Narvaez
	1500	80	R. Shaw
	1800	80	R. Shaw
	2100	78	R. Shaw
	2400	78	K. Krable

Sunday

Date	Time	Temp	Name (Print)
	0300	78	K. Krable
	0600	73	Gordon
	0900	78	Gordon
	1200	80	Gordon
	1500	80	C. Vuong
	1800	80	C. Vuong
	2100	80	C. Vuong
	2400	80	X. Vallos

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300	74	R. Valencia
	0600	76	A. Lopez
	0900	77	A. Lopez
	1200	81	A. Lopez
	1500	82	O. Wong
	1800	82	O. Wong
	2100	82	O. Wong
	2400	80	R. Valencia

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300	76	R. Valencia
	0600	75	R. Estera
	0900	78	R. Estera
	1200	79	R. Estera
	1500	80	R. Estera
	1800	80	R. Estera
	2100	78	R. Estera
	2400	78	L. Parker

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300	76	R. Valencia
	0600	75	R. Estera
	0900	75	R. Estera
	1200	77	R. Estera
	1500	78	R. Estera
	1800	78	R. Estera
	2100	77	R. Valencia
	2400	76	R. Valencia

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300	79	R. Valencia
	0600	74	OLIVAS
	0900	72	OLIVAS
	1200	75	OLIVAS
	1500	80	ESQUIBEL
	1800	80	ESQUIBEL
	2100	79	ESQUIBEL
	2400	78	R. Valencia

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300	74	R. Valencia
	0600	74	R. Estera
	0900	76	R. Estera
	1200	77	R. Estera
	1500	78	R. Estera
	1800	76	R. Estera
	2100	77	R. Estera
	2400	79	K. Ragle

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300	77	K. Ragle
	0600	77	R. Estera
	0900	78	R. Estera
	1200	78	R. Estera
	1500	80	ESQUIBEL
	1800	80	ESQUIBEL
	2100	80	ESQUIBEL
	2400	74	K. Ragle

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300	72	K. Ragle
	0600	71	Gordon
	0900	70	Gordon
	1200	72	Gordon
	1500	74	Gordon
	1800	76	Gordon
	2100	75	Gordon
	2400	75	W. Fitch

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/14/2024	0300	72	W.Holter CR
	0600	72	Adenage
	0900	72	Adenage
	1200	72	Adenage
	1500	74	OLIVAS
	1800	74	CHONG
	2100	73	CHONG
	2400	73	CAWCA

Tuesday

Date	Time	Temp	Name (Print)
10/15/2024	0300	72	CAWCA
	0600	71	Riestra
	0900	73	Riestra
	1200	73	Riestra
	1500	73	DL
	1800	72	DL
	2100	71	R.Valencia
	2400	70	R.Valencia

Wednesday

Date	Time	Temp	Name (Print)
10/16/2024	0300	70	R.Valencia
	0600	70	Riestra
	0900	70	Riestra
	1200	70	Riestra
	1500	70	DL
	1800	70	DL
	2100	70	R.Valencia
	2400	70	R.Valencia

Thursday

Date	Time	Temp	Name (Print)
10/17/2024	0300	69	R.Valencia
	0600	69	OLIVAS
	0900	69	OLIVAS
	1200	70	OLIVAS
	1500	70	ESQUIBEL
	1800	70	ESQUIBEL
	2100	70	ESQUIBEL
	2400	69	R.Valencia

Friday

Date	Time	Temp	Name (Print)
10/18/2024	0300	69	R.Valencia
	0600	68	Riestra
	0900	68	Riestra
	1200	70	Riestra
	1500	70	ESQUIBEL
	1800	70	ESQUIBEL
	2100	70	ESQUIBEL
	2400	68	T.Howard

Saturday

Date	Time	Temp	Name (Print)
10/19/2024	0300	68	T.Howard
	0600	68	Riestra
	0900	69	Riestra
	1200	70	Riestra
	1500	70	EVANS
	1800	70	EVANS
	2100	70	EVANS
	2400	73	A.Perez

Sunday

Date	Time	Temp	Name (Print)
10/20/2024	0300	73	A.Perez
	0600	78	Gordon
	0900	73	GORDON
	1200	74	GORDON
	1500	77	VANG
	1800	78	MOMA
	2100	75	MOMA
	2400	75	L.Sanchez

Notes

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/19)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 411

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution	CRC/NORCO	Housing Unit	DORM 404	Temp. Reading Location (e.g., 1st tier, 2nd tier, 3rd tier, etc.)	Building 2nd Floor
-------------	-----------	--------------	----------	--	--------------------

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)
10/21/2024	0300	71	R. Jimenez	10/22/2024	0300	74	R. Valencia
	0600	73	Adamez		0600	70	Reyes
	0900	72	Adamez		0900	72	Reyes
	1200	74	Adamez		1200	75	Rustam
	1500	79	Chavez		1500	80	Eliz
	1800	79	Chavez		1800	78	Eliz
	2100	78	Chavez		2100	79	R. Valencia
Wednesday				Thursday			
10/23/2024	0300	74	R. Valencia	10/24/2024	0300	74	R. Valencia
	0600	72	Rustam		0600	70	Olivas
	0900	74	Eliz		0900	70	Olivas
	1200	74	Eliz		1200	76	Olivas
	1500	74	Eliz		1500	70	Esquivel
	1800	74	Eliz		1800	70	Esquivel
	2100	74	Eliz		2100	75	R. Valencia
Friday				Saturday			
10/25/2024	0300	72	R. Valencia	10/26/2024	0300	75	Chavez
	0600	74	Rustam		0600	74	Burton
	0900	75	Rustam		0900	74	Rustam
	1200	75	Rustam		1200	75	Rustam
	1500	78	NAVARRO		1500	70	Esquivel
	1800	78	NAVARRO		1800	70	Esquivel
	2100	78	NAVARRO		2100	70	Esquivel
Sunday				Notes			
10/27/2024	0300	79	R. Valencia				
	0600	74	Rustam				
	0900	74	Rustam				
	1200	75	Rustam				
	1500	75	Cimone				
	1800	75	Cimone				
	2100	74	Cimone				

404

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,

OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 404

Temp. Reading Location:

Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/28/2024	0300	74	
	0600	69	EUCISO
	0900	70	EUCISO
	1200	72	EUCISO
	1500	72	
	1800	72	
	2100	70	
	2400	68	I. FERNANDEZ

Tuesday

Date	Time	Temp	Name (Print)
10/29/2024	0300	66	I. FERNANDEZ
	0600	68	Ruesta
	0900	69	Ruesta
	1200	69	Ruesta
	1500	69	
	1800	69	
	2100	69	
	2400	66	M. MUNOZ

Wednesday

Date	Time	Temp	Name (Print)
10/30/2024	0300	66	M. MUNOZ
	0600	68	Ruesta
	0900	68	Ruesta
	1200	69	Ruesta
	1500	69	
	1800	69	
	2100	69	
	2400	69	M. MUNOZ

Thursday

Date	Time	Temp	Name (Print)
10/31/2024	0300	69	M. MUNOZ
	0600	70	TYONNECO
	0900	70	TYONNECO
	1200	70	TYONNECO
	1500	70	E. CHISHOLM
	1800	70	E. CHISHOLM
	2100	70	E. CHISHOLM
	2400	70	P. SHAW

Friday

Date	Time	Temp	Name (Print)
	0300	70	P. SHAW
	0600	68	Ruesta
	0900		Ruesta
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405Temp. Reading Location: Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300	79	T. Garcia
	0600	76	Chagolla
	0900	76	Chagolla
	1200	79	Chagolla
	1500	86	F. Ochoa
	1800	83	
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
10/1/2024	0300	79	Abarca
	0600	76	Chagolla
	0900	76	Chagolla
	1200	79	Chagolla
	1500	86	F. Ochoa
	1800	86	F. Ochoa
	2100	83	F. Ochoa
	2400	82	T. Garcia

Wednesday

Date	Time	Temp	Name (Print)
10/2/2024	0300	80	T. Garcia
	0600	78	Chagolla
	0900	79	Chagolla
	1200	80	Chagolla
	1500	87	F. Ochoa
	1800	87	F. Ochoa
	2100	85	F. Ochoa
	2400	83	NIEISFAU

Thursday

Date	Time	Temp	Name (Print)
10/3/2024	0300	81	NIEISFAU
	0600	75	CBailey
	0900	74	CBailey
	1200	78	CBailey
	1500	85	CBailey
	1800	82	CBailey
	2100	82	CBailey
	2400	78	CBailey

Friday

Date	Time	Temp	Name (Print)
10/4/2024	0300	75	Gordon
	0600	75	APonte
	0900	75	APonte
	1200	75	APonte
	1500	75	Ameh
	1800	76	Ameh
	2100	75	Ameh
	2400	75	Kefalios

Saturday

Date	Time	Temp	Name (Print)
10/5/2024	0300	74	Kefalios
	0600	76	Chagolla
	0900	70	Chagolla
	1200	80	Chagolla
	1500	80	Adriap
	1800	80	Adriap
	2100	80	Adriap
	2400	79	Kefalios

Sunday

Date	Time	Temp	Name (Print)
10/6/2024	0300	77	Kefalios
	0600	77	Omezas
	0900	77	Omezas
	1200	80	Omezas
	1500	85	F. Ochoa
	1800	84	F. Ochoa
	2100	82	F. Ochoa
	2400	81	S. Martinez

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 405

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
10/7/2024	0300	80	Vega Iano
	0600	80	Chagolla
	0900	80	Chagolla
	1200	82	Chagolla
	1500	85	Fachua
	1800	82	Fachua
	2100	82	Fachua
	2400	78	Fernandez

Tuesday			
Date	Time	Temp	Name (Print)
10/8/2024	0300	77	Ferguson
	0600	78	Chagolla
	0900	78	Chagolla
	1200	80	Chagolla
	1500	81	GORD
	1800	82	Gordon
	2100	81	GORD
	2400	80	Milner

Wednesday			
Date	Time	Temp	Name (Print)
10/9/2024	0300	82	W. W. Gary
	0600	76	Chappellia
	0900	76	Chappellia
	1200	79	Chappellia
	1500	80	Woods
	1800	80	Woods
	2100	83	Woods
	2400	77	W. E. Sizer

Thursday			
Date	Time	Temp	Name (Print)
10/10/2024	0300	75	Melissa
	0600	71	Bailey
	0900	71	Bailey
	1200	73	Bailey
	1500	79	Bailey
	1800	80	Bailey
	2100	78	Bailey
	2400	76	Gordon

Friday			
Date	Time	Temp	Name (Print)
10/11/2024	0300	74	Gordon
	0600	74	Nava
	0900	73	Nava
	1200	78	Nava
	1500	78	Arnel
	1800	80	Anthony
	2100	78	Donald
	2400	78	Kefalianos

Saturday			
Date	Time	Temp	Name (Print)
10/12/2024	0300	77	Kefalios
	0600	74	BERBERICH
	0900	74	BERBERICH
	1200	76	BERBERICH
	1500	80	Woods
	1800	80	Woods
	2100	80	Woods
	2400	79	Kefalios

Sunday

Sunday			
Date	Time	Temp	Name (Print)
10/13/2024	0300	78	Kefalios
	0600	70	BERBERICH
	0900	69	BERBERICH
	1200	71	BERBERICH
	1500	76	E Hernandez
	1800	76	E Hernandez
	2100	73	E Hernandez
	2400	73	Kefalios

Notes

405

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO Housing Unit: DORM 405 Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/14/2024	0300	73	Kefalianos
	0600	74	Chagolla
	0900	74	Chagolla
	1200	74	Chagolla
	1500	72	F.Ochoa
	1800	73	F.Ochoa
	2100	73	T.Abarca
	2400	71	T.Abarca

Tuesday

Date	Time	Temp	Name (Print)
10/15/2024	0300	71	T.Abarca
	0600	71	C.Chagolla
	0900	72	C.Chagolla
	1200	72	C.Chagolla
	1500	72	F.Ochoa
	1800	72	F.Ochoa
	2100	72	F.Ochoa
	2400	72	T.Abarca

Wednesday

Date	Time	Temp	Name (Print)
10/16/2024	0300	70	T.Abarca
	0600	72	C.Chagolla
	0900	72	C.Chagolla
	1200	72	C.Chagolla
	1500	68	F.Ochoa
	1800	69	F.Ochoa
	2100	69	F.Ochoa
	2400	67	WICIS

Thursday

Date	Time	Temp	Name (Print)
10/17/2024	0300	67	N.IES S12
	0600	68	Bailey
	0900	69	Bailey
	1200	69	Bailey
	1500	70	C.Bailey
	1800	69	C.Bailey
	2100	69	C.Bailey
	2400	68	GORDON

Friday

Date	Time	Temp	Name (Print)
10/18/2024	0300	68	Gordon
	0600	62	A.Arredondo
	0900	64	F.Avalos
	1200	64	A.Arredondo
	1500	63	A.Arredondo
	1800	63	A.Arredondo
	2100	68	A.Arredondo
	2400	68	Kefalianos

Saturday

Date	Time	Temp	Name (Print)
10/19/2024	0300	68	Kefalianos
	0600	70	J.BERBERICH
	0900	71	J.BERBERICH
	1200	74	J.BERBERICH
	1500	75	C.Wong
	1800	77	C.Wong
	2100	73	C.Wong
	2400	72	Kefalianos

Sunday

Date	Time	Temp	Name (Print)
10/20/2024	0300	72	Kefalianos
	0600	72	J.BERBERICH
	0900	72	J.BERBERICH
	1200	72	J.BERBERICH
	1500	72	E.Everett
	1800	71	E.Everett
	2100	70	E.Everett
	2400	70	Kefalianos

Notes

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	<u>CRC/NORCO</u>	Housing Unit:	<u>DORM 405</u>	Temp. Reading Location:	<u>Building 3rd Floor</u>
				(e.g., 1st tier, 2nd tier, 3rd tier, etc.)	

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday			
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)
10/21/2024	0300	70	Kefalianos	10/22/2024	0300	70	T. Avara
	0600	76	Chapella		0600	71	Chapella
	0900	76	Chapella		0900	75	Chapella
	1200	76	Chapella		1200	76	Chapella
	1500	80	F. Ochoa		1500	80	F. Ochoa
	1800	80	I. Ochoa		1800	80	I. Ochoa
	2100	80	F. Ochoa		2100	80	F. Ochoa
	2400	79	I. Ochoa		2400	75	T. Avara
Wednesday				Thursday			
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)
10/23/2024	0300	70	T. Avara	10/24/2024	0300	76	Brayson
	0600	75	Chapella		0600	75	Bailey
	0900	75	Chapella		0900	75	Bailey
	1200	78	Chapella		1200	77	Bailey
	1500	80	F. Ochoa		1500	79	Bailey
	1800	80	F. Ochoa		1800	81	Bailey
	2100	80	F. Ochoa		2100	77	Chapella
	2400	79	I. Ochoa		2400	76	G. C. Brown
Friday				Saturday			
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)
10/25/2024	0300	73	Garcia	10/26/2024	0300	74	Kefalianos
	0600	73	Hacienda		0600	73	J. BERBERICH
	0900	75	P. Hacienda		0900	75	J. BERBERICH
	1200	76	P. Hacienda		1200	76	J. BERBERICH
	1500	76	Amaya		1500	76	Wooten
	1800	75	Amaya		1800	74	Wooten
	2100	75	Kefalianos		2100	74	Wooten
	2400	75	Kefalianos		2400	74	Kefalianos
Sunday				Notes			
Date	Time	Temp	Name (Print)				
10/27/2024	0300	74	Kefalianos				
	0600	74	J. BERBERICH				
	0900	75	J. BERBERICH				
	1200	75	J. BERBERICH				
	1500	75	J. Tavares				
	1800	75	J. Tavares				
	2100	75	J. Tavares				
	2400	75	Benjamin				

405

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 405Temp. Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/28/2024	0300	71	BENJAMIN
	0600	74	Chagolla
	0900	74	Chagolla
	1200	76	Chagolla
	1500	73	F.Ochoa
	1800	70	F.Ochoa
	2100	70	F.Ochoa
	2400	70	T.Arcena

Tuesday

Date	Time	Temp	Name (Print)
10/29/2024	0300	69	T.Arcena
	0600	70	Chagolla
	0900	70	Chagolla
	1200	71	Chagolla
	1500	71	F.Ochoa
	1800	70	F.Ochoa
	2100	73	F.Ochoa
	2400	70	T.Arcena

Wednesday

Date	Time	Temp	Name (Print)
10/30/2024	0300	70	Thao
	0600	70	Chagolla
	0900	70	Chagolla
	1200	72	Chagolla
	1500	71	F.Ochoa
	1800	71	F.Ochoa
	2100	71	F.Ochoa
	2400	65	MEISKE

Thursday

Date	Time	Temp	Name (Print)
10/31/2024	0300	65	MEISKE
	0600	66	F.Ochoa
	0900	66	F.Ochoa
	1200	68	F.Ochoa
	1500	71	F.Ochoa
	1800	70	F.Ochoa
	2100	69	F.Ochoa
	2400	69	BRISCOE

Friday

Date	Time	Temp	Name (Print)
	0300	67	BRISCOE
	0600	68	F.CARNEZ
	0900	66	F.GUATEC
	1200	67	F.GUATEC
	1500	69	Aymada
	1800	69	Aymada
	2100	66	Aymada
	2400	66	Kefalianos

Saturday

Date	Time	Temp	Name (Print)
	0300	65	Kefalianos
	0600	68°	J. BERBERICH
	0900	68°	J. BERBERICH
	1200	68°	J. BERBERICH
	1500	69°	CHUNG
	1800	70°	CHUNG
	2100	69	CHUNG
	2400	68	Kefalianos

Sunday

Date	Time	Temp	Name (Print)
	0300	67	Kefalianos
	0600	67°	J. BERBERICH
	0900	67°	J. BERBERICH
	1200	68°	J. BERBERICH
	1500	71°	F.OCHOA
	1800	71	F.Ochoa
	2100	71	F.Ochoa
	2400	69	Kefalianos

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
10/1/2024	0300	78	A. RUSKE
	0600	74	R. CHACON
	0900	74	R. CHACON
	1200	77	R. CHACON
	1500	78	R. CHACON
	1800	78	R. CHACON
	2100	78	R. CHACON
	2400	76	A. RUSKE

Wednesday

Date	Time	Temp	Name (Print)
10/2/2024	0300	76	A. RUSKE
	0600	74	HANSEN
	0900	76	HANSEN
	1200	78	HANSEN
	1500	88	A. RUSKE
	1800	89	A. RUSKE
	2100	85	A. RUSKE
	2400	82	A. RUSKE

Thursday

Date	Time	Temp	Name (Print)
10/3/2024	0300	79	A. RUSKE
	0600	84	VARGAS
	0900	84	VARGAS
	1200	89	VARGAS
	1500	88	R. CHACON
	1800	85	R. CHACON
	2100	79	R. CHACON
	2400	78	A. RUSKE

Friday

Date	Time	Temp	Name (Print)
10/4/2024	0300	76	A. RUSKE
	0600	76	MONToya
	0900	77	MONToya
	1200	81	MONToya
	1500	87	R. CHACON
	1800	85	R. CHACON
	2100	82	R. CHACON
	2400	79	A. RUSKE

Saturday

Date	Time	Temp	Name (Print)
10/5/2024	0300	77	A. RUSKE
	0600	71	L. PLACENCIA
	0900	76	L. PLACENCIA
	1200	80	L. PLACENCIA
	1500	80	A. RUSKE
	1800	77	A. RUSKE
	2100	77	A. RUSKE
	2400	75	L. PLACENCIA

Sunday

Date	Time	Temp	Name (Print)
10/6/2024	0300	72	L. PLACENCIA
	0600	71	L. PLACENCIA
	0900	73	Pineda
	1200	79	Pineda
	1500	80	S. ORNAZ
	1800	80	S. ORNAZ
	2100	80	S. ORNAZ
	2400	80	Navar

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102,103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300	78	Nava
	0600	77	C. M. Gales
	0900	78	C. M. Gales
	1200	79	C. M. Gales
	1500	84	S. Gomez
	1800	85	S. Gomez
	2100	85	S. Gomez
	2400	82	A. Rosas

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300	77	A. Rosas
	0600	79	C. M. Gales
	0900	79	C. M. Gales
	1200	80	C. M. Gales
	1500	86	E. Hernandez
	1800	85	E. Hernandez
	2100	79	E. Hernandez
	2400	77	A. Rosas

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300	75	A. Rosas
	0600	79	R. Chacon
	0900	74	R. Chacon
	1200	76	R. Chacon
	1500	83	R. Chacon
	1800	82	R. Chacon
	2100	76	R. Chacon
	2400	75	A. Rosas

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300	73	A. Rosas
	0600	73	G. Bustos
	0900	73	G. Bustos
	1200	73	G. Bustos
	1500	82	R. Chacon
	1800	80	R. Chacon
	2100	80	R. Chacon
	2400	78	A. Rosas

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300	78	A. Rosas
	0600	74	Montoya
	0900	75	Montoya
	1200	77	Montoya
	1500	82	J. True
	1800	80	J. True
	2100	80	J. True
	2400	70	M. Castleberry

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300	70	M. Castleberry
	0600	68	S. Brooks
	0900	72	S. Brooks
	1200	78	S. Brooks
	1500	78	A. Montalvo
	1800	77	A. Montalvo
	2100	77	A. Montalvo
	2400	77	Nava

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300	75	Nava
	0600	75	C. M. Gales
	0900	76	C. M. Gales
	1200	75	C. M. Gales
	1500	78	R. Landry
	1800	78	R. Landry
	2100	72	R. Landry
	2400	74	Nava

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/14/2024	0300	73	Nava
	0600	72	Sievers
	0900	71	Sievers
	1200	70	Sievers
	1500	76	S. ORNAR
	1800	76	S. ORNAR
	2100	75	S. ORNAR
	2400	74	S. ORNAR

Tuesday

Date	Time	Temp	Name (Print)
10/15/2024	0300	74	A. RUSAS
	0600	70	Sievers
	0900	70	Sievers
	1200	70	Sievers
	1500	73	R. CHACON
	1800	72	R. CHACON
	2100	71	R. CHACON
	2400	71	A. RUSAS

Wednesday

Date	Time	Temp	Name (Print)
10/16/2024	0300	71	A. RUSAS
	0600	71	J. Gonzalez
	0900	71	J. Gonzalez
	1200	71	J. Gonzalez
	1500	72	R. Chacon
	1800	72	R. Chacon
	2100	72	R. Chacon
	2400	72	A. RUSAS

Thursday

Date	Time	Temp	Name (Print)
10/17/2024	0300	72	A. RUSAS
	0600	70	C. ELIAS
	0900	70	C. ELIAS
	1200	70	C. ELIAS
	1500	71	R. CHACON
	1800	72	R. CHACON
	2100	72	R. CHACON
	2400	72	A. RUSAS

Friday

Date	Time	Temp	Name (Print)
10/18/2024	0300	71	A. RUSAS
	0600	70	Hernandez AM
	0900	69	Hernandez AM
	1200	72	Hernandez AM
	1500	72	R. CHACON
	1800	73	R. CHACON
	2100	74	R. CHACON
	2400	72	A. RUSAS

Saturday

Date	Time	Temp	Name (Print)
10/19/2024	0300	71	A. RUSAS
	0600	70	Sievers
	0900	70	Sievers
	1200	74	Sievers
	1500	76	Amale
	1800	76	Amale
	2100	75	Amale
	2400	72	L. PLACENCIA

Sunday

Date	Time	Temp	Name (Print)
10/20/2024	0300	71	L. PLACENCIA
	0600	70	L. PLACENCIA
	0900	71	Sievers
	1200	71	Sievers
	1500	76	Rangel
	1800	76	Rangel
	2100	76	Rangel
	2400	76	Nava

Notes

INSIDE TEMPERATURE RECORD

COCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 108, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406

Temp. Reading Location:

Building 2nd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday				
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	
10/21/2024	0300	74	Nava	10/22/2024	0300	74	A. ROJAS	10/23/2024	0300	73	A. ROJAS	10/24/2024	0300	75	A. ROJAS	10/25/2024	0300	75	A. ROJAS	10/26/2024	0300	74	A. ROJAS	10/27/2024	0300	71	(ESQUILIB)	
	0600	72	Sievers		0600	74	Sievers		0600	75	O. Mungas		0600	75	Sievers		0600	75	Sievers		0600	78	Sievers		0600	78	Sievers	
	0900	71	Sievers		0900	76			0900	77	R. Chacon		0900	77	R. Chacon		0900	77	R. Chacon		0900	76	R. Chacon		0900	76	R. Chacon	
	1200	74	Sievers		1200	78			1200	79	R. Chacon																	
	1500	78	Sievers		1500	81			1500	79	R. Chacon																	
	1800	78	Sievers		1800	82			1800	79	R. Chacon																	
	2100	78	Sievers		2100	80			2100	80	R. Chacon																	
	2400	77	A. SOSAS		2400	74	A. SOSAS		2400	77	A. SOSAS																	
Wednesday				Thursday				Friday				Saturday				Sunday				Notes								
10/23/2024	0300	73	A. ROJAS	10/24/2024	0300	75	A. ROJAS	10/25/2024	0300	75	A. ROJAS	10/26/2024	0300	74	A. ROJAS	10/27/2024	0300	71	(ESQUILIB)									
	0600	73	O. Mungas		0600	75	O. Mungas		0600	77	R. Chacon		0600	75	R. Chacon													
	0900	73	O. Mungas		0900	77	R. Chacon																					
	1200	70	O. Mungas		1200	79	R. Chacon																					
	1500	79	R. Chacon		1500	77	R. Chacon																					
	1800	78	R. Chacon		1800	77	R. Chacon																					
	2100	78	R. Chacon		2100	77	R. Chacon																					
	2400	77	A. SOSAS																									

406

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 406Temp. Reading Location: Building 2nd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/28/2024	0300	74	Nava
	0600	76	Sievers
	0900	78	Sievers
	1200	78	Sievers
	1500	79	S. O'Donnell
	1800	76	S. O'Donnell
	2100	73	S. O'Donnell
	2400	71	A. Russas

Tuesday

Date	Time	Temp	Name (Print)
10/29/2024	0300	70	A. Russas
	0600	72	Sievers
	0900	74	Sievers
	1200	74	Sievers
	1500	74	Darrow
	1800	73	Darrow
	2100	73	Darrow
	2400	70	A. Russas

Wednesday

Date	Time	Temp	Name (Print)
10/30/2024	0300	69	A. Russas
	0600	69	J.A. Martinez
	0900	66	J.A. Martinez
	1200	68	J.A. Martinez
	1500	69	E. Chisholm
	1800	70	E. Chisholm
	2100	72	E. Chisholm
	2400	70	A. Russas

Thursday

Date	Time	Temp	Name (Print)
10/31/2024	0300	70	A. Russas
	0600	70	C. MONG
	0900	70	C. MONG
	1200	72	C. MONG
	1500	74	C. MONG
	1800	74	C. MONG
	2100	72	C. MONG
	2400	70	A. Russas

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 407Temp. Reading Location: **Building Single Floor**

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
10/2/2024	0300	72	M. Deon
	0600	74	A. SANDOVAL
	0900	79	C. SANDOVAL
	1200	76	C. SANDOVAL
	1500	74	RESERV
	1800	72	RESERV
	2100	72	RESERV
	2400	73	ANVOL

Thursday

Date	Time	Temp	Name (Print)
10/3/2024	0300	73	GAWOL
	0600	75	S. Bustos
	0900	75	S. Bustos
	1200	75	S. Bustos
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
10/4/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
10/5/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

10/3/24 1300 IP Vacant.

Date	Time	Temp	Name (Print)
10/6/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: **CRC/NORCO**Housing Unit: **DORM 407**Temp. Reading Location: **Building Single Floor**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

Up to 10 lines for notes.

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2001 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

DEPARTMENTAL HEAT INDEX - 102, 103, 104, 113, 200, 201, 203, 204, 214, 303,
304, 305, 311, 312, 313, 401, 402, 403, 404, 405,
406, 407, 408, 409, CRU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: FACILITY- Temp. Reading Location: DORM - 407
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 85 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10-22-01	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10-22-01	0300	72	
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-23-01	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-24-01	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10-25-01	0300		
	0600		
	0900		
	1200		
	1500	74	OT 1000
	1800	77	OT 1000
	2100	77	OT 1000
	2400	77	OT 1000

Saturday

Date	Time	Temp.	Name (Print)
10-26-01	0300	71	OT 1000
	0600	77	OT 1000
	0900	77	OT 1000
	1200	72	OT 1000
	1500	74	OT 1000
	1800	72	OT 1000
	2100	77	OT 1000
	2400	70	OT 1000

Sunday

Date	Time	Temp.	Name (Print)
10-27-01	0300	75	OT 1000
	0600	78	OT 1000
	0900	70	OT 1000
	1200	77	OT 1000
	1500	77	OT 1000
	1800	70	OT 1000
	2100	70	OT 1000
	2400		

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	GOMEZ
	1800	72	GOMEZ
	2100	72	GOMEZ
	2400	71	K RAGLE

Wednesday

Date	Time	Temp	Name (Print)
	0300	70	K RAGLE
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	76	Sandoway
	1800	75	Sandoway
	2100	75	Sandoway
	2400	72	NAM

Thursday

Date	Time	Temp	Name (Print)
	0300	72	NAM
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	74	D. GUNNAR
	1800	72	D. GUNNAR
	2100	72	K RAGLE
	2400	72	NAVARRO

Friday

Date	Time	Temp	Name (Print)
	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	76	J. LEONARD
	1500	72	D. GUNNAR
	1800	74	D. GUNNAR
	2100	72	D. GUNNAR
	2400	77	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	Anthony
	1800	72	Anthony
	2100	72	NAVARRO
	2400	72	NAVARRO

Sunday

Date	Time	Temp	Name (Print)
	0300	72	NAVARRO
	0600	71	WITHERS
	0900	71	WITHERS
	1200	72	WITHERS
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	NAVARRO

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 408Temp. Reading Location: Building Single Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300	71	NAVARRO
	0600	71	J. SILVA PONCE
	0900	71	J. SILVA PONCE
	1200	71	J. SILVA PONCE
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	71	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300	71	NAVARRO
	0600	70	B. PISTAC
	0900	70	B. PISTAC
	1200	70	D. SAWLES
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	70	K. RAGLE

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300	70	K. RAGLE
	0600	90°	J. MELTON
	0900	90°	J. MELTON
	1200	90°	J. MELTON
	1500	75	COL
	1800	75	COL
	2100	70	COL
	2400	70	NAVA

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300	70	NAVA
	0600	90°	D. JUANES
	0900	90°	D. JUANES
	1200	70	D. JUANES
	1500	74	D. JUANES
	1800	74	D. JUANES
	2100	72	D. JUANES
	2400	72	NAVARRO

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300	71	NAVARRO
	0600	71	BUSTOS
	0900	72	BUSTOS
	1200	75	BUSTOS
	1500	74	BUSTOS
	1800	74	BUSTOS
	2100	72	BUSTOS
	2400	72	NAVARRO

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300	71	NAVARRO
	0600	71	FURSON
	0900	71	FURSON
	1200	71	FURSON
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	71	GARBER

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300	71	GARBER
	0600	71	M. BROWN
	0900	72	M. BROWN
	1200	72	M. BROWN
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	70	S. SCOTT

Notes

Designated Heat Doms: 102,103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 408

Temp. Reading Location: **Building Single Floor**
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp	Name (Print)
10/14/2024	0300	72	J. SCOTY
	0600	71	J. Silver Ponce
	0900	71	J. Silver Ponce
	1200	71	J. Silver Ponce
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	71	FERNANDEZ

Tuesday			
Date	Time	Temp	Name (Print)
10/15/2024	0300	71	FERNANDEZ
	0600	71°	D'ANGELO
	0900	71°	D'ANGELO
	1200	71°	D'ANGELO
	1500	71	M. MARTINEZ
	1800	71	M. MARTINEZ
	2100	71	M. MARTINEZ
	2400	70	T. HOWARD

Wednesday			
Date	Time	Temp	Name (Print)
10/16/2024	0300	69	J. Hwang
	0600	70°	D. Yang
	0900	70	D. Miller
	1200	70°	D. Miller
	1500	70	Sheri
	1800	69	Sheri
	2100	69	Sheri
	2400	70	Nava

Thursday			
Date	Time	Temp	Name (Print)
10/17/2024	0300	70	XAVIER
	0600	70°	J. JONES
	0900	70°	J. HANCOCK
	1200	70°	J. HANCOCK
	1500	72	D. SMITH
	1800	72	SMITH
	2100	72	SMITH
	2400	72	SANTOS

Friday			
Date	Time	Temp	Name (Print)
10/18/2024	0300	71	SANTOS
	0600	71°	D. SANCHEZ
	0900	71°	D. SANCHEZ
	1200	70°	D. SANCHEZ
	1500	71	M. MARTINEZ
	1800	71	M. MARTINEZ
	2100	71	M. MARTINEZ
	2400	71	M. MCAN

Saturday			
Date	Time	Temp	Name (Print)
10/19/2024	0300	70°	M. Knudsen
	0600	70°	D. Knudsen
	0900	70°	D. Knudsen
	1200	71°	D. Knudsen
	1500	71	Anthony
	1800	71	Anthony
	2100	71	Anthony
	2400	71	KNUDSEN

Sunday			
Date	Time	Temp	Name (Print)
10/20/2024	0300	71	KNUSEV
	0600	71	WITHERS
	0900	72	WITHERS
	1200	72	WITHERS
	1500	72	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	72	NAVARRO

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

 Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 CHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO Housing Unit: DORM 408 Temp. Reading Location: Building Single Floor
 (e.g. 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday				Tuesday				Wednesday				Thursday				Friday				Saturday				Sunday																																																																																																																						
Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)	Date	Time	Temp	Name (Print)																																																																																																																			
10/21/2024	0300	71	NAVARRO	10/22/2024	0300	71	NAVARRO	10/23/2024	0300	72	KRAZIE	10/24/2024	0300	70	NAVARRO	10/25/2024	0300	70	NAVARRO	10/26/2024	0300	70	NAVARRO	10/27/2024	0300	72	NAVARRO																																																																																																																			
	0600	71	SILVA PONCE		0600	71	SILVA PONCE		0600	71	D. JAHNEKE		0600	70	D. JAHNEKE		0600	71	D. JAHNEKE		0600	71	D. JAHNEKE		0600	72	WITHERS																																																																																																																			
	0900	71	SILVA PONCE		0900	71	SILVA PONCE		0900	71	D. JAHNEKE		1200	71	SILVA PONCE	1200	71	SILVA PONCE	1200	71	D. JAHNEKE	1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	Notes																																																
	1200	71	SILVA PONCE		1200	71	SILVA PONCE		1200	71	D. JAHNEKE		1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1500	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	Notes																																																									
	1500	71	Anthony		1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	1800	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	Notes																																																																																			
	1800	71	Anthony		2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2100	71	Anthony	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	Notes																																																																																																					
	2100	71	Anthony		2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	2400	71	NAVARRO	Notes																																																																																																																							
	2400	71	NAVARRO																																																																																																																																											
Notes																																																																																																																																														

Designated Heat Doms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 408

Temp. Reading Locations:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/28/2024	0300	72	NAVARRO
	0600	72	R. MARTINEZ
	0900	72	R. MARTINEZ
	1200	73	R. MARTINEZ
	1500	74	Anthony
	1800	72	Anthony
	2100	72	Anthony
	2400	71	NAVARRO

Tuesday

Date	Time	Temp	Name (Print)
10/29/2024	0300	71	NAVARRO
	0600	72	J. LEONARD
	0900	72	J. LEONARD
	1200	72	J. LEONARD
	1500	72	S. SMY
	1800	72	S. SMY
	2100	71	S. SMY
	2400	71	KRAGLE

Wednesday

Date	Time	Temp	Name (Print)
10/30/2024	0300	70	KRAGLE
	0600	70	CASINO
	0900	72	CASERO
	1200	72	CASERO
	1500	72	SandeeO
	1800	72	SandeeO
	2100	70	SandeeO
	2400	70	Nava

Thursday

Date	Time	Temp	Name (Print)
10/31/2024	0300	70	Nava
	0600	70	Clinical
	0900	72	Clinical
	1200	72	Clinical
	1500	74	R. Bunn
	1800	74	D. Turner
	2100	72	D. Turner
	2400	70	M. Mireles

Friday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Sunday		Date	Time	Temp.	Name (Print)
	0300				
	0600				
	0900				
	1200				
	1500				
	1800				
	2100				
	2400				

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
10/1/2024	0300	71	Omerales
	0600	71	Ongales
	0900	72	Ongales
	1200	73	Ongales
	1500	83	J. Tore
	1800	78	J. Tore
	2100	71	J. Tore
	2400	72	Ongales

Wednesday

Date	Time	Temp	Name (Print)
10/2/2024	0300	71	Ongales
	0600	73	WITHERS
	0900	73	WITHERS
	1200	73	WITHERS
	1500	71	Hernandez AM
	1800	74	Hernandez AM
	2100	75	Hernandez AM
	2400	72	Ongales

Thursday

Date	Time	Temp	Name (Print)
10/3/2024	0300	71	Ongales
	0600	73	WITHERS
	0900	73	WITHERS
	1200	74	WITHERS
	1500	73	Hernandez AM
	1800	73	Hernandez AM
	2100	73	Hernandez AM
	2400	70	Nava

Friday

Date	Time	Temp	Name (Print)
10/4/2024	0300	70	Nava
	0600	70	Amiel
	0900	70	Amiel
	1200	70	Amiel
	1500	72	Hernandez AM
	1800	74	Hernandez AM
	2100	73	Hernandez
	2400	70	Nava

Saturday

Date	Time	Temp	Name (Print)
10/5/2024	0300	70	Nava
	0600	70	Amiel
	0900	70	Amiel
	1200	70	Amiel
	1500	70	Nava
	1800	70	Nava
	2100	70	Nava
	2400	70	Amiel

Sunday

Date	Time	Temp	Name (Print)
10/6/2024	0300	68	DAVIS
	0600	68	DAVIS
	0900	70	Amiel
	1200	71	Amiel
	1500	72	Hernandez AM
	1800	75	Hernandez AM
	2100	73	Hernandez
	2400	72	DAVIS

Notes

Stage 1 heat alert deactivated @ 1625
Stage 1 HT deactivated at 1811 10/3/21

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411
OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: DORM 409

Temp. Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300	71	Ontorales
	0600	71	C. Chacon
	0900	71	C. Vuong
	1200	72	Ontorales
	1500	71	M. Centeno
	1800	71	M. C. - e - o
	2100	72	M. Centeno
	2400	72	Ontorales

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300	71	Ontorales
	0600	72	R. Chacon
	0900	70	R. Chacon
	1200	70	R. CHACON
	1500	72	C. Vuong
	1800	71	C. Vuong
	2100	71	C. Vuong
	2400	72	Ontorales

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300	71	Ontorales
	0600	73	WITHEES
	0900	73	WITHEES
	1200	73	WITHEES
	1500	73	Hernandez
	1800	72	Hernandez
	2100	72	Hernandez
	2400	72	Ontorales

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300	71	Ontorales
	0600	73	WITHEES
	0900	72	WITHEES
	1200	73	WITHEES
	1500	73	Hernandez AM
	1800	73	Hernandez AM
	2100	73	Hernandez AM
	2400	70	Nava

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300	70	Nava
	0600	70	Arnal
	0900	70	Arnal
	1200	70	Arnal
	1500	72	Hernandez AM
	1800	73	Hernandez AM
	2100	72	Hernandez AM
	2400	70	Nava

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300	70	Nava
	0600	70	Arnal
	0900	71	Arnal
	1200	71	Arnal
	1500	75	Hernandez AM
	1800	73	Hernandez AM
	2100	72	Hernandez AM
	2400	72	Ontorales

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300	72	Ontorales
	0600	71	Arnal
	0900	71	Arnal
	1200	71	Arnal
	1500	71	Hernandez AM
	1800	71	Hernandez AM
	2100	71	Hernandez AM
	2400	72	Ontorales

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 409

Temp. Reading Location:

Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/14/2024	0300	72	Oñateales
	0600	72	Chung
	0900	72	Chung
	1200	72	Chung
	1500	72	Centeno
	1800	70	Centeno
	2100	68	Centeno
	2400	72	Oñateales

Tuesday

Date	Time	Temp	Name (Print)
10/15/2024	0300	71	Oñateales
	0600	71	R. CHACON
	0900	70	R. CHACON
	1200	71	R. CHACON
	1500	72	Chung
	1800	72	Chung
	2100	71	Gutierrez
	2400	72	Oñateales

Wednesday

Date	Time	Temp	Name (Print)
10/16/2024	0300	71	Oñateales
	0600	72	E. Arnao
	0900	73	E. Sanchez
	1200	73	E. Sanchez
	1500	70	Hernandez AM
	1800	70	Hernandez AM
	2100	68	Hernandez AM
	2400	72	Oñateales

Thursday

Date	Time	Temp	Name (Print)
10/17/2024	0300	71	Oñateales
	0600	72	WITHERS
	0900	73	WITHERS
	1200	73	WITHERS
	1500	72	Hernandez AM
	1800	70	Hernandez AM
	2100	69	Hernandez AM
	2400	68	Nava

Friday

Date	Time	Temp	Name (Print)
10/18/2024	0300	66	Nava
	0600	68	Arnao
	0900	70	Arnao
	1200	70	Arnao
	1500	70	Hernandez AM
	1800	71	Hernandez AM
	2100	72	Hernandez AM
	2400	68	Nava

Saturday

Date	Time	Temp	Name (Print)
10/19/2024	0300	68	Nava
	0600	69	Arnao
	0900	69	Arnao
	1200	69	Arnao
	1500	69	Hernandez AM
	1800	69	Hernandez AM
	2100	71	Hernandez AM
	2400	72	Oñateales

Sunday

Date	Time	Temp	Name (Print)
10/20/2024	0300	71	Oñateales
	0600	70	Arnao
	0900	70	Arnao
	1200	70	Arnao
	1500	70	Sievers
	1800	70	Sievers
	2100	70	Sievers
	2400	70	Klotz

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution:	CRC/NORCO	Housing Unit:	DORM 409	Temp. Reading Location:	Building Single Floor (e.g., 1st tier, 2nd tier, 3rd tier, etc.)
--------------	-----------	---------------	----------	-------------------------	---

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/21/2024	0300	71	R.L.
	0600	71	11108
	0900	72	CH
	1200	70	C.P.
	1500	70	GARREZ
	1800	70	GARREZ
	2100	70	GARREZ
	2400	70	FERNANDEZ

Tuesday

Date	Time	Temp	Name (Print)
10/22/2024	0300	69	FERNANDEZ
	0600	70	R.Chacon
	0900	70	R.Chacon
	1200	70	R.Chacon
	1500	70	D.GARREZ
	1800	70	D.GARREZ
	2100	70	D.GARREZ
	2400	70	C.M.

Wednesday

Date	Time	Temp	Name (Print)
10/23/2024	0300	71	C.M.
	0600	72	WITHERS
	0900	72	WITHERS
	1200	72	WITHERS
	1500	70	C.Elias
	1800	70	C.Elias
	2100	72	C.Elias
	2400	72	C.H.

Thursday

Date	Time	Temp	Name (Print)
10/24/2024	0300	71	C.M.
	0600	71	WITHERS
	0900	72	WITHERS
	1200	72	WITHERS
	1500	73	Hernandez AM
	1800	74	Hernandez AM
	2100	72	Hernandez AM
	2400	74	N.A.

Friday

Date	Time	Temp	Name (Print)
10/25/2024	0300	70	N.A.
	0600	70	A.
	0900	70	A.
	1200	70	A.
	1500	71	Hernandez AM
	1800	72	Hernandez AM
	2100	72	Hernandez AM
	2400	72	N.A.

Saturday

Date	Time	Temp	Name (Print)
10/26/2024	0300	70	N.A.
	0600	70	A.
	0900	70	A.
	1200	70	A.
	1500	72	Hernandez AM
	1800	72	Hernandez AM
	2100	72	Hernandez AM
	2400	72	Hernandez AM

Sunday

Date	Time	Temp	Name (Print)
10/27/2024	0300	73	Hernandez AM
	0600	74	Hernandez AM
	0900	71	A.
	1200	71	A.
	1500	72	S.
	1800	70	S.
	2100	73	S.
	2400	73	WITHERS

Notes

409

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Doms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Units: DORM 409

Temp: Reading Location: Building Single Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/2024	0300	72	Onicasabs
	0600	72	Amber
	0900	72	Anna
	1200	72	Chris
	1500	70	Cedeno
	1800	68	Cedeno
	2100	68	Cedeno
	2400	72	Onicasabs

Tuesday

Date	Time	Temp	Name (Print)
10/29/2024	0300	71	Garcia
	0600	71	CASPER
	0900	71	CASPER
	1200	72	CASPER
	1500	72	CUNNINGHAM
	1800	72	CUNNINGHAM
	2100	71	CUNNINGHAM
	2400	72	Garcia

Wednesday

Date	Time	Temp	Name (Pint)
10/30/2024	0300	71	Out grapes
	0600	71	Wines
	0900	72	Wines
	1200	72	Wines
	1500	72	Tan
	1800	72	J. Tan
	2100	72	J. Tan
	2400	72	Out grapes

Thursday

Date	Time	Temp	Name (Print)
10/31/2024	0300	71	Christopher
	0600	71	WITNESS
	0900	72	WITNESS
	1200	72	WITNESS
	1500	69°	A. Perez
	1800	70	A.M. Hernandez
	2100	70	A.M. Hernandez
	2400	68	Nova

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Saturday		Date	Time	Temp	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Sunday

Sunday		Date	Time	Temp	Name (Print)
			0300		
			0600		
			0900		
			1200		
			1500		
			1800		
			2100		
			2400		

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT D

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: DORM 410

Temp. Reading Location:

Building 3rd Floor

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/7/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
10/8/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
10/9/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
10/10/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
10/11/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
10/12/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
10/13/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

(Large black X drawn across the entire notes section)

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

ATTACHMENT D

DEPARTMENT OF CORRECTIONS AND REHABILITATION

Designated Heat Dorms: 102, 103, 109, 111, 201,
202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
OHU

From May 1st through October 31st, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: GRC/NORCO Housing Unit: DORM 410

Temp/Reading Location: Building 3rd Floor
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/21/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp	Name (Print)
10/22/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp	Name (Print)
10/23/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp	Name (Print)
10/24/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp	Name (Print)
10/25/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp	Name (Print)
10/26/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp	Name (Print)
10/27/2024	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes:

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
10/1/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	76	ARMER
	1200	76	ARMER
	1500	75	PENNINGTON
	1800	72	PENNINGTON
	2100	72	PHILCOTT
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp.	Name (Print)
10/2/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	T. SAWYER
	1200	72	T. SAWYER
	1500	72	UNKNOW
	1800	72	PHILCOTT
	2100	72	PHILCOTT
	2400	72	J. ANDRADE

Thursday

Date	Time	Temp.	Name (Print)
10/3/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	MONTOMA
	1800	72	MONTOMA
	2100	72	MONTOMA
	2400	72	FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/4/24	0300	72	FERNANDEZ
	0600	72	PENNINGTON
	0900	74	PENNINGTON
	1200	74	PENNINGTON
	1500	72	MONTOMA
	1800	72	MONTOMA
	2100	70	MONTOMA
	2400	72	FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/5/24	0300	72	FERNANDEZ
	0600	72	MONTOMA
	0900	72	MONTOMA
	1200	72	MONTOMA
	1500	72	PHILCOTT
	1800	72	PHILCOTT
	2100	72	PHILCOTT
	2400	72	J. ANDRADE

Sunday

Date	Time	Temp.	Name (Print)
10/6/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	73	R. GOMEZ
	1200	74	R. GOMEZ
	1500	74	PHILCOTT
	1800	73	PHILCOTT
	2100	72	PHILCOTT
	2400	72	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

Designated Heat Dorms: 102, 103, 109, 111, 201, 202, 203, 208, 214, 303, 304, 308, 311, 312, 313, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCOHousing Unit: INFIRMARYTemp. Reading Location: OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp	Name (Print)
10/1/24	0300	72°	S. Fongen
	0600	72°	J. Negrete
	0900	72°	J. Negrete
	1200	72°	J. Negrete
	1500	72	PHILOCOTE
	1800	72	PHILOCOTE
	2100	72	PHILOCOTE
	2400	72	J. ANDRADE

Tuesday

Date	Time	Temp	Name (Print)
10/2/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	73	G. Rawls
	1200	73	G. Rawls
	1500	72	PHILOCOTE
	1800	72	PHILOCOTE
	2100	72	PHILOCOTE
	2400	72	J. ANDRADE

Wednesday

Date	Time	Temp	Name (Print)
10/3/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	E. GOMEZ
	1200	72	E. GOMEZ
	1500	72	PHILOCOTE
	1800	72	PHILOCOTE
	2100	72	PHILOCOTE
	2400	72	Patino

Thursday

Date	Time	Temp	Name (Print)
10/4/24	0300	72°	S. Fongen
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	74	PENNINGTON
	1500	74	J. SANCHEZ
	1800	73	J. SANCHEZ
	2100	70	NOAH NEAL
	2400	70	NOAH NEAL

Friday

Date	Time	Temp	Name (Print)
10/5/24	0300	72	Neon
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	74	PENNINGTON
	1500	73°F	G. ROBLES
	1800	72°F	G. ROBLES
	2100	71°F	G. ROBLES
	2400	72	Fernando

Saturday

Date	Time	Temp	Name (Print)
10/6/24	0300	72	Fernando
	0600	72	PENNINGTON
	0900	74	PENNINGTON
	1200	74	PENNINGTON
	1500	72	PHILOCOTE
	1800	72	PHILOCOTE
	2100	71	PHILOCOTE
	2400	72	J. ANDRADE

Sunday

Date	Time	Temp	Name (Print)
10/7/24	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	74	PENNINGTON
	1200	74	PENNINGTON
	1500	72	PHILOCOTE
	1800	72	ROZER
	2100	72	ROZER
	2400	72	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

ATTACHMENT E

Designated Heat Dorms: 102, 103, 109, 111, 201,
 202, 203, 208, 214, 303, 304, 308, 311, 312, 313,
 401, 402, 403, 404, 405, 406, 407, 408, 409, 410,
 OHU

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed, the inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC/NORCO

Housing Unit: INFIRMARY

Temp. Reading Location:

OHU

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/14/21	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	J. ANDRADE
	1200	72	J. ANDRADE
	1500	72	J. ANDRADE
	1800	72	J. ANDRADE
	2100	71	J. ANDRADE
	2400	71	J. ANDRADE

Tuesday

Date	Time	Temp.	Name (Print)
10/15/21	0300	71	J. ANDRADE
	0600	71	G. RANK
	0900	72	G. RANK
	1200	72	G. RANK
	1500	75	A. MONTAÑA
	1800	75	A. MONTAÑA
	2100	75	A. MONTAÑA
	2400	74	J. ANDRADE

Wednesday

Date	Time	Temp.	Name (Print)
10/16/21	0300	72	J. ANDRADE
	0600	72	J. ANDRADE
	0900	72	T. FERNANDEZ
	1200	72	T. FERNANDEZ
	1500	72	PHILOCETE
	1800	72	PHILOCETE
	2100	71	PHILOCETE
	2400	70	J. ANDRADE

Thursday

Date	Time	Temp.	Name (Print)
10/17/21	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	H. HANSLEY
	1200	70	H. HANSLEY
	1500	70	MONTAÑA
	1800	70	MONTAÑA
	2100	70	MONTAÑA
	2400	71	I. FERNANDEZ

Friday

Date	Time	Temp.	Name (Print)
10/18/21	0300	71	I. FERNANDEZ
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	74	PENNINGTON
	1500	74	MONTAÑA
	1800	72	MONTAÑA
	2100	70	MONTAÑA
	2400	71	I. FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
10/19/21	0300	71	I. FERNANDEZ
	0600	72	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	71	PHILOCETE
	1800	71	PHILOCETE
	2100	71	PHILOCETE
	2400	71	J. ANDRADE

Sunday

Date	Time	Temp.	Name (Print)
10/20/21	0300	71	J. ANDRADE
	0600	71	J. ANDRADE
	0900	70	H. HANSLEY
	1200	70	H. HANSLEY
	1500	70	PHILOCETE
	1800	70	PHILOCETE
	2100	70	PHILOCETE
	2400	70	J. ANDRADE

Notes

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - Infirmary Temp. Reading Location: Dorm - OHU
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
10/12/24	0300	70	J. ANDRADE
	0600	70	J. ANDRADE
	0900	70	J. CARLOS
	1200	70	J. CARLOS
	1500	71	PHILICETE
	1800	71	PHILICETE
	2100	71	PHILICETE
	2400	70	J. ANDRADE

Tuesday			
Date	Time	Temp.	Name (Print)
10/22/24	0300	70	ANDRADE
	0600	70	Ammer
	0900	70	Annette
	1200	74	Annette
	1500	72	PHLOETTE
	1800	72	PHLOETTE
	2100	71	PHLOETTE
	2400	70	T-ANDRADE

Date	Time	Temp.	Name (Print)
10/23/24	0300	76	J. ANDRADE
	0600	70	J. ANDRADE
	0900	72	J. ANDRADE
	1200	72	J. ANDRADE
	1500	72	J. ANDRADE
	1800	71	J. ANDRADE
	2100	71	J. ANDRADE
	2400	76	J. ANDRADE

Thursday		Date	Time	Temp.	Name (Print)
		1/2/01	0300	70	J. ANDRADE
			0600	70	J. ANDRADE
			0900	72	PENNINGTON
			1200	74	PENNINGTON
			1500	72	MONToya
			1800	72	MONToya
			2100	71°	MONToya
			2400	71	FERNANDEZ

Friday			
Date	Time	Temp.	Name (Print)
10/25/21	0300	71	FERNANDEZ
	0600	72	PENNINLTON
	0900	72	PENNINLTON
	1200	74	PENNINLTON
	1500	74	THOMASCO
	1800	74	THOMASCO
	2100	74	THOMASCO
	2400	70	A. SANTOS

Saturday			
Date	Time	Temp.	Name (Print)
10/12/01	0300	70	A. SANTOS
	0600	70	PENNINGTON
	0900	72	PENNINGTON
	1200	72	PENNINGTON
	1500	72	PAULINERTE
	1800	72	PHILIPERTE
	2100	72	PHILIPERTE
	2400	72	C. CERVANTES

Sunday			
Date	Time	Temp.	Name (Print)
10/27/01	0300	70	L. CERVANTES
	0600	70	PENNINGTON
	0900	72	PENNINGTON
	1200	71	SORTON
	1500	74	EVENS
	1800	80	EVENS
	2100	79	EVENS
	2400	78	J. ANDRADE

Notes

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CRC Housing Unit: Facility - Infirmary Temp. Reading Location: Dorm - OAH
 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4311 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
10/28/21	0300	74	J - ANDRADE
	0600	74	J - ANDRADE
	0900	74	F. CARLOS
	1200	75	F. CARLOS
	1500	73	P. HUERTA
	1800	72	P. HUERTA
	2100	71	P. HUERTA
	2400	70	J - ANDRADE

Wednesday

Date	Time	Temp.	Name (Print)
10/30/21	0300	70	J - ANDRADE
	0600	70	J - ANDRADE
	0900	70	T. HUERTA
	1200	70	T. HUERTA
	1500	71	P. HUERTA
	1800	71	P. HUERTA
	2100	71	P. HUERTA
	2400	70	J - ANDRADE

Friday

Date	Time	Temp.	Name (Print)
11/1/21	0300	70	I. PENNINGTON
	0600	70	I. PENNINGTON
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Tuesday

Date	Time	Temp.	Name (Print)
10/29/21	0300	70	J - ANDRADE
	0600	70	J - ANDRADE
	0900	70	G. RANK
	1200	70	G. RANK
	1500	70	P. HUERTA
	1800	71	P. HUERTA
	2100	71	P. HUERTA
	2400	70	J - ANDRADE

Thursday

Date	Time	Temp.	Name (Print)
10/31/21	0300	70	J - ANDRADE
	0600	70	J - ANDRADE
	0900	70	PENNINGTON
	1200	72	PENNINGTON
	1500	72	HANSEN
	1800	68	HANSEN
	2100	68	HANSEN
	2400	70	I. FERNANDEZ

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
October 01, 2024 Tues.	0100	67	RCARRILLO
	0200	65	RCARRILLO
	0300	65	RCARRILLO
	0400	64	RCARRILLO
	0500	63	RCARRILLO
	0600	63	RCARRILLO
	0700	62	RCARRILLO
	0800	67	RCARRILLO
	0900	71	RCARRILLO
	1000	78	RCARRILLO
	1100	86	RCARRILLO
	1200	89	RCARRILLO
	1300	94	RCARRILLO
	1400	98	LEO
	1500	96	LEO
	1600	94	LEO
	1700	92	LEO
	1800	86	LEO
	1900	81	LEO
	2000	81	LEO
	2100	77	LEO
	2200	75	JOHNSTON
	2300	72	JOHNSTON
	2400	71	JOHNSTON

STAGE 1 ACTIVATED 1224 HRS
STAGE 1 DEACTIVATED 1823 HRS.

Date	Time	Temp.	Printed Name
October 02, 2024 Wed.	0100	70	JOHNSTON
	0200	68	JOHNSTON
	0300	67	JOHNSTON
	0400	64	JOHNSTON
	0500	65	JOHNSTON
	0600	64	JOHNSTON
	0700	64	JOHNSTON
	0800	68	JOHNSTON
	0900	70	JOHNSTON
	1000	74	JOHNSTON
	1100	85	JOHNSTON
	1200	92	JOHNSTON
	1300	95	L. JOHNSTON
	1400	99	JOHNSTON
	1500	99	W. PORRAS
	1600	99	W. PORRAS
	1700	91	W. PORRAS
	1800	91	W. PORRAS
	1900	83	W. PORRAS
	2000	80	W. PORRAS
	2100	78	W. PORRAS
	2200	76	WALTERSCALD
	2300	79	WALTERSCALD
	2400	70	WALTERSCALD

STAGE 1 UHT ACTIVATED @ 1135 HRS.
STAGE 1 UHT DEACTIVATED @ 1825 HR's

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Tower 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10 - 3 - 2024	0100	70	Waltenscheid
	0200	70	Waltenscheid
	0300	68	Waltenscheid
	0400	65	Waltenscheid
	0500	65	Waltenscheid
	0600	65	W. PORRAS
	0700	62	W. PORRAS
	0800	66	W. PORRAS
	0900	72	W. PORRAS
	1000	78	W. PORRAS
	1100	83	W. PORRAS
	1200	90	W. PORRAS
	1300	93	W. PORRAS
	1400	94	T. Bracken
	1500	95	T. Bracken
	1600	93	T. Bracken
	1700	90	T. Bracken
	1800	87	T. Bracken
	1900	84	T. Bracken
	2000	79	T. Bracken
	2100	70	T. Bracken
	2200	67	BELCHER
	2300	65	BELCHER
	2400	64	BELCHER

stage 1 off @
1740 hrs

Date	Time	Temp.	Printed Name
10 - 4 - 2024	0100	63	BELCHER
	0200	63	BELCHER
	0300	62	BELCHER
	0400	62	BELCHER
	0500	62	BELCHER
	0600	63	BELCHER
	0700	64	BELCHER
	0800	70	BELCHER
	0900	70	BELCHER
	1000	74	BELCHER
	1100	85	BELCHER
	1200	84	BELCHER
	1300	94	BELCHER
	1400	94	Lockett
	1500	93	Lockett
	1600	91	Lockett
	1700	90	Lockett
	1800	85	Lockett
	1900	78	Lockett
	2000	75	ROARULLO
	2100	72	ROARULLO
	2200	70	ROARULLO
	2300	69	ROARULLO
	2400	67	ROARULLO

STAGE 1 UHT ACTIVATED
① 1205 HRS 10/3/24

STAGE 1 UHT ACTIVATED
② 1240 HRS 10/4/24

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

TOWER 5

Thermometer Location: _____

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 05, 2024 SATURDAY	0100	64	RCARRILLO
	0200	64	RCARRILLO
	0300	62	RCARRILLO
	0400	61	RCARRILLO
	0500	60	RCARRILLO
	0600	60	RCARRILLO
	0700	61	RCARRILLO
	0800	67	RCARRILLO
	0900	71	RCARRILLO
	1000	75	RCARRILLO
	1100	81	RCARRILLO
	1200	89	RCARRILLO
	1300	91.8	RCARRILLO
	1400	93.9	LOCKETT
	1500	94	LOCKETT
	1600	93	LOCKETT
	1700	86	LOCKETT
	1800	82	LOCKETT
	1900	80	LOCKETT
	2000	77	LOCKETT
	2100	73	LOCKETT
	2200	71	RCARRILLO
	2300	68	RCARRILLO
	2400	66	RCARRILLO

Date	Time	Temp.	Printed Name
OCTOBER 06, 2024 SUNDAY	0100	64	RCARRILLO
	0200	64	RCARRILLO
	0300	63	RCARRILLO
	0400	63	RCARRILLO
	0500	62	RCARRILLO
	0600	62	A. Kennedy
	0700	64	A. Kennedy
	0800	66	A. Kennedy
	0900	70	A. Kennedy
	1000	76	A. Kennedy
	1100	77	A. Kennedy
	1200	80	A. Kennedy
	1300	93	A. Kennedy
	1400	94	A. Elliott
	1500	95	A. Elliott
	1600	94	A. Elliott
	1700	92	A. Elliott
	1800	89	A. Elliott
	1900	85	A. Elliott
	2000	80	A. Elliott
	2100	73	A. Elliott
	2200	71	RCARRILLO
	2300	70	RCARRILLO
	2400	70	RCARRILLO

STAGE 1 UHT ACTIVATED @ 1241
STAGE 1 UHT DEACTIVATED @ 1715

Stage 1 UHT activated @ 1228h
Stage 1 uht deactivated @ 1842h

CRC

INSTITUTION: _____

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Tower 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-9-2024	0100	63	Wolterscuend
	0200	61	Wolterscuend
	0300	60	Wolterscuend
	0400	60	Wolterscuend
	0500	60	Wolterscuend
	0600	58	Genujsh
	0700	57	Genujsh
	0800	62	Genujsh
	0900	67	Genujsh
	1000	75	Genujsh
	1100	78	Genujsh
	1200	83	Genujsh
	1300	87	Genujsh
	1400	90	Genujsh
	1500	89	CERVANTES
	1600	88	CERVANTES
	1700	86	CERVANTES
	1800	79	CERVANTES
	1900	74	CERVANTES
	2000	71	CERVANTES
	2100	68	CERVANTES
	2200	65	BELCHER
	2300	63	BELCHER
	2400	61	BELCHER

Date	Time	Temp.	Printed Name
10-10-2024	0100	61	BELCHER
	0200	60	BELCHER
	0300	60	BELCHER
	0400	60	BELCHER
	0500	59	BELCHER
	0600	59	BELCHER
	0700	59	BELCHER
	0800	62	BELCHER
	0900	65	BELCHER
	1000	66	BELCHER
	1100	73	BELCHER
	1200	80	BELCHER
	1300	85	BELCHER
	1400	89	CERVANTES
	1500	88	CERVANTES
	1600	88	CERVANTES
	1700	85	CERVANTES
	1800	80	CERVANTES
	1900	76	CERVANTES
	2000	74	CERVANTES
	2100	71	CERVANTES
	2200	70	BELCHER
	2300	69	BELCHER
	2400	67	BELCHER

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-11-2024	0100	64	BELCHER
	0200	65	BELCHER
	0300	64	BELCHER
	0400	62	BELCHER
	0500	60	BELCHER
	0600	59	BELCHER
	0700	59	BELCHER
	0800	64	BELCHER
	0900	71	BELCHER
	1000	75	BELCHER
	1100	82	BELCHER
	1200	87	BELCHER
	1300	89 E	BELCHER
	1400	91	BELCHER
	1500	90	CERVANTES
	1600	90	CERVANTES
	1700	85	CERVANTES
	1800	80	CERVANTES
	1900	76	CERVANTES
	2000	73	CERVANTES
	2100	71	CERVANTES
	2200	68	ROARRILLO
	2300	67	ROARRILLO
	2400	67	ROARRILLO

Date	Time	Temp.	Printed Name
10-12-2024	0100	63	ROARRILLO
	0200	63	ROARRILLO
	0300	61	ROARRILLO
	0400	60	ROARRILLO
	0500	60	ROARRILLO
	0600	59	ROARRILLO
	0700	61	ROARRILLO
	0800	64	ROARRILLO
	0900	67	ROARRILLO
	1000	73	ACARRILLO
	1100	77	ROARRILLO
	1200	85	ROARRILLO
	1300	87	ROARRILLO
	1400	86	Morse
	1500	82	Morse
	1600	80	Morse
	1700	78	Morse
	1800	76	Morse
	1900	72	Morse
	2000	70	Morse
	2100	70	Morse
	2200	66	ROARRILLO
	2300	64	ROARRILLO
	2400	64	ROARRILLO

Stage 1 UHT @ 1320 HRS

STAGE 1 UHT Deactivated @ 1715

OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)

INSTITUTION:

CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
October 13, 2024 Sunday	0100	61	ROARRILLO
	0200	61	ROARRILLO
	0300	58	ROARRILLO
	0400	58	ROARRILLO
	0500	56	ROARRILLO
	0600	56	A. Kennedy
	0700	59	A. Kennedy
	0800	62	A. Kennedy
	0900	64	A. Kennedy
	1000	67	A. Kennedy
	1100	73	A. Kennedy
	1200	78	A. Kennedy
	1300	82	A. Kennedy
	1400	83	C. BRAYSHAW
	1500	83	C. BRAYSHAW
	1600	82	C. BRAYSHAW
	1700	80	C. BRAYSHAW
	1800	74	C. BRAYSHAW
	1900	68	C. BRAYSHAW
	2000	66	C. BRAYSHAW
	2100	64	C. BRAYSHAW
	2200	63	ROARRILLO
	2300	62	ROARRILLO
	2400	62	ROARRILLO

Date	Time	Temp.	Printed Name
October 14, 2024 Monday	0100	58	ROARRILLO
	0200	57	ROARRILLO
	0300	57	ROARRILLO
	0400	57	ROARRILLO
	0500	57	ROARRILLO
	0600	57	A. Kennedy
	0700	58	A. Kennedy
	0800	60	A. Kennedy
	0900	62	A. Kennedy
	1000	64	A. Kennedy
	1100	66	A. Kennedy
	1200	70	A. Kennedy
	1300	74	A. Kennedy
	1400	76	C. BRAYSHAW
	1500	82	C. BRAYSHAW
	1600	80	C. BRAYSHAW
	1700	76	C. BRAYSHAW
	1800	71	C. BRAYSHAW
	1900	66	C. BRAYSHAW
	2000	64	C. BRAYSHAW
	2100	62	C. BRAYSHAW
	2200	61	ROARRILLO
	2300	61	ROARRILLO
	2400	60	ROARRILLO

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
October 15, 2021	0100	60	RCARRILLO
	0200	60	RCARRILLO
	0300	60	RCARRILLO
	0400	60	RCARRILLO
	0500	60	RCARRILLO
	0600	60	R. MEJIA
	0700	62	R. MEJIA
	0800	62	R. MEJIA
	0900	62	R. MEJIA
	1000	64	R. MEJIA
	1100	68	R. MEJIA
	1200	72	R. MEJIA
	1300	72	R. MEJIA
	1400	74	CERVANTES
	1500	76	CERVANTES
	1600	75	CERVANTES
	1700	75	CERVANTES
	1800	70	CERVANTES
	1900	67	CERVANTES
	2000	63	CERVANTES
	2100	62	CERVANTES
	2200	62	G. YERNA
	2300	61	G. YERNA
	2400	61	G. YERNA

Date	Time	Temp.	Printed Name
October 16, 2021 Wednesday	0100	60	G. YERNA
	0200	60	G. YERNA
	0300	60	G. YERNA
	0400	61	G. YERNA
	0500	61	G. YERNA
	0600	62	R. MEJIA
	0700	62	R. MEJIA
	0800	62	R. MEJIA
	0900	62	R. MEJIA
	1000	62	R. MEJIA
	1100	66	R. MEJIA
	1200	66	R. MEJIA
	1300	66	R. MEJIA
	1400	67	CERVANTES
	1500	66	CERVANTES
	1600	65	CERVANTES
	1700	64	CERVANTES
	1800	63	CERVANTES
	1900	63	CERVANTES
	2000	63	CERVANTES
	2100	62	CERVANTES
	2200	62	BELCHER
	2300	62	BELCHER
	2400	62	BELCHER

OUTSIDE TEMPERATURE RECORD
 CDCR 2030 (04/18)
INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 17, 2024	0100	62	BELCHER
	0200	61	BELCHER
	0300	61	BELCHER
	0400	61	BELCHER
	0500	61	BELCHER
	0600	62	R. MEJIA
	0700	62	R. MEJIA
	0800	62	R. MEJIA
	0900	66	R. MEJIA
	1000	68	R. MEJIA
	1100	68	R. MEJIA
	1200	68	R. MEJIA
	1300	70	R. MEJIA
	1400	72	R. MEJIA
	1500	74	CERVANTES
	1600	73	CERVANTES
	1700	69	CERVANTES
	1800	66	CERVANTES
	1900	64	CERVANTES
	2000	63	CERVANTES
	2100	62	BELCHER
	2200	62	BELCHER
	2300	61	BELCHER
	2400	61	BELCHER

Date	Time	Temp.	Printed Name
OCTOBER 18, 2024	0100	60	BELCHER
	0200	60	BELCHER
	0300	59	BELCHER
	0400	59	BELCHER
	0500	58	BELCHER
	0600	58	R. MEJIA
	0700	58	R. MEJIA
	0800	60	R. MEJIA
	0900	64	R. MEJIA
	1000	66	R. MEJIA
	1100	70	R. MEJIA
	1200	72	R. MEJIA
	1300	76	R. MEJIA
	1400	80	R. MEJIA
	1500	79	CERVANTES
	1600	77	CERVANTES
	1700	77	CERVANTES
	1800	73	CERVANTES
	1900	67	CERVANTES
	2000	65	CERVANTES
	2100	63	CERVANTES
	2200	63	ROARRILLO
	2300	62	ROARRILLO
	2400	62	ROARRILLO

INSTITUTION: CALIFORNIA REHABILITATION CENTER

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
October 19, 2024 SAT.	0100	66	RCARRILLO
	0200	68	RCARRILLO
	0300	68	RCARRILLO
	0400	68	RCARRILLO
	0500	69	RCARRILLO
	0600	69	RCARRILLO
	0700	69	A. HERNANDEZ
	0800	70	A. HERNANDEZ
	0900	73	A. HERNANDEZ
	1000	75	A. HERNANDEZ
	1100	77	A. HERNANDEZ
	1200	80	A. HERNANDEZ
	1300	82	A. HERNANDEZ
	1400	83	CERVANTES
	1500	80	CERVANTES
	1600	80	CERVANTES
	1700	78	CERVANTES
	1800	74	CERVANTES
	1900	71	CERVANTES
	2000	69	CERVANTES
	2100	67	CERVANTES
	2200	67	RCARRILLO
	2300	66	RCARRILLO
	2400	66	RCARRILLO

Date	Time	Temp.	Printed Name
October 20, 2024 SUN.	0100	64	RCARRILLO
	0200	60	RCARRILLO
	0300	58	RCARRILLO
	0400	58	RCARRILLO
	0500	56	RCARRILLO
	0600	55	A. Kennedy
	0700	57	A. Kennedy
	0800	60	A. Kennedy
	0900	60	A. Kennedy
	1000	71	A. Kennedy
	1100	74	A. Kennedy
	1200	82	A. Kennedy
	1300	84	A. Kennedy
	1400	86	C. BRAYSHAW
	1500	88	C. BRAYSHAW
	1600	87	C. BRAYSHAW
	1700	82	C. BRAYSHAW
	1800	78	C. BRAYSHAW
	1900	73	C. BRAYSHAW
	2000	71	C. BRAYSHAW
	2100	69	C. BRAYSHAW
	2200	69	A. LIEVEN
	2300	66	A. LIEVEN
	2400	66	A. LIEVEN

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CRC

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 21, 2024	0100	66	A. HERWINDA
	0200	64	A. HERWINDA
	0300	60	A. HERWINDA
	0400	60	A. HERWINDA
	0500	59	A. HERWINDA
	0600	59	A. Kennedy
	0700	59	A. Kennedy
	0800	64	A. Kennedy
	0900	70	A. Kennedy
	1000	75	A. Kennedy
	1100	79	A. Kennedy
	1200	84	A. Kennedy
	1300	87	A. Kennedy
	1400	89	C. BRAYSAM
	1500	90	C. BRAYSAM
	1600	85	C. BRAYSAM
	1700	84	C. BRAYSAM
	1800	79	C. BRAYSAM
	1900	75	C. BRAYSAM
	2000	73	C. BRAYSAM
	2100	70	C. BRAYSAM
	2200	70	RCARRILLO
	2300	68	RCARRILLO
	2400	65	RCARRILLO

Date	Time	Temp.	Printed Name
OCTOBER 22, 2024	0100	62	RCARRILLO
	0200	60	RCARRILLO
	0300	58	RCARRILLO
	0400	58	RCARRILLO
	0500	57	RCARRILLO
	0600	59	RCARRILLO
	0700	61	RCARRILLO
	0800	62	RCARRILLO
	0900	63	RCARRILLO
	1000	68	RCARRILLO
	1100	79	RCARRILLO
	1200	85	RCARRILLO
	1300	87	RCARRILLO
	1400	89	CERVANTES
	1500	89	CERVANTES
	1600	87	CERVANTES
	1700	85	CERVANTES
	1800	82	CERVANTES
	1900	78	CERVANTES
	2000	74	CERVANTES
	2100	71	CERVANTES
	2200	71	Johnston
	2300	68	Johnston
	2400	66	Johnston

STAGE I UNIT ACTIVATED @ 1405 hrs
STAGE I UNIT DEACTIVATED @ 1610 hrs

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CALIFORNIA REHABILITATION CENTER

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Wednesday, Oct. 24	0100	64	JOHNSTON
	0200	63	JOHNSTON
	0300	66	JOHNSTON
	0400	62	JOHNSTON
	0500	60	JOHNSTON
	0600	57	JOHNSTON
	0700	58	JOHNSTON
	0800	60	JOHNSTON
	0900	64	JOHNSTON
	1000	73	JOHNSTON
	1100	78	JOHNSTON
	1200	85	JOHNSTON
	1300	88	JOHNSTON
	1400	89	CERVANTES
	1500	88	CERVANTES
	1600	88	CERVANTES
	1700	83	CERVANTES
	1800	77	CERVANTES
	1900	75	CERVANTES
	2000	73	CERVANTES
	2100	70	CERVANTES
	2200	68	BELCHER
	2300	66	BELCHER
	2400	65	BELCHER

Date	Time	Temp.	Printed Name
Thursday, Oct. 25	0100	63	BELCHER
	0200	61	BELCHER
	0300	60	BELCHER
	0400	59	BELCHER
	0500	58	BELCHER
	0600	57	JOHNSTON
	0700	57	JOHNSTON
	0800	58	JOHNSTON
	0900	60	JOHNSTON
	1000	60	JOHNSTON
	1100	70	JOHNSTON
	1200	81	JOHNSTON
	1300	85	JOHNSTON
	1400	87	CERVANTES
	1500	87	CERVANTES
	1600	86	CERVANTES
	1700	82	CERVANTES
	1800	77	CERVANTES
	1900	73	CERVANTES
	2000	70	CERVANTES
	2100	69	CERVANTES
	2200	67	BELCHER
	2300	66	BELCHER
	2400	65	BELCHER

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CALIFORNIA REHABILITATION CENTER

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
OCTOBER 25, 2024	0100	64	BELCHER
	0200	62	BELCHER
	0300	61	BELCHER
	0400	60	BELCHER
	0500	59	BELCHER
	0600	59	JOHNSTON
	0700	56	JOHNSTON
	0800	58	JOHNSTON
	0900	59	JOHNSTON
	1000	61	JOHNSTON
	1100	72	JOHNSTON
	1200	80	JOHNSTON
	1300	85	L.JOHNSTON
	1400	84	JOHNSTON
	1500	85	CERVANTES
	1600	83	CERVANTES
	1700	80	CERVANTES
	1800	75	CERVANTES
	1900	71	CERVANTES
	2000	69	CERVANTES
	2100	66	CERVANTES
	2200	65	ROARRILLO
	2300	63	ROARRILLO
	2400	61	ROARRILLO

Date	Time	Temp.	Printed Name
OCTOBER 26, 2024	0100	61	ROARRILLO
	0200	61	ROARRILLO
	0300	59	ROARRILLO
	0400	59	ROARRILLO
	0500	58	ROARRILLO
	0600	56	L.JOHNSTON
	0700	56	JOHNSTON
	0800	60	JOHNSTON
	0900	62	JOHNSTON
	1000	68	JOHNSTON
	1100	75	JOHNSTON
	1200	82	JOHNSTON
	1300	86	L.JOHNSTON
	1400	88	CERVANTES
	1500	88	CERVANTES
	1600	87	CERVANTES
	1700	82	CERVANTES
	1800	78	CERVANTES
	1900	75	CERVANTES
	2000	72	CERVANTES
	2100	70	CERVANTES
	2200	68	ROARRILLO
	2300	67	ROARRILLO
	2400	67	ROARRILLO

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA REHABILITATION CENTER

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
October 27, 2024 Sun.	0100	66	RCARRILLO
	0200	66	RCARRILLO
	0300	65	RCARRILLO
	0400	65	RCARRILLO
	0500	64	RCARRILLO
	0600	63	A. Kennedy
	0700	63	A. Kennedy
	0800	65	A. Kennedy
	0900	70	A. Kennedy
	1000	74	A. Kennedy
	1100	78	A. Kennedy
	1200	82	A. Kennedy
	1300	84	A. Kennedy
	1400	86	C. BRAYSHAW
	1500	88	C. BRAYSHAW
	1600	86	C. BRAYSHAW
	1700	78	C. BRAYSHAW
	1800	73	C. BRAYSHAW
	1900	69	C. BRAYSHAW
	2000	68	C. BRAYSHAW
	2100	65	C. BRAYSHAW
	2200	65	RCARRILLO
	2300	65	RCARRILLO
	2400	64	RCARRILLO

Date	Time	Temp.	Printed Name
October 28, 2024 Mon.	0100	61	RCARRILLO
	0200	61	RCARRILLO
	0300	61	RCARRILLO
	0400	60	RCARRILLO
	0500	60	RCARRILLO
	0600	60	A. Kennedy
	0700	60	A. Kennedy
	0800	64	A. Kennedy
	0900	70	A. Kennedy
	1000	72	A. Kennedy
	1100	75	A. Kennedy
	1200	73	A. Kennedy
	1300	73	A. Kennedy
	1400	72	C. BRAYSHAW
	1500	74	C. BRAYSHAW
	1600	68	C. BRAYSHAW
	1700	68	C. BRAYSHAW
	1800	64	C. BRAYSHAW
	1900	62	C. BRAYSHAW
	2000	61	C. BRAYSHAW
	2100	60	C. BRAYSHAW
	2200	59	RCARRILLO
	2300	58	RCARRILLO
	2400	58	RCARRILLO

INSTITUTION: CALIFORNIA REHABILITATION CENTER

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

10/29/2024 TUESDAY

Date	Time	Temp.	Printed Name
	0100	56	RCARRILLO
	0200	54	RCARRILLO
	0300	54	RCARRILLO
	0400	53	RCARRILLO
	0500	52	RCARRILLO
	0600	53	RCARRILLO
	0700	53	RCARRILLO
	0800	54	RCARRILLO
	0900	57	RCARRILLO
	1000	60	RCARRILLO
	1100	63	RCARRILLO
	1200	65	RCARRILLO
	1300	66	RCARRILLO
	1400	69	CERVANTES
	1500	69	CERVANTES
	1600	69	CERVANTES
	1700	68	CERVANTES
	1800	64	CERVANTES
	1900	62	CERVANTES
	2000	60	CERVANTES
	2100	58	CERVANTES
	2200	55	L.JOHNSTON
	2300	50	JOHNSTON
	2400	50	JOHNSTON

10/30/2024 WEDNESDAY

Date	Time	Temp.	Printed Name
	0100	49	JOHNSTON
	0200	49	JOHNSTON
	0300	47	JOHNSTON
	0400	47	JOHNSTON
	0500	46	JOHNSTON
	0600	46	JOHNSTON
	0700	47	JOHNSTON
	0800	50	JOHNSTON
	0900	54	JOHNSTON
	1000	58	JOHNSTON
	1100	62	JOHNSTON
	1200	67	JOHNSTON
	1300	72	JOHNSTON
	1400	75	CERVANTES
	1500	73	CERVANTES
	1600	71	CERVANTES
	1700	70	CERVANTES
	1800	68	CERVANTES
	1900	65	CERVANTES
	2000	63	CERVANTES
	2100	61	CERVANTES
	2200	60	Wolterscuren
	2300	57	Wolterscuren
	2400	56	Wolterscuren

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CALIFORNIA REHABILITATION CENTER

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 5

Immediately notify the Watch Commander at extension 4311 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
10-31-2024	0100	55	Walterscheid
	0200	59	Walterscheid
	0300	52	Walterscheid
	0400	51	Walterscheid
	0500	50	Walterscheid
	0600	48	JOHNSTON
	0700	49	JOHNSTON
	0800	52	JOHNSTON
	0900	55	JOHNSTON
	1000	60	JOHNSTON
	1100	65	JOHNSTON
	1200	68	JOHNSTON
	1300	73	JOHNSTON
	1400	74	CERVANTES
	1500	74	CERVANTES
	1600	72	CERVANTES
	1700	70	CERVANTES
	1800	65	CERVANTES
	1900	61	CERVANTES
	2000	59	CERVANTES
	2100	58	CERVANTES
	2200	57	Walterscheid
	2300	56	Walterscheid
	2400	55	Walterscheid

Date	Time	Temp.	Printed Name
10-31-2024	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution Heat Plan Coordinator