

**Monthly Summary Report**

Institution: SCC

**Memorandum**

Date: 08-01-2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - JULY 2024

The following is a summary of the heat related activity for the month of JULY 2024,  
at SCC (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes \_\_\_\_\_

Number of days Stage I Alert initiated: 31

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes \_\_\_\_\_

Number of days Stage II Alert initiated: 18

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes \_\_\_\_\_

Number of days Stage III Alert initiated: 20

4. Weekly list of heat risk patients archived? Yes \_\_\_\_\_

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

J. Prudhel (A)


Warden Name



Warden Signature

M. Diaz (A)

Chief Executive Officer Name

DocuSigned by:  
  
705551BC0F7C454  
Chief Executive Officer Signature

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

7/1/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES				Activation = A and Deactivation = D CONTACTS MADE				
			A I	D II	A III	D IV	A V	D VI	Warden/ AOD	CME/ POC	Unit
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	91										
1200	94										
1300	96										
1400	97										
1500	101										
1600	101										
1700	101										
1800	99										
1900	77										
2000	93										
2100	88										
2200	85										
2300	84										
2400	83										

Captain B. Ave Date 5.2.24  
COMMENT: \_\_\_\_\_

  
Associate Warden, *Programs Division*

Date 6/12/2024

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

7/2/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit
0100	79										
0200	76										
0300	75										
0400	74										
0500	72										
0600	70										
0700	-90										
0800	-93										
0900	-93										
1000	92										
1100	95										
1200	98										
1300	100										
1400	101										
1500	106										
1600	106										
1700	107										
1800	106										
1900	102										
2000	98										
2100	93										
2200	89										
2300	87										
2400	85										

Captain *Robert* Date *7-2-24*  
 COMMENT: *Stage 2 still active.*

*Stage 3 still active.*

*Associate Warden, Programs Division*

Date *7/12/24*

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7/31/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	X STAGES				Activation = A and Deactivation = D CONTACTS MADE				
			A I	D II	A III	D IV	A V	D VI	Warden/ AOD	CME/ POC	Unit
0100	-90	X									
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	90										
1000	94										
1100	98										
1200	102										
1300	104										
1400	106										
1500	108										
1600	109										
1700	108										
1800	109										
1900	104										
2000	107										
2100	95										
2200	90										
2300	87										
2400	81										

Captain Nike Date 8/2/24 COMMENT: 2400 hours stage V & VI active

Associate Warden, Programs Division Date 8/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7-4-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	OUTSIDE TEMP	WATCH COMMANDER SIGNATURE	STAGES				ACTIVATION = A AND DEACTIVATION = D				CONTACTS MADE			
			I	D	A	D	A	D	III	WARDEN/ AOD	CME/ POC	UNIT LT.	YARD	CLINIC
0100	-90	R J B												
0200	-90	B J M												
0300	-90													
0400	-90													
0500	96													
0600	-90	J Cawthon												
0700	-90	J Cawthon												
0800	-90	J Cawthon												
0900	93	J Cawthon												
1000	98	J Cawthon												
1100	101	J Cawthon												
1200	104	J Cawthon												
1300	107	J Cawthon												
1400	109	J Cawthon												
1500	110													
1600	111													
1700	110													
1800	110													
1900	103													
2000	106													
2100	95													
2200	91													
2300	87													
2400	-90													

Captain B. Aune Date 8-2-24 COMMENT: As of 0300 (hours, stages, units active)

Associate Warden, Programs Division Date 8/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7-5-2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER SIGNATURE	STAGES				Activation = A and Deactivation = D CONTACTS MADE				
			A I	D II	A III	D IV	Warden/ AOD	CME/ POC	Unit	Yard	Clinic
0100	- 90										
0200	- 90										
0300	- 90										
0400	- 90										
0500	- 90										
0600	- 90										
0700	75										
0800	80										
0900	84										
1000	90										
1100	98										
1200	104										
1300	106										
1400	109										
1500	109										
1600	109										
1700	108										
1800	108										
1900	106										
2000	105										
2100	95										
2200	92										
2300	88										
2400	85										

*PHL* Captain 8-2-24 Date 8-2-24

COMMENT:  
0300 STAGE 3

*J* Associate Warden, Programs Division

Date 8/2/24

# HEAT PLAN ACTIVATION REPORT

DATE: 7-6-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	PJ G									
0200	-90	PJ G									
0300	-90	PJ G									
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	90	B Arnold	X								
1000	98	B Arnold									
1100	103	RPE									
1200	103	RPE									
1300	108	RPE									
1400	112	Ronneberg									
1500	112	Ronneberg									
1600	114	Ronneberg									
1700	112	Ronneberg									
1800	110	Ronneberg									
1900	108	Ronneberg									
2000	104	Ronneberg									
2100	98	Ronneberg									
2200	94	Ronneberg									
2300	93	Ronneberg									
2400	93	Ronneberg									

Captain  Date 6-2-24

COMMENT: Currently on STAGE III AT M 2024-06-06T  Associate Warden, Programs Division Date 6/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7-7-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Yard	Clinic
0100	88	RJ											
0200	87	RJ											
0300	90	RJ											
0400	90	RJ											
0500	90	RJ											
0600	90	RJ											
0700	90	RJ											
0800	90	RJ											
0900	95	RJ											
1000	100	RJ											
1100	105	RJ											
1200	107	RJ											
1300	110	RJ											
1400	111	RJ											
1500	113	RJ											
1600	113	RJ											
1700	114	RJ											
1800	109	RJ											
1900	106	RJ											
2000	100	RJ											
2100	95	RJ											
2200	91	RJ											
2300	88	RJ											
2400	88	RJ											

Captain RJDate 8-22-24

COMMENT: Cont. on Stage III

Associate Warden, Programs Division

Date 8-22-24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 7-8-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES				Activation = A and Deactivation = D CONTACTS MADE				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	-90	RJ RJ			X				X	X	X
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	90										
1000	91										
1100	102										
1200	104										
1300	107										
1400	110										
1500	111										
1600	114										
1700	114										
1800	110										
1900	105										
2000	97										
2100	92										
2200	90										
2300	88										
2400	83										

Captain *RJ* Date 8-2-24  
COMMENT: Current on STAGE II R.3

*RJ*

Associate Warden, Programs Division

Date 8/10/24

## SIERRA CONSERVATION CENTER


Attachment F  
Revised 04/2020

# HEAT PLAN ACTIVATION REPORT

DATE: 7-9-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER		STAGES						Activation = A and Deactivation = D				
		SIGNATURE		A I	D II	A III	D II	A III	D II	CONTACTS MADE	CME/ POC	Unit AOD	Warden/ Yard	Clinic
0100	82													
0200	80													
0300	79													
0400	78													
0500	76													
0600	-90													
0700	-90													
0800	-90													
0900	90									X				
1000	95													
1100	98													
1200	101													
1300	104													
1400	106													
1500	109													
1600	110													
1700	107													
1800	106													
1900	102													
2000	97													
2100	91													
2200	85													
2300	83													
2400	80													

Captain  Date 8-2-24  
COMMENT: Stage on Stage III 

 Associate Warden, Programs Division  
Date 8/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7-10-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0:00 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES				Activation = A and Deactivation = D				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	94										
1100	99										
1200	101										
1300	104										
1400	108										
1500	109										
1600	10										
1700	108										
1800	107										
1900	105										
2000	100										
2100	94										
2200	90	R J									
2300	88										
2400	-90										

Captain MicheleCOMMENT: CURRENT ON STAGE III R J Date 8-2-24Associate Warden, *Programs Division*Date 8/12/24

## SIERRA CONSERVATION CENTER

## HEAT PLAN ACTIVATION REPORT

DATE: 7-11-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES				Activation = A and Deactivation = D			
			A I	D II	A III	D III	Warden/ AOD	CONTACTS MADE	CME/ POC	Unit LT.
0100	-90	R J P								
0200	-90	R J P								
0300	-90	R J P								
0400	-90	R J P								
0500	-90	R J P								
0600	-90	R J P								
0700	-90	R J P								
0800	-90	R J P								
0900	93	R J P								
1000	98	R J P								
1100	103	R J P								
1200	106	R J P								
1300	110	R J P								
1400	112	R J P								
1500	113	R J P								
1600	114	R J P								
1700	113	R J P								
1800	108	R J P								
1900	106	R J P								
2000	107	R J P								
2100	99	R J P								
2200	93	R J P								
2300	91	R J P								
2400	85	R J P								

Captain *Jhe* Date 8-20-24  
COMMENT: Current STAGE- III

Associate Warden *Programs Division*

Date 8/12/24

# HEAT PLAN ACTIVATION REPORT

DATE: 7-12-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	OUTSIDE TEMP	WATCH COMMANDER SIGNATURE	STAGES				ACTIVATION = A and Deactivation = D				
			A I	D II	A III	D III	Warden/ AOD	CONTACTS MADE CME/ POC	Unit	Yard	Clinic LT.
0100	-90	Rg BY									
0200	-90										
0300	-70										
0400	-90										
0500	-70										
0600	-90										
0700	-90										
0800	-90										
0900	95										
1000	98										
1100	104										
1200	107										
1300	110										
1400	111										
1500	113										
1600	112										
1700	113										
1800	112										
1900	107										
2000	101										
2100	94										
2200	94										
2300	93										
2400	91										

Captain John Date 5-2-24

COMMENT: ON STAGE I AND II AT 0000 hours

Associate Warden, Programs Division

Date 5/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7-13-24Attachment F  
Revised 04/2020

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24-hour form. Example: Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	SIGNATURE	STAGES				Activation = A and Deactivation = D CONTACTS MADE				
				A I	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Yard LT.	Clinic
0100	70	R.J. Ryz						X				
0200	70	R.J. Ryz										
0300	-70											
0400	-90											
0500	-90											
0600	85											
0700	84	J. Chamber										
0800	85	J. Chamber										
0900	88	J. Chamber										
1000	90	J. Chamber										
1100	97	J. Chamber										
1200	101	J. Chamber										
1300	107	J. Chamber										
1400	107	Ronneberg										
1500	106	Ronneberg										
1600	105	Ronneberg										
1700	104	Ronneberg										
1800	103	Ronneberg										
1900	99	Ronneberg										
2000	91	Ronneberg										
2100	86	R.J. Ryz										
2200	84											
2300	-50											
2400	-50											

Captain A. LeeDate 6-2-24*Signature*

Associate Warden Programs Division

Date 6/12/24COMMENT: 0000 Hours: STAGE I AND III  
0400 Hours: STAGE III

## SIERRA CONSERVATION CENTER

## HEAT PLAN ACTIVATION REPORT

DATE: 7-14-24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	SIGNATURE	STAGES				Activation = A and Deactivation = D			
				A I	D II	A III	D II	A III	D II	CONTACTS MADE	
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	-94										
1300	-92										
1400	-93										
1500	-97	Ronneberg									
1600	-97	Ronneberg									
1700	-94	Ronneberg									
1800	-91	Ronneberg									
1900	-95	Ronneberg									
2000	-90	Ronneberg									
2100	-86	Ronneberg									
2200	-83	Ronneberg									
2300	-81	Ronneberg									
2400	-79	Ronneberg									

Captain John Date 8-2-24  
 COMMENT: Remain on Stage III

Associate Warden, Program Division

Date 8-12-24

# HEAT PLAN ACTIVATION REPORT

DATE: 7/15/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	SIGNATURE	STAGES				Activation = A and Deactivation = D			
				A I	D I	A II	D III	A III	D III	Warden/ AOD	CME/ POC
0100	-90	<i>Ronelle</i>									
0200	-90	<i>Ronelle</i>									
0300	-90	<i>Ronelle</i>									
0400	-90	<i>Ronelle</i>									
0500	-90	<i>Ronelle</i>									
0600	-90	<i>Whitney M. D.</i>									
0700	-90	<i>Whitney M. D.</i>									
0800	-90	<i>Whitney M. D.</i>									
0900	-90	<i>Whitney M. D.</i>									
1000	-90	<i>Whitney M. D.</i>									
1100	94	<i>Whitney M. D.</i>									
1200	94	<i>Whitney M. D.</i>									
1300	100	<i>Whitney M. D.</i>									
1400	100	<i>Whitney M. D.</i>									
1500	103	<i>Whitney M. D.</i>									
1600	103	<i>Whitney M. D.</i>									
1700	103	<i>Whitney M. D.</i>									
1800	102	<i>Whitney M. D.</i>									
1900	96	<i>Whitney M. D.</i>									
2000	-90	<i>Whitney M. D.</i>									
2100	-90	<i>Whitney M. D.</i>									
2200	-90	<i>Whitney M. D.</i>									
2300	-90	<i>Whitney M. D.</i>									
2400	-90	<i>Whitney M. D.</i>									

Captain *[Signature]* Date *8/12/24*  
COMMENT: *STILL STAGE 2 AS OF 0300*

Date *8/12/24*

Associate Warden Programs Division

Date *8/12/24*

## SIERRA CONSERVATION CENTER

Attachment F  
Revised 04/2020

## HEAT PLAN ACTIVATION REPORT

DATE:

7/16/20

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	SIGNATURE	STAGES				Activation = A and Deactivation = D				
				A I	D I	A II	D III	A III	D I	CONT ACTS MADE	CME/ POC	Warden/ AOD
0100	-90											
0200	-90											
0300	-90											
0400	-90											
0500	-90											
0600	-90											
0700	-90											
0800	-90											
0900	-90											
1000	-90											
1100	90											
1200	90											
1300	97											
1400	101											
1500	101											
1600	98											
1700	97											
1800	95											
1900	93											
2000	85											
2100	81											
2200	-90											
2300	-90											
2400	-90											

Captain MB Date 8-2-21  
COMMENT: Stage III still active from previous day (DOESN'T STICK OVER 95°)

MB Associate Warden, Programs Division Date 8/12/21

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

7/17/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	OUTSIDE	WATCH COMMANDER	STAGES				ACTIVATION = A and Deactivation = D			
				I	D	A	D	III	II	A	D
TIME	TEMP	OUTSIDE	WATCH COMMANDER	I	D	A	D	III	II	A	D
			SIGNATURE								
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	-90										
1200	90										
1300	95										
1400	97										
1500	97										
1600	98										
1700	98										
1800	98										
1900	94										
2000	88										
2100	83										
2200	-90										
2300	-90										
2400	-90										

Captain Joe Date 8/2/24  
 COMMENT: Stages 1

Associate Warden, Programs Division  
John Date 8/12/24

# SIERRA CONSERVATION CENTER HEAT PLAN ACTIVATION REPORT

DATE: 7/18/2020

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit	Yard	L.T.
0100	-90												
0200	-90												
0300	-90												
0400	-90												
0500	-90												
0600	-90												
0700	-90												
0800	-90												
0900	-90												
1000	-90												
1100	-90												
1200	91												
1300	93												
1400	98												
1500	98												
1600	98												
1700	97												
1800	97												
1900	94												
2000	94												
2100	68												
2200	-90												
2300	-90												
2400	-90												

Captain Mhe

COMMENT: Stage on Stage II @ 0100

Date 5-2-24

Associate Warden, Programs Division  
JH Date 5/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7/19/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	Outside	WATCH COMMANDER	STAGES				Activation = A and Deactivation = D			
				A I	D II	A III	D III	AOD	Warden/ POC	CME/ Unit	LT. Yard
0100	-90										
0200	-90										
0300	-90										
0400	-90										
0500	-90										
0600	-90										
0700	-90										
0800	-90										
0900	-90										
1000	-90										
1100	94										
1200	98										
1300	101										
1400	102										
1500	104										
1600	105										
1700	103										
1800	103										
1900	100										
2000	94										
2100	91										
2200	88										
2300	87										
2400	86										

Captain Mike Date 8/2/24  
 COMMENT: Still on Stage II @ 0100. See

Associate Warden, Programs Division Date 8/12/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE:

7/20/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D				
			A I	D I	A II	D II	A III	D III	CONTACTS MADE	Warden/ AOD	CME/ POC	Unit L.T.	Yard
0100	82												
0200	79												
0300	78												
0400	77												
0500	76												
0600	76	Ronneberg											
0700	78	Ronneberg											
0800	82	Ronneberg											
0900	88	Ronneberg											
1000	92	Ronneberg											
1100	98	Ronneberg	X										
1200	102	Ronneberg											
1300	103	Ronneberg											
1400	106	Ronneberg											
1500	105	Ronneberg											
1600	105	Ronneberg											
1700	104	Ronneberg											
1800	103	Ronneberg											
1900	104	Ronneberg											
2000	99	Ronneberg											
2100	90	Ronneberg											
2200	86	Hanz											
2300	85												
2400	83												

*M. Hee*  
Captain

Date 8-2-24  
COMMENT: At 0100 still on Stage II

*J. J.*  
Associate Warden, Programs Division

Date

8/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

7/21/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0:00 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE		
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.
0100	80										
0200	78										
0300	75										
0400	75										
0500	74										
0600	-										
0700	-										
0800	-										
0900	-										
1000	-										
1100	90										
1200	94										
1300	97										
1400	101	Ronneberg									
1500	102	Ronneberg									
1600	104	Ronneberg									
1700	107	Ronneberg									
1800	107	Ronneberg									
1900	99	Ronneberg									
2000	99	Ronneberg									
2100	89	Ronneberg									
2200	86	Sanchez									
2300	-90	Sanchez									
2400	-90	Sanchez									

Captain John Date 7-22-24  
 Associate Warden, Programs Division

Date 8/21/24

COMMENT: STAGE III ACTIVATED @ 0400, 0400 - STAGE III DEACTIVATED  
 STAGE II - Deactivated @ 2200, STAGE III Reactivated @ 0100 7/22/24

## SIERRA CONSERVATION CENTER

Attachment F  
Revised 04/2020

## HEAT PLAN ACTIVATION REPORT

DATE: 7/22/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER SIGNATURE	STAGES				Activation = A and Deactivation = D				
			A I	D I	A II	D II	A III	D III	Warden/ AOD	CME/ POC	Unit L.T.
0100	-95	SUAREZ							X	X	X
0200	-90	SUAREZ									
0300	-90	SUAREZ									
0400	-90	SUAREZ									
0500	-90	SUAREZ									
0600	-90	R. Lopez									
0700	-90	R. Lopez									
0800	-90	R. Lopez									
0900	88	R. Lopez									
1000	93	R. Lopez									
1100	97	R. Lopez									
1200	100	R. Lopez									
1300	102	R. Lopez									
1400	105	R. Lopez									
1500	106	R. Lopez									
1600	106	R. Lopez									
1700	106	R. Lopez									
1800	107	R. Lopez									
1900	107	R. Lopez									
2000	109	R. Lopez									
2100	94	R. Lopez									
2200	91	R. Lopez									
2300	88	R. Lopez									
2400	86	R. Lopez									

Captain Mihel Date 8-2-24  
COMMENT: Stage III deactivated @ 0100

Associate Warden, Programs Division

Date 8/12/24

## SIERRA CONSERVATION CENTER

## HEAT PLAN ACTIVATION REPORT

DATE: 7/23/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER SIGNATURE	STAGES				Activation = A and Deactivation = D			
			A I	D II	A III	D III	Warden/ AOD	CME/ POC	Unit LT.	Unit Yard
0100	85	R.W.D.					X	X	X	X
0200	83	R.W.D.								
0300	81	R.W.D.								
0400	80	R.W.D.								
0500	79	R.W.D.								
0600	-90									
0700	-90									
0800	-90									
0900	-90									
1000	96						X			
1100	101									
1200	106									
1300	109									
1400	109									
1500	111									
1600	112									
1700	110									
1800	110									
1900	106									
2000	102									
2100	117									
2200	93	R.S.JAUREGUI								
2300	90	R.S.JAUREGUI								
2400	98	R.S.JAUREGUI								

Captain Whele Date 8. 2. 24  
 COMMENT: Stage II still active.

Associate Warden, Programs Division  
 Date 8/2/24

STAGE I & III activate at 0600 hours → 7/24/2024

## SIERRA CONSERVATION CENTER

## HEAT PLAN ACTIVATION REPORT

DATE:

7/24/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	OUTSIDE	WATCH COMMANDER	STAGES						ACTIVATION = A and Deactivation = D			
				A I	D I	A II	D II	A III	D III	CONT ACTS MADE	Warden/ AOD	CME/ POC	Unit L.T.
0100	87	LT. R. S. JAUREGUI	X							X			
0200	88	LT. R. S. JAUREGUI	X							X			
0300	89	LT. R. S. JAUREGUI	X										
0400	89	LT. R. S. JAUREGUI	X										
0500	89	LT. R. S. JAUREGUI	X										
0600	89	LT. R. S. JAUREGUI	X										
0700	-90												
0800	-90												
0900	92		X										
1000	97												
1100	101												
1200	105												
1300	106												
1400	108												
1500	108												
1600	108												
1700	107												
1800	105												
1900	101												
2000	96												
2100	92												
2200	88	LT. R. S. JAUREGUI	X										
2300	87	LT. R. S. JAUREGUI	X										
2400	87	LT. R. S. JAUREGUI	X										

Captain TKE Date 8-2-24  
 COMMENT: Stage III still active → 7/25/2024

Associate Warden, Programs Division Date 8/12/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

This form is to be used when the Uniform Heat Threshold (UHT) of 90° degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	OUTSIDE TEMP	WATCH COMMANDER SIGNATURE	STAGES						ACTIVATION = A and Deactivation = D				
			A I	D I	A II	D II	A III	D III	WARDEN/ AOD	CONT ACTS MADE	CME/ POC	UNIT LT.	YARD
0100	86	L.R.S JAUREGUI ✓											
0200	85	L.R.S JAUREGUI ✓											
0300	81	L.R.S JAUREGUI ✓											
0400	83	L.R.S JAUREGUI ✓											
0500	80	L.R.S JAUREGUI ✓											
0600	- 90	J.C. Chamberlain											
0700	- 90	J.C. Chamberlain											
0800	- 90	J.C. Chamberlain											
0900	90	J.C. Chamberlain											
1000	95	J.C. Chamberlain											
1100	98	J.C. Chamberlain											
1200	101	J.C. Chamberlain											
1300	105	J.C. Chamberlain											
1400	104	J.C. Chamberlain											
1500	106	J.C. Chamberlain											
1600	106	J.C. Chamberlain											
1700	105	J.C. Chamberlain											
1800	102	J.C. Chamberlain											
1900	99	J.C. Chamberlain											
2000	95	J.C. Chamberlain											
2100	91	J.C. Chamberlain											
2200	86	J.C. Chamberlain											
2300	84	J.C. Chamberlain											
2400	- 90	J.C. Chamberlain											

Captain Mark Date 8/22/21  
 COMMENT: STILL ON STAGE III

Associate Warden John Programs Division Date 8/12/21

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**

DATE:

7/26/2024Attachment F  
Revised 04/2020

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	OUTSIDE	WATCH COMMANDER	STAGES				ACTIVATION = A and Deactivation = D				
				A I	D II	A III	D III	A III	D III	CONT ACTS MADE	Warden/ AOD	CME/ POC
0100	-90											
0200	-90											
0300	-90											
0400	-90											
0500	-90											
0600	-90											
0700	-90											
0800	-90											
0900	-90											
1000	92											
1100	95											
1200	101											
1300	104											
1400	104											
1500	106											
1600	106											
1700	104											
1800	100											
1900	93											
2000	84											
2100	84											
2200	-90											
2300	-90											
2400	-90											

Captain *ml* Date *5.22.24*  
 COMMENT: *still static III*

Associate Warden, Programs Division Date *8/12/24*

## SIERRA CONSERVATION CENTER

Attachment F  
Revised 04/2020

## HEAT PLAN ACTIVATION REPORT

DATE: 7/27/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0:00 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	WATCH COMMANDER	SIGNATURE	STAGES				Activation = A and Deactivation = D				
				A I	D I	A II	D II	A III	D III	Warden/ AOD	CONT ACTS MADE	CME/ POC
0100	-90	<i>[Signature]</i>										
0200	-90	<i>[Signature]</i>										
0300	-90	<i>[Signature]</i>										
0400	-90	<i>[Signature]</i>										
0500	-90	<i>[Signature]</i>										
0600	-90	<i>[Signature]</i>										
0700	-90	<i>[Signature]</i>										
0800	-90	<i>[Signature]</i>										
0900	-90	<i>[Signature]</i>										
1000	-90	<i>[Signature]</i>										
1100	-90	<i>[Signature]</i>										
1200	-90	<i>[Signature]</i>										
1300	-90	<i>[Signature]</i>										
1400	-90	<i>[Signature]</i>										
1500	-90	<i>[Signature]</i>										
1600	-94	<i>[Signature]</i>										
1700	-93	<i>[Signature]</i>										
1800	-90	<i>[Signature]</i>										
1900	-90	<i>[Signature]</i>										
2000	-90	<i>[Signature]</i>										
2100	-90	<i>[Signature]</i>										
2200	-90	<i>[Signature]</i>										
2300	-90	<i>[Signature]</i>										
2400	-90	<i>[Signature]</i>										

Captain *[Signature]* Date 6.24 COMMENT: still on stage II

Date 6.24 Associate Warden, Programs Division

Date 6.24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7/28/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	Outside TEMP	WATCH COMMANDER SIGNATURE	STAGES						Activation = A and Deactivation = D CONTACTS MADE					
			I	D	A	D	A	D	III	Warden/ AOD	CME/ POC	Unit LT.	Yard	Clinic
0100	90	J. Perez												
0200	90	J. Perez												
0300	90	J. Perez												
0400	90	J. Perez												
0500	90	J. Perez												
0600	90	J. Perez												
0700	90	J. Perez												
0800	90	J. Perez												
0900	90	J. Perez												
1000	90	J. Perez												
1100	90	J. Perez												
1200	90	J. Perez												
1300	90	J. Perez												
1400	91	Rosenberg												
1500	91	Rosenberg												
1600	93	Rosenberg												
1700	93	Rosenberg												
1800	92	Rosenberg												
1900	88	Rosenberg												
2000	83	Rosenberg												
2100	79	Rosenberg												
2200	77	Vallejo, A.D.												
2300	75	Vallejo, A.D.												
2400	72	Vallejo, A.D.												

Captain phel Date 8-2-24 COMMENT:

Associate Warden, Programs Division Date 8/12/24

SIERRA CONSERVATION CENTER

# HEAT PLAN ACTIVATION REPORT

DATE: 7/29/24

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts at 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

Captain Z  
COMMENT:

Date 6-2-29

*Associate Warden, Programs*

Date 8/12/20

Date

## SIERRA CONSERVATION CENTER

## HEAT PLAN ACTIVATION REPORT

DATE: 7/30/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	OUTSIDE TEMP	WATCH COMMANDER SIGNATURE	STAGES						ACTIVATION = A AND DEACTIVATION = D			
			A I	D I	A II	D II	A III	D III	WARDEN/AOD	CME/POC	UNIT LT.	YARD
0100	-90	<i>[Signature]</i>										
0200	-90	<i>[Signature]</i>										
0300	-90	<i>[Signature]</i>										
0400	-90	<i>[Signature]</i>										
0500	-90	<i>[Signature]</i>										
0600	-90	<i>[Signature]</i>										
0700	-90	<i>[Signature]</i>										
0800	-90	<i>[Signature]</i>										
0900	-90	<i>[Signature]</i>										
1000	-90	<i>[Signature]</i>										
1100	-90	<i>[Signature]</i>										
1200	-90	<i>[Signature]</i>										
1300	91	<i>[Signature]</i>	X	X								
1400	92	<i>[Signature]</i>										
1500	94	<i>[Signature]</i>										
1600	97	<i>[Signature]</i>										
1700	94	<i>[Signature]</i>										
1800	92	<i>[Signature]</i>										
1900	88	<i>[Signature]</i>										
2000	83	<i>[Signature]</i>										
2100	81	<i>[Signature]</i>										
2200	77	<i>[Signature]</i>										
2300	75	<i>[Signature]</i>										
2400	73	<i>[Signature]</i>										

Captain *[Signature]* Date 8-2-24  
COMMENT:

Associate Warden, Programs Division  
Date 8/21/24

## SIERRA CONSERVATION CENTER

**HEAT PLAN ACTIVATION REPORT**DATE: 7/31/2024

This form is to be used when the Uniform Heat Threshold (UHT) of 90 degrees outside is reached and Sierra Conservation Center's Heat Plan is activated. Enter the time in the box under the appropriate action taken. For example, if the UHT is reached at 1:300 hours, enter the temperature of 90 degrees in the box under temperature next to 1300 hours. In the same row, check the corresponding box of the stage activation and the contact made. The Watch Commander should sign next to the temperature as various stages are activated and/or deactivated. If there are no activations or deactivations by the end of the shift, the Watch Commander will sign the time corresponding with the end of the shift. This is a 24 hour form. Example Date 05/01/2020 starts 0100 hour and ends the same day at 2400 hours. Only completed original forms should be forwarded daily to the Health Care Access Office Technician. All completed Heat Logs will be maintained in the Associate Warden of Program Division office.

TIME	TEMP	OUTSIDE	WATCH COMMANDER	STAGES						ACTIVATION = A and Deactivation = D CONTACTS MADE			
				A I	D I	A II	D II	A III	D III	WARDEN/ AOD	CME/ POC	UNIT	YARD
0100	71												
0200	70												
0300	70												
0400	69												
0500	68												
0600	70												
0700	70												
0800	70												
0900	70												
1000	70												
1100	70												
1200	71												
1300	73												
1400	77												
1500	78												
1600	70												
1700	70												
1800	76												
1900	73												
2000	78												
2100	86												
2200	83												
2300	81												
2400	79												

Captain ✓ Date 8-2-24  
 COMMENT: AT 0100 STAGE II

Date 8/2/24  
 Associate Warden, Programs Division

Date 8/2/24

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-1-24	0100	77	MILLS
	0200	76	MILLS
	0300	76	MILLS
	0400	75	MILLS
	0500	74	MILLS
	0600	72	Vazquez
	0700	73	Vazquez
	0800	79	Vazquez
	0900	84	Vazquez
	1000	88	Vazquez
	1100	91	Vazquez
	1200	94	Vazquez
	1300	96	Vazquez
	1400	97	Vazquez
	1500	101	THALMAN
	1600	101	THALMAN
	1700	101	THALMAN
	1800	99	THALMAN
	1900	97	Thalman
	2000	93	Thalman
	2100	88	Thalman
	2200	85	MILLS
	2300	84	MILLS
	2400	83	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-2-24

Date	Time	Temp.	Printed Name
	0100	79	MILLS
	0200	76	MILLS
	0300	75	MILLS
	0400	74	MILLS
	0500	72	MILLS
	0600	71	VAZQUEZ
	0700	73	VAZQUEZ
	0800	80	VAZQUEZ
	0900	87	VAZQUEZ
	1000	92	VAZQUEZ
	1100	95	VAZQUEZ
	1200	98	VAZQUEZ
	1300	100	VAZQUEZ
	1400	101	VAZQUEZ
	1500	106	THALMAN
	1600	106	T halman
	1700	107	T HaL Man
	1800	106	THALMAN
	1900	102	THALMAN
	2000	98	THALMAN
	2100	93	THALMAN
	2200	89	GONZALES
	2300	87	GONZALES
	2400	85	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-3-24	0100	84	GONZALES
	0200	82	GONZALES
	0300	80	GONZALES
	0400	78	GONZALES
	0500	76	GONZALES
	0600	75	VAZQUEZ
	0700	78	VAZQUEZ
	0800	83	VAZQUEZ
	0900	90	VAZQUEZ
	1000	94	VAZQUEZ
	1100	98	VAZQUEZ
	1200	102	VAZQUEZ
	1300	104	VAZQUEZ
	1400	106	VAZQUEZ
	1500	108	Isaman
	1600	109	Isaman
	1700	108	Isaman
	1800	109	Isaman
	1900	104	Isaman
	2000	101	Isaman
	2100	95	Isaman
	2200	90	MILLS
	2300	87	MILLS
	2400	84	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-4-24

Date	Time	Temp.	Printed Name
	0100	82	MILLS
	0200	82	MILLS
	0300	81	MILLS
	0400	81	MILLS
	0500	80	MILLS
	0600	80	Vasquez
	0700	83	Vasquez
	0800	87	Vasquez
	0900	93	Vasquez
	1000	98	Vasquez
	1100	101	Vasquez
	1200	104	Vasquez
	1300	107	Vasquez
	1400	109	Machain
	1500	110	Machain
	1600	111	Machain
	1700	110	Machain
	1800	110	Machain
	1900	103	DeAnda
	2000	100	DeAnda
	2100	95	DeAnda
	2200	91	Grandstaff
	2300	87	Grand Staff
	2400	85	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-5-

Date	Time	Temp.	Printed Name
	0100	83	Grandstaff
	0200	81	Grandstaff
	0300	80	Grandstaff
	0400	76	Grandstaff
	0500	75	Grandstaff
	0600	75	Grandstaff
	0700	75	Mackenzie
	0800	80	Mackenzie
	0900	84	Mackenzie
	1000	90	Mackenzie
	1100	98	Mackenzie
	1200	104	Mackenzie
	1300	106	Mackenzie
	1400	109	K.VUE
	1500	109	K.VUE
	1600	109	K.VUE
	1700	108	K.VUE
	1800	108	K.VUE
	1900	106	K.VUE
	2000	100	K.VUE
	2100	95	K.VUE
	2200	292	Grandstaff
	2300	88	Grandstaff
	2400	85	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-6-24

Date	Time	Temp.	Printed Name
	0100	85	Grand Staff
	0200	83	Grand Staff
	0300	82	Grand Staff
	0400	82	Grand Staff
	0500	80	Grand Staff
	0600	78	Rangel
	0700	80	Rangel
	0800	89	Rangel
	0900	92	Rangel
	1000	98	Rangel
	1100	103	Rangel
	1200	105	Rangel
	1300	108	Rangel
	1400	112	FLOOR
	1500	112	FLOOR
	1600	114	FLOOR
	1700	112	FLOOR
	1800	110	FLOOR
	1900	108	FLOOR
	2000	104	FLOOR
	2100	98	FLOOR
	2200	96-94	MILLS
	2300	93	MILLS
	2400	90	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-7-24	0100	88	MILLS
	0200	87	MILLS
	0300	86	MILLS
	0400	85	MILLS
	0500	84	MILLS
	0600	84	Vasquez
	0700	84	Vasquez
	0800	90	Vasquez
	0900	95	Vasquez
	1000	100	Vasquez
	1100	105	Vasquez
	1200	107	Vasquez
	1300	110	Vasquez
	1400	111	THALMAN
	1500	113	T halman
	1600	113	+Halman
	1700	114	<del>THALMAN</del>
	1800	109	THALMAN
	1900	106	thAlMan
	2000	100	THALMAN
	2100	95	ThAlMan
	2200	91	THALMAN
	2300	91	THALMAN
	2400	88	THALMAN

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-8-24	0100	84	MILLS
	0200	82	MILLS
	0300	80	MILLS
	0400	79	MILLS
	0500	78	MILLS
	0600	80	Vasquez
	0700	83	Vasquez
	0800	87	Vasquez
	0900	99	Vasquez
	1000	97	Vasquez
	1100	100	Vasquez
	1200	104	Vasquez
	1300	107	Vasquez
	1400	110	THALMAN
	1500	111	Thalman
	1600	114	T Halman
	1700	114	THALMAN
	1800	110	THALMAN
	1900	105	THALMAN
	2000	97	THALMAN
	2100	92	THALMAN
	2200	90	THALMAN
	2300	88	Anselmi
	2400	83	Anselmi

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-9

Date	Time	Temp.	Printed Name
	- 24	0100	82 ANSELMI
		0200	80 ANSELMI
		0300	79 ANSELMI
		0400	78 ANSELMI
		0500	76 ANSELMI
		0600	74 VAZQUEZ
		0700	78 VAZQUEZ
		0800	84 VAZQUEZ
		0900	90 VAZQUEZ
		1000	95 VAZQUEZ
		1100	98 VAZQUEZ
		1200	102 VAZQUEZ
		1300	104 VAZQUEZ
		1400	106 VAZQUEZ
		1500	109 Gutierrez
		1600	110 Gutierrez
		1700	107 Gutierrez
		1800	106 Gutierrez
		1900	102 Gutierrez
		2000	97 Gutierrez
		2100	91 Gutierrez
		2200	86 GONZALES
		2300	83 GONZALES
		2400	80 GONZALES

Date	Time	Temp.	Printed Name
		0100	
		0200	
		0300	
		0400	
		0500	
		0600	
		0700	
		0800	
		0900	
		1000	
		1100	
		1200	
		1300	
		1400	
		1500	
		1600	
		1700	
		1800	
		1900	
		2000	
		2100	
		2200	
		2300	
		2400	

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
7-10-	24	0100	78	GONZALES	0100		
		0200	77	GONZALES	0200		
		0300	76	GONZALES	0300		
		0400	75	GONZALES	0400		
		0500	74	GONZALES	0500		
		0600	74	VAZQUEZ	0600		
		0700	78	VAZQUEZ	0700		
		0800	82	VAZQUEZ	0800		
		0900	88	VAZQUEZ	0900		
		1000	94	VAZQUEZ	1000		
		1100	99	VAZQUEZ	1100		
		1200	101	VAZQUEZ	1200		
		1300	104	VAZQUEZ	1300		
		1400	108	VAZQUEZ	1400		
		1500	109	Isaman	1500		
		1600	110	Isaman	1600		
		1700	108	Isaman	1700		
		1800	107	Isaman	1800		
		1900	105	Isaman	1900		
		2000	100	Isaman	2000		
		2100	94	Isaman	2100		
		2200	90	GONZALES	2200		
		2300	88	GONZALES	2300		
		2400	85	GONZALES	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
COCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-11-

Date	Time	Temp.	Printed Name
	0100	82	GONZALES
	0200	82	GONZALES
	0300	82	GONZALES
	0400	82	GONZALES
	0500	83	GONZALES
	0600	83	VAZQUEZ
	0700	85	VAZQUEZ
	0800	89	VAZQUEZ
	0900	93	VAZQUEZ
	1000	98	VAZQUEZ
	1100	103	VAZQUEZ
	1200	106	VAZQUEZ
	1300	110	VAZQUEZ
	1400	112	VAZQUEZ
	1500	113	CARDOSO
	1600	114	CARDOSO
	1700	113	CARDOSO
	1800	108	CARDOSO
	1900	106	CARDOSO
	2000	101	CARDOSO
	2100	99	CARDOSO
	2200	93	Grand Staff
	2300	91	Grand Staff
	2400	89	Grand Staff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-12-24	0100	86	Grandstaff
	0200	85	Grandstaff
	0300	84	Grandstaff
	0400	83	Grandstaff
	0500	82	Grandstaff
	0600	81	HEEREMA
	0700	83	HEEREMA
	0800	87	HEEREMA
	0900	95	HEEREMA
	1000	98	HEEREMA
	1100	104	HEEREMA
	1200	107	HEEREMA
	1300	110	HEEREMA
	1400	111	RADCLIFFE
	1500	113	RADCLIFFE
	1600	112	RADCLIFFE
	1700	113	RADCLIFFE
	1800	112	RADCLIFFE
	1900	107	RADCLIFFE
	2000	101	RADCLIFFE
	2100	96	RADCLIFFE
	2200	94	Grandstaff
	2300	93	Grandstaff
	2400	91	Grandstaff

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
7-13-24	0100	90	Grandstaff		0100		
	0200	87	Grandstaff		0200		
	0300	85	Grandstaff		0300		
	0400	84	Grandstaff		0400		
	0500	83	Grandstaff		0500		
	0600	85	HEEREMA		0600		
	0700	84	HEEREMA		0700		
	0800	85	HEEREMA		0800		
	0900	88	HEEREMA		0900		
	1000	90	HEEREMA		1000		
	1100	97	HEEREMA		1100		
	1200	101	HEEREMA		1200		
	1300	107	HEEREMA		1300		
	1400	107	O. MANN		1400		
	1500	106	O. MANN		1500		
	1600	105	O. MANN		1600		
	1700	104	O. MANN		1700		
	1800	102	O. MANN		1800		
	1900	99	O. MANN		1900		
	2000	91	O. MANN		2000		
	2100	86	O. MANN		2100		
	2200	84	A. NGUYEN		2200		
	2300	83	A. NGUYEN		2300		
	2400	82	A. NGUYEN		2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-14-24

Date	Time	Temp.	Printed Name
	0100	81	A. NGUYEN
	0200	81	A. NGUYEN
	0300	80	A. NGUYEN
	0400	81	A. NGUYEN
	0500	81	A. NGUYEN
	0600	78	A. NGUYEN
	0700	78	VAZQUEZ
	0800	82	VAZQUEZ
	0900	84	VAZQUEZ
	1000	85	VAZQUEZ
	1100	90	VAZQUEZ
	1200	94	VAZQUEZ
	1300	102	VAZQUEZ
	1400	103	VAZQUEZ
	1500	103	Vazquez
	1600	103	Vazquez
	1700	104	Vazquez
	1800	101	Vazquez
	1900	95	Vazquez
	2000	90	Vazquez
	2100	86	Vazquez
	2200	83	Vazquez
	2300	81	MILLS
	2400	79	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-15-24

Date	Time	Temp.	Printed Name
	0100	78	MILLS
	0200	76	MILLS
	0300	74	MILLS
	0400	73	MILLS
	0500	74	MILLS
	0600	75	VAZQUEZ
	0700	76	VAZQUEZ
	0800	80	VAZQUEZ
	0900	85	VAZQUEZ
	1000	88	VAZQUEZ
	1100	94	VAZQUEZ
	1200	98	VAZQUEZ
	1300	100	VAZQUEZ
	1400	100	VAZQUEZ
	1500	102	THALMAN
	1600	103	T-halman
	1700	102	+HalMan
	1800	102	FIRESTZ
	1900	96	THALMAN
	2000	89	THALMAN
	2100	83	thalman
	2200	81	MILLS
	2300	78	MILLS
	2400	76	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
7-16-24	0100	74	MILLS		0100		
	0200	72	MILLS		0200		
	0300	71	MILLS		0300		
	0400	69	MILLS		0400		
	0500	68	MILLS		0500		
	0600	67	VAZQUEZ		0600		
	0700	69	VAZQUEZ		0700		
	0800	72	VAZQUEZ		0800		
	0900	77	VAZQUEZ		0900		
	1000	83	VAZQUEZ		1000		
	1100	90	VAZQUEZ		1100		
	1200	90	COTY		1200		
	1300	92	COTY		1300		
	1400	101	THALMAN		1400		
	1500	102	THALMAN		1500		
	1600	98	THALMAN		1600		
	1700	97	T-halman		1700		
	1800	95	THALMAN		1800		
	1900	93	HESSE		1900		
	2000	85	THALMAN		2000		
	2100	80	Thalman		2100		
	2200	76	GONZALES		2200		
	2300	72	GONZALES		2300		
	2400	70	GONZALES		2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-17-24

Date	Time	Temp.	Printed Name
	0100	67	GONZALES
	0200	65	GONZALES
	0300	65	GONZALES
	0400	65	GONZALES
	0500	65	GONZALES
	0600	62	VAZQUEZ
	0700	64	VAZQUEZ
	0800	71	VAZQUEZ
	0900	75	VAZQUEZ
	1000	82	VAZQUEZ
	1100	86	VAZQUEZ
	1200	90	VAZQUEZ
	1300	95	VAZQUEZ
	1400	97	VAZQUEZ
	1500	97	Isaman
	1600	98	Isaman
	1700	98	Isaman
	1800	98	Isaman
	1900	94	Isaman
	2000	88	Isaman
	2100	83	Isaman
	2200	80	GONZALES
	2300	77	GONZALES
	2400	75	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
7-18-24	0100	73	GONZALES		0100		
	0200	73	GONZALES		0200		
	0300	72	GONZALES		0300		
	0400	71	GONZALES		0400		
	0500	70	GONZALES		0500		
	0600	70	VAZQUEZ		0600		
	0700	74	VAZQUEZ		0700		
	0800	79	VAZQUEZ		0800		
	0900	83	VAZQUEZ		0900		
	1000	87	VAZQUEZ		1000		
	1100	90	VAZQUEZ		1100		
	1200	91	VAZQUEZ		1200		
	1300	93	VAZQUEZ		1300		
	1400	98	VAZQUEZ		1400		
	1500	98	Flores		1500		
	1600	98	Flores		1600		
	1700	97	Flores		1700		
	1800	97	Flores		1800		
	1900	94	Flores		1900		
	2000	94	Flores		2000		
	2100	88	Flores		2100		
	2200	86	GREGG		2200		
	2300	83	GREGG		2300		
	2400	81	GREGG		2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-19-24

Date	Time	Temp.	Printed Name
	0100	79	GREGG
	0200	79	GREGG
	0300	77	GREGG
	0400	77	GREGG
	0500	75	GREGG
	0600	76	B. Mackenzie
	0700	80	B. Mackenzie
	0800	83	B. Mackenzie
	0900	87	B. Mackenzie
	1000	89	B. Mackenzie
	1100	94	B. Mackenzie
	1200	98	B. Mackenzie
	1300	101	B. Mackenzie
	1400	102	J. Brown
	1500	104	J. Brown
	1600	105	P. KING
	1700	103	P. KING
	1800	103	P. KING
	1900	100	P. KING
	2000	94	P. KING
	2100	91	P. KING
	2200	88	GREGG
	2300	87	GREGG
	2400	85	GREGG

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
7-20-24	0100	82	GREGG
	0200	79	GREGG
	0300	78	GREGG
	0400	77	GREGG
	0500	76	GREGG
	0600	76	MARTINEZ
	0700	78	MARTINEZ
	0800	82	MARTINEZ
	0900	88	MARTINEZ
	1000	92	MARTINEZ
	1100	98	MARTINEZ
	1200	101	MARTINEZ
	1300	103	MARTINEZ
	1400	106	J. Mastoles
	1500	105	J. Mastoles
	1600	105	J. Mastoles
	1700	104	J. Mastoles
	1800	103	J. Mastoles
	1900	100	J. Mastoles
	2000	94	J. Mastoles
	2100	90	J. Mastoles
	2200	86	A. NGUYEN
	2300	85	A. NGUYEN
	2400	83	A. NGUYEN

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-21-24

Date	Time	Temp.	Printed Name
	0100	80	A-NGUYEN
	0200	78	A-NGUYEN
	0300	75	A-NGUYEN
	0400	75	A-NGUYEN
	0500	74	A-NGUYEN
	0600	73	A-NGUYEN
	0700	74	VAZQUEZ
	0800	79	VAZQUEZ
	0900	82	VAZQUEZ
	1000	86	VAZQUEZ
	1100	91	VAZQUEZ
	1200	94	VAZQUEZ
	1300	97	VAZQUEZ
	1400	101	VAZQUEZ
	1500	102	SUMNER
	1600	104	SUMNER
	1700	103	SUMNER
	1800	103	SUMNER
	1900	99	SUMNER
	2000	94	SUMNER
	2100	89	SUMNER
	2200	86	SUMNER
	2300	83	MILLS
	2400	81	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-22-24

Date	Time	Temp.	Printed Name
	0100	80	MILLS
	0200	78	MILLS
	0300	78	MILLS
	0400	78	LO
	0500	76	LO
	0600	75	VAZQUEZ
	0700	76	VAZQUEZ
	0800	81	VAZQUEZ
	0900	88	VAZQUEZ
	1000	93	VAZQUEZ
	1100	97	VAZQUEZ
	1200	100	VAZQUEZ
	1300	102	VAZQUEZ
	1400	105	VAZQUEZ
	1500	106	THALMAN
	1600	106	THALMAN
	1700	108	THALMAN
	1800	107	THALMAN
	1900	104	THALMAN
	2000	99	THALMAN
	2100	94	T-halman
	2200	91	MILLS
	2300	88	MILLS
	2400	86	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	Date	Time	Temp.	Printed Name
7-23-24	0100	85	MILLS		0100		
	0200	83	MILLS		0200		
	0300	81	MILLS		0300		
	0400	80	MILLS		0400		
	0500	79	MILLS		0500		
	0600	78	VAZQUEZ		0600		
	0700	81	VAZQUEZ		0700		
	0800	84	VAZQUEZ		0800		
	0900	88	VAZQUEZ		0900		
	1000	96	VAZQUEZ		1000		
	1100	101	VAZQUEZ		1100		
	1200	106	VAZQUEZ		1200		
	1300	108	GONZALEZ		1300		
	1400	109	THALMAN		1400		
	1500	111	THALMAN		1500		
	1600	112	THALMAN		1600		
	1700	110	THALMAN		1700		
	1800	110	THALMAN		1800		
	1900	106	THALMAN		1900		
	2000	102	THALMAN		2000		
	2100	97	THALMAN		2100		
	2200	93	GONZALEZ		2200		
	2300	90	GONZALEZ		2300		
	2400	88	GONZALEZ		2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-24

Date	Time	Temp.	Printed Name
-24	0100	87	GONZALES
	0200	88	GONZALES
	0300	86	GONZALES
	0400	84	GONZALES
	0500	84	GONZALES
	0600	82	FISH
	0700	84	FISH
	0800	87	FISH
	0900	92	FISH
	1000	97	FISH
	1100	101	FISH
	1200	105	FISH
	1300	106	FISH
	1400	108	FISH
	1500	108	Isaman
	1600	108	Isaman
	1700	107	Isaman
	1800	105	Isaman
	1900	101	Isaman
	2000	96	Isaman
	2100	92	Isaman
	2200	88	GONZALES
	2300	87	GONZALES
	2400	87	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-25-24

Date	Time	Temp.	Printed Name
	0100	86	GONZALES
	0200	85	GONZALES
	0300	84	GONZALES
	0400	83	GONZALES
	0500	80	GONZALES
	0600	79	Wey
	0700	81	Wey
	0800	85	Wey
	0900	90	Wey
	1000	95	Wey
	1100	99	Wey
	1200	101	Wey
	1300	105	Way
	1400	104	Machain
	1500	106	Machain
	1600	106	Machain
	1700	105	Machain
	1800	102	Machain
	1900	99	Machain
	2000	95	Machain
	2100	91	Machain
	2200	86.8	Granstaff
	2300	84	Granstaff
	2400	83	Granstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

## INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-26-24

Date	Time	Temp.	Printed Name
	0100	82	Grandstaff
	0200	81	Grandstaff
	0300	79	Grandstaff
	0400	78	Grandstaff
	0500	77	Grandstaff
	0600	77	Rangel
	0700	79	Rangel
	0800	83	Rangel
	0900	89	Rangel
	1000	92	Rangel
	1100	95	Rangel
	1200	101	Rangel
	1300	104	Rangel
	1400	104	THALMAN
	1500	104	THALMAN
	1600	106	THALMAN
	1700	104	LAWRENCE
	1800	100	T halman
	1900	93	THALMAN
	2000	86	THALMAN
	2100	84	THALMAN
	2200	81	Grandstaff
	2300	77	Grandstaff
	2400	74	Grandstaff

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
COCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-27-24

Date	Time	Temp.	Printed Name
	0100	72	Grandstaff
	0200	71	Grandstaff
	0300	68	Grandstaff
	0400	67	Grandstaff
	0500	65	Grandstaff
	0600	66	Perez
	0700	66	Perez
	0800	68	Perez
	0900	71	Perez
	1000	78	Perez
	1100	80	Perez
	1200	84	Perez
	1300	86	Perez
	1400	89	THALMAN
	1500	90	T halman
	1600	94	THALMAN
	1700	93	LAWRENCE
	1800	89	THALMAN
	1900	84	tHalMan
	2000	79	THALMAN
	2100	72	thalman
	2200	70	RANDOL
	2300	67	RANDOL
	2400	65	RANDOL

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-28-24

Date	Time	Temp.	Printed Name
	0100	63	RANDOR
	0200	61	RANDOR
	0300	61	RANDOR
	0400	59	RANDOR
	0500	60	RANDOR
	0600	68	Vasque
	0700	68	Vasque
	0800	66	Vasque
	0900	72	Vasque
	1000	74	Vasque
	1100	81	Vasque
	1200	85	Vasque
	1300	88	Vasque
	1400	91	T-halman
	1500	91	THALMAN
	1600	93	THALMAN
	1700	93	FISHER
	1800	92	THALMAN
	1900	88	THALMAN
	2000	83	THALMAN
	2100	79	thalman
	2200	77	MILLS
	2300	75	MILLS
	2400	72	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7)-days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-29-24

Date	Time	Temp.	Printed Name
	0100	70	MILLS
	0200	69	MILLS
	0300	68	MILLS
	0400	67	MILLS
	0500	66	MILLS
	0600	65	VAZQUEZ
	0700	68	VAZQUEZ
	0800	73	VAZQUEZ
	0900	77	VAZQUEZ
	1000	84	VAZQUEZ
	1100	86	VAZQUEZ
	1200	89	VAZQUEZ
	1300	92	VAZQUEZ
	1400	94	VAZQUEZ
	1500	95	THALMAN
	1600	94	THALMAN
	1700	96	THALMAN
	1800	92	THALMAN
	1900	88	THALMAN
	2000	84	THALMAN
	2100	79	THALMAN
	2200	76	MILLS
	2300	73	MILLS
	2400	71	MILLS

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2830 (04/18)

ATT B

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-30

Date	Time	Temp.	Printed Name
	0100	71	MILLS
	0200	70	MILLS
	0300	69	MILLS
	0400	68	MILLS
	0500	67	MILLS
	0600	66	VAZQUEZ
	0700	68	VAZQUEZ
	0800	73	VAZQUEZ
	0900	78	VAZQUEZ
	1000	83	VAZQUEZ
	1100	88	VAZQUEZ
	1200	89	VAZQUEZ
	1300	91	VAZQUEZ
	1400	96	VAZQUEZ
	1500	96	THALMAN
	1600	97	THALMAN
	1700	94	Thalman
	1800	92	Thalman
	1900	88	THALMAN
	2000	83	THALMAN
	2100	81	THALMAN
	2200	77	GONZALES
	2300	75	(GONZALES)
	2400	73	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: Sierra Conservation Center

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: Plaza Control

Immediately notify the Watch Commander at extension 5439 when the air temperature reaches 90 degrees.

7-31-24

Date	Time	Temp.	Printed Name
	0100	71	GONZALES
	0200	70	GONZALES
	0300	70	GONZALES
	0400	69	GONZALES
	0500	68	GONZALES
	0600	68	VAZQUEZ
	0700	68	VAZQUEZ
	0800	74	VAZQUEZ
	0900	78	VAZQUEZ
	1000	85	VAZQUEZ
	1100	90	VAZQUEZ
	1200	91	VAZQUEZ
	1300	93	VAZQUEZ
	1400	97	VAZQUEZ
	1500	98	Isaman
	1600	101	Isaman
	1700	100	Isaman
	1800	96	Isaman
	1900	93	Isaman
	2000	88	Isaman
	2100	86	Isaman
	2200	83	GONZALES
	2300	81	GONZALES
	2400	79	GONZALES

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	90	G 1
	0600	86	CARDOZA
	0900	90	CARDOZA
	1200	90	CARDOZA
	1500	90	Garcia
	1800	90	Garcia
	2100	91	Garcia
	2400	91	Rhyppel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	90	P. KING
	0600	91	HILLER
	0900	93	HILLER
	1200	93	HILLER
	1500	93	SANCHEZ
	1800	93	SANCHEZ
	2100	94	SANCHEZ
	2400	93	or 1

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	92	or 1
	0600	95	CARDOZA
	0900	95	CARDOZA
	1200	95	CARDOZA
	1500	96	Prado
	1800	96	Prado
	2100	96	Prado
	2400	94	or 1

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	92	or 1
	0600	90	SJ
	0900	91	SJ
	1200	95	SJ
	1500	96	SJ
	1800	98	Herr
	2100	98	Herr
	2400	97	G 1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	90	Rhyppel
	0600	92	Barker
	0900	90	Barker
	1200	91	Barker
	1500	91	Garcia
	1800	92	Garcia
	2100	92	Garcia
	2400	90	P. KING

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	92	G 1
	0600	93	CARDOZA
	0900	94	CARDOZA
	1200	100	CARDOZA
	1500	93	SANCHEZ
	1800	95	SANCHEZ
	2100	96	SANCHEZ
	2400	94	or 1

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	95	or 1
	0600	96	CARDOZA
	0900	96	CARDOZA
	1200	96	CARDOZA
	1500	97	Prado
	1800	99	Prado
	2100	98	Prado
	2400	96	or 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	88	Allen
	0600	87	<del>Allen</del>
	0900	88	<del>Allen</del>
	1200	89	<del>Allen</del>
	1500	90	Castillo
	1800	89	Castillo
	2100	88	Castillo
	2400	92	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	94	Kimbrell
	0600	94	<del>Kimbrell</del>
	0900	95	<del>Kimbrell</del>
	1200	95	<del>Kimbrell</del>
	1500	95	<del>Kimbrell</del>
	1800	96	<del>Kimbrell</del>
	2100	97	<del>Kimbrell</del>
	2400	96	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	95	Rangs
	0600	95	<del>Rangs</del>
	0900	95	<del>Rangs</del>
	1200	95	<del>Rangs</del>
	1500	96	<del>Rangs</del>
	1800	97	<del>Rangs</del>
	2100	98	<del>Rangs</del>
	2400	97	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	96	J. CHAVEZ
	0600	93	M. Nerd
	0900	99	M. Nerd
	1200	95	M. Nerd
	1500	99	Castillo
	1800	98	Castillo
	2100	97	Castillo
	2400	98	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	90	Allen
	0600	90	<del>Allen</del>
	0900	91	<del>Allen</del>
	1200	91	<del>Allen</del>
	1500	93	<del>Allen</del>
	1800	94	<del>Allen</del>
	2100	95	<del>Allen</del>
	2400	95	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	96	Kimbrell
	0600	96	<del>Kimbrell</del>
	0900	96	<del>Kimbrell</del>
	1200	96	<del>Kimbrell</del>
	1500	96	<del>Kimbrell</del>
	1800	96	<del>Kimbrell</del>
	2100	98	<del>Kimbrell</del>
	2400	97	Rangs

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	97	Kimbrell
	0600	96	<del>Kimbrell</del>
	0900	97	<del>Kimbrell</del>
	1200	97	<del>Kimbrell</del>
	1500	100	<del>Kimbrell</del>
	1800	100	<del>Kimbrell</del>
	2100	103	<del>Kimbrell</del>
	2400	99	J. CHAVEZ

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print & Sign: J. AMEZQUETA

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	88	c-1
	0600	88	CARDONA
	0900	87	CARDONA
	1200	90	CARDONA
	1500	90	Garcia
	1800	89	Garcia
	2100	90	Garcia
	2400	90	Ryant

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	92	P-KING
	0600	91	HILGEN
	0900	93	HILGEN
	1200	93	HILGEN
	1500	92	SANCHEZ
	1800	93	SANCHEZ
	2100	95	SANCHEZ
	2400	94	c-1

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	94	c-1
	0600	94	CARDONA
	0900	94	CARDONA
	1200	95	CARDONA
	1500	96	P-PROD
	1800	96	P-PROD
	2100	95	P-PROD
	2400	95	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	92	c-1
	0600	90	s-1
	0900	94	s-1
	1200	96	s-1
	1500	97	Her
	1800	98	Her
	2100	99	Her
	2400	98	g-1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	90	Hyper
	0600	90	Barker
	0900	88	Barker
	1200	89	Barker
	1500	90	barker
	1800	91	Garcia
	2100	92	Garcia
	2400	92	P-KING

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	93	Guil
	0600	93	CARDONA
	0900	94	CARDONA
	1200	100	CARDONA
	1500	94	SANCHEZ
	1800	96	SANCHEZ
	2100	96	SANCHEZ
	2400	95	c-1

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	95	Chang
	0600	93	CARDONA
	0900	95	CARDONA
	1200	95	CARDONA
	1500	90	P-PROD
	1800	91	P-PROD
	2100	94	P-PROD
	2400	94	c-1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 68 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	88	Allen
	0600	86	Kubbe
	0900	88	Pell
	1200	89	Rubin
	1500	90	Costillo
	1800	90	Costillo
	2100	89	Costillo
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	89	Allen
	0600	89	
	0900	89	
	1200	89	
	1500	91	
	1800	92	
	2100	93	
	2400	92	Kumball

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	91	Kumball
	0600	92	
	0900	92	
	1200	93	
	1500	95	
	1800	95	
	2100	95	
	2400	94	Kumball

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	94	Kumball
	0600	92	
	0900	93	
	1200	94	
	1500	94	
	1800	95	
	2100	96	
	2400	95	Wong

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	93	Wong
	0600	92	
	0900	93	
	1200	94	
	1500	95	
	1800	96	
	2100	97	
	2400	96	Kumball

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	96	Kumball
	0600	93	
	0900	94	
	1200	95	
	1500	98	
	1800	98	
	2100	99	
	2400	97	J. CHAVEZ

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign: J. AMERIQUE

3rd/W - Print &amp; Sign

Date	Time	Temp.	Name (Print)
7/7	0300	95	J. CHAVEZ
	0600	92	M. Hodge
	0900	93	M. Hodge
	1200	95	M. Rebin
	1500	98	COSTILLO
	1800	97	COSTILLO
	2100	97	COSTILLO
	2400	99	Allen

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 69 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	88	carl
	0600	88	Cardona
	0900	87	Cardona
	1200	89	Cardona
	1500	90	Garcia
	1800	89	Garcia
	2100	90	Garcia
	2400	90	Happel

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	90	Happel
	0600	91	Barker
	0900	89	Barker
	1200	88	Barker
	1500	90	Garcia
	1800	91	Garcia
	2100	92	Garcia
	2400	90	P. KING

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	91	P. KING
	0600	91	MICHAEL
	0900	93	MICHAEL
	1200	93	MICHAEL
	1500	94	SANCHEZ
	1800	94	SANCHEZ
	2100	95	SANCHEZ
	2400	95	carl

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	92	GW
	0600	95	CARDONA
	0900	95	CARDONA
	1200	100	CARDONA
	1500	99	SANCHEZ
	1800	99	SANCHEZ
	2100	96	SANCHEZ
	2400	95	carl

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	93	carl
	0600	93	CARDONA
	0900	94	CARDONA
	1200	95	CARDONA
	1500	96	Prado
	1800	96	Prado
	2100	96	Prado
	2400	95	Gutierrez

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	95	clark
	0600	94	CARDONA
	0900	95	CARDONA
	1200	95	CARDONA
	1500	96	Prado
	1800	97	Prado
	2100	96	Prado
	2400	94	carl

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	93	carl
	0600	90	51
	0900	91	91
	1200	95	51
	1500	96	51
	1800	98	Hoy
	2100	99	Hoy
	2400	97	carl

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 70 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/1	0300	89	Allen
	0600	85	Rogers
	0900	86	Tellez
	1200	88	Hub
	1500	90	Castillo
	1800	88	Castillo
	2100	88	Castillo
	2400	88	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	87	Allen
	0600	88	<del>Allen</del>
	0900	89	<del>Allen</del>
	1200	89	<del>Allen</del>
	1500		
	1800		
	2100		
	2400		

#### Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	91	Kimball
	0600	90	<del>Kimball</del>
	0900	91	<del>Kimball</del>
	1200	92	<del>Kimball</del>
	1500	93	<del>Kimball</del>
	1800	93	<del>Kimball</del>
	2100	94	<del>Kimball</del>
	2400	94	Kimball

#### Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	94	Kimball
	0600	92	<del>Kimball</del>
	0900	92	<del>Kimball</del>
	1200	93	<del>Kimball</del>
	1500	94	<del>Kimball</del>
	1800	94	<del>Kimball</del>
	2100	95	<del>Kimball</del>
	2400	94	Wang

#### Friday

Date	Time	Temp.	Name (Print)
7/5	0300	93	Wang
	0600	92	<del>Wang</del>
	0900	93	<del>Wang</del>
	1200	93	<del>Wang</del>
	1500	93	<del>Wang</del>
	1800	93	<del>Wang</del>
	2100	94	<del>Wang</del>
	2400	94	Kimball

#### Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	94	Kimball
	0600	93	<del>Kimball</del>
	0900	93	<del>Kimball</del>
	1200	94	<del>Kimball</del>
	1500	95	<del>Kimball</del>
	1800	95	<del>Kimball</del>
	2100	95	<del>Kimball</del>
	2400	97	J. CHAVEZ

#### Sunday

Date	Time	Temp.	Name (Print)
7/7	0300	95	J. CHAVEZ
	0600	92	McNelis
	0900	94	Mc Reb
	1200	95	Mc Reb
	1500	98	Castillo
	1800	97	Castillo
	2100	99	Castillo
	2400	96	Allen

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign: J. Amezcua 

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	87	as 1
	0600	84	CARDONA
	0900	85	CARDONA
	1200	90	CARDONA
	1500	90	Garcia
	1800	89	Garcia
	2100	90	Garcia
	2400	91	Rappel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	92	P. KDG
	0600	91	HAGEN
	0900	92	HAGEN
	1200	93	HAGEN
	1500	95	SANCHEZ
	1800	95	SANCHEZ
	2100	96	SANCHEZ
	2400	94	as 1

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	95	as 1
	0600	93	CARDONA
	0900	93	CARDONA
	1200	95	CARDONA
	1500	90	Prado
	1800	96	Prado
	2100	95	Prado
	2400	95	Chay

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	79	as 1
	0600	90	ST
	0900	94	ST
	1200	95	ST
	1500	96	ST
	1800	97	ST
	2100	98	ST
	2400	96	as 1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	90	Rappel
	0600	89	Barker
	0900	90	Barker
	1200	90	Barker
	1500	90	Garcia
	1800	91	Garcia
	2100	92	Garcia
	2400	91	P-KDG

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	92	Gu
	0600	95	CARDONA
	0900	95	CARDONA
	1200	99	CARDONA
	1500	96	SANCHEZ
	1800	97	SANCHEZ
	2100	98	SANCHEZ
	2400	97	as 1

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	95	Chay
	0600	94	CARDONA
	0900	94	CARDONA
	1200	95	CARDONA
	1500	90	Prado
	1800	91	Prado
	2100	97	Prado
	2400	96	as 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/1	0300	88	Allen
	0600	88	Lobles
	0900	86	Ogles
	1200	88	Nodd
	1500	89	Castillo
	1800	90	Castillo
	2100	81	Castillo
	2400	88	Allen

Tuesday

Date	Time	Temp.	Name (Print)
7/2	0300	88	Allen
	0600	89	
	0900	89	
	1200	89	
	1500	91	
	1800	91	
	2100	92	
	2400	93	Kimbrell

Wednesday

Date	Time	Temp.	Name (Print)
7/3	0300	91	Kimbrell
	0600	92	
	0900	92	
	1200	93	
	1500	94	
	1800	95	
	2100	95	
	2400	94	Kimbrell

Thursday

Date	Time	Temp.	Name (Print)
7/4	0300	94	Kimbrell
	0600	92	
	0900	93	
	1200	95	
	1500	95	
	1800	96	
	2100	96	
	2400	95	incus

Friday

Date	Time	Temp.	Name (Print)
7/5	0300	93	incus
	0600	92	
	0900	93	
	1200	94	
	1500	94	
	1800	94	
	2100	95	
	2400	95	Kimbrell

Saturday

Date	Time	Temp.	Name (Print)
7/6	0300	95	Kimbrell
	0600	92	
	0900	93	
	1200	94	
	1500	96	
	1800	97	
	2100	98	
	2400	97	J CHAVEZ

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign: Dr. Amerson

3rd/W - Print & Sign:

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	86	car 1
	0600	87	CARDONA
	0900	85	CARDONA
	1200	88	CARDONA
	1500	90	CARDONA
	1800	89	Garcia
	2100	90	Garcia
	2400	90	Miguel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	91	P. KING
	0600	90	HIGGINS
	0900	91	HIGGINS
	1200	92	STELAR
	1500	94	SANCHEZ
	1800	95	SANCHEZ
	2100	96	SANCHEZ
	2400	95	car 1

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	95	car 1
	0600	94	CARDONA
	0900	94	CARDONA
	1200	96	CARDONA
	1500	96	DIAZO
	1800	96	DIAZO
	2100	96	DIAZO
	2400	96	Cherry

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	94	car 1
	0600	90	STL
	0900	94	STL
	1200	95	STL
	1500	96	STL
	1800	98	HERV
	2100	99	HERV
	2400	98	car 1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	90	Miguel
	0600	90	Baker
	0900	87	Baker
	1200	89	Baker
	1500	90	Garcia
	1800	91	Garcia
	2100	92	Garcia
	2400	92	P. KING

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	92	Guil
	0600	92	CARDONA
	0900	93	CARDONA
	1200	98	CARDONA
	1500	97	SANCHEZ
	1800	97	SANCHEZ
	2100	97	SANCHEZ
	2400	96	car 1

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	95	Cherry
	0600	93	CARDONA
	0900	94	CARDONA
	1200	95	CARDONA
	1500	96	DIAZO
	1800	97	DIAZO
	2100	96	DIAZO
	2400	95	car 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 74 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	88	Allen
	0600	85	Ruth
	0900	86	Ruth
	1200	88	Ruth
	1500	88	Cestillo
	1800	89	Cestillo
	2100	88	Cestillo
	2400	89	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	90	Kimbrell
	0600	90	
	0900	91	
	1200	92	
	1500	93	
	1800	93	
	2100	93	
	2400	91	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	93	Vang
	0600	92	
	0900	92	
	1200	93	
	1500	99	
	1800	94	
	2100	95	
	2400	94	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	94	J. C. M. Vang
	0600	92	M. Ruth
	0900	94	M. Ruth
	1200	98	M. Ruth
	1500	98	Cestillo
	1800	98	Cestillo
	2100	97	Cestillo
	2400	94	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	93	Allen
	0600	88	
	0900	89	
	1200	89	
	1500	91	
	1800	91	
	2100	91	
	2400	91	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
7/14	0300	91	Kimbrell
	0600	90	
	0900	91	
	1200	94	
	1500	95	
	1800	95	
	2100	96	
	2400	95	Vang

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	94	Kimbrell
	0600	92	
	0900	92	
	1200	93	
	1500	96	
	1800	98	
	2100	98	
	2400	98	J. C. M. Vang

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign: J. A. Jones

3rd/W - Print &amp; Sign:

STATE OF CALIFORNIA:  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 75 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	87	Gul
	0600	87	CARDONA
	0900	88	CARDONA
	1200	89	CARDONA
	1500	90	Garcia
	1800	87	Garcia
	2100	90	Garcia
	2400	60	Pappel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	90	P. KING
	0600	90	HILGER
	0900	92	HILGER
	1200	93	HILGER
	1500	92	SANCHEZ
	1800	93	SANCHEZ
	2100	93	SANCHEZ
	2400	92	Gul

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	92	Gul
	0600	93	CARDONA
	0900	93	CARDONA
	1200	95	CARDONA
	1500	96	DIAZO
	1800	96	DIAZO
	2100	95	DIAZO
	2400	95	Chung

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	93	Gul
	0600	90	ST
	0900	94	ST
	1200	95	ST
	1500	96	ST
	1800	98	ST
	2100	99	ST
	2400	97	Gul

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	94	Mugay
	0600	90	Barker
	0900	89	Barker
	1200	89	Barker
	1500	90	Garcia
	1800	91	Garcia
	2100	92	Garcia
	2400	91	P. KONG

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	92	Gul
	0600	95	CARDONA
	0900	95	CARDONA
	1200	94	CARDONA
	1500	93	SANCHEZ
	1800	94	SANCHEZ
	2100	95	SANCHEZ
	2400	96	Gul

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	95	Chung
	0600	93	CARDONA
	0900	94	CARDONA
	1200	95	CARDONA
	1500	96	DIAZO
	1800	97	DIAZO
	2100	96	DIAZO
	2400	95	Gul

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign:

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR.2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 76 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/1	0300	88	Allen
	0600	82	<del>Walter</del>
	0900	84	<del>Jofra</del>
	1200	88	<del>Rash</del>
	1500	89	<del>Cecille</del>
	1800	90	<del>Castillo</del>
	2100	91	<del>Castillo</del>
	2400	89	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/2	0300	88	Allen
	0600	86	<del>Jofra</del>
	0900	82	<del>Rash</del>
	1200	85	<del>Castillo</del>
	1500	90	<del>Jofra</del>
	1800	91	<del>Rash</del>
	2100	91	<del>Castillo</del>
	2400	91	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/3	0300	90	Kumball
	0600	90	<del>Jofra</del>
	0900	91	<del>Rash</del>
	1200	92	<del>Castillo</del>
	1500	93	<del>Jofra</del>
	1800	93	<del>Rash</del>
	2100	93	<del>Castillo</del>
	2400	91	Kumball

**Thursday**

Date	Time	Temp.	Name (Print)
7/4	0300	90	Kumball
	0600	90	<del>Jofra</del>
	0900	91	<del>Rash</del>
	1200	93	<del>Castillo</del>
	1500	94	<del>Jofra</del>
	1800	94	<del>Rash</del>
	2100	95	<del>Castillo</del>
	2400	99	Milne

**Friday**

Date	Time	Temp.	Name (Print)
7/5	0300	92	<del>Jofra</del>
	0600	91	<del>Rash</del>
	0900	92	<del>Castillo</del>
	1200	93	<del>Jofra</del>
	1500	93	<del>Castillo</del>
	1800	93	<del>Jofra</del>
	2100	94	<del>Castillo</del>
	2400	94	Kumball

**Saturday**

Date	Time	Temp.	Name (Print)
7/6	0300	94	Kumball
	0600	91	<del>Jofra</del>
	0900	92	<del>Rash</del>
	1200	93	<del>Castillo</del>
	1500	95	<del>Jofra</del>
	1800	92	<del>Rash</del>
	2100	97	<del>Castillo</del>
	2400	96	J. Chavis

**Sunday**

Date	Time	Temp.	Name (Print)
7/7	0300	94	J. Chavis
	0600	92	M. Reber
	0900	95	M. Reber
	1200	98	M. Reber
	1500	99	Castillo
	1800	93	Castillo
	2100	99	Castillo
	2400	97	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign: J. Chavis

3rd/W - Print & Sign:

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 65 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/8	0300	95	Gil
	0600	96	CARODNA
	0900	96	CARODNA
	1200	96	CARODNA
	1500	97	Garcia
	1800	98	Garcia
	2100	98	Garcia
	2400	97	Garcia

#### Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	96	Rapel
	0600	96	High
	0900	96	Bob
	1200	96	Rebels
	1500	98	Garcia
	1800	98	Garcia
	2100	97	Garcia
	2400	96	ZAMBACHER

#### Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	95	ZAMBACHER
	0600	94	HILGEN
	0900	94	HILGEN
	1200	95	HILGEN
	1500	96	Lewis
	1800	97	Lewis
	2100	97	Lewis
	2400	98	Rainey

#### Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	98	Rainey
	0600	94	CARODNA
	0900	94	CARODNA
	1200	95	CHASTAIN
	1500	97	Weathers
	1800	98	Weathers
	2100	97	Weathers
	2400	96	Weathers


#### Friday

Date	Time	Temp.	Name (Print)
7/12	0300	95	Gil
	0600	95	JCB
	0900	96	JCB
	1200	97	JCB
	1500	98	Prado
	1800	98	Prado
	2100	97	Prado
	2400	96	Chang


#### Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	96	Chang
	0600	96	CARODNA
	0900	96	CARODNA
	1200	97	Prado
	1500	97	Prado
	1800	96	Prado
	2100	96	Prado
	2400	95	Prado

#### Notes & Signatures

1st/W - Print & Sign: R. Rainey 

2nd/W - Print & Sign:

3rd/W - Print & Sign: C. Weathers 

Date	Time	Temp.	Name (Print)
7/14	0300	95	Gil
	0600	93	CARODNA
	0900	92	CARODNA
	1200	92	CARODNA
	1500	93	Gil
	1800	93	Gil
	2100	92	Gil
	2400	92	Gil

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
7/8	0300	93	Allen
	0600	93	Kimball
	0900	94	Robles
	1200	94	Rother
	1500	98	Cestillo
	1800	99	Cestillo
	2100	99	Cestillo
	2400	98	Allen

Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	97	Kimball
	0600	95	
	0900	95	
	1200	96	
	1500	97	
	1800	98	
	2100	99	
	2400	98	Kimball

Friday

Date	Time	Temp.	Name (Print)
7/12	0300	99	Kimball
	0600	97	
	0900	97	
	1200	98	
	1500	100	
	1800	100	
	2100	101	
	2400	100	Kimball

Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	98	Kimball
	0600	97	Robles
	0900	92	Rother
	1200	92	Rother
	1500	91	Cestillo
	1800	92	Cestillo
	2100	92	Cestillo
	2400	94	Allen

Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	97	Allen
	0600	96	
	0900	96	
	1200	96	
	1500	97	
	1800	98	
	2100	99	
	2400	98	Kimball

Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	98	Kimball
	0600	95	
	0900	96	
	1200	97	
	1500	97	
	1800	99	
	2100	100	
	2400	100	Kimball

Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	100	Kimball
	0600	98	
	0900	99	
	1200	98	
	1500	99	
	1800	99	
	2100	99	
	2400	98	Kimball

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 67 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	94	Gul
	0600	96	CARDONA
	0900	96	CARDONA
	1200	97	CARDONA
	1500	97	Garcia
	1800	98	Garcia
	2100	98	Garcia
	2400	97	Ripley

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	95	ZAMBACHER
	0600	93	HILGEN
	0900	94	HILGEN
	1200	94	HILGEN
	1500	96	Lewis
	1800	97	Lewis
	2100	97	Lewis
	2400	96	Fairley

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	95	...
	0600	96	TG
	0900	96	TG
	1200	96	TG
	1500	97	Priado
	1800	97	Priado
	2100	96	Priado
	2400	96	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/14	0300	96	...
	0600	92	CARDONA
	0900	92	CARDONA
	1200	92	CARDONA
	1500	93	...
	1800	94	...
	2100	93	...
	2400	95	...

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	95	Rippey
	0600	96	Reb
	0900	96	Reb
	1200	96	Reb
	1500	98	Garcia
	1800	97	Garcia
	2100	97	Garcia
	2400	96	ZAMBACHER

**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	96°	Rainey
	0600	94	CARDONA
	0900	94	CARDONA
	1200	95	CHASTAIN
	1500	97	Weathers
	1800	97	Weathers
	2100	96	Weathers
	2400	95	Weathers

**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	96	Chang
	0600	96	CARDONA
	0900	96	CARDONA
	1200	97	Priado
	1500	98	Priado
	1800	97	Priado
	2100	96	Priado
	2400	95	...

**Notes & Signatures**

1st/W - Print & Sign: R. Rainey 

2nd/W - Print & Sign:

3rd/W - Print & Sign: C. Weathers 

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

ATT C

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 6B      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	92	Allen
	0600	92	Robles
	0900	94	R. Bell
	1200	96	Nelson
	1500	98	Castillo
	1800	98	Castillo
	2100	98	Castillo
	2400	97	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	95	Kimbrell
	0600	93	~~~~~
	0900	93	~~~~~
	1200	94	~~~~~
	1500	95	~~~
	1800	95	~~~
	2100	96	~~~
	2400	96	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	97	Kimbrell
	0600	95	~~~~~
	0900	96	~~~~~
	1200	97	~~~~~
	1500	98	~~~~~
	1800	96	~~~
	2100	99	~~~
	2400	98	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/14	0300	96	Kimbrell
	0600	93	Robles
	0900	92	Robles
	1200	92	Robles
	1500	93	Oxalo
	1800	93	Castillo
	2100	91	Castillo
	2400	92	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	96	Allen
	0600	95	~~~~~
	0900	95	~~~~~
	1200	95	~~~~~
	1500	96	~~~~~
	1800	97	~~~~~
	2100	97	~~~~~
	2400	96	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	96	Kimbrell
	0600	95	~~~~~
	0900	95	~~~~~
	1200	96	~~~~~
	1500	95	~~~~~
	1800	99	~~~~~
	2100	99	~~~~~
	2400	98	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	98	Kimbrell
	0600	97	~~~~~
	0900	97	~~~~~
	1200	97	~~~~~
	1500	97	~~~
	1800	97	~~~
	2100	99	~~~
	2400	97	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	94	Lwl
	0600	96	CARDONA
	0900	96	CARDONA
	1200	96	CARDONA
	1500	97	Garcia
	1800	97	Garcia
	2100	98	Garcia
	2400	97	Rapel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	95	ZAMACKER
	0600	94	HILGEN
	0900	94	HILGEN
	1200	94	HILGEN
	1500	95	Lewis
	1800	97	Lewis
	2100	97	Lewis
	2400	98	Rainer

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	96	...
	0600	95	TG
	0900	95	TG
	1200	96	TG
	1500	97	Prado
	1800	97	Prado
	2100	96	Prado
	2400	96	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/14	0300	94	...
	0600	92	CARDONA
	0900	92	CARDONA
	1200	92	CARDONA
	1500	93	...
	1800	93	...
	2100	92	...
	2400	91	G /

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	96	Ruppel
	0600	95	Bob
	0900	96	Bob
	1200	96	Bob
	1500	98	Garcia
	1800	97	Garcia
	2100	97	Garcia
	2400	96	AMBACHER


**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	98	Rader
	0600	93	CARDONA
	0900	94	CARDONA
	1200	93	CHASTAIN
	1500	98	Weathers
	1800	99	Weathers
	2100	98	Weathers
	2400	97	Weathers


**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	96	Chang
	0600	96	CARDONA
	0900	96	CARDONA
	1200	97	Prado
	1500	97	Prado
	1800	96	Prado
	2100	96	Prado
	2400	95	o /

**Notes & Signatures**

1st/W - Print & Sign: R. Rainer 

2nd/W - Print & Sign:

3rd/W - Print & Sign C. Weathers 

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	92	Allen
	0600	92	Wheeler
	0900	94	Ruth
	1200	96	Melvin
	1500	97	Castillo
	1800	99	Castillo
	2100	97	Castillo
	2400	96	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	95	Kimball
	0600	92	
	0900	93	
	1200	94	
	1500	95	
	1800	96	
	2100	96	
	2400	96	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	96	Kimball
	0600	95	
	0900	96	
	1200	94	
	1500	96	
	1800	98	
	2100	99	
	2400	98	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
7/14	0300	96	Kimball
	0600	92	Dobly
	0900	90	Dobly
	1200	92	Dobly
	1500	91	Castillo
	1800	91	Castillo
	2100	89	Castillo
	2400	90	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	95	Allen
	0600	94	
	0900	94	
	1200	95	
	1500	96	
	1800	96	
	2100	97	
	2400	96	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	96	Kimball
	0600	95	
	0900	95	
	1200	96	
	1500	96	
	1800	97	
	2100	98	
	2400	98	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	97	Kimball
	0600	95	
	0900	96	
	1200	97	
	1500	96	
	1800	98	
	2100	99	
	2400	97	Kimball

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	95	Gul
	0600	96	CARDONA
	0900	96	CARDONA
	1200	96	CARDONA
	1500	97	GARCIA
	1800	97	GARCIA
	2100	96	GARCIA
	2400	96	Rhynt

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	95	ZAMBACER
	0600	93	HILL
	0900	93	HILL
	1200	93	HILL
	1500	96	Lewis
	1800	97	Lewis
	2100	97	Lewis
	2400	98	Rainer

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	94	G
	0600	93	TG
	0900	94	TG
	1200	96	TG
	1500	97	Prado
	1800	98	Prado
	2100	97	Prado
	2400	96	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/14	0300	95	G
	0600	92	CARDONA
	0900	92	CARDONA
	1200	92	CARDONA
	1500	93	G
	1800	93	G
	2100	93	G
	2400	95	G

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	96	Rhovel
	0600	97	Rhovel
	0900	96	Rhovel
	1200	96	Rhovel
	1500	97	Garcia
	1800	98	Garcia
	2100	97	Garcia
	2400	96	ZBAKER

**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	97°	Rainer
	0600	93	CARDONA
	0900	94	CARDONA
	1200	96	CHASTAIN
	1500	97	Weathers
	1800	98	Weathers
	2100	96	Weathers
	2400	95	Weathers

**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	96	Chang
	0600	96	CARDONA
	0900	96	CARDONA
	1200	97	Prado
	1500	98	Prado
	1800	99	Prado
	2100	98	Prado
	2400	96	a

**Notes & Signatures**

1st/W - Print & Sign: R. Rainer R

2nd/W - Print & Sign: C. Weathers C.W

3rd/W - Print & Sign: C. Weathers C.W

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 72 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	92	Allen
	0600	92	Rubles
	0900	94	Rubles
	1200	96	Rubles
	1500	98	Castillo
	1800	99	Castillo
	2100	98	Castillo
	2400	97	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	96	Allen
	0600	95	
	0900	95	
	1200	95	
	1500	96	
	1800	97	
	2100	97	
	2400	96	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	95	Kimball
	0600	92	
	0900	93	
	1200	94	
	1500	94	
	1800	94	
	2100	95	
	2400	95	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	95	Kimball
	0600	95	
	0900	95	
	1200	96	
	1500	96	
	1800	97	
	2100	97	
	2400	96	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	95	Kimball
	0600	95	
	0900	96	
	1200	96	
	1500	97	
	1800	97	
	2100	98	
	2400	98	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	97	Kimball
	0600	95	
	0900	95	
	1200	96	
	1500	97	
	1800	98	
	2100	98	
	2400	96	Kimball

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

Date	Time	Temp.	Name (Print)
7/14	0300	95	Kimball
	0600	92	Rubles
	0900	90	Rubles
	1200	92	Rubles
	1500	90	Castillo
	1800	91	Castillo
	2100	92	Castillo
	2400	91	Allen

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 73      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/8	0300	94	Gil
	0600	96	CARDOSA
	0900	96	CARDOSA
	1200	96	CARDOSA
	1500	97	Garcia
	1800	98	Garcia
	2100	98	Garcia
	2400	97	Ripley

#### Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	96	Rippey
	0600	98	Nola
	0900	95	Robin
	1200	94	Robby
	1500	98	Scream
	1800	97	Garcia
	2100	97	Garcia
	2400	96	ZAMBRON

#### Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	93	ZAMBRON
	0600	92	Hagan
	0900	93	Hagan
	1200	93	Hagan
	1500	94	Lewis
	1800	96	Lewis
	2100	97	Lewis
	2400	98	Rainey

#### Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	97°	Raines
	0600	92	CARINA
	0900	94	CARINA
	1200	95	CHASTAIN
	1500	98	Weathers
	1800	100	Weathers
	2100	98	Weathers
	2400	95	Weathers

#### Friday

Date	Time	Temp.	Name (Print)
7/12	0300	95	Gil
	0600	95	TC
	0900	95	TC
	1200	96	TC
	1500	97	Prado
	1800	97	Prado
	2100	96	Prado
	2400	98	Chang

#### Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	96	Chang
	0600	94	CARDOSA
	0900	96	CARDOSA
	1200	97	Prado
	1500	97	Prado
	1800	94	Prado
	2100	96	Prado
	2400	95	Gil

#### Notes & Signatures

1st/W - Print & Sign: R. Rainey

2nd/W - Print & Sign:

3rd/W - Print & Sign R. Rainey R. Rainey

Date	Time	Temp.	Name (Print)
7/14	0300	94	Gil
	0600	92	CARDOSA
	0900	92	CARDOSA
	1200	93	CARDOSA
	1500	94	TC
	1800	94	TC
	2100	94	TC
	2400	93	Gil

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/8	0300	91	Allen
	0600	92	Lobes
	0900	94	Lobes
	1200	96	Mader
	1500	97	Castillo
	1800	98	Castillo
	2100	97	Castillo
	2400	96	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/9	0300	95	Allen
	0600	94	<del>Allen</del>
	0900	94	<del>Allen</del>
	1200	95	<del>Allen</del>
	1500	96	<del>Allen</del>
	1800	97	<del>Allen</del>
	2100	97	<del>Allen</del>
	2400	96	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
7/10	0300	94	Kimball
	0600	90	<del>Kimball</del>
	0900	91	<del>Kimball</del>
	1200	92	<del>Kimball</del>
	1500	93	<del>Kimball</del>
	1800	94	<del>Kimball</del>
	2100	95	<del>Kimball</del>
	2400	95	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
7/11	0300	94	Kimball
	0600	94	<del>Kimball</del>
	0900	95	<del>Kimball</del>
	1200	95	<del>Kimball</del>
	1500	95	<del>Kimball</del>
	1800	96	<del>Kimball</del>
	2100	97	<del>Kimball</del>
	2400	96	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
7/12	0300	94	Kimball
	0600	93	<del>Kimball</del>
	0900	94	<del>Kimball</del>
	1200	95	<del>Kimball</del>
	1500	96	<del>Kimball</del>
	1800	96	<del>Kimball</del>
	2100	97	<del>Kimball</del>
	2400	97	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
7/13	0300	95	Kimball
	0600	94	<del>Kimball</del>
	0900	95	<del>Kimball</del>
	1200	96	<del>Kimball</del>
	1500	97	<del>Kimball</del>
	1800	97	<del>Kimball</del>
	2100	98	<del>Kimball</del>
	2400	96	Kimball

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

Date	Time	Temp.	Name (Print)
7/14	0300	94	Kimball
	0600	90	Pobles
	0900	90	Pobles
	1200	88	Pobles
	1500	92	Castillo
	1800	92	Castillo
	2100	92	Castillo
	2400	92	Allen

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 75 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/8	0300	95	Gul
	0600	96	CARDONA
	0900	96	CARDONA
	1200	96	CARDONA
	1500	97	GARCIA
	1800	98	GARCIA
	2100	98	GARCIA
	2400	97	Hyprel

#### Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	96	Hyprel
	0600	96	Dobie
	0900	95	Mart
	1200	96	Nobles
	1500	98	Garcia
	1800	97	Garcia
	2100	97	Garcia
	2400	97	Zambales

#### Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	95	ZAMBLES
	0600	93	HILGER
	0900	93	HILGER
	1200	93	HOGES
	1500	94	Lewis
	1800	97	Lewis
	2100	97	Lewis
	2400	95	Rainey

#### Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	95	Rainer
	0600	93	CARDONA
	0900	94	CARDONA
	1200	96	CHASTAIN
	1500	95	Weathers
	1800	98	Weathers
	2100	97	Weathers
	2400	90	Weathers

#### Friday

Date	Time	Temp.	Name (Print)
7/12	0300	92	al
	0600	93	TC
	0900	90	TC
	1200	91	TC
	1500	95	Prado
	1800	96	Prado
	2100	95	Prado
	2400	96	Chang

#### Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	96	Chang
	0600	96	CARDONA
	0900	96	CARDONA
	1200	97	Prado
	1500	98	Prado
	1800	99	Prado
	2100	96	Prado
	2400	94	al

#### Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	96	al
	0600	92	CARDONA
	0900	92	CARDONA
	1200	93	CARDONA
	1500	94	al
	1800	93	al
	2100	93	al
	2400	93	al

#### Notes & Signatures

1st/W - Print & Sign: R. Rainey

2nd/W - Print & Sign: Sherry

3rd/W - Print & Sign: R. Rainey

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/8	0300	93	Allen
	0600	93	(bld)
	0900	94	Robb
	1200	96	Peter
	1500	97	Castillo
	1800	99	Castillo
	2100	99	Castillo
	2400	97	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
7/9	0300	96	Allen
	0600	94	(bld)
	0900	94	(bld)
	1200	95	(bld)
	1500	96	(bld)
	1800	96	(bld)
	2100	97	(bld)
	2400	96	Kimbrell

#### Wednesday

Date	Time	Temp.	Name (Print)
7/10	0300	94	Kimbrell
	0600	90	(bld)
	0900	91	(bld)
	1200	92	(bld)
	1500	94	(bld)
	1800	94	(bld)
	2100	95	(bld)
	2400	95	Kimbrell

#### Thursday

Date	Time	Temp.	Name (Print)
7/11	0300	94	Kimbrell
	0600	95	(bld)
	0900	94	(bld)
	1200	95	(bld)
	1500	95	(bld)
	1800	95	(bld)
	2100	96	(bld)
	2400	96	Kimbrell

#### Friday

Date	Time	Temp.	Name (Print)
7/12	0300	94	Kimbrell
	0600	94	(bld)
	0900	95	(bld)
	1200	96	(bld)
	1500	97	(bld)
	1800	97	(bld)
	2100	98	(bld)
	2400	98	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
7/13	0300	96	Kimbrell
	0600	95	(bld)
	0900	96	(bld)
	1200	96	(bld)
	1500	97	(bld)
	1800	97	(bld)
	2100	98	(bld)
	2400	96	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
7/14	0300	94	Kimbrell
	0600	90	Robles
	0900	90	Robles
	1200	92	Robles
	1500	91	Castillo
	1800	90	Castillo
	2100	91	Castillo
	2400	92	Allen

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	91	G 1
	0600	90	CAROONA
	0900	92	CAROONA
	1200	95	CAROONA
	1500	98	Weathers
	1800	94	Weathers
	2100	90	Weathers
	2400	90	Rippled

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Rippled
	0600	84	HILLMAN
	0900	82	HILLMAN
	1200	83	<del>_____</del>
	1500	84	SANCHEZ
	1800	85	SANCHEZ
	2100	86	SANCHEZ
	2400	86	MORA

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	85	G 1
	0600	90	CAROONA
	0900	91	CAROONA
	1200	91	CAROONA
	1500	93	<del>Z</del>
	1800	94	<del>Z</del>
	2100	94	<del>Z</del>
	2400	92	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	92	G 1
	0600	92	CAROONA
	0900	92	CAROONA
	1200	94	CAROONA
	1500	94	<del>Z</del>
	1800	95	<del>Z</del>
	2100	94	<del>Z</del>
	2400	92	G 1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	88	Rippled
	0600	89	Rebekah
	0900	90	Rebekah
	1200	91	Rebekah
	1500	92	Rebekah
	1800	95	GARCIA
	2100	95	GARCIA
	2400	90	Rippled

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	87	<del>Z</del>
	0600	85	CAROONA
	0900	88	CAROONA
	1200	88	CAROONA
	1500	96	SANCHIZ
	1800	96	SANCHIZ
	2100	96	SANCHIZ
	2400	85	G 1

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	72	Chang
	0600	92	CAROONA
	0900	94	CAROONA
	1200	96	CAROONA
	1500	98	<del>Z</del>
	1800	95	<del>Z</del>
	2100	99	<del>Z</del>
	2400	84	G 1

**Notes & Signatures**

- 1st/W - Print & Sign:  
2nd/W - Print & Sign:  
3rd/W - Print & Sign Weathers

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/15	0300	91	Allen
	0600	93	<del>Allen</del>
	0900	93	<del>Allen</del>
	1200	93	<del>Allen</del>
	1500	94	Hov
	1800	94	Her
	2100	94	Her
	2400	96	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	95	Allen
	0600	91	<del>Allen</del>
	0900	91	<del>Allen</del>
	1200	92	<del>Allen</del>
	1500	93	<del>Allen</del>
	1800	94	<del>Allen</del>
	2100	91	Saw
	2400	91	Kimbrell

#### Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	89	Kimbrell
	0600	87	<del>Kimbrell</del>
	0900	87	<del>Kimbrell</del>
	1200	89	<del>Kimbrell</del>
	1500	87	Uraldo
	1800	92	Uraldo
	2100	90	<del>JFZ</del>
	2400	91	<del>JFZ</del>

#### Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	90	<del>JFZ</del>
	0600	89	<del>JFZ</del>
	0900	86	<del>JFZ</del>
	1200	92	TO
	1500	91	Niday
	1800	92	Niday
	2100	93	Niday
	2400	93	<del>Kimbrell</del>

#### Friday

Date	Time	Temp.	Name (Print)
7/19	0300	92	Kimbrell
	0600	92	<del>Kimbrell</del>
	0900	93	<del>Kimbrell</del>
	1200	94	<del>Kimbrell</del>
	1500	94	<del>Kimbrell</del>
	1800	94	<del>Kimbrell</del>
	2100	94	Uraldo
	2400	94	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	91	Kimbrell
	0600	92	<del>Kimbrell</del>
	0900	93	<del>Kimbrell</del>
	1200	95	<del>Kimbrell</del>
	1500	95	<del>WT</del>
	1800	96	<del>WT</del>
	2100	96	<del>WT</del>
	2400	96	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	94	Kimbrell
	0600	92	<del>Kimbrell</del>
	0900	94	<del>Kimbrell</del>
	1200	94	<del>Kimbrell</del>
	1500	92	Allen
	1800	92	Allen
	2100	91	Allen
	2400	89	Allen

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	81	o1
	0600	90	CARODA
	0900	92	CARODA
	1200	94	CARODA
	1500	94	Weathers
	1800	94	Weathers
	2100	91	Weathers
	2400	90	Rypel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Rypel
	0600	89	HILGER
	0900	85	HILGER
	1200	86	
	1500	87	SANCHEZ
	1800	89	SANCHEZ
	2100	89	SANCHEZ
	2400	88	MONO

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	90	o1
	0600	90	CARODA
	0900	91	CARODA
	1200	91	CARODA
	1500	92	
	1800	93	
	2100	91	
	2400	92	Chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	82	o1
	0600	90	CARODA
	0900	91	CARODA
	1200	94	CARODA
	1500	94	
	1800	93	
	2100	94	
	2400	93	o1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	88	Rypel
	0600	89	Roh
	0900	90	Roh
	1200	90	Roh
	1500	92	Roh
	1800	95	GARCIA
	2100	93	GARCIA
	2400	90	Rypel

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	89	
	0600	86	CARODA
	0900	88	CARODA
	1200	89	CARODA
	1500	91	SANCHIZ
	1800	91	SANCHIZ
	2100	90	SANCHIZ
	2400	70	o1

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	92	Chang
	0600	91	CARODA
	0900	93	CARODA
	1200	94	CARODA
	1500	95	
	1800	95	
	2100	94	
	2400	92	o1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print & Sign Weathers o1

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 68      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	91	Allen
	0600	89	<del>Allen</del>
	0900	89	<del>Allen</del>
	1200	93	<del>Allen</del>
	1500	90	<del>Allen</del>
	1800	91	<del>Allen</del>
	2100	91	<del>Allen</del>
	2400	96	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Kimbrell
	0600	85	<del>Kimbrell</del>
	0900	86	<del>Kimbrell</del>
	1200	87	<del>Kimbrell</del>
	1500	87	<del>Ubaldo</del>
	1800	86	<del>Ubaldo</del>
	2100	82	<del>Ubaldo</del>
	2400	90	JT

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	90	Kimbrell
	0600	90	<del>Kimbrell</del>
	0900	91	<del>Kimbrell</del>
	1200	92	<del>Kimbrell</del>
	1500	93	<del>Kimbrell</del>
	1800	94	<del>Kimbrell</del>
	2100	94	Ubaldo
	2400	93	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	94	Kimbrell
	0600	92	<del>Kimbrell</del>
	0900	94	<del>Kimbrell</del>
	1200	84	<del>Kimbrell</del>
	1500	92	Allen
	1800	91	Allen
	2100	90	Allen
	2400	89	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	94	<del>Allen</del>
	0600	88	<del>Allen</del>
	0900	91	<del>Allen</del>
	1200	91	<del>Allen</del>
	1500	93	<del>Allen</del>
	1800	94	<del>Allen</del>
	2100	92	<del>Allen</del>
	2400	90	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	87	<del>JT</del>
	0600	87	<del>JT</del>
	0900	88	<del>JT</del>
	1200	90	TG
	1500	91	Niday
	1800	91	Niday
	2100	92	Niday
	2400	92	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	90	Kimbrell
	0600	91	<del>Kimbrell</del>
	0900	92	<del>Kimbrell</del>
	1200	94	<del>Kimbrell</del>
	1500	94	<del>WTB</del>
	1800	95	<del>WTB</del>
	2100	94	<del>WTB</del>
	2400	96	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 69 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	86	G1
	0600	90	CARONA
	0900	92	CARONA
	1200	94	CARONA
	1500	98	WATKINS
	1800	96	Weathers
	2100	90	Weems
	2400	90	Hoppel

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	88	Rypon
	0600	90	Ruths
	0900	90	Ruths
	1200	90	Ruths
	1500	92	Ruths
	1800	95	GARCIA
	2100	93	GARCIA
	2400	91	Rypon

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Rypon
	0600	84	HILGEN
	0900	85	HILGEN
	1200	86	
	1500	87	SANCHEZ
	1800	89	SANCHEZ
	2100	89	SANCHEZ
	2400	89	MCM

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	87	
	0600	85	CARONA
	0900	88	CARONA
	1200	88	CARONA
	1500	94	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	90	c 1

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	88	G1
	0600	90	CARONA
	0900	91	CARONA
	1200	91	CARONA
	1500	93	
	1800	94	
	2100	94	
	2400	92	Chang

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	92	Chang
	0600	90	CARONA
	0900	93	CARONA
	1200	95	CARONA
	1500	95	
	1800	94	
	2100	94	
	2400	92	c 1

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	90	G1
	0600	90	CARONA
	0900	90	CARONA
	1200	94	CARONA
	1500	94	
	1800	94	
	2100	93	
	2400	93	G1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print & Sign Weathers

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 70 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/15	0300	89	Allen
	0600	88	Rubin
	0900	89	Nelle
	1200	93	Reba
	1500	90	Hoy
	1800	91	Fier
	2100	90	Hoy
	2400	94	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	92	Allen
	0600	88	
	0900	99	
	1200	91	
	1500	92	
	1800	92	
	2100	90	Sch
	2400	90	Kimbrell

#### Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	88	Kimbrell
	0600	86	
	0900	86	
	1200	87	
	1500	87	Ubaldo
	1800	87	Ubaldo
	2100	90	Ubaldo
	2400	90	Jef

#### Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	89	Jef
	0600	87	
	0900	88	
	1200	90	Jef
	1500	90	Niday
	1800	91	Niday
	2100	93	Niday
	2400	92	Kimbrell

#### Friday

Date	Time	Temp.	Name (Print)
7/19	0300	90	Kimbrell
	0600	90	
	0900	91	
	1200	92	
	1500	93	
	1800	93	Ubaldo
	2100	99	Ubaldo
	2400	93	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	90	Kimbrell
	0600	90	
	0900	91	
	1200	93	
	1500	93	
	1800	93	
	2100	94	J
	2400	94	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	91	Kimbrell
	0600	92	Rosa
	0900	94	Rosa
	1200	94	Nell
	1500	92	Allen
	1800	92	Allen
	2100	91	Allen
	2400	89	Allen

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 71 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	73	<u>G1</u>
	0600	89	CARDOZA
	0900	92	CARDOZA
	1200	94	CARDOZA
	1500	97	Weathers
	1800	95	Weathers
	2100	95	Weathers
	2400	93	Rippey

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	99	Rippey
	0600	90	Nobles
	0900	90	Nobles
	1200	90	Nobles
	1500	92	Nobles
	1800	95	Garcia
	2100	93	Garcia
	2400	92	Rippey

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	89	Rippey
	0600	84	HILLMAN
	0900	85	HILLMAN
	1200	86	<del>_____</del>
	1500	88	SANCHEZ
	1800	89	SANCHEZ
	2100	90	SANCHEZ
	2400	90	MORF

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	89	<del>_____</del>
	0600	85	CARDOZA
	0900	88	CARDOZA
	1200	89	CARDOZA
	1500	90	SANCHEZ
	1800	91	SANCHEZ
	2100	92	SANCHEZ
	2400	91	<del>_____</del>

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	70	<u>G1</u>
	0600	88	CARDOZA
	0900	89	CARDOZA
	1200	89	CARDOZA
	1500	91	<del>_____</del>
	1800	93	<del>_____</del>
	2100	94	<del>_____</del>
	2400	94	Chang

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	92	Chang
	0600	90	CARDOZA
	0900	91	CARDOZA
	1200	94	CARDOZA
	1500	95	<del>_____</del>
	1800	94	<del>_____</del>
	2100	96	<del>_____</del>
	2400	90	<del>_____</del>

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign:

Weathers                 

Date	Time	Temp.	Name (Print)
7/21	0300	88	<u>G1</u>
	0600	90	CARDOZA
	0900	91	CARDOZA
	1200	92	CARDOZA
	1500	95	<del>_____</del>
	1800	95	<del>_____</del>
	2100	95	<del>_____</del>
	2400	94	<del>_____</del>

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 72 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/15	0300	89	Allen
	0600	88	<del>Allen</del>
	0900	89	<del>Allen</del>
	1200	93	<del>Allen</del>
	1500	94	Her
	1800	97	Her
	2100	92	Her
	2400	90	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
7/16	0300	90	Allen
	0600	87	<del>Allen</del>
	0900	89	<del>Allen</del>
	1200	91	<del>Allen</del>
	1500	93	<del>Allen</del>
	1800	94	<del>Allen</del>
	2100	91	Sir
	2400	90	Kimbrell

#### Wednesday

Date	Time	Temp.	Name (Print)
7/17	0300	88	Kimbrell
	0600	86	<del>Kimbrell</del>
	0900	86	<del>Kimbrell</del>
	1200	87	<del>Kimbrell</del>
	1500	88	<del>Ubaldo</del>
	1800	87	<del>Ubaldo</del>
	2100	90	<del>Ubaldo</del>
	2400	90	JT

#### Thursday

Date	Time	Temp.	Name (Print)
7/18	0300	87	<del>JT</del>
	0600	86	<del>JT</del>
	0900	89	<del>JT</del>
	1200	92	JT
	1500	90	Niday
	1800	92	Niday
	2100	93	Niday
	2400	91	<del>Niday</del>

#### Friday

Date	Time	Temp.	Name (Print)
7/19	0300	89	Kimbrell
	0600	89	<del>Kimbrell</del>
	0900	89	<del>Kimbrell</del>
	1200	91	<del>Kimbrell</del>
	1500	92	<del>Kimbrell</del>
	1800	93	<del>Kimbrell</del>
	2100	93	Ubaldo
	2400	92	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
7/20	0300	89	Kimbrell
	0600	89	<del>Kimbrell</del>
	0900	90	<del>Kimbrell</del>
	1200	93	<del>Kimbrell</del>
	1500	91	<del>Kimbrell</del>
	1800	92	<del>Kimbrell</del>
	2100	92	<del>Kimbrell</del>
	2400	92	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
7/21	0300	90	Kimbrell
	0600	92	<del>Kimbrell</del>
	0900	93	<del>Kimbrell</del>
	1200	94	<del>Kimbrell</del>
	1500	92	Allen
	1800	91	Allen
	2100	90	Allen
	2400	89	Allen

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 73 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	92	c 1
	0600	89	CARDONA
	0900	91	CARDONA
	1200	94	CARDONA
	1500	98	WEATHERS
	1800	96	Weathers
	2100	95	Weathers
	2400	93	Ruppel

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Ruppel
	0600	85	HILGEN
	0900	85	HILGEN
	1200	86	
	1500	86	SANCHEZ
	1800	87	SANCHEZ
	2100	87	SANCHEZ
	2400	87	MENZ

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	89	c 1
	0600	88	CARDONA
	0900	89	CARDONA
	1200	89	CARDONA
	1500	91	
	1800	93	
	2100	94	
	2400	92	chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	91	c 1
	0600	90	CARDONA
	0900	92	CARDONA
	1200	92	CARDONA
	1500	94	
	1800	94	
	2100	94	
	2400	93	c 1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	90	Ruppel
	0600	89	Ruppel
	0900	90	Ruppel
	1200	90	Ruppel
	1500	92	Ruppel
	1800	95	Garcia
	2100	93	Garcia
	2400	91	Ruppel

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	88	
	0600	85	CARDONA
	0900	87	CARDONA
	1200	88	CARDONA
	1500	94	SANCHEZ
	1800	90	SANCHEZ
	2100	90	SANCHEZ
	2400	90	c 1

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	92	chang
	0600	89	CARDONA
	0900	92	CARDONA
	1200	94	CARDONA
	1500	94	
	1800	94	
	2100	93	
	2400	92	c 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print & Sign Weathers

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 74 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	90	Allen
	0600	89	Rebber
	0900	89	Rebber
	1200	93	Rebber
	1500	94	Her
	1800	97	Her
	2100	89	Her
	2400	91	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	90	Allen
	0600	87	
	0900	89	
	1200	90	
	1500	92	
	1800	93	
	2100	92	Kimball
	2400	90	Kimball

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Kimball
	0600	83	
	0900	85	
	1200	86	
	1500	88	Ubaldo
	1800	87	Ubaldo
	2100	86	Ubaldo
	2400	90	

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	88	
	0600	85	
	0900	84	
	1200	92	TG
	1500	91	Niday
	1800	92	Niday
	2100	93	Niday
	2400	92	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	89	Kimball
	0600	87	
	0900	88	
	1200	89	
	1500	90	
	1800	92	
	2100	94	Ubaldo
	2400	92	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	88	Kimball
	0600	88	
	0900	88	
	1200	92	
	1500	91	W 42
	1800	92	W 4
	2100	91	W 4
	2400	89	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	88	Kimball
	0600	88	
	0900	92	
	1200	93	
	1500	91	Allen
	1800	90	Allen
	2100	89	Allen
	2400	88	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	92	c - 1
	0600	90	CARODNA
	0900	92	CARODNA
	1200	94	CARODNA
	1500	97	WEATHERS
	1800	92	WEATHERS
	2100	90	WEATHERS
	2400	90	Ripped

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Ripped
	0600	85	HOLGEN
	0900	85	HOLGEN
	1200	86	
	1500	87	C. SANCHEZ
	1800	88	SANCHEZ
	2100	89	SANCHEZ
	2400	88	MONT

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	88	G1
	0600	88	CARODNA
	0900	88	CARODNA
	1200	89	CARODNA
	1500	91	
	1800	94	
	2100	94	
	2400	92	chang

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	90	c - 1
	0600	90	CARODNA
	0900	91	CARODNA
	1200	92	CARODNA
	1500	94	
	1800	94	
	2100	93	
	2400	92	c - 1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	89	Ripped
	0600	88	Ribbles
	0900	91	Ribbles
	1200	90	Ribbles
	1500	92	Ribbles
	1800	95	
	2100	93	
	2400	91	Ripped

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	88	
	0600	85	CARODNA
	0900	88	CARODNA
	1200	88	CARODNA
	1500	87	SANCHEZ
	1800	89	SANCHEZ
	2100	91	SANCHEZ
	2400	87	G1

**Saturday**


Date	Time	Temp.	Name (Print)
7/20	0300	90	Chang
	0600	90	CARODNA
	0900	92	CARODNA
	1200	95	CARODNA
	1500	95	
	1800	94	
	2100	93	
	2400	92	c - 1

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

Weather 

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 76 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/15	0300	90	Allen
	0600	88	<del>Reb</del>
	0900	89	<del>Reb</del>
	1200	92	<del>Reb</del>
	1500	97	Her
	1800	97	Her
	2100	91	Her
	2400	92	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/17	0300	88	Kimbrell
	0600	84	<del>Kimbrell</del>
	0900	85	<del>Kimbrell</del>
	1200	86	<del>Kimbrell</del>
	1500	87	Ubaldo
	1800	87	Ubaldo
	2100	88	Ubaldo
	2400	90	<del>Kimbrell</del>

**Friday**

Date	Time	Temp.	Name (Print)
7/19	0300	89	Kimbrell
	0600	89	<del>Kimbrell</del>
	0900	89	<del>Kimbrell</del>
	1200	91	<del>Kimbrell</del>
	1500	92	<del>Kimbrell</del>
	1800	93	<del>Kimbrell</del>
	2100	97	Ubaldo
	2400	93	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/21	0300	88	Kimbrell
	0600	86	<del>Reb</del>
	0900	92	<del>Reb</del>
	1200	93	<del>Reb</del>
	1500	91	Allen
	1800	90	Allen
	2100	89	Allen
	2400	88	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/16	0300	91	Allen
	0600	88	<del>Reb</del>
	0900	89	<del>Reb</del>
	1200	90	<del>Reb</del>
	1500	92	<del>Reb</del>
	1800	93	<del>Reb</del>
	2100	92	<del>Reb</del>
	2400	90	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
7/18	0300	84	<del>Reb</del>
	0600	83	<del>Reb</del>
	0900	85	<del>Reb</del>
	1200	89	TC
	1500	91	Niday
	1800	91	Niday
	2100	92	Niday
	2400	91	<del>Reb</del>

**Saturday**

Date	Time	Temp.	Name (Print)
7/20	0300	89	Kimbrell
	0600	89	<del>Kimbrell</del>
	0900	90	<del>Kimbrell</del>
	1200	91	<del>Kimbrell</del>
	1500	91	<del>Kimbrell</del>
	1800	92	<del>Kimbrell</del>
	2100	91	<del>Kimbrell</del>
	2400	89	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 65      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/22	0300	91	✓ 1
	0600	91	CARDONA
	0900	92	CARDONA
	1200	93	CARDONA
	1500	95	BANCULAT
	1800	96	Garcia
	2100	96	Garcia
	2400	95	Rynd

#### Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	93	Rynd
	0600	90	Ribles
	0900	93	Ribles
	1200	96	Ribby
	1500	96	Garcia
	1800	95	Garcia
	2100	95	Garcia
	2400	94	Rynd

#### Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	93	Rynd
	0600	94	HILGEN
	0900	96	HILGEN
	1200	96	HILGEN
	1500	96	UBALDO
	1800	96	UBALDO
	2100	97	UBALDO
	2400	97	Moore

#### Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	96	Moore
	0600	95	CARDONA
	0900	96	CARDONA
	1200	97	CARDONA
	1500	99	Weathers
	1800	98	Beard
	2100	98	Brown
	2400	97	Moore

#### Friday

Date	Time	Temp.	Name (Print)
7/26	0300	98	Moore
	0600	91	CARDONA
	0900	94	CARDONA
	1200	95	CARDONA
	1500	95	
	1800	95	
	2100	94	
	2400	92	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	90	Kimbrell
	0600	90	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	93	
	1800	93	
	2100	84	
	2400	84	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	82	✓ 1
	0600	80	CARDONA
	0900	80	CARDONA
	1200	82	CARDONA
	1500	84	
	1800	85	
	2100	81	
	2400	80	✓ 1

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22	0300	92	Allen
	0600	92	FISH
	0900	90	FISH
	1200	91	FISH
	1500	94	COSTILL
	1800	95	COSTILL
	2100	96	COSTILL
	2400	95	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23	0300	94	Allen
	0600	94	
	0900	95	
	1200	96	
	1500	97	
	1800	98	
	2100	99	
	2400	98	VANL

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24	0300	96	VANL
	0600	96	
	0900	97	
	1200	95	
	1500	100	
	1800	101	
	2100	100	
	2400	100	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
7/25	0300	99	Kimball
	0600	95	
	0900	97	
	1200	97	
	1500	99	
	1800	100	
	2100	100	
	2400	99	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	98	Kimball
	0600	95	
	0900	95	
	1200	95	
	1500	97	
	1800	97	
	2100	96	
	2400	95	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
7/27	0300	93	Kimball
	0600	91	
	0900	90	
	1200	89	
	1500	92	
	1800	91	
	2100	90	
	2400	90	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
7/28	0300	89	Kimball
	0600	87	SOURCE
	0900	88	SOURCE
	1200	89	SOURCE
	1500	88	COSTILL
	1800	89	COSTILL
	2100	89	COSTILL
	2400	96	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign: J. Amerson

3rd/W - Print & Sign: J. chaver Jr. 2020

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 607 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22	0300	92	G1
	0600	92	CARODNA
	0900	92	CARODNA
	1200	93	CARODNA
	1500	94	GARCIA
	1800	96	GARCIA
	2100	95	GARCIA
	2400	93	Rypal

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24	0300	94	Rypal
	0600	94	HIGEN
	0900	96	HIGEN
	1200	97	HIGEN
	1500	96	UBALDO
	1800	96	UBALDO
	2100	97	UBALDO
	2400	97	MOORE

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	95	MOORE
	0600	90	CARODNA
	0900	94	CARODNA
	1200	95	CARODNA
	1500	95	<u>          </u>
	1800	94	<u>          </u>
	2100	94	<u>          </u>
	2400	92	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/28	0300	84	G1
	0600	79	CARODNA
	0900	80	CARODNA
	1200	81	CARODNA
	1500	82	<u>          </u>
	1800	84	<u>          </u>
	2100	82	<u>          </u>
	2400	80	G1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23	0300	92	Rypal
	0600	94	Nobles
	0900	95	Nobles
	1200	96	Nobles
	1500	96	Garcia
	1800	95	Garcia
	2100	95	Garcia
	2400	95	Rypal

**Thursday**

Date	Time	Temp.	Name (Print)
7/25	0300	94	MOORE
	0600	92	CARODNA
	0900	95	CARODNA
	1200	96	CARODNA
	1500	97	Weathers
	1800	97	Beard
	2100	98	Burd
	2400	96	MOORE

**Saturday**

Date	Time	Temp.	Name (Print)
7/27	0300	90	Kimbrell
	0600	90	CARODNA
	0900	90	CARODNA
	1200	90	CARODNA
	1500	93	<u>          </u>
	1800	90	<u>          </u>
	2100	88	<u>          </u>
	2400	86	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 68 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/22	0300	91	Allen
	0600	90	FISH
	0900	89	FISH
	1200	91	FISH
	1500	94	COSTILLO
	1800	95	COSTILLO
	2100	95	COSTILLO
	2400	95	Allen

#### Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	95	WING
	0600	94	
	0900	95	
	1200	95	
	1500	95	
	1800	96	
	2100	96	
	2400	96	Kimbrell

#### Friday

Date	Time	Temp.	Name (Print)
7/26	0300	97	Kimbrell
	0600	92	
	0900	93	
	1200	94	
	1500	94	
	1800	94	
	2100	99	
	2400	92	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	85	Kimbrell
	0600	83	SANCHEZ
	0900	81	SANCHEZ
	1200	82	SANCHEZ
	1500	84	COSTILLO
	1800	82	COSTILLO
	2100	86	COSTILLO
	2400	85	Allen

#### Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	94	Allen
	0600	93	
	0900	94	
	1200	95	
	1500	96	
	1800	97	
	2100	97	
	2400	98	WING

#### Thursday


Date	Time	Temp.	Name (Print)
7/25	0300	96	Kimbrell
	0600	94	
	0900	95	
	1200	96	
	1500	97	
	1800	97	
	2100	99	
	2400	98	Kimbrell

#### Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	89	Kimbrell
	0600	88	
	0900	88	
	1200	88	
	1500	89	
	1800	90	
	2100	89	
	2400	87	Kimbrell

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign: J. Alvarez 

3rd/W - Print & Sign: J. Chavez Jr 

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 69      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/22	0300	92	Cr 1
	0600	91	CAROCNA
	0900	92	CAROCNA
	1200	93	CAROCNA
	1500	94	Garcia
	1800	96	Garcia
	2100	95	Garcia
	2400	93	Ryant

#### Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	93	Ryant
	0600	93	HILGEN
	0900	93	HILGEN
	1200	96	HILGEN
	1500	95	UBALDO
	1800	96	UBALDO
	2100	96	UBALDO
	2400	96	MOORE

#### Friday

Date	Time	Temp.	Name (Print)
7/26	0300	95	MOORE
	0600	90	CAROCNA
	0900	93	CAROCNA
	1200	93	CAROCNA
	1500	93	
	1800	93	
	2100	93	
	2400	92	Kimbrell

#### Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	84	Cr 1
	0600	86	CAROCNA
	0900	79	CAROCNA
	1200	80	CAROCNA
	1500	81	
	1800	82	
	2100	80	
	2400	79	Cr 1

#### Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	93	Ryant
	0600	94	Robin
	0900	95	Robby
	1200	96	Robbie
	1500	96	Garcia
	1800	95	Garcia
	2100	95	Garcia
	2400	95	Ryant

#### Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	95	MOORE
	0600	92	CAROCNA
	0900	94	CAROCNA
	1200	96	CAROCNA
	1500	94	WeatherS
	1800	97	Bearl
	2100	98	Bruel
	2400	99	Mara

#### Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	90	Kimball
	0600	88	CAROCNA
	0900	88	CAROCNA
	1200	88	CAROCNA
	1500	91	
	1800	89	
	2100	89	
	2400	86	Kimball

#### Notes & Signatures

1st/W - Print & Sign: \_\_\_\_\_

2nd/W - Print & Sign: \_\_\_\_\_

3rd/W - Print & Sign: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**STATE OF CALIFORNIA,  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
7/22	0300	91	Allen
	0600	90	FISH
	0900	90	FISH
	1200	91	FISH
	1500	94	Castillo
	1800	95	Castillo
	2100	96	Castillo
	2400	95	Allen

Wednesday

Wednesday		Date	Time	Temp.	Name (Print)
7/24			0300	96	VWTW
			0600	94	<del>✓✓✓✓✓✓✓✓</del>
			0900	94	<del>✓✓✓✓✓✓✓✓</del>
			1200	96	<del>✓✓✓✓✓✓✓✓</del>
			1500	97	<del>✓✓✓✓✓✓✓✓</del>
			1800	98	<del>✓✓✓✓✓✓✓✓</del>
			2100	98	<del>✓✓✓✓✓✓✓✓</del>
			2400	97	Kimball

Friday

Date	Time	Temp.	Name (Print)
7/26	0300	96	Kumbull
	0600	91	
	0900	92	
	1200	93	
	1500	93	~
	1800	93	~~
	2100	94	~~
	2400	92	Kumbull

Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	85	Kimball, U.
	0600	83	Sorensen, S.
	0900	81	Gause, J.
	1200	83	Garcia, S.
	1500	84	Castillo, C.
	1800	85	Castillo, C.
	2100	86	Castillo, C.
	2400	84	Alien

Tuesday

Tuesday		Date	Time	Temp.	Name (Print)
7/23			0300	94	<i>Allen</i>
			0600	93	<del>Allen</del>
			0900	94	<del>Allen</del>
			1200	95	<del>Allen</del>
			1500	96	<i>Allen</i>
			1800	96	<i>Allen</i>
			2100	97	<i>Allen</i>
			2400	97	<i>Allen</i>

Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	96	Kimberly
	0600	95	<del>✓</del>
	0900	95	<del>✓</del>
	1200	96	<del>✓</del>
	1500	96	<del>✓</del>
	1800	97	<del>✓</del>
	2100	98	<del>✓</del>
	2400	97	Kimbrell

Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	89	Kimbrell
	0600	87	<del>Kimbrell</del>
	0900	88	<del>Kimbrell</del>
	1200	88	<del>Kimbrell</del>
	1500	89	<del>Kimbrell</del>
	1800	89	<del>Kimbrell</del>
	2100	88	<del>Kimbrell</del>
	2400	86	Kimbrell

### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign: J. Amegashie  
3rd/W - Print & Sign: J. Chavis Jr. Resigned

3rd/W - Print & Sign

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 71 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22	0300	90	<i>al</i>
	0600	90	CARDONA
	0900	91	CARDONA
	1200	92	CARDONA
	1500	94	GARCIA
	1800	95	GARCIA
	2100	96	GARCIA
	2400	95	Ryant

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24	0300	94	Ryant
	0600	96	LIGER
	0900	90	LIGER
	1200	97	LIGER
	1500	96	UBALDO
	1800	96	UBALDO
	2100	97	UBALDO
	2400	97	MOORE

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	95	MOORE
	0600	91	CARDONA
	0900	93	CARDONA
	1200	94	CARDONA
	1500	94	<i>S</i>
	1800	95	<i>S</i>
	2100	93	<i>S</i>
	2400	91	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/28	0300	86	<i>al</i>
	0600	78	CARDONA
	0900	81	CARDONA
	1200	82	CARDONA
	1500	84	<i>S</i>
	1800	85	<i>S</i>
	2100	81	<i>S</i>
	2400	80	c. t

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23	0300	94	Ryant
	0600	94	Robles
	0900	95	Robles
	1200	96	Robles
	1500	96	GARCIA
	1800	95	GARCIA
	2100	95	GARCIA
	2400	95	Ryant

**Thursday**

Date	Time	Temp.	Name (Print)
7/25	0300	96	MOORE
	0600	93	CARDONA
	0900	95	CARDONA
	1200	95	CARDONA
	1500	97	Weatherby
	1800	98	Bread
	2100	98	Bread
	2400	96	MOORE

**Saturday**

Date	Time	Temp.	Name (Print)
7/27	0300	89	Kimbrell
	0600	89	CARDONA
	0900	89	CARDONA
	1200	90	CARDONA
	1500	92	<i>S</i>
	1800	90	<i>S</i>
	2100	89	<i>S</i>
	2400	88	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 72 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22	0300	89	Allen
	0600	90	Felt
	0900	89	Felt
	1200	90	Felt
	1500	91	(S) 110
	1800	93	(C) 110
	2100	95	Felt 110
	2400	94	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24	0300	90	Wright
	0600	93	
	0900	94	
	1200	94	
	1500	95	
	1800	96	
	2100	97	
	2400	96	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	94	Kimball
	0600	82	
	0900	93	
	1200	93	
	1500	94	
	1800	94	
	2100	94	
	2400	92	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
7-28	0300	84	Kimball
	0600	82	Sauceda
	0900	81	Sauceda
	1200	83	Sauceda
	1500	89	(C) 110
	1800	86	(C) 110
	2100	86	(C) 110
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23	0300	93	Allen
	0600	93	
	0900	93	
	1200	94	
	1500	95	
	1800	95	
	2100	96	
	2400	98	Wright

**Thursday**

Date	Time	Temp.	Name (Print)
7/25	0300	96	Kimball
	0600	95	
	0900	95	
	1200	96	
	1500	96	
	1800	96	
	2100	97	
	2400	96	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
7/27	0300	89	Kimball
	0600	85	
	0900	85	
	1200	88	
	1500	87	
	1800	89	
	2100	88	
	2400	86	Kimball

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print & Sign: J. Amegual3rd/W - Print & Sign: J. Chaver Jr. 2CS

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 73 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
7/22	0300	72	or 1
	0600	91	CARONA
	0900	92	CARONA
	1200	92	CARONA
	1500	94	Garcia
	1800	96	Garcia A
	2100	95	Garcia
	2400	94	Ryan

## Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	93	Ryan
	0600	88	MILCF 2
	0900	91	MILCF
	1200	91	MILCF
	1500	95	UBALDO
	1800	95	UBALDO
	2100	96	UBALDO
	2400	94	MOORE

## Friday

Date	Time	Temp.	Name (Print)
7/26	0300	95	MOORE
	0600	90	CARONA
	0900	92	CARONA
	1200	93	CARONA
	1500	93	
	1800	94	
	2100	93	
	2400	92	Kimball

## Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	82	or 1
	0600	78	CARONA
	0900	76	CARONA
	1200	80	CARONA
	1500	82	
	1800	83	
	2100	81	
	2400	80	or 1

## Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	94	Ryan
	0600	94	Weller
	0900	95	Rebh
	1200	96	Rebh
	1500	96	Garcia
	1800	95	GARCIA
	2100	95	Garcia
	2400	94	Ryan

## Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	95	MOORE
	0600	93	CARONA
	0900	94	CARONA
	1200	95	CARONA
	1500	99	Wathers
	1800	99	Browne
	2100	99	Browne
	2400	96	MOORE

## Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	89	Kimball
	0600	89	CARONA
	0900	89	CARONA
	1200	89	CARONA
	1500	92	
	1800	89	
	2100	88	
	2400	83	Kimball

## Notes &amp; Signatures

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 74 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22	0300	88	Allen
	0600	90	FISH
	0900	90	FISH
	1200	90	FISH
	1500	94	Castillo
	1800	94	Castillo
	2100	93	Castillo
	2400	92	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23	0300	92	Allen
	0600	92	<del>Allen</del>
	0900	92	<del>Allen</del>
	1200	93	<del>Allen</del>
	1500	94	<del>Allen</del>
	1800	95	<del>Allen</del>
	2100	95	<del>Allen</del>
	2400	98	NAN

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24	0300	96	WTHA
	0600	94	<del>WTHA</del>
	0900	95	<del>WTHA</del>
	1200	95	<del>WTHA</del>
	1500	96	<del>WTHA</del>
	1800	96	<del>WTHA</del>
	2100	97	<del>WTHA</del>
	2400	96	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
7/25	0300	94	Kimbrell
	0600	92	<del>Kimbrell</del>
	0900	93	<del>Kimbrell</del>
	1200	94	<del>Kimbrell</del>
	1500	95	<del>Kimbrell</del>
	1800	95	<del>Kimbrell</del>
	2100	95	<del>Kimbrell</del>
	2400	95	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	93	Kimbrell
	0600	92	<del>Kimbrell</del>
	0900	92	<del>Kimbrell</del>
	1200	93	<del>Kimbrell</del>
	1500	94	<del>Kimbrell</del>
	1800	94	<del>Kimbrell</del>
	2100	93	<del>Kimbrell</del>
	2400	93	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
7/27	0300	87	Kimbrell
	0600	84	<del>Kimbrell</del>
	0900	85	<del>Kimbrell</del>
	1200	85	<del>Kimbrell</del>
	1500	88	<del>Kimbrell</del>
	1800	88	<del>Kimbrell</del>
	2100	79	<del>Kimbrell</del>
	2400	79	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
7/28	0300	76	Kimbrell
	0600	74	Sauceda
	0900	75	Sauceda
	1200	78	Sauceda
	1500	82	Castillo
	1800	84	Castillo
	2100	86	Castillo
	2400	84	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign: J. Amegashen

3rd/W - Print &amp; Sign: J. Chivac

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 75 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/22	0300	91	carl
	0600	91	CAROLINA
	0900	91	CAROLINA
	1200	92	CAROLINA
	1500	94	GARCIA
	1800	96	GARCIA
	2100	95	GARCIA
	2400	93	Rynd

#### Wednesday

Date	Time	Temp.	Name (Print)
7/24	0300	93	Rynd
	0600	89	MILLEN
	0900	92	FRAZER
	1200	94	MILLEN
	1500	95	UBALDO
	1800	96	UBALDO
	2100	95	UBALDO
	2400	95	MOORE

#### Friday

Date	Time	Temp.	Name (Print)
7/26	0300	94	MOORE
	0600	88	CAROLINA
	0900	91	CAROLINA
	1200	93	CAROLINA
	1500	93	
	1800	94	
	2100	93	
	2400	92	Kimball

#### Sunday

Date	Time	Temp.	Name (Print)
7/28	0300	82	carl
	0600	80	CAROLINA
	0900	84	CAROLINA
	1200	86	CAROLINA
	1500	86	
	1800	88	
	2100	85	
	2400	84	carl

#### Tuesday

Date	Time	Temp.	Name (Print)
7/23	0300	92	Rynd
	0600	94	Rynd
	0900	95	Rynd
	1200	96	Rynd
	1500	96	GARCIA
	1800	95	GARCIA
	2100	95	GARCIA
	2400	94	Rynd

#### Thursday

Date	Time	Temp.	Name (Print)
7/25	0300	93	MOORE
	0600	92	CAROLINA
	0900	94	CAROLINA
	1200	95	CAROLINA
	1500	90	Wathers
	1800	91	Bentley
	2100	91	Bentley
	2400	94	MOORE

#### Saturday

Date	Time	Temp.	Name (Print)
7/27	0300	89	Kimball
	0600	89	CAROLINA
	0900	89	CAROLINA
	1200	89	CAROLINA
	1500	92	
	1800	90	
	2100	89	
	2400	84	Kimball

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 76 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/22	0300	99	Allen
	0600	90	FISKE
	0900	90	FISKE
	1200	91	FISKE
	1500	94	COSTULLO
	1800	94	COSTULLO
	2100	96	COSTULLO
	2400	94	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/23	0300	93	Allen
	0600	92	
	0900	92	
	1200	93	
	1500	93	
	1800	94	
	2100	93	
	2400	98	

**Wednesday**

Date	Time	Temp.	Name (Print)
7/24	0300	96	WANER
	0600	94	
	0900	95	
	1200	95	
	1500	95	
	1800	95	
	2100	96	
	2400	96	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
7/25	0300	95	Kimball
	0600	94	
	0900	94	
	1200	95	
	1500	95	
	1800	95	
	2100	96	
	2400	96	Kimball

**Friday**

Date	Time	Temp.	Name (Print)
7/26	0300	95	Kimball
	0600	92	
	0900	92	
	1200	92	
	1500	93	
	1800	93	
	2100	92	
	2400	89	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
7/27	0300	87	Kimball
	0600	84	
	0900	85	
	1200	85	
	1500	89	
	1800	89	
	2100	89	
	2400	84	Kimball

**Sunday**

Date	Time	Temp.	Name (Print)
7/28	0300	87	Kimball
	0600	80	Saucedo
	0900	81	Saucedo
	1200	82	Saucedo
	1500	81	COSTULLO
	1800	86	COSTULLO
	2100	87	COSTULLO
	2400	85	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign: J. AMARAL

3rd/W - Print &amp; Sign: T. CHAVEZ JR.

STATE OF CALIFORNIA

## INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 65 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	79	G1
	0600	80	CARDONA
	0900	81	CARDONA
	1200	81	Dayroom
	1500	85	For
	1800	84	Her
	2100	85	Her
	2400	85	Rynd

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	82	Rynd
	0600	82	Dasher
	0900	84	Reiley
	1200	87	Robles
	1500	87	Gregg
	1800	88	Gregg
	2100	88	Gregg
	2400	84	Rynd

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Rynd
	0600	83	HILGEN
	0900	83	HILGEN
	1200	97	HILGEN
	1500	88	Bone
	1800	88	B-
	2100	87	B-
	2400	85	MORE

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	84	MORE
	0600	85	CARDONA
	0900	85	CARDONA
	1200	86	CARDONA
	1500	85	COSTANOR
	1800	85	COSTANOR
	2100	84	COSTANOR
	2400	82	MORE

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	79	MORE
	0600	89	CARDONA
	0900	92	CARDONA
	1200	92	CARDONA
	1500	97	WEATHERS
	1800	90	WEATHERS
	2100	88	WEATHERS
	2400	86	G-

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	85	G1
	0600	85	CARDONA
	0900	87	CARDONA
	1200	89	CARDONA
	1500	91	Ban
	1800	91	Ban
	2100	82	B-
	2400	91	G-

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	90	G1
	0600	90	CARDONA
	0900	92	CARDONA
	1200	93	CARDONA
	1500	93	Bans
	1800	94	Bans
	2100	96	Bans
	2400	95	G1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 66 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	86	Allen
	0600	86	Nebles
	0900	86	Retro
	1200	87	Retro
	1500	89	Costillo
	1800	87	Costillo
	2100	87	Costillo
	2400	86	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	89	Kimbrell
	0600	88	
	0900	88	
	1200	89	
	1500	89	
	1800	90	
	2100	91	
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	90	Kimbrell
	0600	90	
	0900	91	
	1200	91	
	1500	91	
	1800	91	
	2100	90	
	2400	91	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	90	Kimbrell
	0600	89	Nebles
	0900	89	Retro
	1200	90	Nebles
	1500	91	Costillo
	1800	91	Costillo
	2100	91	Costillo
	2400	92	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	85	Allen
	0600	86	
	0900	86	
	1200	88	
	1500	89	
	1800	90	
	2100	90	
	2400	90	Kimball

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	89	Kimball
	0600	88	
	0900	88	
	1200	90	
	1500	93	
	1800	93	
	2100	93	
	2400	92	Kimball

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	90	Kimball
	0600	87	
	0900	90	
	1200	90	
	1500	93	
	1800	93	
	2100	90	
	2400	90	Kimball

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 67      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	78	cr 1
	0600	80	CARONA
	0900	80	CARONA
	1200	81	CARONA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	84	Ryanl

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	81	Ryanl
	0600	82	Ryanl
	0900	84	Ryanl
	1200	87	Ryanl
	1500	87	Gregg
	1800	88	Gregg
	2100	89	Gregg
	2400	86	Ryanl

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Ryanl
	0600	82	HIZGEN
	0900	83	HIZGEN
	1200	87	HIZGEN
	1500	85	Sara
	1800	86	Be
	2100	85	Be
	2400	83	Mope

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	82	Mope
	0600	86	CARONA
	0900	85	CARONA
	1200	87	CARONA
	1500	85	CARONA
	1800	85	CARONA
	2100	85	CARONA
	2400	81	Mope

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	79	Mope
	0600	89	CARONA
	0900	89	CARONA
	1200	90	CARONA
	1500	91	WEATHERS
	1800	90	WEATHERS
	2100	89	WEATHERS
	2400	87	GUY

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	87	GUY
	0600	89	CARONA
	0900	90	CARONA
	1200	90	CARONA
	1500	91	GUY
	1800	91	GUY
	2100	91	GUY
	2400	70	GUY

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 68 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	84	Allen
	0600	84	Ruth
	0900	86	Reh
	1200	88	Reh
	1500	89	Castillo
	1800	89	Castillo
	2100	86	Castillo
	2400	85	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	83	Kimbrell
	0600	84	
	0900	85	
	1200	86	
	1500	87	
	1800	88	
	2100	89	
	2400	87	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbrell
	0600	86	
	0900	80	
	1200	81	
	1500	91	
	1800	91	
	2100	90	
	2400	90	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	85	Kimbrell
	0600	87	Ruth
	0900	93	Reh
	1200	90	Reh
	1500	90	(CSL110)
	1800	93	(CSL110)
	2100	97	(CSL110)
	2400	93	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	85	
	0900	85	
	1200	86	
	1500	88	
	1800	86	
	2100	86	
	2400	84	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	86	Kimbrell
	0600	86	
	0900	86	
	1200	88	
	1500	91	Tee
	1800	91	
	2100	92	
	2400	91	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	89	Kimbrell
	0600	87	
	0900	90	B
	1200	90	B
	1500	93	
	1800	91	
	2100	90	
	2400	90	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 69 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	80	G1
	0600	80	CARODA
	0900	81	CARODA
	1200	81	CARODA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	84	Rypnd

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Rypnd
	0600	83	HIGEM
	0900	84	HIGEM
	1200	87	HIGEM
	1500	88	Bone
	1800	88	Bone
	2100	87	Bo
	2400	80	MOPE

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	81	MOPE
	0600	89	CARODA
	0900	89	CARODA
	1200	90	CARODA
	1500	91	WEATHERS
	1800	90	WEATHERS
	2100	89	WEATHERS
	2400	87	G1

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	70	G1
	0600	90	CARODA
	0900	92	CARODA
	1200	92	CARODA
	1500	93	BAINS
	1800	93	BAINS
	2100	93	BAINS
	2400	94	G1

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	82	Rypnd
	0600	82	Nobie
	0900	84	Nobie
	1200	87	Nobie
	1500	88	Gregg
	1800	89	Gregg
	2100	98	Gregg
	2400	86	Rypnd

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	75	MOPE
	0600	80	CARODA
	0900	83	CARODA
	1200	86	CARODA
	1500	85	Castanon
	1800	85	CASTANON
	2100	85	CASTANON
	2400	83	MOPE

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	87	WEATHERS G1
	0600	89	CARODA
	0900	90	CARODA
	1200	90	CARODA
	1500	91	WEATHERS
	1800	91	WEATHERS
	2100	91	WEATHERS
	2400	90	WEATHERS

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 70      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	84	Allen
	0600	83	Allen
	0900	86	Allen
	1200	88	Allen
	1500	89	Castillo
	1800	86	Castillo
	2100	87	Castillo
	2400	86	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	83	
	0900	84	
	1200	85	
	1500	86	
	1800	86	
	2100	85	
	2400	84	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	83	Kimbrell
	0600	84	
	0900	85	
	1200	86	
	1500	87	
	1800	87	
	2100	87	
	2400	86	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	85	Kimbrell
	0600	86	
	0900	86	
	1200	87	
	1500	89	
	1800	90	
	2100	91	
	2400	90	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbrell
	0600	88	
	0900	89	
	1200	90	
	1500	90	
	1800	91	
	2100	90	
	2400	90	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	89	Kimbrell
	0600	89	
	0900	90	
	1200	90	
	1500	92	
	1800	91	
	2100	90	
	2400	89	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	89	Kimbrell
	0600	87	Kimbrell
	0900	86	Kimbrell
	1200	90	Kimbrell
	1500	91	Castillo
	1800	93	Castillo
	2100	96	Castillo
	2400	93	Allen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 71      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	75	G 7
	0600	79	CARODNA
	0900	80	CARODNA
	1200	81	CARODNA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	85	Rypal

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	81	Rypal
	0600	82	Bob
	0900	84	Bob
	1200	87	Bob
	1500	88	Gregg
	1800	88	Gregg
	2100	88	Gregg
	2400	86	Rypal

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	83	Rypal
	0600	83	HILGEN
	0900	83	HILGEN
	1200	86	HILGEN
	1500	85	Bans
	1800	86	Bans
	2100	85	Bans
	2400	83	MORR

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	82	MORR
	0600	85	CARODNA
	0900	85	CARODNA
	1200	87	CARODNA
	1500	85	CASTANON
	1800	85	CASTANON
	2100	85	CASTANON
	2400	83	MORR

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	81	MORR
	0600	89	CARODNA
	0900	89	CARODNA
	1200	89	CARODNA
	1500	90	WEATHERS
	1800	90	WEATHERS
	2100	89	WEATHERS
	2400	88	G 1

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	89	G 1
	0600	89	CARODNA
	0900	90	CARODNA
	1200	90	CARODNA
	1500	91	
	1800	91	
	2100	91	
	2400	90	G 1

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 72      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	85	Allen
	0600	86	Allen
	0900	86	Allen
	1200	88	Allen
	1500	88	Castillo
	1800	88	Castillo
	2100	87	Castillo
	2400	85	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Kimbrell
	0600	82	Kimbrell
	0900	83	Kimbrell
	1200	84	Kimbrell
	1500	85	Kimbrell
	1800	85	Kimbrell
	2100	86	Kimbrell
	2400	86	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbrell
	0600	89	Kimbrell
	0900	89	Kimbrell
	1200	90	Kimbrell
	1500	90	Kimbrell
	1800	90	Kimbrell
	2100	90	Kimbrell
	2400	89	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	88	Kimbrell
	0600	87	Melch
	0900	88	Melch
	1200	90	Melch
	1500	91	CST-110
	1800	92	CST-110
	2100	94	CST-112
	2400	92	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	82	Allen
	0900	83	Allen
	1200	85	Allen
	1500	86	Allen
	1800	85	Allen
	2100	85	Allen
	2400	83	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	85	Kimbrell
	0600	86	Kimbrell
	0900	86	Kimbrell
	1200	87	Kimbrell
	1500	90	Kimbrell
	1800	90	Kimbrell
	2100	89	Kimbrell
	2400	90	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	88	Kimbrell
	0600	89	Kimbrell
	0900	90	Kimbrell
	1200	90	Kimbrell
	1500	91	Kimbrell
	1800	89	Kimbrell
	2100	88	Kimbrell
	2400	88	Kimbrell

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 73 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/29	0300	76	G1
	0600	78	CARONA
	0900	80	CARONA
	1200	81	CARONA
	1500	85	Her
	1800	84	Her
	2100	83	Her
	2400	84	Rynd

#### Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	82	Rynd
	0600	82	Rynd
	0900	84	Rynd
	1200	87	Roben
	1500	88	Gregg
	1800	89	Gregg
	2100	89	Gregg
	2400	86	Rynd

#### Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	82	Rynd
	0600	81	HILGEN
	0900	82	HILGEN
	1200	85	HILGEN
	1500	85	Damia
	1800	86	Damia
	2100	85	Damia
	2400	83	MORE

#### Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	80	MOCK
	0600	85	CARONA
	0900	85	CARONA
	1200	87	CARONA
	1500	85	CASTANON
	1800	85	CASTANON
	2100	85	CASTANON
	2400	83	Poppe

#### Friday

Date	Time	Temp.	Name (Print)
8/2	0300	81	Moore
	0600	89	CARONA
	0900	89	CARONA
	1200	89	CARONA
	1500	89	WEATHERS
	1800	88	WEATHERS
	2100	88	WEATHERS
	2400	86	o/1

#### Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	87	G1
	0600	89	CARONA
	0900	90	CARONA
	1200	90	WEATHERS
	1500	91	WEATHERS
	1800	91	WEATHERS
	2100	91	WEATHERS
	2400	90	o/

#### Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	88	G1
	0600	90	CARONA
	0900	96	CARONA
	1200	93	CARONA
	1500	93	BAINS
	1800	93	BAINS
	2100	93	BAINS
	2400	92	G1

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 74      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	85	Allen
	0600	86	Tables
	0900	85	Rob
	1200	86	Rob
	1500	87	Castillo
	1800	87	Castillo
	2100	86	Castillo
	2400	85	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	83	
	0900	84	
	1200	84	
	1500	85	
	1800	85	
	2100	84	
	2400	82	Kimbrell

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Kimbrell
	0600	80	
	0900	81	
	1200	82	
	1500	84	
	1800	83	
	2100	84	
	2400	86	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	84	Kimbrell
	0600	85	
	0900	85	
	1200	86	
	1500	89	
	1800	90	
	2100	91	
	2400	89	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	88	Kimbrell
	0600	86	
	0900	87	
	1200	88	
	1500	88	
	1800	89	
	2100	89	
	2400	86	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	85	Kimbrell
	0600	87	
	0900	88	
	1200	89	
	1500	92	
	1800	90	
	2100	90	
	2400	88	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	88	Kimbrell
	0600	87	
	0900	88	
	1200	90	Rob
	1500	90	Castillo
	1800	92	Castillo
	2100	94	Castillo
	2400	92	Allen

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print &amp; Sign:

3rd/W - Print &amp; Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 75      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
7/29	0300	76	21
	0600	78	CARDONA
	0900	80	CARDONA
	1200	81	CARDONA
	1500	85	Her
	1800	84	Her
	2100	85	Her
	2400	84	Rypal

#### Tuesday

Date	Time	Temp.	Name (Print)
7/30	0300	82	Rypal
	0600	82	Robby
	0900	84	Robby
	1200	87	Robby
	1500	88	J. Gregg
	1800	89	Gregg
	2100	88	Gregg
	2400	85	Rypal

#### Wednesday

Date	Time	Temp.	Name (Print)
7/31	0300	83	Rypal
	0600	82	HILGEN
	0900	83	HILGEN
	1200	86	HILGEN
	1500	87	Bonita
	1800	87	Bonita
	2100	85	Bonita
	2400	83	MURK

#### Thursday

Date	Time	Temp.	Name (Print)
8/1	0300	80	MURK
	0600	86	CARDONA
	0900	86	CARDONA
	1200	89	CARDONA
	1500	85	CASANON
	1800	85	CASANON
	2100	85	CASANON
	2400	83	MURK

#### Friday

Date	Time	Temp.	Name (Print)
8/2	0300	80	MURK
	0600	89	CARDONA
	0900	89	CARDONA
	1200	89	CARDONA
	1500	89	WEATHERS
	1800	89	Weathers
	2100	88	Weathers
	2400	87	CO 1

#### Saturday

Date	Time	Temp.	Name (Print)
8/3	0300	88	G.L
	0600	89	CARDONA
	0900	90	CARDONA
	1200	90	CARDONA
	1500	91	BR
	1800	91	BR
	2100	91	BR
	2400	90	CO 1

#### Sunday

Date	Time	Temp.	Name (Print)
8/4	0300	88	CO 1
	0600	90	CARDONA
	0900	90	CARDONA
	1200	92	CARDONA
	1500	94	BR
	1800	94	BR
	2100	94	BR
	2400	93	CO 1

#### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC      Housing Unit: 76      Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
7/29	0300	84	Allen
	0600	84	Rosales
	0900	86	Rodriguez
	1200	88	Reed
	1500	88	Castillo
	1800	87	Castillo
	2100	87	Castillo
	2400	85	Allen

**Wednesday**

Date	Time	Temp.	Name (Print)
7/31	0300	82	Kimbrell
	0600	83	
	0900	84	
	1200	86	
	1500	87	
	1800	87	
	2100	86	
	2400	86	Kimbrell

**Friday**

Date	Time	Temp.	Name (Print)
8/2	0300	89	Kimbrell
	0600	88	
	0900	87	
	1200	88	
	1500	88	
	1800	89	
	2100	87	
	2400	86	Kimbrell

**Sunday**

Date	Time	Temp.	Name (Print)
8/4	0300	89	Kimbrell
	0600	87	Kimball
	0900	88	Reed
	1200	90	Rodriguez
	1500	90	Castillo
	1800	93	Castillo
	2100	99	Castillo
	2400	91	Allen

**Tuesday**

Date	Time	Temp.	Name (Print)
7/30	0300	84	Allen
	0600	85	
	0900	85	
	1200	85	
	1500	85	
	1800	86	
	2100	85	
	2400	84	Kimbrell

**Thursday**

Date	Time	Temp.	Name (Print)
8/1	0300	84	Kimbrell
	0600	85	
	0900	85	
	1200	87	
	1500	90	
	1800	91	
	2100	91	
	2400	90	Kimbrell

**Saturday**

Date	Time	Temp.	Name (Print)
8/3	0300	85	Kimbrell
	0600	89	
	0900	90	
	1200	90	
	1500	93	
	1800	90	
	2100	90	
	2400	89	Kimbrell

**Notes & Signatures**

1st/W - Print &amp; Sign:

2nd/W - Print & Sign: 

3rd/W - Print &amp; Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 501 Housing Unit: Building 1 C/F Temp. Reading Location: Door  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	78	SHERMAN ANDREZ
	0600	78	SHERMAN ANDREZ
	0900	78	M. GALVAN
	1200	78	M. GALVAN
	1500	78	D. MERCADO
	1800	78	D. MERCADO
	2100	79	D. MERCADO
	2400	78	NUNNELEE

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	78	NUNNELEE
	0600	78	NUNNELEE
	0900	79	Borlongan, Jr.
	1200	79	Borlongan, Jr.
	1500	79	D. MERCADO
	1800	79	D. MERCADO
	2100	79	D. MERCADO
	2400	79	J. DOWAN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/2/21	0300	78	VANAS
	0600	79	VANAS
	0900	78	GALVAN ANDREZ
	1200	79	GALVAN ANDREZ
	1500	79	D. MERCADO
	1800	80	D. MERCADO
	2100	80	D. MERCADO
	2400	79	OQUEVERA

**Thursday**

Date	Time	Temp.	Name (Print)
5/3/21	0300	78	OQUEVERA
	0600	78	Nicky
	0900	79	Nicky
	1200	79	Nicky
	1500	80	D. MERCADO
	1800	81	D. MERCADO
	2100	81	D. MERCADO
	2400	81	(Quito) D.

**Friday**

Date	Time	Temp.	Name (Print)
5/4/21	0300	81	Garcia
	0600	80	ANDREW RISSETTO
	0900	80	ANDREW RISSETTO
	1200	80	Rissetto
	1500	81	D. MERCADO
	1800	81	D. MERCADO
	2100	81	D. MERCADO
	2400	81	J. MARQUARDT

**Saturday**

Date	Time	Temp.	Name (Print)
5/5/21	0300	81	J. MARQUARDT
	0600	80	J. MARQUARDT
	0900	81	Rissetto
	1200	81	Rissetto
	1500	82	Glover
	1800	83	Glover
	2100	83	Glover
	2400	83	J. MARQUARDT

**Sunday**

Date	Time	Temp.	Name (Print)
5/6/21	0300	82	SHERMAN ANDREZ
	0600	81	SHERMAN ANDREZ
	0900	81	Garcia
	1200	82	Garcia
	1500	83	Glover
	1800	83	Glover
	2100	83	Glover
	2400	83	D. MERCADO

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 2 Block Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/21	0300	76	L. VUE
	0600	76	O. SUN
	0900	77	O. SUN
	1200	78	O. SUN
	1500	78	X. WUH
	1800	80	X. WUH
	2100	80	X. WUH
	2400	80	O. SUN

Tuesday

Date	Time	Temp.	Name (Print)
5/1/21	0300	80	J. MUN
	0600	80	J. MUN
	0900	79	B. COLOMBO
	1200	80	B. COLOMBO
	1500	79	J. DIAZ
	1800	80	J. DIAZ
	2100	80	J. DIAZ
	2400	81	J. MUN

Wednesday

Date	Time	Temp.	Name (Print)
5/1/21	0300	80	J. MUN
	0600	80	J. MUN
	0900	80	B. COLOMBO
	1200	80	B. COLOMBO
	1500	81	A. VUE
	1800	81	A. VUE
	2100	81	A. VUE
	2400	81	J. MUN

Thursday

Date	Time	Temp.	Name (Print)
5/1/21	0300	81	J. MUN
	0600	80	J. MUN
	0900	79	B. COLOMBO
	1200	80	B. COLOMBO
	1500	80	G. GALLARDO
	1800	81	G. GALLARDO
	2100	81	G. GALLARDO
	2400	80	A. NGUYEN

Friday

Date	Time	Temp.	Name (Print)
5/1/21	0300	79	A. NGUYEN
	0600	78	A. NGUYEN
	0900	80	B. COLOMBO
	1200	80	B. COLOMBO
	1500	80	J. LEWIS
	1800	81	J. LEWIS
	2100	82	J. LEWIS
	2400	78	A. NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
5/1/21	0300	79	A. NGUYEN
	0600	80	B. COLOMBO
	0900	80	B. COLOMBO
	1200	81	B. COLOMBO
	1500	81	C. UBALDO
	1800	81	C. UBALDO
	2100	81	C. UBALDO
	2400	82	L. C.

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOU Housing Unit: 3 Temp. Reading Location: Dormitory  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	68	HILLARD
	0600	68	Frazier
	0900	70	Frazier
	1200	72	Frazier
	1500	70	MENANDEZ
	1800	71	MENANDEZ
	2100	70	MENANDEZ
	2400	70	HILLARD

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	68	HILLARD
	0600	72	R.GARCIA
	0900	72	R.GARCIA
	1200	72	R.GARCIA
	1500	72	R.BROWN
	1800	72	BALBOA
	2100	72	BARBER
	2400	72	HILLARD

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	68	HILLARD
	0600	70	PINE
	0900	71	PINE
	1200	73	PINE
	1500	74	K.BROWN
	1800	74	K.BROWN
	2100	74	K.BROWN
	2400	74	HILLARD

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	70	HILLARD
	0600	72	B. MACHARER
	0900	72	B. MACHARER
	1200	74	B. MACHARER
	1500	74	K.BROWN
	1800	74	K.BROWN
	2100	74	K.BROWN
	2400	73	B.BROWN

**Friday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	73	B.BROWN
	0600	72	B.BROWN
	0900	73	C.CAMPO
	1200	73	C.CAMPO
	1500	74	J.CHAVEZ
	1800	74	J.CHAVEZ
	2100	74	J.CHAVEZ
	2400	72	B.BROWN

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	72	B.BROWN
	0600	73	B.BROWN
	0900	72	PENA
	1200	73	PENA
	1500	75	J.CHAVEZ
	1800	72	J.CHAVEZ
	2100	75	J.CHAVEZ
	2400	76	HILLARD

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/21	0300	70	HILLARD
	0600	72	J.CHAVEZ
	0900	74	J.CHAVEZ
	1200	75	J.CHAVEZ
	1500	72	J.CHAVEZ
	1800	70	J.CHAVEZ
	2100	70	J.CHAVEZ
	2400	70	HILLARD

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SO Housing Unit: 4 Temp. Reading Location: Daycare  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/20	0300	76	Franklin
	0600	76	Craigton
	0900	76	Craigton
	1200	76	Craigton
	1500	77	BUBLE
	1800	77	BUBLE
	2100	75	BUBLE
	2400	76	A-NGUYEN

Tuesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	76	A-NGUYEN
	0600	76	A-NGUYEN
	0900	76	Craigton
	1200	77	Craigton
	1500	78	D. CASTILLO
	1800	78	D. CASTILLO
	2100	78	D. CASTILLO
	2400	77	J. MARQUARDT

Wednesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	76	J. MARQUARDT
	0600	76	J. MARQUARDT
	0900	78	MARSH
	1200	78	D. CASTILLO
	1500	78	D. CASTILLO
	1800	78	D. CASTILLO
	2100	80	D. CASTILLO
	2400	78	JACOBS

Thursday

Date	Time	Temp.	Name (Print)
5/1/20	0300	78	JACOBS
	0600	78	JACOBS
	0900	78	JACOBS
	1200	79	JACOBS
	1500	80	D. CASTILLO
	1800	80	D. CASTILLO
	2100	80	D. CASTILLO
	2400	79	JACOBS

Friday

Date	Time	Temp.	Name (Print)
5/1/20	0300	78	Franksper
	0600	78	Franksper
	0900	78	GEMIGNANI
	1200	80	GEMIGNANI
	1500	80	YSIANO
	1800	80	YSIANO
	2100	80	YSIANO
	2400	80	Franksper

Saturday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Pearlm
	0600	79	Pearlm
	0900	80	J. CHAVEZ JR
	1200	80	M. YSIANO
	1500	80	M. YSIANO
	1800	81	M. YSIANO
	2100	81	M. YSIANO
	2400	80	Pearlm

Sunday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Pearlm
	0600	79	Pearlm
	0900	80	J. CHAVEZ JR
	1200	81	J. CHAVEZ JR
	1500	82	O. UBALDO
	1800	81	O. UBALDO
	2100	81	O. UBALDO
	2400	80	J. CHAVEZ

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

STATE OF CALIFORNIA  
 INSIDE TEMPERATURE RECORD  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 500 Housing Unit: C-5 Temp. Reading Location: Daycare  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/01	0300	76	Cervantes
	0600	76	Melot
	0900	76	GALVAN
	1200	77	GALVAN
	1500	77	P. KING
	1800	78	P. KING
	2100	79	P. KING
	2400	78	Cervantes

Tuesday

Date	Time	Temp.	Name (Print)
07/02	0300	78	Cervantes
	0600	78	Cueva
	0900	78	Cueva
	1200	78	Cueva
	1500	80	
	1800	80	B. BRIBBLE
	2100	79	BRODSTE
	2400	78	Cervantes

Wednesday

Date	Time	Temp.	Name (Print)
07/03	0300	78	Cervantes
	0600	78	GARCIA
	0900	78	GARCIA
	1200	80	GARCIA
	1500	80	P. KING
	1800	80	P. KING
	2100	80	P. KING
	2400	78	Cervantes

Thursday

Date	Time	Temp.	Name (Print)
07/04	0300	78	Cervantes
	0600	78	J. ROB
	0900	78	J. ROB
	1200	79	J. ROB
	1500	80	ELLEN
	1800	81	ELLEN
	2100	70	L.A.
	2400	80	B. Madsen

Friday

Date	Time	Temp.	Name (Print)
07/05	0300	80	B. Madsen
	0600	80	Ryan
	0900	81	R. Ryan
	1200	81	Ryan
	1500	81	BRADFORD
	1800	81	BRADFORD
	2100	81	BRADFORD
	2400	81	Collins

Saturday

Date	Time	Temp.	Name (Print)
07/06	0300	80	Collins
	0600	80	Gloved
	0900	80	Gloved
	1200	81	Gloved
	1500	81	HERNANDEZ
	1800	82	HERNANDEZ
	2100	82	HERNANDEZ
	2400	81	Collins

Sunday

Date	Time	Temp.	Name (Print)
07/07	0300	81	Collins
	0600	80	DIAZ
	0900	80	DIAZ
	1200	81	DIAZ
	1500	81	FIDDO
	1800	81	FIDDO
	2100	80	FIDDO
	2400	80	Cervantes

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: Building 1      Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/18	0300	81	J. HERNANDEZ
	0600	81	J. HERNANDEZ
	0900	81	M. GALVAN
	1200	81	M. GALVAN
	1500	82	D. MERCADO
	1800	83	D. MERCADO
	2100	83	D. MERCADO
	2400	82	A. NGUYEN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/19	0300	81	A. NGUYEN
	0600	80	A. NGUYEN
	0900	81	M. GALVAN
	1200	81	M. GALVAN
	1500	82	RANDO
	1800	82	RANDO
	2100	81	RANDO
	2400	81	NGUYEN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/20	0300	81	N. NGUYEN
	0600	80	N. NGUYEN
	0900	80	RANDO
	1200	81	RANDO
	1500	82	D. MERCADO
	1800	82	D. MERCADO
	2100	82	D. MERCADO
	2400	81	N. NGUYEN

**Thursday**

Date	Time	Temp.	Name (Print)
5/21	0300	81	N. NGUYEN
	0600	80	N. NGUYEN
	0900	80	M. GALVAN
	1200	81	M. GALVAN
	1500	82	D. MERCADO
	1800	82	D. MERCADO
	2100	82	D. MERCADO
	2400	82	J. MARQUARDT

**Friday**

Date	Time	Temp.	Name (Print)
5/22	0300	82	J. MARQUARDT
	0600	82	J. MARQUARDT
	0900	82	Risotto
	1200	82	Risotto
	1500	82	D. MERCADO
	1800	82	D. MERCADO
	2100	82	D. MERCADO
	2400	82	Strader

**Saturday**

Date	Time	Temp.	Name (Print)
5/23	0300	82	Strader
	0600	82	Risotto
	0900	82	Risotto
	1200	82	Risotto
	1500	82	Glover
	1800	83	Glover
	2100	83	Glover
	2400	82	SHAWNEE, S

**Sunday**

Date	Time	Temp.	Name (Print)
5/24	0300	81	J. HERNANDEZ
	0600	80	J. HERNANDEZ
	0900	81	M. GALVAN
	1200	81	M. GALVAN
	1500	82	Glover
	1800	83	Glover
	2100	83	Glover
	2400	82	Nguyen

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SOC Housing Unit: Building 2 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	81	Perrelli
	0600	80	Perrelli
	0900	81	Olsen
	1200	82	Olsen
	1500	84	SALZER
	1800	86	SALZER
	2100	84	SALZER
	2400	84	Sm

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	84	Sm
	0600	84	Sm
	0900	78	Quinton
	1200	80	Quinton
	1500	80	Quinton
	1800	80	Sm
	2100	80	Sm
	2400	80	Sm

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	88 Sm	
	0600	88 Sm	
	0900	78	Quinton
	1200	80	Quinton
	1500	82	FLORES
	1800	82	FLORES
	2100	81	FLORES
	2400	81	Sm

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Sm
	0600	80	Sm
	0900	79	Gallardo
	1200	82	Gallardo
	1500	82	Gallardo
	1800	82	Gallardo
	2100	82	Gallardo
	2400	81	A-NGUYEN

**Friday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	A-NGUYEN
	0600	80	A-NGUYEN
	0900	82	Sm
	1200	82	Sm
	1500	83	A-VUE
	1800	83	A-VUE
	2100	83	A-VUE
	2400	81	A-NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	79	A-NGUYEN
	0600	78	Sm
	0900	80	Sm
	1200	82	Sm
	1500	82	A-VUE
	1800	82	A-VUE
	2100	81	A-VUE
	2400	80	Lo

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/20	0300	79	Sm
	0600	78	Sm
	0900	79	Olsen
	1200	80	Olsen
	1500	81	A-VUE
	1800	81	A-VUE
	2100	80	A-VUE
	2400	79	Perrelli

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: C-BLO. 3 Temp. Reading Location: Day Room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/7/20	0300	70	HILLARD
	0600	70	SATTERFIELD
	0900	72	SATTERFIELD
	1200	74	SATTERFIELD
	1500	75	SATTERFIELD
	1800	78	HEMLANDER
	2100	78	HEMLANDER
	2400	76	HILLARD

**Tuesday**

Date	Time	Temp.	Name (Print)
5/7/20	0300	72	HILLARD
	0600	72	SATTERFIELD
	0900	74	SATTERFIELD
	1200	75	SATTERFIELD
	1500	76	BARBOSA
	1800	76	BARBOSA
	2100	76	BARBOSA
	2400	75	A-NGUYEN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/7/20	0300	74	A-NGUYEN
	0600	74	A-NGUYEN
	0900	75	SATTERFIELD
	1200	75	SATTERFIELD
	1500	76	BARBOSA
	1800	76	BARBOSA
	2100	76	BARBOSA
	2400	76	A-NGUYEN

**Thursday**

Date	Time	Temp.	Name (Print)
5/7/20	0300	75	A-NGUYEN
	0600	76	A-NGUYEN
	0900	76	A-NGUYEN
	1200	79	MO. KIM
	1500	78	R. RIVERA
	1800	78	R. RIVERA
	2100	78	R. RIVERA
	2400	77	B. BROWN

**Friday**

Date	Time	Temp.	Name (Print)
5/7/20	0300	76	B. BROWN
	0600	76	B. BROWN
	0900	76	C. COONTE
	1200	77	C. COONTE
	1500	76	PEREZ
	1800	80	G. MUNIZ
	2100	74	G. MUNIZ
	2400	78	B. BROWN

**Saturday**

Date	Time	Temp.	Name (Print)
5/7/20	0300	77	B. BROWN
	0600	77	B. BROWN
	0900	77	SATTERFIELD
	1200	78	SATTERFIELD
	1500	78	BURKHART
	1800	78	BURKHART
	2100	77	BURKHART
	2400	77	C. THAO

**Sunday**

Date	Time	Temp.	Name (Print)
5/7/20	0300	75	C. THAO
	0600	75	C. THAO
	0900	75	SATTERFIELD
	1200	75	SATTERFIELD
	1500	77	PEREZ
	1800	78	PEREZ
	2100	78	PEREZ
	2400	75	KRAVAT

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SCC Housing Unit: 4 Temp. Reading Location: Day room  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	70	J. CHAVEZ
	0600	80	Graffre
	0900	81	Graffre
	1200	81	Graffre
	1500	81	Bogie
	1800	80	Bogie
	2100	80	Bogie
	2400	80	Bogie

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	80	Cole
	0600	80	Graffre
	0900	79	Graffre
	1200	79	Graffre
	1500	80	D. Gaffo
	1800	80	D. Gaffo
	2100	81	D. Gaffo
	2400	80	Cole

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	80	Cole
	0600	80	Hollins
	0900	80	Hollins
	1200	80	Hollins
	1500	81	Birk
	1800	81	Birk
	2100	81	Birk
	2400	81	Cole

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	79	Cole
	0600	80	Cole
	0900	80	Cole
	1200	81	R
	1500	80	Cole
	1800	80	Cole
	2100	80	Cole
	2400	82	Jacobs

**Friday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	80	Jacobs
	0600	80	DM
	0900	80	DM
	1200	81	DM
	1500	81	M. Young
	1800	81	M. Young
	2100	81	M. Young
	2400	80	N. M. Young

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	79	N. M. Young
	0600	78	N. M. Young
	0900	80	J. Brown
	1200	80	J. Brown
	1500	81	M. Young
	1800	81	M. Young
	2100	80	M. Young
	2400	78	M. Young

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	73	Montmer
	0600	78	DM
	0900	79	DM
	1200	79	DM
	1500	80	Furniture - 327
	1800	80	DM
	2100	80	DM
	2400	70	Cole

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC      Housing Unit: C-5      Temp. Reading Location: Door  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Cervantes
	0600	80	Mendoza
	0900	82	Mendoza
	1200	82	Mendoza
	1500	82	Lupian
	1800	82	Lupian
	2100	80	Lupian
	2400	80	Cervantes

Tuesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Cervantes
	0600	80	Mendoza
	0900	82	Mendoza
	1200	81	Mendoza
	1500	82	Lupian
	1800	80	Lupian
	2100	80	Lupian
	2400	80	Cervantes

Wednesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Cervantes
	0600	80	Mendoza
	0900	80	Mendoza
	1200	81	Mendoza
	1500	80	Gianinni
	1800	80	Gianinni
	2100	80	Gianinni
	2400	80	Cervantes

Thursday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Cervantes
	0600	80	Mendoza
	0900	80	MENDOZA
	1200	80	MENDOZA
	1500	82	CHavez
	1800	82	Chavez
	2100	82	Chavez
	2400	82	Cervantes

Friday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Cervantes
	0600	81	K.RAM
	0900	82	K.RAM
	1200	82	K.RAM
	1500	82	BRADFORD
	1800	82	BRADFORD
	2100	82	BRADFORD
	2400	82	Collins

Saturday

Date	Time	Temp.	Name (Print)
5/1/20	0300	81	Collins
	0600	81	Glover
	0900	81	Glover
	1200	82	Glover
	1500	83	BRADFORD
	1800	82	BRADFORD
	2100	82	BRADFORD
	2400	81	Collins

Sunday

Date	Time	Temp.	Name (Print)
5/1/20	0300	80	Collins
	0600	80	Perez
	0900	80	Perez
	1200	81	Perez
	1500	81	Lupian
	1800	81	Lupian
	2100	80	Lupian
	2400	78	Cervantes

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
 INSIDE TEMPERATURE RECORD  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: FAC-C B1 Temp. Reading Location: Doorway  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/16	0300	79	S. HERNANDEZ
	0600	79	S. HERNANDEZ
	0900	80	M. GALVAN
	1200	80	M. GALVAN
	1500	81	D. MERCADO
	1800	81	D. MERCADO
	2100	81	M. GALVAN
	2400	81	J. MARQUARDT

Tuesday

Date	Time	Temp.	Name (Print)
07/17	0300	80	J. MARQUARDT
	0600	79	J. MARQUARDT
	0900	78	M. GALVAN
	1200	80	M. GALVAN
	1500	80	D. MERCADO
	1800	80	D. MERCADO
	2100	80	D. MERCADO
	2400	79	J. MARQUARDT

Wednesday

Date	Time	Temp.	Name (Print)
07/17	0300	70	J. MARQUARDT
	0600	77	J. MARQUARDT
	0900	77	Baldanado
	1200	78	Baldanado
	1500	78	D. MERCADO
	1800	79	D. MERCADO
	2100	78	D. MERCADO
	2400	70	C. VANCE

Thursday

Date	Time	Temp.	Name (Print)
07/17	0300	74	WANG
	0600	77	NICDAY
	0900	78	NICDAY
	1200	78	NICDAY
	1500	79	D. MERCADO
	1800	79	D. MERCADO
	2100	79	D. MERCADO
	2400	79	Frankish

Friday

Date	Time	Temp.	Name (Print)
07/17	0300	78	Frankish
	0600	77	Frankish
	0900	79	Risotto
	1200	79	Risotto
	1500	79	D. MERCADO
	1800	79	P. UBRICO
	2100	80	D. MERCADO
	2400	79	N. NANYA

Saturday

Date	Time	Temp.	Name (Print)
07/18	0300	78	N. NANYA
	0600	78	N. NANYA
	0900	79	Risotto
	1200	80	Risotto
	1500	80	GLOVER
	1800	81	GLOVER
	2100	81	GLOVER
	2400	80	S. HERNANDEZ

Sunday

Date	Time	Temp.	Name (Print)
07/19	0300	79	E. HERNANDEZ
	0600	78	S. HERNANDEZ
	0900	80	M. GALVAN
	1200	80	M. GALVAN
	1500	81	BURKHART
	1800	80	BURKHART
	2100	79	BURKHART
	2400	78	B. BEAM

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: Bulky 2 Temp. Reading Location: Prison  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/16	0300	79	Reeth
	0600	78	Reeth
	0900	79	Olsen
	1200	79	Olsen
	1500	80	SALZER
	1800	79	SALZER
	2100	78	SALZER
	2400	79	JM

Tuesday

Date	Time	Temp.	Name (Print)
5/17	0300	79	JM
	0600	76	JM
	0900	76	Quang
	1200	78	Quang
	1500	78	Machado
	1800	78	Machado
	2100	78	Machado
	2400	79	JM

Wednesday

Date	Time	Temp.	Name (Print)
5/17	0300	79	JM
	0600	75	JM
	0900	75	Quang
	1200	77	Quang
	1500	78	Funes
	1800	78	Funes
	2100	76	Funes
	2400	77	JM

Thursday

Date	Time	Temp.	Name (Print)
5/18	0300	77	JM
	0600	77	JM
	0900	75	Muthay
	1200	76	Muthay
	1500	77	A.VUE
	1800	78	A.VUE
	2100	77	A.VUE
	2400	76	A.NGUYEN

Friday

Date	Time	Temp.	Name (Print)
5/19	0300	76	A.NGUYEN
	0600	75	A.NGUYEN
	0900	75	Muthay
	1200	77	Muthay
	1500	79	A.VUE
	1800	79	A.VUE
	2100	78	A.VUE
	2400	77	A.NGUYEN

Saturday

Date	Time	Temp.	Name (Print)
5/20	0300	77	A.NGUYEN
	0600	76	A.NGUYEN
	0900	77	Muthay
	1200	78	Muthay
	1500	79	A.VUE
	1800	80	A.VUE
	2100	79	A.VUE
	2400	79	Lo

Sunday

Date	Time	Temp.	Name (Print)
5/21	0300	78	Lo
	0600	77	Lo
	0900	78	Olsen
	1200	79	Olsen
	1500	79	A.VUE
	1800	79	A.VUE
	2100	79	A.VUE
	2400	79	Reeth

Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air-conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C B1DFT Temp. Reading Location: B-1 DFT  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
07/16	0300	74	Franken
	0600	74	Franken
	0900	74	Satterfield
	1200	75	Satterfield
	1500	78	Xiong
	1800	80	Xiong
	2100	81	Xiong
	2400	75	Franken

Tuesday			
Date	Time	Temp.	Name (Print)
07/17	0300	75	Franken
	0600	72	Franken
	0900	73	Satterfield
	1200	74	Satterfield
	1500	75	Mariano
	1800	76	Mariano
	2100	75	Mariano
	2400	74	X. Norton

Wednesday			
Date	Time	Temp.	Name (Print)
07/17	0300	73	X. Norton
	0600	72	X. Norton
	0900	72	Satterfield
	1200	74	Satterfield
	1500	72	Barbosa
	1800	72	Barbosa
	2100	72	Barbosa
	2400	71	C. Mariano

Thursday			
Date	Time	Temp.	Name (Print)
07/18	0300	69	C. Mariano
	0600	70	Mariano
	0900	70	Mariano
	1200	72	Mariano
	1500	72	Barbosa
	1800	74	Barbosa
	2100	72	Barbosa
	2400	72	C. Mariano

Friday			
Date	Time	Temp.	Name (Print)
07/19	0300	72	S. Hernandez
	0600	71	S. Hernandez
	0900	72	Munoz, P.
	1200	73	Munoz, P.
	1500	74	Barbosa
	1800	74	Barbosa
	2100	72	S. Hernandez
	2400	72	S. Hernandez

Saturday			
Date	Time	Temp.	Name (Print)
07/20	0300	72	S. Hernandez
	0600	71	S. Hernandez
	0900	73	Frozier
	1200	72	Frozier
	1500	76	Barbosa
	1800	76	Barbosa
	2100	74	Barbosa
	2400	74	Frankenstein

Sunday

Date	Time	Temp.	Name (Print)
07/21	0300	73	Frankenstein
	0600	73	Frankenstein
	0900	73	Satterfield
	1200	74	Satterfield
	1500	74	C. Losales
	1800	74	C. Losales
	2100	74	C. Losales
	2400	74	Frankenstein

Notes & Signatures

1st W - Print & Sign:

2nd W - Print & Sign:

3rd W - Print & Sign:

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD.**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 4 Temp. Reading Location: Paradeon  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	78	Craig
	0600	78	Craig
	0900	78	Craig
	1200	79	Craig
	1500	80	SCHAUER
	1800	80	SCHAUER
	2100	80	J. Brown
	2400	80	Craig

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	78	Craig
	0600	78	Craig
	0900	78	Craig
	1200	78	Craig
	1500	79	Craig
	1800	79	Craig
	2100	79	Craig
	2400	79	Craig

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Craig
	0600	76	Craig
	0900	76	Craig
	1200	77	Craig
	1500	77	Craig
	1800	77	Craig
	2100	78	Craig
	2400	78	Craig

**Thursday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	76	Craig
	0600	76	Craig
	0900	77	Craig
	1200	77	Craig
	1500	78	Craig
	1800	79	Craig
	2100	79	Craig
	2400	79	Craig

**Friday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	Craig
	0600	77	Craig
	0900	78	Craig
	1200	78	Craig
	1500	78	M. YISIANO
	1800	78	M. YISIANO
	2100	78	M. YISIANO
	2400	77	MARTIN

**Saturday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	77	MARTIN
	0600	77	MERRIAM
	0900	78	MERRIAM
	1200	80	MERRIAM
	1500	80	M. YISIANO
	1800	80	M. YISIANO
	2100	80	M. YISIANO
	2400	79	Pearl

**Sunday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	79	Reatha
	0600	79	Reatha
	0900	79	GARIBAY
	1200	78	GARIBAY
	1500	78	P. KENG
	1800	80	P. KENG
	2100	80	P. KENG
	2400	79	Reatha

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 300 Housing Unit: C-5 Temp. Reading Location: Recreation  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/15	0300	78	Cervantes
	0600	78	J. H.
	0900	78	J. H.
	1200	78	J. H.
	1500	78	LUPIAN
	1800	77	LUPIAN
	2100	77	LUPIAN
	2400	77	Cervantes

**Tuesday**

Date	Time	Temp.	Name (Print)
5/16	0300	77	Cervantes
	0600	77	J. H.
	0900	77	J. H.
	1200	78	J. H.
	1500	79	LUPIAN
	1800	79	LUPIAN
	2100	79	LUPIAN
	2400	78	Cervantes

**Wednesday**

Date	Time	Temp.	Name (Print)
5/17	0300	78	R. GARCIA
	0600	76	R. GARCIA
	0900	76	J. H.
	1200	77	J. H.
	1500	79	P. KING
	1800	79	P. KING
	2100	73	P. KING
	2400	76	R. GARCIA

**Thursday**

Date	Time	Temp.	Name (Print)
5/18	0300	76	R. GARCIA
	0600	76	J. H.
	0900	77	J. H.
	1200	78	S. MORALES
	1500	79	C. LUNA
	1800	79	C. LUNA
	2100	78	C. LUNA
	2400	78	FLORES

**Friday**

Date	Time	Temp.	Name (Print)
5/19	0300	78	FLORES
	0600	78	FLORES
	0900	79	nm
	1200	79	nm
	1500	79	BRADFORD
	1800	79	BRADFORD
	2100	79	BRADFORD
	2400	79	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
5/20	0300	79	Collins
	0600	79	Glover
	0900	79	Glover
	1200	80	Glover
	1500	81	Hernandez
	1800	80	Hernandez
	2100	80	Hernandez
	2400	79	Collins

**Sunday**

Date	Time	Temp.	Name (Print)
5/21	0300	78	Collins
	0600	78	Brown
	0900	78	Brown
	1200	78	Brown
	1500	77	Lupian
	1800	78	Lupian
	2100	77	Lupian
	2400	76	Brown

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign:

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 1 Temp. Reading Location: Office  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/12/20	0300	78	J. Gregg
	0600	78	B. Brown
	0900	80	M. Galvan
	1200	81	M. Galvan
	1500	81	D. Mercado
	1800	81	D. Mercado
	2100	81	D. Mercado
	2400	80	J. Gregg

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13/20	0300	79	J. Gregg
	0600	80	M. Galvan
	0900	80	M. Galvan
	1200	82	M. Galvan
	1500	82	D. Mercado
	1800	82	D. Mercado
	2100	82	D. Mercado
	2400	78	J. Gregg

**Wednesday**

Date	Time	Temp.	Name (Print)
5/14/20	0300	78	J. Gregg
	0600	78	Baldonado
	0900	79	Baldonado
	1200	81	Baldonado
	1500	82	D. Mercado
	1800	83	D. Mercado
	2100	83	D. Mercado
	2400	82	J. Gregg

**Thursday**

Date	Time	Temp.	Name (Print)
5/15/20	0300	82	J. Gregg
	0600	81	Nicay
	0900	81	Nicay
	1200	82	Nicay
	1500	82	D. Mercado
	1800	82	D. Mercado
	2100	82	D. Mercado
	2400	80	J. Gregg

**Friday**

Date	Time	Temp.	Name (Print)
5/16/20	0300	80	J. Gregg
	0600	80	Rissetto
	0900	80	Rissetto
	1200	80	Rissetto
	1500	81	D. Mercado
	1800	81	D. Mercado
	2100	80	D. Mercado
	2400	80	C. Pineda

**Saturday**

Date	Time	Temp.	Name (Print)
5/17/20	0300	79	C. Pineda
	0600	79	C. Pineda
	0900	78	Rissetto
	1200	78	Rissetto
	1500	78	Glow
	1800	79	Glow
	2100	79	Glow
	2400	79	S. Hernandez

**Sunday**

Date	Time	Temp.	Name (Print)
5/18/20	0300	79	E. Pineda Hernandez
	0600	78	E. Pineda Hernandez
	0900	76	B. Cook
	1200	78	B. Cook
	1500	78	Glow
	1800	79	Glow
	2100	78	Glow
	2400	78	S. Hernandez

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 300 Housing Unit: 2 Temp. Reading Location: 3m  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/12	0300	79	Peralta
	0600	79	Peralta
	0900	79	Olsen
	1200	80	Olsen
	1500	81	SALZER
	1800	82	SALZER
	2100	80	SALZER
	2400	80	SALZER

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13	0300	81	3m
	0600	80	3m
	0900	79	Quijada
	1200	80	Quijada
	1500	81	MISARES
	1800	82	MISARES
	2100	81	MISARES
	2400	81	MISARES

**Wednesday**

Date	Time	Temp.	Name (Print)
5/14	0300	81	3m
	0600	80	3m
	0900	79	Quijada
	1200	80	Quijada
	1500	81	MISARES
	1800	81	MISARES
	2100	80	MISARES
	2400	81	3m

**Thursday**

Date	Time	Temp.	Name (Print)
5/15	0300	81	3m
	0600	80	3m
	0900	79	Muthera
	1200	79	Muthera
	1500	80	Gallardo
	1800	80	Gallardo
	2100	80	Gallardo
	2400	78	A-NGUYEN

**Friday**

Date	Time	Temp.	Name (Print)
5/16	0300	78	A-NGUYEN
	0600	77	K.RAM
	0900	79	K.RAM
	1200	79	Olsen
	1500	79	Brown
	1800	80	Brown
	2100	81	Brown
	2400	77	A-NGUYEN

**Saturday**

Date	Time	Temp.	Name (Print)
5/17	0300	76	A-NGUYEN
	0600	75	A-NGUYEN
	0900	76	Muthera
	1200	76	Muthera
	1500	78	C.PINEDA
	1800	79	C.PINEDA
	2100	78	C.PINEDA
	2400	76	L.C

**Sunday**

Date	Time	Temp.	Name (Print)
5/18	0300	74	L.C
	0600	74	L.C
	0900	75	Olsen
	1200	75	Olsen
	1500	78	K.VUE
	1800	78	K.VUE
	2100	78	K.VUE
	2400	77	franklin

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 308 Housing Unit: B10 3 Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/12	0300	74	Frakkensten
	0600	74	Frakkensten
	0900	74	SATTERFIELD
	1200	74	SATTERFIELD
	1500	75	Kerec
	1800	75	Kerec
	2100	74	Kerec
	2400	74	A. NGUYEN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13	0300	74	A. NGUYEN
	0600	74	SATTERFIELD
	0900	74	SATTERFIELD
	1200	74	SATTERFIELD
	1500	90	MADUEÑO
	1800	79	MADUEÑO
	2100	79	MADUEÑO
	2400	78	Hillary

**Wednesday**

Date	Time	Temp.	Name (Print)
5/14	0300	74	Hillary
	0600	76	B. COLOMBO
	0900	76	B. COLOMBO
	1200	76	B. COLOMBO
	1500	71	R. Barber
	1800	74	R. Barber
	2100	74	R. Barber
	2400	74	Hillary

**Thursday**

Date	Time	Temp.	Name (Print)
5/15	0300	72	Hillary
	0600	75	Mohansen
	0900	76	Mohansen
	1200	71	Mohansen
	1500	71	B. Brown
	1800	76	B. Brown
	2100	74	B. Brown
	2400	73	G. Brown

**Friday**

Date	Time	Temp.	Name (Print)
5/16	0300	72	B. Brown
	0600	72	B. Brown
	0900	73	C. Contu
	1200	75	C. Contu
	1500	74	B. Brown
	1800	74	B. Brown
	2100	74	B. Brown
	2400	73	B. Brown

**Saturday**

Date	Time	Temp.	Name (Print)
5/17	0300	72	B. Brown
	0600	72	B. Brown
	0900	73	SATTERFIELD
	1200	74	SATTERFIELD
	1500	74	J. CHAVEZ
	1800	74	J. CHAVEZ
	2100	74	J. CHAVEZ
	2400	74	Hillary

**Sunday**

Date	Time	Temp.	Name (Print)
5/18	0300	72	Hillary
	0600	72	SATTERFIELD
	0900	74	SATTERFIELD
	1200	74	SATTERFIELD
	1500	75	Brown
	1800	74	Brown
	2100	73	Brown
	2400	73	Hillary

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 300 Housing Unit: 4 Temp. Reading Location: Down  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/12	0300	78	
	0600	78	Craig
	0900	78	Graef
	1200	79	Graef
	1500	88	Smith
	1800	79	Babie
	2100	80	Bogie
	2400	80	

**Tuesday**

Date	Time	Temp.	Name (Print)
5/13	0300	79	Craig
	0600	79	Craig
	0900	80	Craig
	1200	81	Graef
	1500	81	D. Castillo
	1800	82	D. Castillo
	2100	82	D. Castillo
	2400	80	Craig

**Wednesday**

Date	Time	Temp.	Name (Print)
5/14	0300	79	
	0600	79	WATSON
	0900	80	Godoy
	1200	80	Godoy
	1500	84	J. Chavers
	1800	82	J. Chavers
	2100	82	J. Chavers
	2400	80	

**Thursday**

Date	Time	Temp.	Name (Print)
5/15	0300	79	
	0600	74	On Monday
	0900	79	On Monday
	1200	80	on Monday
	1500	81	D. Castillo
	1800	81	D. Castillo
	2100	80	D. Castillo
	2400	80	

**Friday**

Date	Time	Temp.	Name (Print)
5/16	0300	79	
	0600	78	
	0900	79	
	1200	79	
	1500	79	M. YSIAN
	1800	79	M. YSIAN
	2100	78	M. YSIAN
	2400	79	Reath

**Saturday**

Date	Time	Temp.	Name (Print)
5/17	0300	78	Reath
	0600	78	Reath
	0900	79	
	1200	79	
	1500	77	M. YSIAN
	1800	79	M. YSIAN
	2100	77	M. YSIAN
	2400	78	Reath

**Sunday**

Date	Time	Temp.	Name (Print)
5/18	0300	77	Reath
	0600	77	Reath
	0900	78	J. Chavers
	1200	79	J. Chavers
	1500	88	Bogie
	1800	78	Bogie
	2100	77	Bogie
	2400	76	

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: 300 Housing Unit: 65 CNTL Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
<u>5/1/20</u>	0300	76	BASILE
	0600	75	BASILE
	0900	80	MEREDITH
	1200	80	MEREDITH
	1500	80	KING
	1800	80	KING
	2100	81	KING
	2400	80	KING

**Tuesday**

Date	Time	Temp.	Name (Print)
<u>5/1/20</u>	0300	78	P. NAYEN
	0600	77	P. NAYEN
	0900	80	R. GARCIA
	1200	80	R. GARCIA
	1500	81	C. VELIEREZ
	1800	81	C. VELIEREZ
	2100	81	C. VELIEREZ
	2400	81	DAMBACHER

**Wednesday**

Date	Time	Temp.	Name (Print)
<u>5/2/20</u>	0300	80	DAMBACHER
	0600	80	DAMBACHER
	0900	80	R. GARCIA
	1200	80	R. GARCIA
	1500	81	C. PINEDA
	1800	81	C. PINEDA
	2100	81	C. PINEDA
	2400	82	Cervantes

**Thursday**

Date	Time	Temp.	Name (Print)
<u>5/2/20</u>	0300	80	Cervantes
	0600	80	J. VIAN
	0900	80	J. VIAN
	1200	79	J. VIAN
	1500	80	CERVANTES
	1800	80	CERVANTES
	2100	80	CERVANTES
	2400	80	Cervantes

**Friday**

Date	Time	Temp.	Name (Print)
<u>5/1/20</u>	0300	78	Cervantes
	0600	79	Raw
	0900	80	Raw
	1200	80	R. Raw
	1500	81	BIRK
	1800	81	BIRK
	2100	80	BIRK
	2400	80	Collins

**Saturday**

Date	Time	Temp.	Name (Print)
<u>5/2/20</u>	0300	79	Collins
	0600	78	Glover
	0900	78	Glover
	1200	79	Glover
	1500	79	HERNANDEL
	1800	79	HERNANDEL
	2100	79	HERNANDEL
	2400	77	Collins

**Sunday**

Date	Time	Temp.	Name (Print)
<u>5/3/20</u>	0300	76	Collins
	0600	76	Allen
	0900	78	Allen
	1200	78	Allen
	1500	77	Allen
	1800	77	Allen
	2100	76	Allen
	2400	78	Cervantes

**Notes & Signatures**

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: Syr Housing Unit: B-1 Temp. Reading Location: Dormitory  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/19	0300	71	JACOB ANDERSON
	0600	77	SHERYL WOOD
	0900	74	M. GALVAN
	1200	74	M. GALVAN
	1500	77	D. MERCADO
	1800	77	D. MERCADO
	2100	78	D. MERCADO
	2400	76	J. Gregg


Tuesday

Date	Time	Temp.	Name (Print)
5/7/86	0300	74	J. GREGG
	0600	76	M GALVAN
	0900	76	M GALVAN
	1200	76	M. GALVAN
	1500	77	D. MERCADO
	1800	77	D. MERCADO
	2100	77	D. MERCADO
	2400	76	J. GREGG


Wednesday

Date	Time	Temp.	Name (Print)
07/13/	0300	74	J. Gregg
	0600	76	BALDONADO
	0900	76	BALDONADO
	1200	78	BALDONADO
	1500	78	D. MERCADO
	1800	78	D. MERCADO
	2100	78	D. MERCADO
	2400	78	J. Gregg


**Thursday**




Friday



## Saturday



Sunday



### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.





Institution: SCC Housing Unit: B/D 2 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Date	Time	Temp.	Name (Print)
07/29	0300	77	Frankish
	0600	77	Frankish
	0900	76	Olsen
	1200	76	Olsen
	1500	78	Solzser
	1800	77	Solzser
	2100	76	Solzser
	2400	75	ZAMBACH

Date	Time	Temp.	Name (Print)
6/1/32	0300	72	Zarzuelo
	0600	74	Gumbe
	0900	75	Gumbe
	1200	75	Gumbe
	1500	77	Machado
	1800	76	Machado
	2100	75	Machado
	2400	75	Machado

Wednesday			
Date	Time	Temp.	Name (Print)
7/31	0300	76-2m	
	0600	75-2m	
	0900	77	Quinn
	1200	77	Quinn
	1500	78	Flora
	1800	78	Flora
	2100	78	Flora
	2400	79	Flora



### Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C:3 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
07/29	0300	70	HILLARD
	0600	72	SATTERFIELD
	0900	73	SATTERFIELD
	1200	74	SATTERFIELD
	1500	73	J. Chavis Jr
	1800	72	J. Chavis Jr
	2100	72	J. Chavis Jr
	2400	72	HILLARD

Tuesday

Date	Time	Temp.	Name (Print)
07/30	0300	70	HILLARD
	0600	71	SATTERFIELD
	0900	72	SATTERFIELD
	1200	73	SATTERFIELD
	1500	73	MADUENO
	1800	72	MADUENO
	2100	72	MADUENO-
	2400	72	HILLARD

Wednesday

Date	Time	Temp.	Name (Print)
07/31	0300	70	HILLARD
	0600	70	SATTERFIELD
	0900	72	SATTERFIELD
	1200	74	SATTERFIELD
	1500	74	Burke-
	1800	74	Burke-
	2100	72	Burke
	2400	72	HILLARD

Thursday


Friday


Saturday


Sunday


Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C  
 DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: 4 Temp. Reading Location: Dayroom  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/20	0300	75	
	0600	75	Craigie
	0900	75	Craigie
	1200	75	Craigie
	1500	75	GARIBAY
	1800	75	GARIBAY
	2100	76	GARIBAY
	2400	76	

Tuesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	75	
	0600	75	Gonzalez
	0900	75	Gonzalez
	1200	75	Gonzalez
	1500	77	D. Castillo
	1800	77	D. Castillo
	2100	77	D. Castillo
	2400	78	J. Carranza

Wednesday

Date	Time	Temp.	Name (Print)
5/1/20	0300	75	J. Carranza
	0600	75	J. Carranza
	0900	76	mercado
	1200	76	mercado
	1500	77	J. Castillo
	1800	78	J. Castillo
	2100	78	J. Castillo
	2400	78	WALK

Thursday


Friday


Saturday


Sunday


Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

ATT C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the Warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: SAC Housing Unit: C-5 Temp. Reading Location: Dormitory  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5439 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/1/21	0300	77	Cervantes
	0600	77	
	0900	79	
	1200	78	
	1500	78	
	1800	78	Alvarez
	2100	76	Alvarez
	2400	77	Cervantes

Tuesday

Date	Time	Temp.	Name (Print)
5/1/21	0300	76	Cervantes
	0600	76	
	0900	77	
	1200	77	
	1500	77	
	1800	78	
	2100	78	
	2400	76	Cervantes

Wednesday

Date	Time	Temp.	Name (Print)
5/1/21	0300	76	Cervantes
	0600	76	
	0900	77	
	1200	73	
	1500	75	
	1800	76	
	2100	76	
	2400	77	

Thursday


Friday


Saturday


Sunday


Notes & Signatures

1st/W - Print & Sign:

2nd/W - Print & Sign:

3rd/W - Print & Sign: