Monthly Summary Report

Institution: CIW

Memorandum

Date: October 2, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - California Institution for Women

The following is a summary of the heat related activity for the month of September 2024,

at CIW (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)?: Yes

   Number of days Stage I Alert initiated: 12

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? Yes

   Number of days Stage II Alert initiated: 8

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? Yes

   Number of days Stage III Alert initiated: 1

4. Weekly list of heat risk patients archived?: Yes

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

L. Parker, Warden (A)

Warden Name

Warden Signature

J. Elliot, CEO

Chief Executive Officer Name

Chief Executive Officer Signature

Unauthorized collection, creation, use, disclosure, modification, or destruction of personally identifiable information and/or protected health information may subject individuals to civil liability under applicable federal and state laws.

DISTRIBUTION: Litigation Coordinator, Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller "A" Temp. Reading Location: LH/SH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/11/24	0300	79	DONOSO
	0600	79	S. VOLZ
	0900	80	S. VOLZ
	1200	81	S. VOLZ
	1500	85	A. Arreola
	1800	84	A. Arreola
	2100	82	A. Arreola
	2400	82	J. Gomez

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller "A" Temp. Reading Location: Long Hall / Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02/24	0300	81	J. Gomez
	0600	80	S. Volz
	0900	80	S. Volz
	1200	82	S. Volz
	1500	86	A Arreola
	1800	85	A Arreola
	2100	84	A Arreola
	2400	82	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
09/03/24	0300	82	J. Gomez
	0600	81	S. Volz
	0900	82	S. Volz
	1200	83	S. Volz
	1500	86	A Arreola
	1800	86	A Arreola
	2100	85	A Arreola
	2400	83	A. Flores

Wednesday

Date	Time	Temp.	Name (Print)
09/04/24	0300	83	A. Flores
	0600	81	Z Nava
	0900	82	Z Nava
	1200	83	Z. Nava
	1500	88	A Arreola
	1800	87	A Arreola
	2100	86	A Arreola
	2400	85	A. Flores

Thursday

Date	Time	Temp.	Name (Print)
09/05/24	0300	84	A. Flores
	0600	82	Junker
	0900	84	Junker
	1200	86	Junker
	1500	88	A Arreola
	1800	90	A Arreola
	2100	88	A Arreola
	2400	87	A. Flores

Friday

Date	Time	Temp.	Name (Print)
09/06/24	0300	85	A. Flores
	0600	85	D. Renteria
	0900	85	D. Renteria
	1200	87	D. Renteria
	1500	89	a. Martinez
	1800	89	a. Martinez
	2100	88	a. Martinez
	2400	88	A. Flores

Saturday

Date	Time	Temp.	Name (Print)
09/07/24	0300	85	A. Flores
	0600	85	S. Volz
	0900	85	S. Volz
	1200	87	S. Volz
	1500	82	Bryant
	1800	90 (LH)	Bryant
	2100	89	Bryant
	2400	88	A. Flores

Sunday

Date	Time	Temp.	Name (Print)
09/08/24	0300	86	A. Flores
	0600	86	S. Volz
	0900	87	S. Volz
	1200	88	S. Volz
	1500	89	D. Renteria
	1800	89	D. Renteria
	2100	89	D. Renteria
	2400	88	J. Gomez

Notes: Date and type of cooling mesures provided

9/5/24 @ 1540 cooling measures were put in place due to stage II
NOTE: cooling measures continued until unit was Locked down.

9/7/24 @ 1800 cooling measures were put in place due to stage II heat alert. Taken off Stage II at 2100 due to 89° in unit

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: MILLER A Temp. Reading Location: LH/SH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/09/24	0300	87	J. GOMEZ
	0600	88	S. VOIZ
	0900	86	S. VOIZ
	1200	88	S. VOIZ
	1500	92	A Arrieta
	1800	90	A Arrieta
	2100	89	A Arrieta
	2400	88	J. GOMEZ

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	86	J. GOMEZ
	0600	85	S. VOIZ
	0900	84	S. VOIZ
	1200	86	GOBERUS
	1500	90	A Arrieta
	1800	89	A Arrieta
	2100	87	A Arrieta
	2400	86	A. FLORES

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	84	A. FLORES
	0600	82	J. RUCO
	0900	82	J. RUCO
	1200	84	S Serrato
	1500	87	A Arrieta
	1800	85	A Arrieta
	2100	83	A Arrieta
	2400	82	A. FLORES

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	81	A. FLORES
	0600	81	JUNKER
	0900	81	JUNKER
	1200	83	JUNKER
	1500	84	A Arrieta
	1800	83	A Arrieta
	2100	81	A Arrieta
	2400	80	A. FLORES

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	79	A. FLORES
	0600	78	D. RENTERIA
	0900	79	D. RENTERIA
	1200	79	D. RENTERIA
	1500	80	WAKEFIELD
	1800	82	Bryant
	2100	80	Drsar
	2400	81	ADAME

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	80	ADAME
	0600	78	C. ZAVALA
	0900	79	C. ZAVALA
	1200	79	C. ZAVALA
	1500	80	V. RIOS
	1800	80	V. RIOS
	2100	79	V. RIOS
	2400	76	CASTANON

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	75	CASTANON
	0600	79	S. VOIZ
	0900	78	S. VOIZ
	1200	79	S. VOIZ
	1500	81	A Arrieta
	1800	80	A Arrieta
	2100	80	A Arrieta
	2400	78	J. GOMEZ

Notes: Date and type of cooling mesures provided

9/9/24 STAGE II Heat alert, so provided cold water & showers were left open for use
9/10/24 STAGE II announced, so cold water & showers remained open

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: MILLER A Temp. Reading Location: LH/SH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	77	J. Gomez
	0600	77	S. Volz
	0900	79	S. Volz
	1200	79	S. Volz
	1500	82	A Arrieta
	1800	81	A Arrieta
	2100	79	A Arrieta
	2400	77	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	75	J. Gomez
	0600	75	S. Volz
	0900	75	S. Volz
	1200	76	S. Volz
	1500	80	A Arrieta
	1800	80	A Arrieta
	2100	78	A Arrieta
	2400	78	Dorozo

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	78	Dorozo
	0600	74	S. Volz
	0900	75	S. Volz
	1200	79	S. Volz
	1500	82	A Arrieta
	1800	80	A Arrieta
	2100	78	A Arrieta
	2400	75	L. Tran

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	75	L. Tran
	0600	76	Esquivel
	0900	77	Esquivel
	1200	78	Esquivel
	1500	79	Acosta
	1800	77	Acosta
	2100	76	Acosta
	2400	75	L. Tran

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	75	L. Tran
	0600	75	D. Rentería
	0900	74	D. Rentería
	1200	75	D. Rentería
	1500	75	G. Meeks
	1800	73	G. Meeks
	2100	73	G. Meeks
	2400	70	Velma

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	69	Velma
	0600	75	S. Volz
	0900	75	S. Volz
	1200	76	S. Volz
	1500	76	S. Volz
	1800	77	[illegible]
	2100	76	[illegible]
	2400	75	[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	75	Dorozo
	0600	74	S. Volz
	0900	75	S. Volz
	1200	77	S. Volz
	1500	82	A Arrieta
	1800	81	A Arrieta
	2100	79	A Arrieta
	2400	70	J. Gomez

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: MILLER A Temp. Reading Location: LH/SH (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	70	J. Gomez
	0600	76	S. Volz
	0900	79	S. Volz
	1200	79	S. Volz
	1500	84	Amreta
	1800	82	Amreta
	2100	80	Amreta
	2400	76	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	70	J. Gomez
	0600	70	[illegible]
	0900	79	[illegible]
	1200	79	[illegible]
	1500	81	Amreta
	1800	82	Amreta
	2100	80	Amreta
	2400	78	Donoso

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	78	Donoso
	0600	76	S. Volz
	0900	76	S. Volz
	1200	79	S. Volz
	1500	82	Amreta
	1800	81	Amreta
	2100	79	Amreta
	2400	76	Sluss

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	76	Sluss
	0600	76	Junker
	0900	76	Junker
	1200	77	Junker
	1500	83	Amreta
	1800	81	Amreta
	2100	80	Amreta
	2400	78	A. Flores

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	76	A. Flores
	0600	75	A. Flores
	0900	78	D. Renteria
	1200	77	D. Renteria
	1500	73	Bryant
	1800	73	Bryant
	2100	77	Bryant
	2400	76	Tran

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	76	Tran
	0600	75	Peralta
	0900	76	Peralta
	1200	78	Peralta
	1500	79	Reed
	1800	79	Reed
	2100	79	Reed
	2400	76	Donoso

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	76	Donoso
	0600	75	Martinez
	0900	76	Martinez
	1200	78	Martinez
	1500	80	Cervantes
	1800	80	Cervantes
	2100	78	Cervantes
	2400	80	J. Gomez

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: MILLER A Temp. Reading Location: LH/SH
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	78	J. Gomez
	0600	79	S. Volz
	0900	79	S. Volz
	1200	77	S. Volz
	1500	84	A. Arreola
	1800	82	A. Arreola
	2100	80	A. Arreola
	2400	80	J. Gomez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-252BF99EBBF6

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller B Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
8-31-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	79	Thomas

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	78	Thomas
	0600	79	Thomas
	0900	89	Henneck
	1200	89	Henneck
	1500	76	Hudson
	1800	80	Hudson
	2100	79	Hudson
	2400	78	Escudero

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller 2B Temp. Reading Location: Hall 1 Hall 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-2-24	0300	76	J. Escoledo
	0600	78	C. HERRERA
	0900	80	C. HERRERA
	1200	81	C. HERRERA
	1500	81	J. CUELLAR
	1800	82	J. CUELLAR
	2100	81	J. CUELLAR
	2400	79	J. Escoledo

Tuesday

Date	Time	Temp.	Name (Print)
9-3-24	0300	78	J. Escoledo
	0600	79	C. HERRERA
	0900	79	C. Herrera
	1200	82	C. Herrera
	1500	82	F. GONZALEZ
	1800	81	F. GONZALEZ
	2100	80	F. GONZALEZ
	2400	79	J. Escoledo

Wednesday

Date	Time	Temp.	Name (Print)
9-4-24	0300	78	J. Escoledo
	0600	79	C. CORTEZ
	0900	79	C. CORTEZ
	1200	80	C. CORTEZ
	1500	80	C. CORTEZ
	1800	80	Stubblefield
	2100	80	Stubblefield
	2400	79	J. Escoledo

Thursday

Date	Time	Temp.	Name (Print)
9-5-24	0300	78	J. Escoledo
	0600	80	C. CORTEZ
	0900	80	C. CORTEZ
	1200	82	C. CORTEZ
	1500	80	Stubblefield
	1800	83	Stubblefield
	2100	81	Stubblefield
	2400	80	J. Escoledo

Friday

Date	Time	Temp.	Name (Print)
9-6-24	0300	80	J. Escoledo
	0600	78	C. Herrera
	0900	80	C. Herrera
	1200	82	C. Herrera
	1500	83	G. Meeks
	1800	82	G. Meeks
	2100	82	G. Meeks
	2400	80	T. Tom

Saturday

Date	Time	Temp.	Name (Print)
9-7-24	0300	80	T. Tom
	0600	80	PULICARI
	0900	80	PULICARI
	1200	83	PULICARI
	1500	83	S. VOIZ
	1800	83	S. VOIZ
	2100	83	S. VOIZ
	2400	81°	A. TIGAS

Sunday

Date	Time	Temp.	Name (Print)
9-8-24	0300	80°	A. TIGAS
	0600	80	C. Herrera
	0900	80	C. Herrera
	1200	82	C. HERRERA
	1500	82	B. Mendoza
	1800	83	B. Mendoza
	2100	83	B. Mendoza
	2400	83	J. Escoledo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller B Temp. Reading Location: Hall 1 Hall 2.
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	82	J. Escalado
	0600	79	C. Herrera
	0900	82	C. Herrera
	1200	82	C. Herrera
	1500	84	D. Vale
	1800	82	A. HERNANDEZ
	2100	80	A. HERNANDEZ
	2400	80	J. Escalado

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	80	J. Escalado
	0600	80	C. Herrera
	0900	81	C. Herrera
	1200	82	C. Herrera
	1500	83	Navarrete
	1800	82	Navarrete
	2100	80	Navarrete
	2400	80	J. Escalado

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	80	J. Escalado
	0600	79	ESPINDOLA
	0900	79	R. HARROD
	1200	79	R. HARROD
	1500	80	Stubblefield
	1800	80	Stubblefield
	2100	79	Stubblefield
	2400	79	J. Escalado

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	78	J. Escalado
	0600	79	C. CORTEZ
	0900	79	C. CORTEZ
	1200	79	C. CORTEZ
	1500	78	Stubblefield
	1800	78	Stubblefield
	2100	78	Stubblefield
	2400	78	J. Escalado

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	76	J. Escalado
	0600	78	Stubblefield
	0900	78	Stubblefield
	1200	78	Stubblefield
	1500	79	Stubblefield
	1800	79	Stubblefield
	2100	78	Stubblefield
	2400	78°	A. TRIAS

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	78°	A. TRIAS
	0600	79	Banuelos
	0900	79	Banuelos
	1200	78	A Banuelos
	1500	76	C. ZAVALA
	1800	77	C. ZAVALA
	2100	77	C. ZAVALA
	2400	77°	A. TRIAS

Sunday

Date	Time	Temp.	Name (Print)
9-15-24	0300	76°	A. TRIAS
	0600	78	C. Herrera
	0900	79	C. Herrera
	1200	79	C. Herrera
	1500	78	Banuelos
	1800	78	Banuelos
	2100	77	Banuelos
	2400	77	J. Escalado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CW Housing Unit: Miller 2B Temp. Reading Location: Hall 2 Hall 2 (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	76	J. Escalado
	0600	70	C. Herrera
	0900	72	C. Herrera
	1200	73	C. Herrera
	1500	70°	Call
	1800	77°	Call
	2100	76°	Call
	2400	78	Ryan

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	78	Ryan
	0600	72	Herrera
	0900	71	Herrera
	1200	71	Herrera
	1500	72	Herrera
	1800	73	Herrera
	2100	74	Herrera
	2400	74	J. Escalado

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	72	J. Escalado
	0600	65	D. Gallegos
	0900	65	D. Gallegos
	1200	69	ESPINDOLA
	1500	77	Stubblefield
	1800	75	Stubblefield
	2100	75	Stubblefield
	2400	74	J. Escalado

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	72	J. Escalado
	0600	70	D. Flores
	0900	69	D. Flores
	1200	72	D. Flores
	1500	74	Stubblefield
	1800	74	Stubblefield
	2100	74	Stubblefield
	2400	73	J. Escalado

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	71	J. Escalado
	0600	71	J. Flores
	0900	71	J. Flores
	1200	73	J. Flores
	1500	74	Stubblefield
	1800	74	Stubblefield
	2100	74	Stubblefield
	2400	72	L. TRAN

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	72	L. TRAN
	0600	71	C. Peralta
	0900	71	C. Peralta
	1200	72	C. Peralta
	1500	74	D. Flores
	1800	72	D. Flores
	2100	70	D. Flores
	2400	70°	A. TRIAS

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	70°	A. TRIAS
	0600	70	Esquivel
	0900	70	Esquivel
	1200	70	Esquivel
	1500	73	I. Harmon
	1800	73	I. Harmon
	2100	71	I. Harmon
	2400	73	J. Escalado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller B Temp. Reading Location: Hall 1 Hall 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-23-24	0300	72	J. Escoledo
	0600	70	COBERLY
	0900	72	COBERLY
	1200	75	COBERLY
	1500	75	VARGAS
	1800	75	VARGAS
	2100	75	VARGAS
	2400	74	J. Escoledo

Tuesday

Date	Time	Temp.	Name (Print)
9-24-24	0300	72	J. Escoledo
	0600	71	D. RUBIO
	0900	72	D. RUBIO
	1200	73	D. RUBIO
	1500	74	Stubblefield
	1800	74	Stubblefield
	2100	74	Stubblefield
	2400	72	J. Escoledo

Wednesday

Date	Time	Temp.	Name (Print)
9-25-24	0300	70	J. Escoledo
	0600	70	J. Moreno
	0900	72	J. Moreno
	1200	74	J. Moreno
	1500	74	Stubblefield
	1800	74	Stubblefield
	2100	74	Stubblefield
	2400	72	J. Escoledo

Thursday

Date	Time	Temp.	Name (Print)
9-26-24	0300	70	J. Escoledo
	0600	70	C. CORTEZ
	0900	71	C. CORTEZ
	1200	74	C. CORTEZ
	1500	74	Stubblefield
	1800	74	Stubblefield
	2100	74	Stubblefield
	2400	72	J. Escoledo

Friday

Date	Time	Temp.	Name (Print)
9-27-24	0300	70	J. Escoledo
	0600	70	COBERLY. B
	0900	70	COBERLY. B
	1200	70	COBERLY. B
	1500	72	Stewart
	1800	73	Stubblefield
	2100	73	Stubblefield
	2400	72°	A. TRIAS

Saturday

Date	Time	Temp.	Name (Print)
9-28-24	0300	71°	A. TRIAS
	0600	70	B. VARGAS
	0900	71	B. VARGAS
	1200	71	VARGAS
	1500	72	HARRIS
	1800	71	D. FLORES
	2100	71	D. FLORES
	2400	70°	A. TRIAS

Sunday

Date	Time	Temp.	Name (Print)
9-29-24	0300	70°	A. TRIAS
	0600	70	COBERLY
	0900	70	COBERLY
	1200	72	COBERLY
	1500	74	SOUZA
	1800	74	SOUZA
	2100	70	SOUZA
	2400	70	J. Escoledo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-252BF99EB6F6

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Miller B Temp. Reading Location: Hall 1 Hall 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	68	J. Escobedo
	0600	70	COBERW
	0900	70	COBERW
	1200	75	COBERW
	1500	70	ESPINDOLA
	1800	70	ESPINDOLA
	2100	70	ESPINDOLA
	2400	70	J. Escobedo

Tuesday

Date	Time	Temp.	Name (Print)
10-1-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
10-2-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
10-3-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
10-4-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
10-5-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
10-6-24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham A Temp. Reading Location: Long/Short Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/4/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/5/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
9/6/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9/7/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1/24	0300		
	0600		
	0900		
	1200	74	D. Perez
	1500	82	COBERLY
	1800	82	COBERLY
	2100	79	COBERLY
	2400	74	Tran

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

Attachment E

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham A Temp. Reading Location: Long / Short Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	73	Tran
	0600	75	Perez
	0900	75	Perez
	1200	84	Perez
	1500	86	CMartinez
	1800	84	CMartinez
	2100	80	CMartinez
	2400	76	O. [illegible]

Tuesday

Date	Time	Temp.	Name (Print)
9/3/24	0300	74	O. [illegible]
	0600	75	D. Perez
	0900	75	D. Perez
	1200	84	D. Perez
	1500	86	CMartinez
	1800	86	CMartinez
	2100	87	CMartinez
	2400	75	TRAN

Wednesday

Date	Time	Temp.	Name (Print)
9.4.24	0300	75	TRAN
	0600	76	D. Perez
	0900	79	D. Perez
	1200	80	D. Perez
	1500	85	CMartinez
	1800	85	CMartinez
	2100	84	CMartinez
	2400	81	T Gonzalez

Thursday

Date	Time	Temp.	Name (Print)
9.5.24	0300	81	T Gonzalez
	0600	80	D. Perez
	0900	79	D. Perez
	1200	81	D. Perez
	1500	81	CMartinez
	1800	82	CMartinez
	2100	81	Schwindt
	2400	82	T Gonzalez

Friday

Date	Time	Temp.	Name (Print)
9.6.24	0300	82	T Gonzalez
	0600	80	H. Cardenas
	0900	78	H. Cardenas
	1200	82	H. Cardenas
	1500	82	Toscano
	1800	83	Toscano
	2100	82	Toscano
	2400	81	TRAN

Saturday

Date	Time	Temp.	Name (Print)
9.7.24	0300	81	TRAN
	0600	81	Magallanes
	0900	81	Magallanes
	1200	83	Magallanes
	1500	83	Flores
	1800	85	A. Flores
	2100	83	A. Flores
	2400	84	J. Avila

Sunday

Date	Time	Temp.	Name (Print)
9.8.24	0300	85	J. Avila
	0600	81	L. Moreno
	0900	84	L. Moreno
	1200	86	L. Moreno
	1500	87	CMartinez
	1800	87	CMartinez
	2100	87	CMartinez
	2400	88	M. Alvarez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Lathan A Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	80	M. Alvarez
	0600	80	C. Gonzalez
	0900	81	C. Gonzalez
	1200	82	C. Gonzalez
	1500	83	V. Veloz
	1800	82	C Martinez
	2100	82	C Martinez
	2400	80	M. Alvarez

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	79	M. Alvarez
	0600	82	A. Medina
	0900	82	A. Medina
	1200	83	A. Medina
	1500	83	Bryant
	1800	82	C Martinez
	2100	82	C Martinez
	2400	80	M. Alvarez

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	79	M. Alvarez
	0600	75	J. Moreno
	0900	77	J. Moreno
	1200	78	J. Moreno
	1500	82	C Martinez
	1800	80	C Martinez
	2100	76	C Martinez
	2400	77	T Contreras

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	77	T Contreras
	0600	72	C Martinez
	0900	68	C Martinez
	1200	70	C Martinez
	1500	74	C. Ramirez
	1800	74	C. Ramirez
	2100	75	C. Ramirez
	2400	76	T Contreras

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	75	T Contreras
	0600	76	WAKEFIELD
	0900	74	WAKEFIELD
	1200	75	WAKEFIELD
	1500	76	WAKEFIELD
	1800	76	D. RENTERIA
	2100	75	D. RENTERIA
	2400	75	M. Alvarez

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	74	M. Alvarez
	0600	75	WAKEFIELD
	0900	74	WAKEFIELD
	1200	75	WAKEFIELD
	1500	76	JUNKER
	1800	76	JUNKER
	2100	76	JUNKER
	2400	70	M. Alvarez

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	70	M. Alvarez
	0600	75	J. Jones
	0900	73	J. Jones
	1200	74	J. Jones
	1500	78	MARTINEZ
	1800	79	MARTINEZ
	2100	73	MARTINEZ
	2400	69	ALAVAREZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LA Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	74	M Alvarez
	0600	74	Kinghorn
	0900	74	Kinghorn
	1200	75	Kinghorn
	1500	70	Martinez
	1800	68	Martinez
	2100	65	Martinez
	2400	62	M Alvarez

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	62	M. Alvarez
	0600	74	Kinghorn
	0900	74	Kinghorn
	1200	75	Kinghorn
	1500	68	CMartinez
	1800	68	CMartinez
	2100	68	CMartinez
	2400	62	M Alvarez

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	62	M Alvarez
	0600	63	Kinghorn
	0900	73	Kinghorn
	1200	74	Kinghorn
	1500	70	CMartinez
	1800	68	CMartinez
	2100	68	CMartinez
	2400	67	Loredo

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	65	Loredo
	0600	76	Kinghorn
	0900	76	Kinghorn
	1200	76	Kinghorn
	1500	68	CMartinez
	1800	68	CMartinez
	2100	68	CMartinez
	2400	68	PULICARI

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	65	PULICARI
	0600	70	MANRIQUEZ
	0900	72	MANRIQUEZ
	1200	75	MANRIQUEZ
	1500	76	DONOSO
	1800	74	DONOSO
	2100	75	DONOSO
	2400	62	M Alvarez

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	62	M. Alvarez
	0600	71	WAKEFIELD
	0900	71	WAKEFIELD
	1200	72	WAKEFIELD
	1500	73	DONOSO
	1800	73	DONOSO
	2100	72	DONOSO
	2400	61	M. Alvarez

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	61	M. Alvarez
	0600	60	Ramirez
	0900	70	Ramirez
	1200	70	Ramirez
	1500	72	Bryant
	1800	70	Bryant
	2100	70	Bryant
	2400	70	McAthur

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LA-A Temp. Reading Location: Tier 1 + 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	70	M. Alvarez
	0600	69	SOUZA
	0900	70	SOUZA
	1200	70	PEREZ
	1500	74	CMartinez
9/24	1800	72	CMartinez
	2100	72	CMartinez
	2400	75	V. RIOS

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	74	V. RIOS
	0600	74	PULICARI
	0900	74	PULICARI
	1200	75	PULICARI
	1500	74	CMartinez
9/24	1800	72	CMartinez
	2100	72	CMartinez
	2400	75	T. HUERTA

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	74	T. HUERTA
	0600	70	D. Perez
	0900	66	D. Perez
	1200	70	D. Perez
	1500	72	CMartinez
9/24	1800	72	CMartinez
	2100	70	CMartinez
	2400	73	T. Contreras

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	73	T. Contreras
	0600	70	CMartinez
	0900	70	CMartinez
	1200	70	CMartinez
	1500	68	D. Perez
9/24	1800	70	D. Perez
	2100	72	D. Perez
	2400	73	T. Contreras

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	73	T. Contreras
	0600	73	WAKEFIELD
	0900	70	WAKEFIELD
	1200	74	WAKEFIELD
	1500	75	DONOSO
9/24	1800	76	DONOSO
	2100	74	DONOSO
	2400	64	M. Alvarez

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	63	M. Alvarez
	0600	71	WAKEFIELD
	0900	70	WAKEFIELD
	1200	73	WAKEFIELD
	1500	73	DONOSO
9/24	1800	73	DONOSO
	2100	73	DONOSO
	2400	64	M. Alvarez

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	64	M. Alvarez
	0600	68	D. Perez
	0900	70	D. Perez
	1200	70	D. Perez
	1500	74	CMartinez
9/24	1800	74	CMartinez
	2100	72	CMartinez
	2400	65	M. Alvarez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: CA Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/	0300	64	M. Alvarez
	0600	69°	D. Perez
	0900	68	D. Perez
30/	1200	[illegible]	D. Perez
	1500	72	C Martinez
	1800	72	C Martinez
24	2100	72	C Martinez
	2400	65	M. Alvarez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

Attachment E

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LB Temp. Reading Location: Short / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600	[illegible]	M
	0900	79	M
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	78	T. Contreras

Sunday 9/1/2021

Date	Time	Temp.	Name (Print)
	0300	78	T Contreras
	0600	79	M Chavez
	0900	79	M. Chavez
	1200	79	M. Chavez
	1500	81	Velasco
	1800	80	Velasco
	2100	79	Velasco
9.2	2400	78	O. Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LathamB Temp. Reading Location: SHOET / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.2	0300	78	O. Rodriguez
	0600	76	Reyes, C
	0900	76	Reyes, C.
	1200	78	Reyes, C
	1500	79	Toscano
	1800	79	TOSCANO
	2100	78	Toscano
9.3	2400	80	O. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9.3	0300	78	O. Rodriguez
	0600	78	[illegible]
	0900	79	[illegible]
	1200	80	[illegible]
	1500	79	Ruiz
	1800	79	Ruiz
	2100	78	Ruiz
9.4	2400	79	O. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9.4	0300	77	O. Rodriguez
	0600	80	C. Masaitis
	0900	80	Velez
	1200	81	Velez
	1500	82	Reyes
	1800	82	Reyes
	2100	82	Reyes
9.5	2400	80	O. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9.5	0300	79	O. Rodriguez
	0600	81	Velez
	0900	81	Velez
	1200	82	Velez
	1500	83	Magallanes
	1800	90	Magallanes
	2100	89	Magallanes
9.6	2400	82	CASTANON

Friday

Date	Time	Temp.	Name (Print)
9.6	0300	80	CASTANON
	0600	80	Reyes
	0900	82	Reyes
	1200	86	Reyes
	1500	89	D. Perez
	1800	91	D. Perez
	2100	89	D. Perez
9.7	2400	80	Torres

Saturday

Date	Time	Temp.	Name (Print)
9.7	0300	80	Torres
	0600	85	ALOSTA
	0900	86	ALOSTA
	1200	88	ALOSTA
	1500	88	G. Meeks
	1800	90	G. Meeks
	2100	88	G. Meeks
9.8	2400	86	Torres

Sunday

Date	Time	Temp.	Name (Print)
9.9	0300	86	Torres
	0600	82	Reyes
	0900	84	Reyes
	1200	86	Reyes
	1500	89	A. Flores
	1800	89	A. Flores
	2100	88	A. Flores
9.10	2400	88	[illegible]

Notes

9/4 - Stage I
9/4 - Stage II
9/7 - STAGE I
9/7 - Stage 2 1610
9/7 - off Stage 2 2100 due to 88° in unit
9/5/24 @ 1800 cooling measures were put in place due to Stage II heat alert

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham B Temp. Reading Location: Long/Short hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.9.24	0300	88	[illegible]
	0600	86	[illegible]
	0900	82	[illegible]
	1200	83	[illegible]
	1500	85	N.Graner
	1800	86	N.Graner
	2100	88	N.Graner
9-10	2400	83	O. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9.10.24	0300	81	O. Rodriguez
	0600	86	[illegible]
	0900	84	[illegible]
	1200	86	[illegible]
	1500	85	Ruiz
	1800	87	Ruiz
	2100	86	Ruiz
9-11	2400	80	O. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9.11.24	0300	80	O. Rodriguez
	0600	80	M. Gonzalez
	0900	80	M. Gonzalez
	1200	81	M. Gonzalez
	1500	81	M. Gonzalez
	1800	80	M. Gonzalez
	2100	80	M. Gonzalez
9.12	2400	78	O. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9.12.24	0300	78	O. Rodriguez
	0600	78	E. ALOSTA
	0900	73	E. ALOSTA
	1200	77	E. ALOSTA
	1500	79	M. Gonzalez
	1800	79	M. Gonzalez
	2100	78	M. Gonzalez
	2400	79	O. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9.13.24	0300	78	O. Rodriguez
	0600	75	C. Reyes
	0900	76	C. Reyes
	1200	78	C. Reyes
	1500	78	M. Gonzalez
	1800	78	M. Gonzalez
	2100	77	M. Gonzalez
	2400	78	T. Carrera

Saturday

Date	Time	Temp.	Name (Print)
9.14.24	0300	78	J. Gonzalez
	0600	74	Reyes.
	0900	76	Reyes
	1200	78	Reyes
	1500	78	M. Gonzalez
	1800	78	M. Gonzalez
	2100	78	M. Gonzalez
	2400	78	T. Carrera

Sunday

Date	Time	Temp.	Name (Print)
9.15.24	0300	78	J. Gonzalez
	0600	74	Reyes, C
	0900	74	Reyes, C
	1200	72	Reyes, C
	1500	72	C. Herrera
	1800	78	Junker
	2100	77	Junker
9-16	2400	76	O. Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham B Temp. Reading Location: SHORT / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4813 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	75	O. Rodriguez
	0600	75	C. Vasquez
	0900	74	C. Vasquez
	1200	75	C. Vasquez
	1500	75	K. Smith
	1800	74	K. Smith
	2100	74	K. Smith
9/17	2400	72	O. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	72	O. Rodriguez
	0600	75	C. Vasquez
	0900	73	C. Vasquez
	1200	74	C. Vasquez
	1500	74	Ruiz
	1800	73	Ruiz
	2100	73	Ruiz
9/18	2400	72	O. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	72	O. Rodriguez
	0600	71	Velez
	0900	72	Velez
	1200	72	Velez
	1500	72	N. Hudson
	1800	75	N. Hudson
	2100	74	N. Hudson
9/19	2400	73	O. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72	O. Rodriguez
	0600	71	Velez
	0900	73	Velez
	1200	73	Velez
	1500	76	M. Gonzalez
	1800	75	M. Gonzalez
	2100	75	M. Gonzalez
9/20	2400	73	O. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	73	O. Rodriguez
	0600	75	C. Vasquez
	0900	74	C. Vasquez
	1200	75	C. Vasquez
	1500	75	M. Gonzalez
	1800	75	M. Gonzalez
	2100	75	M. Gonzalez
9/21	2400	73	Pulichari

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	Pulichari
	0600	74	Martinez
	0900	73	Hudson
	1200	74	Hudson
	1500	75	Meeks
	1800	74	Meeks
	2100	74	Meeks
9/22	2400	75	Pulichari

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	75	Pulichari
	0600	75	C. Vasquez
	0900	75	C. Vasquez
	1200	77	C. Vasquez
	1500	77	Bonoso
	1800	76	Bonoso
	2100	76	Bonoso
9/23	2400	73	O. Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: LathamB Temp. Reading Location: SHORT / Long Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.23	0300	72	O. Rodriguez
	0600	74	M. Gonzalez
	0900	75	M. Gonzalez
	1200	76	M. Gonzalez
	1500	78	M. Gonzalez
	1800	78	M. Gonzalez
	2100	76	M. Gonzalez
9.24	2400	75	O. Rodriguez

Tuesday

Date	Time	Temp.	Name (Print)
9.24	0300	74	O. Rodriguez
	0600	75	M. Gonzalez
	0900	75	M. Gonzalez
	1200	76	M. Gonzalez
	1500	76	Ruiz
	1800	75	Ruiz
	2100	75	Ruiz
9.25	2400	75	O. Rodriguez

Wednesday

Date	Time	Temp.	Name (Print)
9.25	0300	74	O. Rodriguez
	0600	75	[illegible]
	0900	74	[illegible]
	1200	75	[illegible]
	1500	77	M. Gonzalez
	1800	77	M. Gonzalez
	2100	77	M. Gonzalez
9.26	2400	75	O. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
9.26	0300	74	O. Rodriguez
	0600	73	[illegible]
	0900	75	[illegible]
	1200	75	[illegible]
	1500	78	M. Gonzalez
	1800	78	M. Gonzalez
	2100	77	M. Gonzalez
9.27	2400	75	O. Rodriguez

Friday

Date	Time	Temp.	Name (Print)
9.27	0300	75	O. Rodriguez
	0600	75	J. Ponce
	0900	75	J. Ponce
	1200	75	Ponce
	1500	80	Magallanes
	1800	76	Magallanes
	2100	77	Magallanes
9.28	2400	75	T. Contreras

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	75	Contreras
	0600	70	Chavez
	0900	71	Estrada
	1200	77	Estrada
	1500	80	Magallanes
	1800	79	Magallanes
	2100	78	Magallanes
9.29	2400	77	Contreras

Sunday

Date	Time	Temp.	Name (Print)
9.29	0300	77	Contreras
	0600	77	C. Ramirez
	0900	78	C. Ramirez
	1200	78	C. Ramirez
	1500	77	O. Rodriguez
	1800	76	O. Rodriguez
	2100	74	O. Rodriguez
9/30	2400	74	O. Rodriguez

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Latham B Temp. Reading Location: SHORT / Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4193 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	75	Rodriguez
	0600	74	CMartinez
	0900	74	CMartinez
	1200	74	CMartinez
	1500	76	D-Perez
	1800	72	D. Perez
	2100	76	D. Perez
	2400	76	VILLELA

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: EA Temp. Reading Location: N/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees. DATE: 09 / 01 - 09 / 30 /24

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

UNIT CLOSED DUE TO RENOVATIONS

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-2528F69EB6F6

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: EMMONS B Temp. Reading Location: LONG HALL, SHORT HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400	81	MEEKS

Sunday 9/1

Date	Time	Temp.	Name (Print)
9-1-19	0300	81	MEEKS
	0600	80	HUERTA
	0900	82	HUERTA
	1200	82	HUERTA
	1500	83	meeks
	1800	82	meeks
	2100	81	meeks
	2400	81	HUERTA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: EMMONS B Temp. Reading Location: LONG HALL, SHORT HALL (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02/24	0300	81	T. HUERTA
	0600	82	RUEDA
	0900	83	RUEDA
	1200	83	Quinten
	1500	84	MEEKS
	1800	83	MEEKS
	2100	82	MEEKS
	2400	82	Hongsth

Tuesday

Date	Time	Temp.	Name (Print)
09/03/24	0300	81	Hongsth
	0600	81	OBREGON
	0900	82	OBREGON
	1200	83	OBREGON
	1500	84	SALDIVAR
	1800	84	SALDIVAR
	2100	82	SALDIVAR
	2400	82	Hongsth

Wednesday

Date	Time	Temp.	Name (Print)
09/04/24	0300	81	Hongsth
	0600	82	OBREGON
	0900	82	OBREGON
	1200	84	OBREGON
	1500	84	SALDIVAR
	1800	84	SALDIVAR
	2100	82	Saldivar
	2400	82	Hongsth

Thursday

Date	Time	Temp.	Name (Print)
09/05/24	0300	81	Hongsth
	0600	82	OBREGON
	0900	82	OBREGON
	1200	83	OBREGON
	1500	86	SALDIVAR
	1800	84	SALDIVAR
	2100	84	SALDIVAR
	2400	83	Schneiderman

Friday

Date	Time	Temp.	Name (Print)
09/06/24	0300	83	Schneiderman
	0600	86	Esquivel
	0900	88	Esquivel
	1200	88	Esquivel
	1500	90	SALDIVAR
	1800	90	SALDIVAR
	2100	90	SALDIVAR
	2400	88	Schneiderman

Saturday

Date	Time	Temp.	Name (Print)
09/07/24	0300	87	Schneiderman
	0600	82	CMartinez
	0900	82	CMartinez
	1200	84	CMartinez
	1500	90	SALDIVAR
	1800	90	SALDIVAR
	2100	90	SALDIVAR
	2400	88	MEEKS

Sunday

Date	Time	Temp.	Name (Print)
09/08/24	0300	87	G. MEEKS
	0600	86	RUEDA
	0900	87	RUEDA
	1200	88	RUEDA
	1500	89	JUNKER
	1800	87	JUNKER
	2100	87	JUNKER
	2400	85	Hongsth

Notes

9/6/24 @ 1500 cooling measures taken due to Stage II heat alert

9/6/24 at ~~[illegible]~~ 2400 taken off Stage II due to unit being 88°

9/7/24 @ 1500 cooling measures taken due to Stage II heat alert

9/7/24 Taken off Stage II heat alert due to unit being 88° at 2400

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Emmons B Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9/24	0300	83	Hom
	0600	87	RUEDA
	0900	87	RUEDA
	1200	82	Haro
	1500	88	HARO
	1800	88	Haro
	2100	88	Haro
	2400	86	C. mendoza

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300	86°	C. mendoza
	0600	85	OBREGON
	0900	85	OBREGON
	1200	85	OBREGON
	1500	88	SALDIVAR
	1800	89	SALDIVAR
	2100	88	SALDIVAR
	2400	85	Hamilton

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300	84	Hamilton
	0600	85	OBREGON
	0900	85	OBREGON
	1200	85	OBREGON
	1500	84	SALDIVAR
	1800	84	SALDIVAR
	2100	82	SALDIVAR
	2400	81	Hamilton

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300	80	Hamilton
	0600	80	Esqueda
	0900	80	Esqueda
	1200	80	Esqueda
	1500	80	SALDIVAR
	1800	80	SALDIVAR
	2100	80	SALDIVAR
	2400	80	Hamilton

Friday

Date	Time	Temp.	Name (Print)
9/13/24	0300	80	Hamilton
	0600	80	OBREGON
	0900	82	OBREGON
	1200	82	OBREGON
	1500	79	Magallanes
	1800	79	Magallanes
	2100	80	Magallanes
	2400	80	Reyes

Saturday

Date	Time	Temp.	Name (Print)
9/14/24	0300	80	Reyes
	0600	78	Reyes
	0900	78	OBREGON
	1200	78	OBREGON
	1500	78	meeks
	1800	77	meeks
	2100	77	meeks
	2400	77	meeks

Sunday

Date	Time	Temp.	Name (Print)
9/15/24	0300	77	meeks
	0600	80	RUEDA
	0900	80	RUEDA
	1200	80	RUEDA
	1500	80	meeks
	1800	79	MEEKS
	2100	79	MEEKS
	2400	79	Hamilton

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Emmons B Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	78	Hampton
	0600	78	AREDA
	0900	78	AVEDA
	1200	80	Alvin
	1500	80	Meeks
	1800	79	Meeks
	2100	79	Meeks
	2400	78	C.Mendoza

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	75°	C.Mendoza
	0600	75	OBREGON
	0900	77	OBREGON
	1200	77	OBREGON
	1500	78	N.Flemm
	1800	78	N.Flemm
	2100	76	N.Flemm
	2400	76	Hampton

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	76	Hampton
	0600	76	OBREGON
	0900	76	OBREGON
	1200	76	OBREGON
	1500	78	SALDIVAR
	1800	76	SALDIVAR
	2100	76	SALDIVAR
	2400	76	Hampton

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300	76	Hampton
	0600	76	AGUILA
	0900	76	OBREGON
	1200	76	OBREGON
	1500	76	SALDIVAR
	1800	76	SALDIVAR
	2100	74	SALDIVAR
	2400	74	Hampton

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	74	Hampton
	0600	75	SILVA
	0900	72	Bowes
	1200	72	Bowes
	1500	76	SALDIVAR
	1800	76	SALDIVAR
	2100	74	SALDIVAR
	2400	77	CASTANON

Saturday

Date	Time	Temp.	Name (Print)
9/21/24	0300	75	CASTANON
	0600	70°	VALENZUELA, F.
	0900	72°	VALENZUELA, F.
	1200	74°	VALENZUELA, F.
	1500	76	SALDIVAR
	1800	76	SALDIVAR
	2100	74	SALDIVAR
	2400	76	CASTANON

Sunday

Date	Time	Temp.	Name (Print)
9/22/24	0300	75	CASTANON
	0600	76	AVEDA
	0900	76	AVEDA
	1200	76	AVEDA
	1500	76	M. Tavera
	1800	75	M. Tavera
	2100	74	M. Tavera
	2400	74	Hampton

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Emmons B Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	74	Clonston
	0600	76	RUEDA
	0900	76	RUEDA
	1200	76	RUEDA
	1500	85°	Gill
	1800	85°	Gill
	2100	84°	Gill
	2400	80°	Cmendon

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	79	C. mendon
	0600	80	OBREGON
	0900	80	OBREGON
	1200	80	OBREGON
	1500	80	Saldivar
	1800	80	Saldivar
	2100	80	Saldivar
	2400	79	Clonston

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	79	Clonston
	0600	79	OBREGON
	0900	79	OBREGON
	1200	79	OBREGON
	1500	79	Saldivar
	1800	78	Saldivar
	2100	78	[illegible]
	2400	78	Hamilton

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	78	Honigh
	0600	78	OBREGON
	0900	79	OBREGON
	1200	79	OBREGON
	1500	79	Saldivar
	1800	78	Saldivar
	2100	78	Saldivar
	2400	78	Honigh

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	78	Clonston
	0600	76	OBREGON
	0900	76	OBREGON
	1200	78	OBREGON
	1500	76	Saldivar
	1800	76	Saldivar
	2100	76	Saldivar
	2400	78	Adame

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	78	Adame
	0600	78	OBREGON
	0900	78	OBREGON
	1200	78	OBREGON
	1500	78	Saldivar
	1800	78	Saldivar
	2100	78	Saldivar
	2400	78	Adame

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	78	Adame
	0600	76	RUEDA
	0900	76	RUEDA
	1200	76	RUEDA
	1500	80	[illegible]
	1800	81	[illegible]
	2100	79	[illegible]
	2400	79	Hamilton

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTW Housing Unit: Emmons B Temp. Reading Location: _____
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/19	0300	78	Hawkins
	0600	76	RUEDA
	0900	76	RUEDA
	1200	77	RUEDA
	1500	78	MARTINEZ
	1800	78	MARTINEZ
	2100	77	MARTINEZ
	2400	80	Amundson

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Harrison 2 Temp. Reading Location: Wing / Short Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-1-24	0300	78	Reyes
	0600	78	Castro
	0900	78	Castro
	1200	81	Castro
	1500	82	Jones
	1800	77	Jones
	2100	76	Jones
	2400	77	Rupp

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIN Housing Unit: Harrison A Temp. Reading Location: Long/Short hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.2.24	0300	78	Reyes
	0600	79	A.MEDINA
	0900	81	A.MEDINA
	1200	82	A.MEDINA
	1500	84°	Call
	1800	83°	Call
	2100	83°	Call
	2400	78	VILLELA

Tuesday

Date	Time	Temp.	Name (Print)
9.3.24	0300	78	VILLELA
	0600	75	Chavez
	0900	78	Chavez
	1200	79	Chavez
	1500	85°	Call
	1800	84°	Call
	2100	83°	Call
	2400	79	Reyes

Wednesday

Date	Time	Temp.	Name (Print)
9.4.24	0300	79	Reyes
	0600	79	Meeks
	0900	80	Meeks
	1200	82	Meeks
	1500	84°	Call
	1800	85°	Call
	2100	85°	Call
	2400	75	Reyes

Thursday

Date	Time	Temp.	Name (Print)
9.5.24	0300	79°	Reyes
	0600	82	Magallanes
	0900	83	Magallanes
	1200	84	Magallanes
	1500	86°	Call
	1800	86°	Call
	2100	86°	Call
	2400	86°	HUERTA

Friday

Date	Time	Temp.	Name (Print)
9.6.24	0300	86°	HUERTA
	0600	86	Magallanes
	0900	85	Magallanes
	1200		
	1500		
	1800		
	2100		
	2400		Unit Closed

Saturday

Date	Time	Temp.	Name (Print)
9.7.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9.8.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HA Temp. Reading Location: N/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees. DATE: 9/9 - 9/15/24

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

UNIT CLOSED DUE TO DEACTIVATION OF QUARANTINE UNIT

LITCO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HA Temp. Reading Location: N/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

DATE: 9 / 16 - 9 / 22 /24

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

UNIT CLOSED DUE TO DEACTIVATION OF QUARANTINE UNIT

CC II
LTCO

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HARRISON A Temp. Reading Location: Long / Short Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9-25-24	0300		
	0600		
	0900		
	1200		
	1500	78°	Call
	1800	78°	Call
	2100	78°	Call
	2400	78	Reyes

Thursday

Date	Time	Temp.	Name (Print)
9-26-24	0300	78	Reyes
	0600	76	Magallanes
	0900	76	Magallanes
	1200	77	Magallanes
	1500	78°	Call
	1800	77°	Call
	2100	77°	Call
	2400	77	Hueso

Friday

Date	Time	Temp.	Name (Print)
9-27-24	0300	77	Hueso
	0600	75	Magallanes
	0900	76	Magallanes
	1200	76	Magallanes
	1500	77	Martinez
	1800	76	Martinez
	2100	77	Martinez
	2400	76	Hueso

Saturday

Date	Time	Temp.	Name (Print)
9-28-24	0300	75	Hueso
	0600	75.	ANDERSON
	0900	75	ANDERSON.
	1200	75	ANDERSON.
	1500	77	A Martinez
	1800	77	A. Martinez
	2100	76	A. Martinez
	2400	77	Reyes

Sunday

Date	Time	Temp.	Name (Print)
9-29-24	0300	77	Reyes
	0600	69	SOUZA
	0900	67	SOUZA
	1200	67	SOUZA
	1500	79°	Call
	1800	76°	Call
	2100	76°	Call
	2400	79.	Reyes

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Harrison A Temp. Reading Location: long/short hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9·30·24	0300	76°	Reyes
	0600	64°	SOUZA
	0900	64	SOUZA
	1200	64	SOUZA
	1500	78°	Call
	1800	80°	Call
	2100	78°	Call
	2400	77°	Reyes.

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-2528F89E95F6

Attachment E

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: SHORT HALL / LONG HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 9-1-24

Date	Time	Temp.	Name (Print)
	0300	79	HUSO
	0600	78	GONZALEZ
	0900	79	GONZALEZ
	1200	80	GONZALEZ
	1500	82	A. HERNANDEZ
	1800	83	A. HERNANDEZ
	2100	81	A. HERNANDEZ
	2400	80	HUSO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-252BF99EB6F6

Attachment E

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: Short Hall Long Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-2-24

Date	Time	Temp.	Name (Print)
9-2	0300	80	Hueso
	0600	79	GONZALEZ
	0900	80	GONZALEZ
	1200	81	GONZALEZ
	1500	82	a.martinez
	1800	82	a.martinez
	2100	82	a.martinez
	2400	78	ST. AUBIN

Tuesday 9-3-24

Date	Time	Temp.	Name (Print)
9-3	0300	76	ST. AUBIN
	0600	79	GONZALEZ
	0900	79	GONZALEZ
	1200	80	GONZALEZ
	1500	81	N. PEREZ
	1800	80	N. PEREZ
	2100	78	N. PEREZ
	2400	78	ST. AUBIN

Wednesday 9-4-24

Date	Time	Temp.	Name (Print)
9-4	0300	78	ST. AUBIN
	0600	80	GONZALEZ
	0900	80	GONZALEZ
	1200	82	GONZALEZ
	1500	85	PEREZ
	1800	84	PEREZ
	2100	84	PEREZ
	2400	78	ST. AUBIN

Thursday 9-5-24

Date	Time	Temp.	Name (Print)
9-5	0300	78	ST. AUBIN
	0600	78	Stubblefield
	0900	78	Stubblefield
	1200	80	Stubblefield
	1500	85	PEREZ
	1800	85	PEREZ
	2100	83	PEREZ
	2400	80	ST. AUBIN

Friday 9-6-24

Date	Time	Temp.	Name (Print)
9-6	0300	80	ST. AUBIN
	0600	80	Reyes
	0900	79	Rueda
	1200	80	Rueda
	1500	84	PEREZ
	1800	86	PEREZ
	2100	86	PEREZ
	2400	82	ST. AUBIN

Saturday 9-7-24

Date	Time	Temp.	Name (Print)
9-7	0300	82	ST. AUBIN
	0600	83	J. moreno
	0900	83	J. moreno
	1200	84	J. moreno
	1500	87	a.martinez
	1800	88	a. martinez
	2100	86	a. martinez
	2400	86	Reyes

Sunday 9-8-24

Date	Time	Temp.	Name (Print)
9-8	0300	86	Reyes
	0600	83	PULICARI
	0900	84	PULICARI
	1200	85	PULICARI
	1500	86	a. martinez
	1800	87	a. martinez
	2100	86	a. martinez
	2400	86	Hueso

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Docu[illegible]n Envelope ID: 336EB19F-5622-49DD-B210-252BF89EB6F0

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/15)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: Short Hall, Long Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-9-24

Date	Time	Temp.	Name (Print)
	0300	80	HURSO
	0600	80	Z. MAYA
	0900	80	Z. MAYA
	1200	80	Z. MAYA
	1500	86	Gill
	1800	88	Gill
	2100	87	Gill
	2400	82	ST. AUBIN

Tuesday 9-10-24

Date	Time	Temp.	Name (Print)
	0300	82	ST. AUBIN
	0600	82	CANTOMUS
	0900	89	CANTOMUS
	1200	89	CANTOMUS
	1500	87	L. MORENO
	1800	86	L. MORENO
	2100	84	L. MORENO
	2400	82	ST. AUBIN

Wednesday 9-11-24

Date	Time	Temp.	Name (Print)
	0300	80	ST. AUBIN
	0600	80	MALZOZ
	0900	80	LOPEZ
	1200	80	LOPEZ
	1500	82	L. MORENO
	1800	81	L. MORENO
	2100	80	L. MORENO
	2400	78	ST. AUBIN

Thursday 9-12-24

Date	Time	Temp.	Name (Print)
	0300	76	ST. AUBIN
	0600	80	C. CANTOMUS
	0900	79	CANTOMUS
	1200	79	CANTOMUS
	1500	79	AVENDANO
	1800	80	AVENDANO
	2100	79	AVENDANO
	2400	76	ST. AUBIN

Friday 9-13-24

Date	Time	Temp.	Name (Print)
	0300	74	ST. AUBIN
	0600	76	Magallanes
	0900	77	Magallanes
	1200	78	Magallanes
	1500	78	A. Martinez
	1800	78	A. Martinez
	2100	78	A. Martinez
	2400	76	ST. AUBIN

Saturday 9-14-24

Date	Time	Temp.	Name (Print)
	0300	74	ST. AUBIN
	0600	77	Esquida
	0900	77	Esquida
	1200	77	Esquida
	1500	77	Pulichari
	1800	79	Diaz
	2100	78	Diaz
	2400	78	C. Johnson

Sunday 9-15-24

Date	Time	Temp.	Name (Print)
	0300	78	C. Johnson
	0600	77	Alviso
	0900	76	Alviso
	1200	77	Alviso
	1500	77	Martinez
	1800	78	Martinez
	2100	77	Martinez
	2400	77	HURSO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336EB19F-5622-49DD-8210-252BF89EB6F8

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: Short Hall Long Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-23-24

Date	Time	Temp.	Name (Print)
	0300	70	HUESO
	0600	74	S. TELLO
	0900	74	S. TELLO
	1200	75	S. TELLO
	1500	77	Martinez
	1800	78	Martinez
	2100	76	Martinez
	2400	74	ST. AUBIN

Tuesday 9-24-24

Date	Time	Temp.	Name (Print)
	0300	72	ST. AUBIN
	0600	75	C. Gentry
	0900	77	C. Gentry
	1200	79	C. Gentry
	1500	78	PEREZ
	1800	78	PEREZ
	2100	78	PEREZ
	2400	76	ST. AUBIN

Wednesday 9-25-24

Date	Time	Temp.	Name (Print)
	0300	72	ST. AUBIN
	0600	75	TELLO
	0900	75	TELLO
	1200	75	TELLO
	1500	78	PEREZ
	1800	77	PEREZ
	2100	77	PEREZ
	2400	74	ST. AUBIN

Thursday 9-26-24

Date	Time	Temp.	Name (Print)
	0300	70	ST. AUBIN
	0600	77	C. GENTRY
	0900	79	C. Gentry
	1200	80	C. Gentry
	1500	78	PEREZ
	1800	77	PEREZ
	2100	78	PEREZ
	2400	74	ST. AUBIN

Friday 9-27-24

Date	Time	Temp.	Name (Print)
	0300	70	ST. AUBIN
	0600	70	SOUZA
	0900	70	SOUZA
	1200	70	SOUZA
	1500	70	Perez
	1800	70	Perez
	2100	70	Perez
	2400	70	ST. AUBIN

Saturday 9-28-24

Date	Time	Temp.	Name (Print)
	0300	70	ST. AUBIN
	0600	70	SOUZA
	0900	70	SOUZA
	1200	72	SOUZA
	1500	72	SOUZA
	1800	70	SOUZA
	2100	70	SOUZA
	2400	75	HUESO

Sunday 9-29-24

Date	Time	Temp.	Name (Print)
	0300	71	HUESO
	0600	73	TELLO
	0900	73	TELLO
	1200	74	TELLO
	1500	76	Martinez
	1800	76	Martinez
	2100	75	Martinez
	2400	74	HUESO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336EB19F-5622-49DD-B210-252BF89EB6F6

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

ODCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: Short Hall Long Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-16-24

Date	Time	Temp.	Name (Print)
	0300	76	HUESO
	0600	73	TELLO
	0900	74	TELLO
	1200	76	TELLO
	1500	76	HUESO
	1800	76	HUESO
	2100	76	HUESO
	2400	77	ADAME

Tuesday 9-17-24

Date	Time	Temp.	Name (Print)
	0300	76	ADAME
	0600	76	C. GUNTARUS
	0900	80	C. GUNTARUS
	1200	80	C. GUNTARUS
	1500	78	Call
	1800	70	Call
	2100	76	Call
	2400	72	ESTOLO

Wednesday 9-18-24

Date	Time	Temp.	Name (Print)
	0300	70	Estolo
	0600	73	S. TELLO
	0900	74	S. TELLO
	1200	74	S. TELLO
	1500	77	PEREZ
	1800	75	PEREZ
	2100	75	PEREZ
	2400	74	Sr. Aubin

Thursday 9-19-24

Date	Time	Temp.	Name (Print)
	0300	66	Sr. Aubin
	0600	66	Lokodi
	0900	66	C. Guntarus
	1200	67	C. Guntarus
	1500	76	PEREZ
	1800	75	PEREZ
	2100	78	PEREZ
	2400	74	Sr. Aubin

Friday 9-20-24

Date	Time	Temp.	Name (Print)
	0300	72	Sr. Aubin
	0600	74	Magallanes
	0900	74	Magallanes
	1200	75	Magallanes
	1500	75	HUESO
	1800	76	HUESO
	2100	75	HUESO
	2400	74	Sr. Aubin

Saturday 9-21-24

Date	Time	Temp.	Name (Print)
	0300	74	Sr. Aubin
	0600	73	ANDERSON.
	0900	74	ANDERSON.
	1200	75	ANDERSON.
	1500	78	SILFE
	1800	76	SILFE
	2100	76	SILFE
	2400	75	HUESO

Sunday 9-22-24

Date	Time	Temp.	Name (Print)
	0300	74	HUESO
	0600	74°	S. TELLO
	0900	74	S. TELLO
	1200	75°	S. TELLO
	1500	77°	Call
	1800	77	C. Kyle
	2100	72	C. Kyle
	2400	70	HUESO

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

SL, Dyke
404 Kyle
Lk. Williams

DocuSign Envelope ID: 336EB19F-5622-49DD-B210-252BF99EBBF6

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

ODCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: HB Temp. Reading Location: Short Hall Long Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-30-24

Date	Time	Temp.	Name (Print)
	0300	74	Hurso
	0600	73	TELLO
	0900	73	TELLO
	1200	75	TELLO
	1500	77	S. VOLZ
	1800	78	S. VOLZ
	2100	79	S. VOLZ
	2400	70	St Aubin

Tuesday 10-1-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday 10-2-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday 10-3-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday 10-4-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday 10-5-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 10-6-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2091 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
XXXXXX	0300	78	FOSTER
	0600	78	THOMPSON
	0900	78	THOMPSON
	1200	79	THOMPSON
	1500	80	JUNKER
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
XXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
XXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
XXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
XXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
XXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9-01-24	0300	78	T. Thompson
	0600	78	T. Thompson
	0900	78	T. Thompson
	1200	79	T. Thompson
	1500	80	JUNKER
	1800	79	JUNKER
	2100	79	JUNKER
	2400	80	[illegible]

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (94/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-02-24	0300	80	T. Postell
	0600	79	B. Mendoza
	0900	78	B. Mendoza
	1200	80	B. Mendoza
	1500	81	Asuime
	1800	82	Asuime
	2100	80	Asuime
	2400	80	T. Tu

Tuesday

Date	Time	Temp.	Name (Print)
9-03-24	0300	80	T. Tu
	0600	79	De La Rosa
	0900	80	De La Rosa
	1200	80	De La Rosa
	1500	82	Asuime
	1800	83	Asuime
	2100	82	Asuime
	2400	82	T. Tu

Wednesday

Date	Time	Temp.	Name (Print)
9-04-24	0300	80	T. Tu
	0600	80	B. Mendoza
	0900	80	B. Mendoza
	1200	[illegible]	B. Mendoza
	1500	84	Jones
	1800	80	Jones
	2100	82	Jones
	2400	82	T. Tu

Thursday

Date	Time	Temp.	Name (Print)
9-05-24	0300	80	T. Tu
	0600	81	B. Mendoza
	0900	80	B. Mendoza
	1200	82	B. Mendoza
	1500	83	Asuime
	1800	86	Asuime
	2100	85	Asuime
	2400	84	N. Velazquez

Friday

Date	Time	Temp.	Name (Print)
9-06-24	0300	83	N. Velazquez
	0600	83	~~N. Velazquez~~ Bryant
	0900	83	Bryant
	1200	83	Bryant
	1500	85	Souza
	1800	82	Souza
	2100	81	Souza
	2400	82	Adame

Saturday

Date	Time	Temp.	Name (Print)
9-07-24	0300	80	Adame
	0600	80	Bryant
	0900	80	Bryant
	1200	82	Bryant
	1500	81	Souza
	1800	81	Souza
	2100	81	Souza
	2400	81	T. Tu

Sunday

Date	Time	Temp.	Name (Print)
9-08-24	0300	83	T. Tu
	0600	82	B. Mendoza
	0900	81	B. Mendoza
	1200	83	B. Mendoza
	1500	86	Jones
	1800	87	Jones
	2100	87	Jones
	2400	89	[illegible]

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: W1 A Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9.9.24

Date	Time	Temp.	Name (Print)
	0300	86	Lorado
	0600	82	Lorado
	0900	82	B Mendoza
	1200	82	B Mendoza
	1500	82	S. Vo/z
	1800	85	S. Vo/z
	2100	85	S. Vo/z
	2400	85	T. Fu

Tuesday 9.10.24

Date	Time	Temp.	Name (Print)
	0300	84	T. Fu
	0600	83	DE LA ROSA
	0900	83	DE LA ROSA
	1200	83	DE LA ROSA
	1500	84	Magallanes
	1800	82	Magallanes
	2100	82	Magallanes
	2400	83	T. Fu

Wednesday 9.11.24

Date	Time	Temp.	Name (Print)
	0300	83	T. Fu
	0600	81	Magallanes
	0900	81	Magallanes
	1200	80	Magallanes
	1500	82°	Call
	1800	82°	Call
	2100	81°	Call
	2400	80	T. Fu

Thursday 9.12.24

Date	Time	Temp.	Name (Print)
	0300	80	T. Fu
	0600	80	B. Mendoza
	0900	79	B. Mendoza
	1200	80	B. Mendoza
	1500	80	Hudson
	1800	79	Hudson
	2100	79	Hudson
	2400	79	Jiosuna

Friday 9.13.24

Date	Time	Temp.	Name (Print)
	0300	78	J. Osuna
	0600	78	Bryant
	0900	78	Bryant
	1200	78	Bryant
	1500	79	SOUZA
	1800	77	SOUZA
	2100	78	SOUZA
	2400	78	Jiosuna

Saturday 9.14.24

Date	Time	Temp.	Name (Print)
	0300	78	J. Osuna
	0600	78	Bryant
	0900	78	Bryant
	1200	78	Bryant
	1500	78	Esquida
	1800	77	Esquida
	2100	78	Esquida
	2400	78	T. Fu

Sunday 9.15.24

Date	Time	Temp.	Name (Print)
	0300	78	T. Fu
	0600	78	B. Mendoza
	0900	78	B. Mendoza
	1200	78	B. Mendoza
	1500	79	Haro
	1800	78	Haro
	2100	79	Haro
	2400	78	T. Fu

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (04/16)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-16-24	0300	78	T-Pa
	0600	77	B. Mendoza
	0900	77	B. Mendoza
	1200	76	B. Mendoza
	1500	76	COBERLY
	1800	76	COBERLY
	2100	76	COBERLY
	2400	76	T-Pa

Tuesday

Date	Time	Temp.	Name (Print)
9-17-24	0300	74	T-Pa
	0600	75	Perez
	0900	75	Perez
	1200	75	PEREZ
	1500	75	COBERLY
	1800	75	COBERLY
	2100	75	COBERLY
	2400	76	T-Pa

Wednesday

Date	Time	Temp.	Name (Print)
9-18-24	0300	76	T-Pa
	0600	74	B. Mendoza
	0900	75	B. Mendoza
	1200	75	~~Magallanes~~ Mendoza
	1500	75	Magallanes
	1800	75	Magallanes
	2100	75	Magallanes
	2400	75	T-Pa

Thursday

Date	Time	Temp.	Name (Print)
9-19-24	0300	75	T-Pa
	0600	75	B. Mendoza
	0900	75	B. Mendoza
	1200	74	B. Mendoza
	1500	75	COBERLY
	1800	75	COBERLY
	2100	75	COBERLY
	2400	75	N. VELAZQUEZ

Friday

Date	Time	Temp.	Name (Print)
9-20-24	0300	75	N. VELAZQUEZ
	0600	75	~~N. Velazquez~~ Bryant
	0900	75	Bryant
	1200	75	Bryant
	1500	76	ALOSTA
	1800	76	ALOSTA
	2100	75	ALOSTA
	2400	75	J. Osuna

Saturday

Date	Time	Temp.	Name (Print)
9-21-24	0300	75	J. Osuna
	0600	72	Bryant
	0900	74	Bryant
	1200	74	Bryant
	1500	74	HUDSON
	1800	74	HUDSON
	2100	74	HUDSON
	2400	74	T-Pa

Sunday

Date	Time	Temp.	Name (Print)
9-22-24	0300	74	T. Pa
	0600	75	M. Taviera
	0900	75	M. Taviera
	1200	75	M. Taviera
	1500	76	B. Mendoza
	1800	77	B. Mendoza
	2100	78	B. Mendoza
	2400	77	T-Pa

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (04/15)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-23-24	0300	76	T-Foster
	0600	76	B. Mendoze
	0900	76	B. Mendoze
	1200	77	B. Mendoze
	1500	78	S. Volz
	1800	78	S. Volz
	2100	78	I. Sabangs
	2400	78	T-Foster

Tuesday

Date	Time	Temp.	Name (Print)
9-24-24	0300	76	T-Foster
	0600	76	B. Mendoze
	0900	76	B. Mendoze
	1200	77	B. Mendoze
	1500	77	Absent
	1800	75	Absent
	2100	77	Absent
	2400	76	T. [illegible]

Wednesday

Date	Time	Temp.	Name (Print)
9-25-24	0300	76	T-[illegible]
	0600	76	B. Mendoze
	0900	76	B. Mendoze
	1200	77	B. Mendoze
	1500	77°	Absent
	1800	77	Absent
	2100	77	Absent
	2400	76	D. [illegible]

Thursday

Date	Time	Temp.	Name (Print)
9-26-24	0300	76	T-[illegible]
	0600	75	B. Mendoze
	0900	75	B. Mendoze
	1200	76	B. Mendoze
	1500	76	Absent
	1800	77	Absent
	2100	77	Absent
	2400	76	O Suna

Friday

Date	Time	Temp.	Name (Print)
9-27-24	0300	75	O Suna
	0600	73	Bryant
	0900	73	Bryant
	1200	73	Bryant
	1500	76	D. RENTERIA
	1800	77	D. RENTERIA
	2100	76	D. RENTERIA
	2400	76	O Suna

Saturday

Date	Time	Temp.	Name (Print)
9-28-24	0300	75	O Suna
	0600	72	J. Bryant
	0900	72	J. Bryant
	1200	72	[illegible]
	1500	76	Ben Bow
	1800	71	O. Espinoza
	2100	71	O. Espinoza
	2400	76	T-[illegible]

Sunday

Date	Time	Temp.	Name (Print)
9-29-24	0300	74	T-Foster
	0600	71	Ben Bow
	0900	71	Ben Bow
	1200	72	Ben Bow
	1500	70	Coberly
	1800	77	Coberly
	2100	77	Coberly
	2400	76	T. Foster

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2091 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson #1 Temp. Reading Location: Long/Short Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 80 degrees and again at 85 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-30-24	0300	75	[illegible]
	0600	75	B. Montoya
	0900	75	D. Montoya
	1200	75	D. Montoya
	1500	77	A. Suine
	1800	77	A. Suine
	2100	77	A. Suine
	2400	77	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
XXXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
XXXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
XXXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
XXXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
XXXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
XXXXXXX	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Hall 1 and 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
09/03/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
09/04/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
09/05/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
09/06/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
09/07/24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday 9/01/24

Date	Time	Temp.	Name (Print)
09/01/24	0300	72	RIVERA
	0600	68	HUDSON
	0900	73	HUDSON
	1200	80	HUDSON
	1500	70	SOUZA
	1800	70	SOUZA
	2100	70	SOUZA
	2400	70	

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: WILSON B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/2/24

Date	Time	Temp.	Name (Print)
	0300	79	RIVERA
	0600	79	Hudson
	0900	80	HUDSON
	1200	80	HUDSON
	1500	76	SOUZA
	1800	79	SOUZA
	2100	70	SOUZA
	2400	70	Rollins

Tuesday 9/3/24

Date	Time	Temp.	Name (Print)
	0300	69	Rollins
	0600	79	N. Khalil
	0900	80	N. Khalil
	1200	81	N. Khalil
	1500	81	Judkins
	1800	80	Judkins
	2100	80	Judkins
	2400	84	N. Khalil

Wednesday 9/4/24

Date	Time	Temp.	Name (Print)
	0300	83	N. Khalil
	0600	82	N. Khalil
	0900	82	Overson
	1200	84	Overson
	1500	85	Overson
	1800	86	Overson
	2100	83	Overson
	2400	84	Burgay

Thursday 9/5/24

Date	Time	Temp.	Name (Print)
	0300	84	Burgay
	0600	83	Overson
	0900	84	Overson
	1200	85	Overson
	1500	84	ACOSTA
	1800	88	ACOSTA
	2100	89	ACOSTA
	2400	85	SELFA

Friday 9/6/24

Date	Time	Temp.	Name (Print)
	0300	85	SELFA
	0600	85	Overson
	0900	86	Overson
	1200	88	Overson
	1500	86	ACOSTA
	1800	91	ACOSTA
	2100	89	ACOSTA
	2400	89	RIVERA

Saturday 9/7/24

Date	Time	Temp.	Name (Print)
	0300	86	RIVERA
	0600	83	Overson
	0900	81	Overson
	1200	84	Overson
	1500	89	MANRIQUEZ
	1800	90	MANRIQUEZ
	2100	89	MANRIQUEZ
	2400	89	RIVERA

Sunday 9/8/24

Date	Time	Temp.	Name (Print)
	0300	77	RIVERA
	0600	78	Bryant
	0900	80	Bryant
	1200	85	Bryant
	1500	79	SOUZA
	1800	79	SOUZA
	2100	78	SOUZA
	2400	89	RIVERA

Notes: Date and type of cooling mesures provided

9/6/24 @ 1800 Cooling measures implemented due to stage II heat alert
Taken off Stage II at 2100 hours

9/7/24 @ 1800 cooling measures taken due to stage II heat alert
Taken off Stage II at 2100 hours

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/9/24

Date	Time	Temp.	Name (Print)
09/09/24	0300	88	RIVERA
	0600	86	RIVERA
	0900	78	Bryant
	1200	83	Bryant
	1500	79	SOUZA
	1800	81	SOUZA
	2100	78	SOUZA
	2400	78	Rielly

Tuesday 9/10/24

Date	Time	Temp.	Name (Print)
09/10/24	0300	78	Rielly
	0600	81	Overson
	0900	81	Overson
	1200	83	Overson
	1500	78	J. moreno
	1800	77	J. moreno
	2100	77	J. moreno
	2400	85	N-Khalil

Wednesday 9/11/24

Date	Time	Temp.	Name (Print)
09/11/24	0300	84	N-Khalil
	0600	81	Overson
	0900	80	Overson
	1200	80	Overson
	1500	81	Overson
	1800	80	Overson
	2100	81	Overson
	2400	81	Aranda

Thursday 9/12/24

Date	Time	Temp.	Name (Print)
09/12/24	0300	81	ARANDA
	0600	81	ARANDA
	0900	80	Overson
	1200	81	Overson
	1500	81	[illegible]
	1800	79	[illegible]
	2100	80	[illegible]
	2400	80	HUERTA

Friday 9/13/24

Date	Time	Temp.	Name (Print)
09/13/24	0300	79	T. HUERTA
	0600	79	Overson
	0900	80	Overson
	1200	80	Overson
	1500	80	Leaverdh
	1800	81	Leaverdh
	2100	80	Leaverdh
	2400	80	Beth Rivera

Saturday 9/14/24

Date	Time	Temp.	Name (Print)
09/14/24	0300	79	DE LA ROSA
	0600	79	A-Overson
	0900	79	Overson
	1200	78	Overson
	1500	76	Hudson
	1800	76	HUDSON
	2100	75	HUDSON
	2400	79	RIVERA

Sunday 9/15/24

Date	Time	Temp.	Name (Print)
09/15/24	0300	75	Reyes
	0600	73	Bryant
	0900	68	Bryant
	1200	68	Bryant
	1500	68	SOUZA
	1800	68	SOUZA
	2100	68	SOUZA
	2400	75	RIVERA

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Hall 1 And 2
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/16/24

Date	Time	Temp.	Name (Print)
	0300	74	RIVERA
	0600	70	Bryant
	0900	70	Bryant
	1200	70	Bryant
	1500	71	Nguyen
	1800	71	Nguyen
	2100	70	Nguyen
	2400	68	Kelling

Tuesday 9/17/24

Date	Time	Temp.	Name (Print)
	0300	68	Kelling
	0600	70	Nguyen
	0900	70	Nguyen
	1200	70	Nguyen
	1500	64	MARTINEZ
	1800	64	MARTINEZ
	2100	63	MARTINEZ
	2400	71	N. Khalil

Wednesday 9/18/24

Date	Time	Temp.	Name (Print)
	0300	78	N. Khalil
	0600	78	N. Khalil
	0900	78	A. Overson
	1200	79	A. Overson
	1500	79	Rhyne
	1800	77	Rhyne
	2100	77	Rhyne
	2400	76	Selfa

Thursday 9/19/24

Date	Time	Temp.	Name (Print)
	0300	76	Selfa
	0600	76	Overson
	0900	76	Overson
	1200	76	Rhyne
	1500	75	Rhyne
	1800	73	Rhyne
	2100	72	Rhyne
	2400	75	Selfa

Friday 9/20/24

Date	Time	Temp.	Name (Print)
	0300	75	Selfa
	0600	75	Overson
	0900	76	Overson
	1200	76	Overson
	1500	74	Rhyne
	1800	74	Rhyne
	2100	73	Rhyne
	2400	60	RIVERA

Saturday 9/21/24

Date	Time	Temp.	Name (Print)
	0300	60	RIVERA
	0600	76	Fequeda
	0900	76	Fequeda
	1200	78	Fequeda
	1500	78	Garcia
	1800	77	Garcia
	2100	74	Garcia
	2400	74	RIVERA

Sunday 9/22/24

Date	Time	Temp.	Name (Print)
	0300	70	RIVERA
	0600	70	Bryant
	0900	70	Bryant
	1200	70	Bryant
	1500	70	Barnes
	1800	69	Barnes
	2100	69	Barnes
	2400	65	Garcia

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 8F758C1E-775E-46B1-85F3-7298803C504D

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: WILSON B Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	65	C. VASQUEZ
	0600	65	C. VASQUEZ
	0900	68	Bryant
	1200	68	Bryant
	1500	70	K. Smith
	1800	70	K. Smith
	2100	69	K. Smith
	2400	68	Roelling

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300	66	Roelling
	0600	66	MARTINEZ
	0900	68	MARTINEZ
	1200	70	MARTINEZ
	1500	81	oliver
	1800	80	oliver
	2100	79	oliver
	2400	70	MARTINEZ

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300	70	MARTINEZ
	0600	68	MARTINEZ
	0900	68	MARTINEZ
	1200	68	MARTINEZ
	1500	70	Pshyre
	1800	68	Pshyre
	2100	67	Pshyre
	2400	65	VASQUEZ

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300	65	VASQUEZ
	0600	66	MARTINEZ
	0900	68	MARTINEZ
	1200	68	MARTINEZ
	1500	69	Pshyre
	1800	69	Pshyre
	2100	68	Pshyre
	2400	65	VASQUEZ

Friday

Date	Time	Temp.	Name (Print)
9/27/24	0300	65	VASQUEZ
	0600	76	Espinoza
	0900	76	Espinoza
	1200	76	Espinoza
	1500	76	N. Hudson
	1800	74	N. Hudson
	2100	74	N. Hudson
	2400	64	A. Hirati

Saturday

Date	Time	Temp.	Name (Print)
9/28/24	0300	62	Hirati
	0600	64	Hirati
	0900	70	Shupe
	1200	70	Shupe
	1500	78	Perez
	1800	78	Perez
	2100	78	Perez
	2400	65	VASQUEZ

Sunday

Date	Time	Temp.	Name (Print)
9/29/24	0300	65	VASQUEZ
	0600	76	Reyes
	0900	76	Reyes
	1200	78	Reyes
	1500	76	MALTOZ
	1800	75	MALTOZ
	2100	75	MALTOZ
	2400	77	RIVERA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Wilson B Temp. Reading Location: Halls 1 and 2

(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9/30/24

Date	Time	Temp.	Name (Print)
	0300	75	RIVERA
	0600	72	Bryant
	0900	72	Bryant
	1200	73	Bryant
	1500	73	N-Hernandez
	1800	74	N-Perez
	2100	72	N-Hernandez
	2400	65	C-Vasquez

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/1	0300	76	B. MURRAY
	0600	78	BAUTISTA
	0900	80	BAUTISTA
	1200	81	BAUTISTA
	1500	80	M. Tavira
	1800	80	M. Tavira
	2100	81	M. Tavira
	2400	80	B. MURRAY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIM Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2	0300	78	B. MURRAY
	0600	78	DE LA ROSA
	0900	79	DE LA ROSA
	1200	79	DE LA ROSA
	1500	79	Oliver
	1800	79	Oliver
	2100	80	Oliver
	2400	79	B. MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	77	B. MURRAY
	0600	77	Quintero
	0900	80	Quintero
	1200	80	Quintero
	1500	80	Oliver
	1800	88	Oliver
	2100	85	Oliver
	2400	80	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
9/4	0300	79	B. MURRAY
	0600	82	BAUTISTA
	0900	81	BAUTISTA
	1200	82	BAUTISTA
	1500	85	COBERLY
	1800	86	COBERLY
	2100	88	COBERLY
	2400	86	ARAIZA

Thursday

Date	Time	Temp.	Name (Print)
9/5	0300	84	ARAIZA
	0600	83	Bautista
	0900	85	BAUTISTA
	1200	87	BAUTISTA
	1500	81	Oliver
	1800	81	Oliver
	2100	83	Oliver
	2400	80	MENDOZA

Friday

Date	Time	Temp.	Name (Print)
9/6	0300	79	MENDOZA
	0600	84	J. Moreno
	0900	87	J. Moreno
	1200	87	J. Moreno
	1500	89	Magallanes
	1800	92	Magallanes
	2100	86	Magallanes
	2400	90	Loredo

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	88	Loredo
	0600	87	BAUTISTA
	0900	85	BAUTISTA
	1200	87	BAUTISTA
	1500	87	M. Tavira
	1800	89	M. Tavira
	2100	86	M. Tavira
	2400	80	SOUZA

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	80	SOUZA
	0600	87	BAUTISTA
	0900	86	BAUTISTA
	1200	88	BAUTISTA
	1500	88	B. Bailey
	1800	88	B. Bailey
	2100	88	B. Bailey
	2400	87	B. MURRAY

Notes

9/6/24 @ 1800 cooling measures taken due to Stage II heat alert
Taken off Stage II heat alert at 2100 hours due to unit being at 86°

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERGA Temp. Reading Location: BARNEBERGA
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	85	B. MURRAY
	0600	85	D. RUBIO
	0900	86	D. RUBIO
	1200	86	D. RUBIO
	1500	90	J. CUELLAR
	1800	89	J. CUELLAR
	2100	90	J. CUELLAR
	2400	87	B. MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	86	B. MURRAY
	0600	83	C. Magallanes
	0900	82	C. Magallanes
	1200	88	C. Magallanes
	1500	87	Hero
	1800	81	Hero
	2100	81	Hero
	2400	80	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	79	B. MURRAY
	0600	81	BAUTISTA
	0900	80	BAUTISTA
	1200	82	BAUTISTA
	1500	83	J. CUELLAR
	1800	81	J. CUELLAR
	2100	80	J. CUELLAR
	2400	79	B. MURRAY

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	78	B. MURRAY
	0600	77	BAUTISTA
	0900	74	BAUTISTA
	1200	78	BAUTISTA
	1500	82	E. ALOSTA
	1800	80	E. ALOSTA
	2100	79	E. ALOSTA
	2400	78	AVENDANO

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	79	AVENDANO
	0600	79	Rocha
	0900	79	Rocha
	1200	80	Rocha
	1500	78	ALOSTA
	1800	79	ALOSTA
	2100	78	ALOSTA
	2400	78	SANCHEZ

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	77	SANCHEZ
	0600	75	Rocha
	0900	76	Rocha
	1200	80	Rocha
	1500	80	Velasco
	1800	79	Velasco
	2100	78	Velasco
	2400	78	K. Wang

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	78	K. Wang
	0600	77	C. ZAVALA
	0900	77	C. ZAVALA
	1200	78	C. ZAVALA
	1500	78	V. RIOS
	1800	78	V. RIOS
	2100	77	V. RIOS
	2400	76	B. MURRAY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	75	B. MURRAY
	0600	75	D. RUBIO
	0900	75	D. RUBIO
	1200	75	D. RUBIO
	1500	76	J. CUELLAR
	1800	75	J. CUELLAR
	2100	75	J. CUELLAR
	2400	74	B. MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	73	B. MURRAY
	0600	72	Chavez
	0900	72	Chavez
	1200	75	Chavez
	1500	75	J. CUELLAR
	1800	75	J. CUELLAR
	2100	75	J. CUELLAR
	2400	74	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	73	B. MURRAY
	0600	72	BAUTISTA
	0900	72	BAUTISTA
	1200	75	BAUTISTA
	1500	75	J. CUELLAR
	1800	75	J. CUELLAR
	2100	75	J. CUELLAR
	2400	75	B. MURRAY

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	74	B. MURRAY
	0600	74	BAUTISTA
	0900	74	BAUTISTA
	1200	75	BAUTISTA
	1500	75	J. CUELLAR
	1800	75	J. CUELLAR
	2100	75	J. CUELLAR
	2400	74	Ramirez

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	74	Ramirez
	0600	73	BAUTISTA
	0900	74	BAUTISTA
	1200	75	BAUTISTA
	1500	75	L. MORENO
	1800	76	L. MORENO
	2100	75	L. MORENO
	2400	70	Reyes

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	70	Reyes
	0600	70	Reyes
	0900	73	BAUTISTA
	1200	75	BAUTISTA
	1500	76	L. MORENO
	1800	76	L. MORENO
	2100	76	L. MORENO
	2400	75	V. RIOS.

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	74	V. RIOS.
	0600	73	V. RIOS.
	0900	74	BAUTISTA
	1200	75	BAUTISTA
	1500	74	Ulamas
	1800	73	Ulamas
	2100	73	SIDAROUS
	2400	75	ADAME

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: B/A Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23	0300	75	ADAME
	0600	75	RUBIO
	0900	74	RUBIO
	1200	77	RUBIO
	1500	80	J. CUELLAR
	1800	81	J. CUELLAR
	2100	79	J. CUELLAR
	2400	74	LOREDO

Tuesday

Date	Time	Temp.	Name (Print)
9/24	0300	72	LOREDO
	0600	75	Guzman C
	0900	76	Magallanes
	1200	78	Magallanes
	1500	79	J. CUELLAR
	1800	78	J. CUELLAR
	2100	77	J. CUELLAR
	2400	76	B. MURRAY

Wednesday

Date	Time	Temp.	Name (Print)
9/25	0300	75	B. MURRAY
	0600	75	BAUTISTA
	0900	75	BAUTISTA
	1200	77	BAUTISTA
	1500	78	J. CUELLAR
	1800	78	J. CUELLAR
	2100	77	J. CUELLAR
	2400	75	B. MURRAY

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	74	B. MURRAY
	0600	74	BAUTISTA
	0900	73	BAUTISTA
	1200	77	BAUTISTA
	1500	77	SMITH
	1800	78	ALOSTA
	2100	77	ALOSTA
	2400	76	LOREDO

Friday

Date	Time	Temp.	Name (Print)
9/27	0300	76	LOREDO
	0600	74	BAUTISTA
	0900	74	BAUTISTA
	1200	77	BAUTISTA
	1500	75	COBERLY
	1800	75	COBERLY
	2100	75	COBERLY
	2400	73°	SUAREZ

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	71°	SUAREZ
	0600	74	BAUTISTA
	0900	74	BAUTISTA
	1200	77	BAUTISTA
	1500	71	VARLAS
	1800	71	VARLAS
	2100	71	VARLAS
	2400	70	B. MURRAY

Sunday

Date	Time	Temp.	Name (Print)
9/30	0300	70	B. MURRAY
	0600	73	BAUTISTA
	0900	74	BAUTISTA
	1200	77	BAUTISTA
	1500	78	M. MEDINA
	1800	76	M. MEDINA
	2100	71	M. MEDINA
	2400	70	B. MURRAY

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERG A Temp. Reading Location: BARNEBERG A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	70	B. MURRAY
	0600	71	B. VARGAS
	0900	71	VARGAS
	1200	71	VARGAS
	1500	78	J. CUELLAR
	1800	80	J. CUELLAR
	2100	80	J. CUELLAR
	2400	70	B. MURRAY

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CTW Housing Unit: Barnebery B Temp. Reading Location: Short & Long hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9.1.24	0300	78	Estrada
	0600	79	Harris
	0900	79	Harris
	1200	80	Harris
	1500	80	Chavez
	1800	80	Chavez
	2100	86	Chavez
	2400	79	Estrada

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Barnebery B Temp. Reading Location: Long Short hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4.2.24	0300	78	Estrado
	0600	79	HARRIS
	0900	79	HARRIS
	1200	79	HARRIS
	1500	80	Chavez
	1800	80	Chavez
	2100	80	Chavez
	2400	78	TOSCANO

Tuesday

Date	Time	Temp.	Name (Print)
4.3.24	0300	78	TOSCANO
	0600	78	N. PEREZ
	0900	78	N. PEREZ
	1200	82	N. PEREZ
	1500	83	J. Zumato
	1800	82	J. Zumato
	2100	81	J. Zumato
	2400	78	TOSCANO

Wednesday

Date	Time	Temp.	Name (Print)
4.4.24	0300	76	TOSCANO
	0600	78	N. PEREZ
	0900	78	N. PEREZ
	1200	82	N. PEREZ
	1500	82	J. Zumato
	1800	82	J. Zumato
	2100	82	J. Zumato
	2400	80	TOSCANO

Thursday

Date	Time	Temp.	Name (Print)
4.5.24	0300	78	TOSCANO
	0600	77	N. PEREZ
	0900	80	N. PEREZ
	1200	82	N. PEREZ
	1500	83	J. Zumato
	1800	83	J. Zumato
	2100	82	J. Zumato
	2400	82	TOSCANO

Friday

Date	Time	Temp.	Name (Print)
4.6.24	0300	81	TOSCANO
	0600	82	DE LA ROSA
	0900	82	DE LA ROSA
	1200	82	DE LA ROSA
	1500	86°	VALENZUELA, F.
	1800	85°	VALENZUELA, F.
	2100	83°	VALENZUELA, F.
	2400	80	TOSCANO

Saturday

Date	Time	Temp.	Name (Print)
4.7.24	0300	80	TOSCANO
	0600	81	DE LA ROSA
	0900	80	Rocha
	1200	82	Rocha
	1500	82°	VALENZUELA, F.
	1800	81°	VALENZUELA, F.
	2100	81°	VALENZUELA, F.
	2400	81	Estrado

Sunday

Date	Time	Temp.	Name (Print)
4.8.24	0300	81	Estrado
	0600	81	HARRIS
	0900	82	HARRIS
	1200	83	HARRIS
	1500	81	Chavez
	1800	84	Chavez
	2100	82	Chavez
	2400	84	Estrado

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

1204 STAGE 1 HEAT ALERT

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Barnebers B Temp. Reading Location: Long & short hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.9.24	0300	82	Esobedo
	0600	82	Harris
	0900	83	Harris
	1200	83	Harris
	1500	85	Ruyburn
	1800	83	Alvizo
	2100	82	Alvizo
	2400	82	Ruyer

Tuesday

Date	Time	Temp.	Name (Print)
9.10.24	0300	82	Ruyer
	0600	82	N. Penel
	0900	82	N. Penel
	1200	82	N. Penel
	1500	82	J. Jenko
	1800	82	J. Jenko
	2100	82	J. Jenko
	2400	81	V. Rios.

Wednesday

Date	Time	Temp.	Name (Print)
9.11.24	0300	74	V. Rios.
	0600	77	N. Penel
	0900	78	N. Penel
	1200	77	N. Penel
	1500	81	Jenko
	1800	87	J. Jenko
	2100	87	J. Jenko
	2400	78	Toscano

Thursday

Date	Time	Temp.	Name (Print)
9.12.24	0300	75	Toscano
	0600	75	N. Penel
	0900	76	N. Penel
	1200	76	C. Bruman
	1500	78	Haro
	1800	78	Haro
	2100	75	Haro
	2400	74	Toscano

Friday

Date	Time	Temp.	Name (Print)
9.13.24	0300	70	Toscano
	0600	73	N. Penel
	0900	74	N. Penel
	1200	73	N. Penel
	1500	73°	Valenzuela, F.
	1800	73°	Valenzuela, F.
	2100	76°	Valenzuela, F.
	2400	72	Toscano

Saturday

Date	Time	Temp.	Name (Print)
9.14.24	0300	72	Toscano
	0600	72	N. Penel
	0900	73	N. Penel
	1200	73	N. Penel
	1500	74	N. Penel
	1800	75	N. Penel
	2100	73	N. Penel
	2400	72	Esobedo

Sunday

Date	Time	Temp.	Name (Print)
9.15.24	0300	72	Esobedo
	0600	73	Harris
	0900	72	Harris
	1200	73	Harris
	1500	73	Alvizo
	1800	72	Alvizo
	2100	72	Alvizo
	2400	72	Esobedo

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Barneberg B Temp. Reading Location: Short & Long hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9.16.24	0300	72	Escobedo
	0600	70	MARTINEZ
	0900	72	MARTINEZ
	1200	72	MARTINEZ
	1500	72	L. MORENO
	1800	71	L. MORENO
	2100	70	MORENO
	2400	70	TOSCANO

Tuesday

Date	Time	Temp.	Name (Print)
9.17.24	0300	70	TOSCANO
	0600	70	N. PEREZ
	0900	70	N. PEREZ
	1200	73	N. PEREZ
	1500	72	S. VOLZ
	1800	71	S. VOLZ
	2100	70	S. VOLZ
	2400	70	TOSCANO

Wednesday

Date	Time	Temp.	Name (Print)
9.18.24	0300	70	TOSCANO
	0600	70	N. PEREZ
	0900	70	N. PEREZ
	1200	73	N. PEREZ
	1500	72	J. Serrato
	1800	71	J. Serrato
	2100	71	S. Serrato
	2400	70	TOSCANO

Thursday

Date	Time	Temp.	Name (Print)
9.19.24	0300	69	TOSCANO
	0600	70	N. PEREZ
	0900	71	N. PEREZ
	1200	73	N. PEREZ
	1500	72	J. Serrato
	1800	70	S. Serrato
	2100	70	S. Serrato
	2400	70	TOSCANO

Friday

Date	Time	Temp.	Name (Print)
9.20.24	0300	68	TOSCANO
	0600	69	N. PEREZ
	0900	70	N. PEREZ
	1200	73	N. PEREZ
	1500	72°	VALENZUELA, F.
	1800	70°	VALENZUELA, F.
	2100	70°	VALENZUELA, F.
	2400	70	DONOSO

Saturday

Date	Time	Temp.	Name (Print)
9.21.24	0300	70	DONOSO
	0600	70	Banuelos
	0900	71	Banuelos
	1200	72	Banuelos
	1500	71°	VALENZUELA, F.
	1800	71°	VALENZUELA, F.
	2100	70°	VALENZUELA, F.
	2400	70°	HUERTA

Sunday

Date	Time	Temp.	Name (Print)
9.22.24	0300	69°	HUERTA
	0600	71	M. TAYLOR
	0900	69	M. TAYLOR
	1200	70	M. TAYLOR
	1500	70	V. RIOS
	1800	70	V. RIOS
	2100	70	V. RIOS
	2400	72°	HUERTA

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment E

STATE OF CALIFORNIA
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERG B Temp. Reading Location: LONG HALL, SHORT HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/23/24	0300	70	T. HUERTA
	0600	70	JUNKER
	0900	72	JUNKER
	1200	73	JUNKER
	1500	79	N. PEREZ
	1800	75	N. PEREZ
	2100	73	N. PEREZ
	2400	76	Reyes

Tuesday

Date	Time	Temp.	Name (Print)
09/24/24	0300	76	Reyes
	0600	77	DeLaRosa
	0900	74	DeLaRosa
	1200	70	DeLaRosa
	1500	74	J. Serrato
	1800	73	J. Serrato
	2100	72	J. Serrato
	2400	70	TOSCANO

Wednesday

Date	Time	Temp.	Name (Print)
09/25/24	0300	69	TOSCANO
	0600	70	N. PEREZ
	0900	70	N. PEREZ
	1200	73	N. PEREZ
	1500	72	J. Serrato
	1800	71	J. Serrato
	2100	71	J. Serrato
	2400	70	TOSCANO

Thursday

Date	Time	Temp.	Name (Print)
09/26/24	0300	69	TOSCANO
	0600	69	N. PEREZ
	0900	70	N. PEREZ
	1200	72	N. PEREZ
	1500	71	SERRATO
	1800	70	SERRATO
	2100	70	~~TOSCANO~~ SERRATO
	2400	70	TOSCANO

Friday

Date	Time	Temp.	Name (Print)
09/27/24	0300	70	TOSCANO
	0600	70	N. PEREZ
	0900	70	N. PEREZ
	1200	73	N. PEREZ
	1500	73°	VALENZUELA, F.
	1800	72°	VALENZUELA, F.
	2100	71°	VALENZUELA, F.
	2400	73	DONOSO

Saturday

Date	Time	Temp.	Name (Print)
09/28/24	0300	73	Donoso
	0600	73	Perez
	0900	73	Perez
	1200	75	Perez
	1500	73°	VALENZUELA, F.
	1800	73°	VALENZUELA, F.
	2100	71°	VALENZUELA, F.
	2400	70	K. Wang

Sunday

Date	Time	Temp.	Name (Print)
09/29/24	0300	70	K. Wang
	0600	70	"G HALL"
	0900	71	HAINES, E
	1200	71	HAINES, E
	1500	73	N. PEREZ
	1800	72	N. PEREZ
	2100	71	N. PEREZ
	2400	70	F. GONZALEZ

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-252BF99EB6F6

Attachment E

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: BARNEBERG B Temp. Reading Location: LONG HALL SHORT HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30	0300	71	GONZALEZ
	0600	71	GONZALEZ
	0900	72	HARNES
	1200	74	HARNES
	1500	71	B. VARELAS
	1800	71	B. VARELAS
	2100	71	B. VARELAS
	2400	70	TOSCANO

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

SEPT. 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
S	0300	70	Aguirre
	0600	70	Estrada
E	0900	71°	VALENZUELA, F.
P	1200	71	Taylor
T.	1500	70	Flowers
	1800	70	Flowers
	2100	70	Flowers
1	2400	71	Alfaro

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

SEPT. 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPT. 2	0300	70	ALIPIO
	0600	70	ALIPIO
	0900	70	Escobedo
	1200	71	Escobedo
	1500	71	Escobedo
	1800	71	ORTEGA
	2100	71	ORTEGA
	2400	75	CHAVEZ

Tuesday

Date	Time	Temp.	Name (Print)
SEPT. 3	0300	75	CHAVEZ
	0600	70	ESPINDOLA
	0900	70	Townsend
	1200	71	ESPINDOLA
	1500	72	Cervantes
	1800	72	Cervantes
	2100	72	Cervantes
	2400	70	ALIPIO

Wednesday

Date	Time	Temp.	Name (Print)
SEPT. 4	0300	70	ALIPIO
	0600	70	ESPINDOLA
	0900	70	ESPINDOLA
	1200	72	Cervantes
	1500	76	ORTEGA
	1800	76	ORTEGA
	2100	76	ALIPIO
	2400	72	ORTEGA

Thursday

Date	Time	Temp.	Name (Print)
SEPT. 5	0300	72	ORTEGA
	0600	72	ESPINDOLA
	0900	79	MENDOZA
	1200	78	BACA
	1500	90	ORTEGA
	1800	80	ORTEGA
	2100	80	ALIPIO
	2400	79	ALIPIO

Friday

Date	Time	Temp.	Name (Print)
SEPT. 6	0300	79	ALIPIO
	0600	76	Townsend
	0900	78	BACA
	1200	78	Townsend
	1500	84	HOWELL
	1800	85	HOWELL
	2100	85	ALIPIO
	2400	82	Aguirre

Saturday

Date	Time	Temp.	Name (Print)
SEPT. 7	0300	80	Aguirre
	0600	80	Escobedo
	0900	78	ANDERSON
	1200	80	Escobedo
	1500	80	G. WALKER
	1800	80	G. WALKER
	2100	80	G. WALKER
	2400	80	ALIPIO

Sunday

Date	Time	Temp.	Name (Print)
SEPT. 8	0300	80	ALIPIO
	0600	79	Escobedo
	0900	80	Escobedo
	1200	80	Escobedo
	1500	80	ORTEGA
	1800	80	ORTEGA
	2100	79	ORTEGA
	2400	79	ORTEGA

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

Sept 2024

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPT. 9	0300	79	ORTEGA
	0600	78	ESPINDOLA
	0900	77	Esobedo
	1200	79	Esobedo
	1500	81	MEDINA
	1800	81	MEDINA
	2100	81	LHernandez
	2400	80	[illegible]

Tuesday

Date	Time	Temp.	Name (Print)
SEPT. 10	0300	84	[illegible]
	0600	80	ESPINDOLA
	0900	80	Townsend
	1200	80	Townsend
	1500	80	ESPINDOLA
	1800	79	ORTEGA
	2100	79	ORTEGA
	2400	78	ALIPIO

Wednesday

Date	Time	Temp.	Name (Print)
SEPT. 11	0300	78	ALIPIO
	0600	78	Townsend
	0900	78	Townsend
	1200	78	Townsend
	1500	77	Cortez
	1800	76	Cortez
	2100	76	Cortez
	2400	78	ALIPIO

Thursday

Date	Time	Temp.	Name (Print)
SEPT 12	0300	78	ALIPIO
	0600	72	ESPINDOLA
	0900	72	SMITH
	1200	73	Townsend
	1500	71	Howell
	1800	71	Howell
	2100	71	Howell
	2400	70	AGUIRRE, L

Friday

Date	Time	Temp.	Name (Print)
SEPT. 13	0300	70	AGUIRRE, L
	0600	70	Townsend
	0900	70	Townsend
	1200	70	SMITH
	1500	71	LHernandez
	1800	70	LHernandez
	2100	70	LHernandez
	2400	71	Aguirre

Saturday

Date	Time	Temp.	Name (Print)
SEPT. 14	0300	70	Aguirre
	0600	71	ORTEGA
	0900	70	Esobedo
	1200	70	Esobedo
	1500	70	LHernandez
	1800	70	LHernandez
	2100	70	LHernandez
	2400	71	Aguirre

Sunday

Date	Time	Temp.	Name (Print)
SEPT. 15	0300	70	Aguirre
	0600	70	Esobedo
	0900	71	Cervantes
	1200	71	Esobedo
	1500	71	LHernandez
	1800	70	LHernandez
	2100	69	LHernandez
	2400	70	RHOWELL

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPT. 16	0300	70	HGWELL
	0600	70	ESPINDOLA
	0900	70	Esdrado
	1200	70	Esdrado
	1500	70	ORTEGA
	1800	70	LHernandez
	2100	70	LHernandez
	2400	70	AGUIRRE, L

Tuesday

Date	Time	Temp.	Name (Print)
SEPT. 17	0300	70	AGUIRRE, L
	0600	68	ESPINDOLA
	0900	69	TOWNSEND, L
	1200	69	Townsend, L
	1500	69	Townsend
	1800	69	Townsend
	2100	69	Townsend
	2400	69	CHAVEZ

Wednesday

Date	Time	Temp.	Name (Print)
SEPT. 18	0300	70	CHAVEZ
	0600	68	ESPINDOLA
	0900	68	ESPINDOLA
	1200	68	BAGA
	1500	69	ORTEGA
	1800	69	ORTEGA
	2100	69	ORTEGA
	2400	68	ORTEGA

Thursday

Date	Time	Temp.	Name (Print)
SEPT 19	0300	69	Ortega
	0600	69	ESPINDOLA
	0900	69	TOWNSEND
	1200	69	ESPINDOLA
	1500	70	MDOTSON
	1800	69	MDOTSON
	2100	69	MDOTSON
	2400	70	ALIPIO

Friday

Date	Time	Temp.	Name (Print)
SEPT. 20	0300	70	ALIPIO
	0600	68	TOWNSEND
	0900	69	Townsend
	1200	69	Townsend
	1500	69	LHernandez
	1800	69	LHernandez
	2100	69	LHernandez
	2400	62	Aguirre

Saturday

Date	Time	Temp.	Name (Print)
SEPT. 21	0300	69	Aguirre
	0600	69	Cardenas, H
	0900	69	Cardenas, H
	1200	70	Cardenas, H
	1500	69	LHernandez
	1800	68	LHernandez
	2100	69	LHernandez
	2400	70	Aguirre

Sunday

Date	Time	Temp.	Name (Print)
SEPT. 22	0300	68	Aguirre
	0600	68	Esdrado
	0900	68	Esdrado
	1200	67	Esdrado
	1500	69	Esdrado
	1800	69	Esdrado
	2100	70	LHernandez
	2400	69	ALIPIO

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPT. 23	0300	69	ALIPIO
	0600	68	Esobedo
	0900	69°	B. Bailey
	1200	69	B. Cervantes
	1500	71	L Hernandez
	1800	70	L Hernandez
	2100	69	L. Hernandez
	2400	69	CHAVEZ

Tuesday

Date	Time	Temp.	Name (Print)
SEPT. 24	0300	70	CHAVEZ
	0600	69	ESPINDOLA
	0900	69	ESPINDOLA
	1200	69	ESPINDOLA
	1500	70	ORTEGA
	1800	70	Cervantes
	2100	70	Cervantes
	2400	69	ALIPIO

Wednesday

Date	Time	Temp.	Name (Print)
SEPT. 25	0300	69	ALIPIO
	0600	69	ESPINDOLA
	0900	69	ESPINDOLA
	1200	69	BACA
	1500	69	ORTEGA
	1800	69	ORTEGA
	2100	69	ORTEGA
	2400	69	ALIPIO

Thursday

Date	Time	Temp.	Name (Print)
SEPT 26	0300	69	ALIPIO
	0600	69	ESPINDOLA
	0900	69°	B. Bailey
	1200	69	BACA
	1500	70	Howell
	1800	70	Howell
	2100	70	CHAVEZ
	2400	69	ALIPIO

Friday

Date	Time	Temp.	Name (Print)
SEPT. 27	0300	69	ALIPIO
	0600	69	Esobedo
	0900	69	Esobedo
	1200	69	Esobedo
	1500	70	L Hernandez
	1800	70	Howell
	2100	70	L Hernandez
	2400	70	Aguirre

Saturday

Date	Time	Temp.	Name (Print)
SEPT. 28	0300	69	Aguirre
	0600	69	Esobedo
	0900	70°	Garcia
	1200	70°	Garcia
	1500	70	Esobedo
	1800	69	Esobedo
	2100	69	Esobedo
	2400	69	Adame

Sunday

Date	Time	Temp.	Name (Print)
SEPT. 29	0300	69	Adame
	0600	69	Esobedo
	0900	69	Esobedo
	1200	69	Esobedo
	1500	70	ORTEGA
	1800	69	Esobedo
	2100	69	Esobedo
	2400	72	CHAVEZ

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

SEPTEMBER 2024

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RHU Temp. Reading Location: 1ST TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
SEPT. 30	0300	69	CHAVEZ
	0600	69	ESPINDOLA
	0900	69	ESPINDOLA
	1200	69	Cervantes, B.
	1500	69	ORTIZ
	1800	70	Hernandez
	2100	70	Hernandez
	2400	69	ALIPIO

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: NORTH HALL / WEST HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
9/01	0300	74	REYES
	0600	70	REYES
	0900	73	RAMIREZ
	1200	75	RAMIREZ
	1500	76	SHE
	1800	75	SHE
	2100	76	JOHNSON
	2400	72	DIAZ

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: North/West Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/02	0300	74	Diaz
	0600	75	Ramirez RA
	0900	75	RAMIREZ RA
	1200	75	Ramirez RA
	1500	76	MARTINEZ
	1800	76	MARTINEZ
	2100	71	MARTINEZ
	2400	74	Diaz

Tuesday

Date	Time	Temp.	Name (Print)
9.3.24	0300	74	Diaz
	0600	74	C. Drake
	0900	75	C. ALLEN
	1200	76	C. ALLEN
	1500	74	L. Hicks
	1800	76	L. Hicks
	2100	76	L. Hicks
	2400	74	Diaz

Wednesday

Date	Time	Temp.	Name (Print)
9.4.24	0300	74	Diaz
	0600	74	S. RANGEL
	0900	75	Ramirez RA
	1200	76	S. RANGEL
	1500	76	L. Hicks
	1800	74	C. Drake
	2100	74	L. Hicks
	2400	74	Diaz

Thursday

Date	Time	Temp.	Name (Print)
9.5.24	0300	74	Diaz
	0600	74	S. RANGEL
	0900	75	S. RANGEL
	1200	78	S. RANGEL
	1500	76	L. Hicks
	1800	76	L. Hicks
	2100	76	L. Hicks
	2400	74	Diaz

Friday

Date	Time	Temp.	Name (Print)
9.6.24	0300	74	Diaz
	0600	74	S. RANGEL
	0900	75	S. RANGEL
	1200	76	S. RANGEL
	1500	76	S. RANGEL
	1800	77	S. RANGEL
	2100	77	S. RANGEL
	2400	74	VanAllen

Saturday

Date	Time	Temp.	Name (Print)
9.7.24	0300	74	VanAllen
	0600	74	SERMA
	0900	76	SERMA
	1200	76	SERMA
	1500	76	D. Pelayo
	1800	76	SHI
	2100	76	SHI
	2400	74°F	SIDAROUS

Sunday

Date	Time	Temp.	Name (Print)
9.8.24	0300	74°	AVENDANO
	0600	75	M. Tapia
	0900	77	A. HERNANDEZ
	1200	78	A. HERNANDEZ
	1500	78	J. AVILA
	1800	78	D. Pelayo
	2100	76	J. AVILA
	2400	74	J. AVILA

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: NORTH / WEST HALL
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9-9-24	0300	75	J. AVILA
	0600	80	K. Wang
	0900	80	K Wang
	1200	80	K Wang
	1500	78	D. Pelayo
	1800	76	D. Pelayo
	2100	75	D. Pelayo
	2400	75	J. AVILA

Tuesday

Date	Time	Temp.	Name (Print)
9-10-24	0300	76	J. AVILA
	0600	76	Ramirez RA
	0900	75	C. ALLEN
	1200	76	Ramirez RA
	1500	76	C. HYDE
	1800	76	C. HYDE
	2100	75	C. HYDE
	2400	74	J. AVILA

Wednesday

Date	Time	Temp.	Name (Print)
9-11-24	0300	74	J. AVILA
	0600	71	S. RAMIREZ
	0900	71	Ramirez RA
	1200	73	Ramirez RA
	1500	74	L. Hicks
	1800	74	L. Hicks
	2100	74	L. Hicks
	2400	74	J. AVILA

Thursday

Date	Time	Temp.	Name (Print)
9-12-24	0300	73	J. AVILA
	0600	71	S. RAMIREZ
	0900	73	S. RAMIREZ
	1200	74	C. ALLEN
	1500	76	L. HICKS
	1800	74	L. HICKS
	2100	74	L. HICKS
	2400	71	J. AVILA

Friday

Date	Time	Temp.	Name (Print)
9-13-24	0300	71	J. AVILA
	0600	70	J. AVILA
	0900	70	S. RAMIREZ
	1200	71	S. RAMIREZ
	1500	71	S. RAMIREZ
	1800	70	S. RAMIREZ
	2100	70	S. RAMIREZ
	2400	70	HUESO

Saturday

Date	Time	Temp.	Name (Print)
9-14-24	0300	70	HUESO
	0600	72	C. ALLEN
	0900	71	C. ALLEN
	1200	72	Ramirez RA
	1500	75	D. Pelayo
	1800	75	D. Pelayo
	2100	75	AVENDAÑO
	2400	75	AVENDAÑO

Sunday

Date	Time	Temp.	Name (Print)
9-15-24	0300	75	AVENDAÑO
	0600	75	RAMIREZ RA
	0900	75	RAMIREZ RA
	1200	75	Ramirez RA
	1500	75	D. Pelayo
	1800	70	D. Pelayo
	2100	70	SHI
	2400	70	DIAZ

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCY Temp. Reading Location: North/West Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16	0300	74	Diaz
	0600	70	Lopez
	0900	73	Ramirez RN
	1200	72	Ramirez RN
	1500	71	D. Pelayo
	1800	72	L. Hicks
	2100	70	D. Pelayo
	2400	70	S. Tello

Tuesday

Date	Time	Temp.	Name (Print)
9/17	0300	70	STELLO
	0600	72	Ramirez RN
	0900	73	Ramirez RN
	1200	72	C. Drake
	1500	72	L. Hicks
	1800	72	L. Hicks
	2100	72	L. Hicks
	2400	72	Diaz

Wednesday

Date	Time	Temp.	Name (Print)
9/18	0300	72	Diaz
	0600	72	S. Infante
	0900	72	Ramirez RN
	1200	75	Ramirez RN
	1500	73	C. Drake
	1800	73	C. Drake
	2100	72	C. Drake
	2400	72	Diaz

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72	Diaz
	0600	72	Diaz
	0900	71	S. Ramirez
	1200	71	S. Ramirez
	1500	71	C. Drake
	1800	71	C. Drake
	2100	71	C. Drake
	2400	72	Diaz

Friday

Date	Time	Temp.	Name (Print)
9/20	0300	72	Diaz
	0600	71	S. Ramirez
	0900	72	S. Ramirez
	1200	72	C. Allen
	1500	73	C. Allen
	1800	72	C. Allen
	2100	72	C. Allen
	2400	72	G. Meeks

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	72	Meeks
	0600	72	Serna
	0900	70	D. Pelayo
	1200	70	D. Pelayo
	1500	71	M. Taylor
	1800	71	C. Cortez
	2100	70	D. Pelayo
	2400	70	Avendano

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	70	Avendano
	0600	70	D. Pelayo
	0900	72	D. Pelayo
	1200	73	Ramirez RN
	1500	76	D. Pelayo
	1800	72	D. Pelayo
	2100	70	D. Pelayo
	2400	71	A. Diaz

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCY Temp. Reading Location: North / West Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/23/24	0300	72	A Diaz
	0600	73	Ramirez RA
	0900	73	Ramirez RA
	1200	75	Ramirez RA
	1500	72	D. Pelayo
	1800	74	L. Hicks
	2100	74	L. Hicks
	2400	72	Diaz

Tuesday

Date	Time	Temp.	Name (Print)
09/24/24	0300	72	Diaz
	0600	71	S. Ramirez
	0900	72	S. Ramirez
	1200	73	C. Allen
	1500	74	L. Hicks
	1800	74	L. Hicks
	2100	74	L. Hicks
	2400	74	Diaz

Wednesday

Date	Time	Temp.	Name (Print)
09/25/24	0300	74	Diaz
	0600	72	S. Ramirez
	0900	74	Ramirez RA
	1200	76	Ramirez RA
	1500	77	Ramirez RA
	1800	75	Ramirez RA
	2100	74	Ramirez RA
	2400	74	Diaz

Thursday

Date	Time	Temp.	Name (Print)
9/26	0300	74	Diaz
	0600	73	C. Allen
	0900	74	C. Allen
	1200	76	Diaz
	1500	73	C. Drake
	1800	73	C. Drake
	2100	73	C. Drake
	2400	74	A Diaz

Friday

Date	Time	Temp.	Name (Print)
2/27	0300	74	Diaz
	0600	73	C. Allen
	0900	70	S. Ramirez
	1200	71	S. Ramirez
	1500	72	S. Ramirez
	1800	71	S. Ramirez
	2100	70	S. Ramirez
	2400	74	Ramirez

Saturday

Date	Time	Temp.	Name (Print)
9/28	0300	74	Ramirez
	0600	70	D. Pelayo
	0900	70	D. Pelayo
	1200	70	D. Pelayo
	1500	70	D. Pelayo
	1800	70	D. Pelayo
	2100	70	D. Pelayo
	2400	70	Avendano

Sunday

Date	Time	Temp.	Name (Print)
9/29	0300	70	Avendano
	0600	70	Ortega
	0900	72	D. Pelayo
	1200	71	D. Pelayo
	1500	70	D. Pelayo
	1800	71	D. Pelayo
	2100	71	D. Pelayo
	2400	70	Huerta

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: SCU Temp. Reading Location: N/A
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
09/30/24	0300	70	T. HUERTA
	0600	70	JOHNSON
	0900	74	JOHNSON
	1200	76	JOHNSON
	1500	76	Lthcy
	1800	72	D. Pelayo
	2100	70	D. Pelayo
	2400	72	DIAZ

Tuesday

Date	Time	Temp.	Name (Print)
	0300	72	DIAZ
	0600	73	C. ALLEN
	0900	73	C. ALLEN
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
Holiday	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/03/24	0300		
	0600		
	0900	79*	M. Ritchie
	1200	80*	M. Ritchie
	1500	82*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/04/24	0300		
	0600		
	0900	75*	M. Ritchie
	1200	77*	M. Ritchie
	1500	80*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/05/24	0300		
	0600		
	0900	74*	M. Ritchie
	1200	77*	M. Ritchie
	1500	81*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/09/24	0300		
	0600		
	0900	84*	M. Ritchie
	1200	84*	M.Ritchie
	1500	87*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/10/24	0300		
	0600		
	0900	74*	M. Ritchie
	1200	79*	M. Ritchie
	1500	84*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/11/24	0300		
	0600		
	0900	74*	M. Ritchie
	1200	76*	M. Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/12/24	0300		
	0600		
	0900	71*	M. Ritchie
	1200	74*	M. Ritchie
	1500	76*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

PIA HOURS 0700 - 1700

RDO's - FRI, SAT, SUN.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300		
	0600		
	0900	77*	M. Ritchie
	1200	77*	M. Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300		
	0600		
	0900	74*	M. Ritchie
	1200	75*	M. Ritchie
	1500	76*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	74*	M. Ritchie
	1500	76*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/19/24	0300		
	0600		
	0900	71*	M. Ritchie
	1200	72*	M. Ritchie
	1500	73*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

PIA HOURS 0700 - 1700
RDO's - FRI, SAT, SUN.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300		
	0600		
	0900	75*	M. Ritchie
	1200	76*	M.Ritchie
	1500	78*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
9/24/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	73*	M. Ritchie
	1500	74*	M. Ritchie
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
9/25/24	0300		
	0600		
	0900	74*	M. Ritchie
	1200	73*	M. Ritchie
	1500	73*	M. Ritchie
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
9/26/24	0300		
	0600		
	0900	72*	M. Ritchie
	1200	73*	M. Ritchie
	1500	74*	M. Ritchie
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

PIA HOURS 0700 - 1700
RDO's - FRI, SAT, SUN.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: PIA FABRICS Temp. Reading Location: TIER
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300		
	0600		
	0900	73*	M. Ritchie
	1200	74*	M.Ritchie
	1500	77*	M. Ritchie
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

PIA HOURS 0700 - 1700
RDO's - FRI, SAT, SUN.

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-2-24

Date	Time	Temp.	Name (Print)
9.2.24	0300		
	0600		
	0900	Holiday	
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday 9-3-24

Date	Time	Temp.	Name (Print)
9.3.24	0300		
	0600		
	0900	70	MDotson
	1200	73	MDotson
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 9-4-24

Date	Time	Temp.	Name (Print)
9.4.24	0300		
	0600		
	0900	70	MDotson
	1200	73	MDotson
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Thursday 9-5-24

Date	Time	Temp.	Name (Print)
9.5.24	0300		
	0600		
	0900	70	MDotson
	1200	77	MDotson
	1500	83	N.Hudson
	1800	82	N.Hudson
	2100		
	2400		

Friday 9-6-24

Date	Time	Temp.	Name (Print)
9.6.24	0300		
	0600		
	0900	70	MDotson
	1200	73	MDotson
	1500	74	Nelson
	1800	74	Nelson
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
9.7.24	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-9-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dotson
	1200	73	M Dotson
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Tuesday 9-10-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M. Dotson
	1200	73	M Dotson
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 9-11-24

Date	Time	Temp.	Name (Print)
	0300		
	0600	73	ESPINDOLA
	0900		
	1200	73	Nelson
	1500	73	Nelson
	1800	72	Nelson
	2100		
	2400		

Thursday 9-12-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dotson
	1200	72	M Dotson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Friday 9-13-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dotson
	1200	72	M Dotson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-16

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	MDotson
	1200	71	MDotson
	1500	70	Nelson
	1800	70	Nelson
	2100		
	2400		

Tuesday 9-17

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	MDotson
	1200	71	MDotson
	1500	70	Nelson
	1800	70	Nelson
	2100		
	2400		

Wednesday 9-18

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	MDotson
	1200	71	MDotson
	1500	70	Nelson
	1800	70	Nelson
	2100		
	2400		

Thursday 9-19

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	MDotson
	1200	72	MDotson
	1500	70	Nelson
	1800	70	Nelson
	2100		
	2400		

Friday 9-20

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	MDotson
	1200	71	MDotson
	1500	71	Nelson
	1800	70	Nelson
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA
INSIDE TEMPERATURE RECORD
CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-23-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dotson
	1200	72	M Dotson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Tuesday 9-24-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dotson
	1200	72	M Dotson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Wednesday 9-25-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	75	Magallanes
	1200	75	Magallanes
	1500	75	oliver
	1800	75	oliver
	2100	73	oliver
	2400		

Thursday 9-26-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dotson
	1200	72	M Dotson
	1500	73	oliver
	1800	77	oliver
	2100	N/A	A. Carrick
	2400		

Friday 9-27-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dotson
	1200	72	M Dotson
	1500	72	Nelson
	1800	72	A. Smith
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided
No tempt. after 2100
education c/o re-directed

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Education Temp. Reading Location: North Hall
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the Inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 9-30-24

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900	70	M Dodge
	1200	72	M Dodson
	1500	72	Nelson
	1800	72	Nelson
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-2528F99EB6F6

Attachment E

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: GP HALL (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Tuesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
09/01/24	0300	78	J. OSUNA
	0600	78	VAN ALLEN
	0900	78	M. BARYER
	1200	80	VanAllen
	1500	84	[illegible]
	1800	84	[illegible]
	2100	80	[illegible]
	2400	79	[illegible]

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CEW Housing Unit: FOR (RC) Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/2/24	0300	78	Jiosuna
	0600	78	VanAllen
	0900	76	VanAllen
	1200	81	VanAllen
	1500	83	N. Velazquez
	1800	81	N. Velazquez
	2100	81	N. Velazquez
	2400	78	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
9/3	0300	78	[illegible]
	0600	78	ARAIZA
	0900	78	ARAIZA
	1200	81	ARAIZA
	1500	82	Edwards
	1800	79	Edwards
	2100	78	Edwards
	2400	81	Marquez

Wednesday

Date	Time	Temp.	Name (Print)
9.5.24	0300	80	Marquez
	0600	80	CABANA
	0900	79	CABANA
	1200	82	CABANA
	1500	83	SERMA
	1800	82	SERMA
	2100	82	Serma
	2400	81	Marquez

Thursday

Date	Time	Temp.	Name (Print)
9/6	0300	81	Marquez
	0600	87	CABANA
	0900	84	C. Mendoza
	1200	86	C. Mendoza
	1500	87	TRAN
	1800	85	TRAN
	2100	85	TRAN
	2400	84	Marquez

Friday

Date	Time	Temp.	Name (Print)
9.6.24	0300	84	Marquez
	0600	84	CABANA
	0900	85	CABANA
	1200	90	VanAllen
	1500	90	SERMA
	1800	89	SERMA
	2100	89	SERMA
	2400	87	Marquez

Saturday

Date	Time	Temp.	Name (Print)
9/7	0300	83	Marquez
	0600	84	CABANA
	0900	84	CABANA
	1200	87	CABANA
	1500	86	RUARTIZEZ
	1800	85	Jiosuna
	2100	90	Jiosuna
	2400	89	Jiosuna

Sunday

Date	Time	Temp.	Name (Print)
9/8	0300	83	Jiosuna
	0600	84	M. BARNES
	0900	84	M. BARNES
	1200	87	M. BARNES
	1500	93	Jiosuna
	1800	91	Jiosuna
	2100	91	Jiosuna
	2400	90	OZUNA

Notes

9/6/24 @ 1200 cooling measures were taken due to Stage II heat alert.
Taken off Stage II at 1800 hours due to unit being 89°

9/7/24 @ 2100 cooling measures were taken due to Stage II heat alert. Taken off at 2400 hours

9/8/24 @ 1500 cooling measures were taken due to Stage II heat alert. Not taken off due to continuous heat

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: FOR (RC) Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 **when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
9/9	0300	88	Josuna
	0600	86	VanAken
	0900	84	VanAken
	1200	87	N. PEREZ
	1500	90	N. PEREZ
	1800	90	N. PEREZ
	2100	90	N. PEREZ
	2400	83	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
9/10	0300	80	SMITH
	0600	82	ARAIZA
	0900	82	C. Mendoza
	1200	83	ARAIZA
	1500	88	Ramirez RA
	1800	89	Ramirez RA
	2100	88	Ramirez RA
	2400	84	Marquez

Wednesday

Date	Time	Temp.	Name (Print)
9/11	0300	80	Marquez
	0600	80	C. Mendoza
	0900	80	C. Mendoza
	1200	81	C. Mendoza
	1500	79	M. Lerma
	1800	78	M. Lerma
	2100	78	C. LERMA
	2400	77	D. RUBIO

Thursday

Date	Time	Temp.	Name (Print)
9/12	0300	77	D. RUBIO
	0600	76	CASANOVA
	0900	77	CASANOVA
	1200	78	CASANOVA
	1500	78	CASANOVA
	1800	78	TRAN
	2100	77	TRAN
	2400	76	TRAN

Friday

Date	Time	Temp.	Name (Print)
9/13	0300	74	TRAN
	0600	76	CASANOVA
	0900	78	CASANOVA
	1200	78	VanAken
	1500	77	N. VELAZQUEZ
	1800	76	N. VELAZQUEZ
	2100	75	N. VELAZQUEZ
	2400	77	Escobedo

Saturday

Date	Time	Temp.	Name (Print)
9/14	0300	77	Escobedo
	0600	78	CASANOVA
	0900	79	CASANOVA
	1200	79	VanAken
	1500	80	Josuna
	1800	79	Ackle
	2100	78	Ackle
	2400	78	Josuna

Sunday

Date	Time	Temp.	Name (Print)
9/15	0300	77	Josuna
	0600	70	ANDERSON
	0900	72	ANDERSON
	1200	72	ANDERSON
	1500	77	Josuna
	1800	74	Q. Edwards
	2100	74	Josuna
	2400	74	U. OSUNA

Notes

* STAGE 2 HEAT ALERT 09.09.24
NOTIFIED WATCH 2

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-252BF99EB6F6

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: Forestry Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/16/24	0300	75	Osuna
	0600	74	Cmendoza
	0900	73	VanAllen
	1200	74	Cmendoza
	1500	74	N. Velazquez
	1800	74	N. Velazquez
	2100	73	N. Velazquez
	2400	74	Smith

Tuesday

Date	Time	Temp.	Name (Print)
9/17/24	0300	76	Smith
	0600	76	Arriza
	0900	74	Mendoza
	1200	76	Arriza
	1500	76	Ramirez
	1800	75	[illegible]
	2100	75	[illegible]
	2400	76	Smith

Wednesday

Date	Time	Temp.	Name (Print)
9/18/24	0300	76	Smith
	0600	76	Casanova
	0900	76	Casanova
	1200	76	Cmendoza
	1500	76	Lima M
	1800	75	Lima M
	2100	75	Serna
	2400	76	Smith

Thursday

Date	Time	Temp.	Name (Print)
9/19	0300	72	D. Rubio
	0600	74	Casanova
	0900	75	Casanova
	1200	76	Casanova
	1500	76	Serna
	1800	75	[illegible]
	2100	74	[illegible]
	2400	74	Smith

Friday

Date	Time	Temp.	Name (Print)
9/20/24	0300	72	Smith
	0600	74	Casanova
	0900	72	VanAllen
	1200	72	VanAllen
	1500	71	N. Velazquez
	1800	71	N. Velazquez
	2100	70	N. Velazquez
	2400	72	Hueso

Saturday

Date	Time	Temp.	Name (Print)
9/21	0300	74	Hueso
	0600	72	Casanova
	0900	72	VanAllen
	1200	72	VanAllen
	1500	75	S. Vaiz
	1800	75	Osuna
	2100	75	Osuna
	2400	74	Osuna

Sunday

Date	Time	Temp.	Name (Print)
9/22	0300	72	J. Osuna
	0600	71	Anderson
	0900	71	Anderson
	1200	71	Anderson
	1500	72	N. Velazquez
	1800	71	N. Velazquez
	2100	70	N. Velazquez
	2400	70	J. Osuna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

DocuSign Envelope ID: 336E819F-5622-49DD-B210-252BF99EB6F6

Attachment E

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning):

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension _____ when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/23/24	0300	74	SMITH
	0600	74	VanAllen
	0900	74	Cmendoza
	1200	74	VanAllen
	1500	77	N. VELAZQUEZ
	1800	76	N. VELAZQUEZ
	2100	72	N. VELAZQUEZ
	2400	76	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
09/24/24	0300	74	SMITH
	0600	78	ARAIZA
	0900	78	Cmendoza
	1200	76	Cmendoza
	1500	77	SEKHA
	1800	77	TRAN
	2100	76	TRAN
	2400	74	SMITH

Wednesday

Date	Time	Temp.	Name (Print)
09/25/24	0300	74	PULICARI
	0600	74	CASANOVA
	0900	75	CASANOVA
	1200	74	Cmendoza
	1500	76	SEKHA
	1800	75	SEKHA
	2100	75	SEKHA
	2400	75	RUBIO

Thursday

Date	Time	Temp.	Name (Print)
09/26/24	0300	74	RUBIO
	0600	74	CASANOVA
	0900	75	CASANOVA
	1200	76	CASANOVA
	1500	76	SEKHA
	1800	75	SEKHA
	2100	75	SEKHA
	2400	75	PULICARI

Friday

Date	Time	Temp.	Name (Print)
09/27/24	0300	74	PULICARI
	0600	74	CASANOVA
	0900	75	CASANOVA
	1200	76	CASANOVA
	1500	75	N. VELAZQUEZ
	1800	75	N. VELAZQUEZ
	2100	75	N. VELAZQUEZ
	2400	75	PULICARI

Saturday

Date	Time	Temp.	Name (Print)
09/28/24	0300	74	PULICARI
	0600	74	CASANOVA
	0900	72	VanAllen
	1200	75	CASANOVA
	1500	80	OSuna
	1800	80	OSuna
	2100	79	SEKHA
	2400	78	OSuna

Sunday

Date	Time	Temp.	Name (Print)
09/29/24	0300	75	OSuna
	0600	72	M. BALMER
	0900	75	M. BALMER
	1200	75	M. BALMER
	1500	81	OSuna
	1800	80	OSuna
	2100	77	OSuna
	2400	76	OSuna

Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA

INSIDE TEMPERATURE RECORD

CDCR 2031 (04/18)

Attachment E

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: CIW Housing Unit: RCU Temp. Reading Location: _____ (e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 4913 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/30/24	0300	74	OSuna
	0600	75	L-TRAN
	0900	78	L-TRAN
	1200	79	L-TRAN
	1500	79	N. VELAZQUEZ
	1800	78	N. VELAZQUEZ
	2100	76	N VELAZQUEL
	2400	74	SMITH

Tuesday

Date	Time	Temp.	Name (Print)
	0300	76	SMITH
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Wednesday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Thursday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Friday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Saturday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Sunday

Date	Time	Temp.	Name (Print)
	0300		
	0600		
	0900		
	1200		
	1500		
	1800		
	2100		
	2400		

Notes: Date and type of cooling mesures provided

_____

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C-1W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 1, 2024	0100	70	J. Torres
	0200	69	J. Torres
	0300	67	J. Torres
	0400	65	J. Torres
	0500	63	J. Torres
	0600	62	HOLGUIN
	0700	63	HOLGUIN
	0800	66	HOLGUIN
	0900	70	HOLGUIN
	1000	74	HOLGUIN
	1100	82	HOLGUIN
1253 90°	1200	88	HOLGUIN
	1300	91	HOLGUIN
	1400	92	HOLGUIN
	1500	94	HARRIS
	1600	93	HARRIS
	1700	90	HARRIS
	1800	86	HARRIS
	1900	80	HARRIS
	2000	76	HARRIS
	2100	74	HARRIS
	2200	72	J. Torres
	2300	71	J. Torres
	2400	70	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name	
MONDAY SEPTEMBER 2, 2024	0100	68	J. Torres	
	0200	67	J. Torres	
	0300	65	J. Torres	
	0400	63	J. Torres	
	0500	62	J. Torres	
	0600	63	HOLGUIN	
	0700	65	HOLGUIN	
	0800	67	HOLGUIN	
	0900	72	HOLGUIN	
	1000	78	HOLGUIN	
	1100	86	HOLGUIN	
	1200	89	HOLGUIN	1204 90°
	1300	92	HOLGUIN	
	1400	95	M. Caswell	
	1500	95	M. Caswell	
	1600	94	M. Caswell	
	1700	91	M. Caswell	
	1800	87	M. Caswell	1814 86°
	1900	83	M. Caswell	
	2000	79	M. Caswell	
	2100	76	M. Caswell	
	2200	76	M. CAPOR	
	2300	74	M. CAPOR	
	2400	74	M. CAPOR	

Date	Time	Temp.	Printed Name	
TUESDAY SEPTEMBER 3, 2024	0100	72	M. CAPOR	
	0200	72	M. CAPOR	
	0300	71	M. CAPOR	
	0400	70	M. CAPOR	
	0500	69	M. CAPOR	
	0600	65	M. Caswell	
	0700	66	M. Caswell	
	0800	70	M. Caswell	
	0900	77	M. Caswell	
	1000	83	M. Caswell	1110 90°
	1100	89	M. Caswell	
	1200	93	M. Caswell	
	1300	96	M. Caswell	
	1400	98	M. Caswell	
	1500	98	M. Caswell	
	1600	96	M. Caswell	
	1700	95	M. Caswell	
	1800	91	M. Caswell	
	1900	86	M. Caswell	1912 Off Stage I
	2000	82	M. Caswell	
	2100	80	M. Caswell	
	2200	79	M. CAPOR	
	2300	77	M. CAPOR	
	2400	76	M. CAPOR	

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 **when the air temperature reaches 90 degrees.**

1033 STAGE 1 91°

Date	Time	Temp.	Printed Name
WED. SEPT. 4, 2024	0100	75	M. CANOR
	0200	74	M. CANOR
	0300	72	M. CANOR
	0400	71	M. CANOR
	0500	71	M. CANOR
	0600	69	S. TONNES
	0700	69	S. TONNES
	0800	74	S. TONNES
	0900	78	S. TONNES
	1000	87	S. TONNES
	1100	93	S. TONNES
	1200	97	S. TONNES
	1300	102	S. TONNES
	1400	103	M. Caswell
	1500	104	M. Caswell
	1600	103	M. Caswell
	1700	101	M. Caswell
	1800	97	M. Caswell
	1900	92	M. Caswell
	2000	88	M. Caswell
	2100	85	M. Caswell
	2200	84	HIBERT
	2300	84	HIBERT
	2400	83	HIBERT

2030 86° OFF

Date	Time	Temp.	Printed Name
THURS SEPT 5, 2024	0100	81	HIBERT
	0200	80	HIBERT
	0300	78	HIBERT
	0400	75	HIBERT
	0500	75	HIBERT
	0600	72	HOLGUIN
	0700	75	HOLGUIN
	0800	78	HOLGUIN
	0900	86	HOLGUIN
	1000	92	HOLGUIN
	1100	99	HOLGUIN
	1200	104	HOLGUIN
	1300	108	HOLGUIN
	1400	109	NAVARRETE
	1500	109	Miranda
	1600	109	Miranda
	1700	107	Miranda
	1800	106	Miranda
	1900	99	Miranda
	2000	93	Miranda
	2100	91	Miranda
	2200	89	HIBERT
	2300	88	HIBERT
	2400	87	HIBERT

0942 90°

OFF @ 2135 89°

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4413 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRI. SEPT. 6, 2024	0100	86	Albert
	0200	83	Albert
	0300	81	Albert
	0400	79	Albert
	0500	78	Albert
	0600	77	HOLGUIN
	0700	76	HOLGUIN
	0800	81	HOLGUIN
	0900	88	HOLGUIN
	1000	92	HOLGUIN
	1100	100	HOLGUIN
	1200	105	HOLGUIN
	1300	108	HOLGUIN
	1400	109	JAUREGUI
	1500	111	Miranda
	1600	112	Miranda
	1700	111	Miranda
	1800	104	Miranda
	1900	96	Miranda
	2000	89	Miranda
	2100	88	Miranda
	2200	86	J. Torres
	2300	84	J. Torres
	2400	81	J. Torres

0915
90°

off @ 2000
89°

Date	Time	Temp.	Printed Name
SAT. SEPT. 7, 2024	0100	80	J. Torres
	0200	79	J. Torres
	0300	77	J. Torres
	0400	75	J. Torres
	0500	72	J. Torres
	0600	73	HOLGUIN
	0700	74	HOLGUIN
	0800	77	HOLGUIN
	0900	82	HOLGUIN
	1000	88	HOLGUIN
	1100	95	HOLGUIN
	1200	99	HOLGUIN
	1300	102	HOLGUIN
	1400	102	Buckner
	1500	102	Buckner
	1600	101	Buckner
	1700	100	Buckner
	1800	96	Buckner
	1900	94	Buckner
	2000	89	Buckner
	2100	87	Buckner
	2200	86	J. Torres
	2300	81	J. Torres
	2400	80	J. Torres

1014
90°

2046
88
OFF 1st
STAB HEAT
AIGRI

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 8, 2024	0100	79	J. Torres
	0200	78	J. Torres
	0300	77	J. Torres
	0400	76	J. Torres
	0500	75	J. Torres
	0600	77	L Martinez
	0700	76	L. Martinez
	0800	80	L. Martinez
	0900	87	L. Martinez
	1000	96	L. Martinez
	1100	100	R Wright
	1200	104	R Wright
	1300	106	R Wright
	1400	107	R Wright
	1500	106	Harris
	1600	103	Harris
	1700	100	Harris
	1800	97	Harris
	1900	93	Harris
	2000	90	Harris
	2100	88	Harris
	2200	87	J. Torres
	2300	84	J. Torres
	2400	83	J. Torres

*0920 - 90° Stage I heat alert

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

21:00 HRS OFF Stage 1 Heat Alert

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 **when the air temperature reaches 90 degrees.**

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 9, 2024	0100	81	J. Torres
	0200	79	J. Torres
	0300	78	J. Torres
	0400	77	J. Torres
	0500	76	J. Torres
	0600	75	HOLGUIN
	0700	76	HOLGUIN
	0800	79	HOLGUIN
	0900	84	HOLGUIN
	1000	88	HOLGUIN
	1100	93	HOLGUIN
	1200	96	HOLGUIN
	1300	104	HOLGUIN
	1400	107	HOLGUIN
	1500	105	M. Caswell
	1600	103	M. Caswell
	1700	102	M. Caswell
	1800	100	M. Caswell
	1900	96	M. Caswell
	2000	92	M. Caswell
	2100	89	M. Caswell
	2200	88	M. Canon
	2300	84	M. Canon
	2400	82	M. Canon

1027 90°

2118 88°

Date	Time	Temp.	Printed Name
TUESDAY SEPTEMBER 10, 2024	0100	80	M. Canon
	0200	79	M. Canon
	0300	78	M. Canon
	0400	77	M. Canon
	0500	75	M. Canon
	0600	72	M. Caswell
	0700	72	M. Caswell
	0800	74	M. Caswell
	0900	81	M. Caswell
	1000	87	M. Caswell
	1100	93	M. Caswell
	1200	96	M. Caswell
	1300	98	M. Caswell
	1400	98	M. Caswell
	1500	97	M. Caswell
	1600	96	M. Caswell
	1700	94	M. Caswell
	1800	90	M. Caswell
	1900	84	M. Caswell
	2000	79	M. Caswell
	2100	76	M. Caswell
	2200	75	M. Canon
	2300	72	M. Canon
	2400	71	M. Canon

1025 90°

1904 84°

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
Wed Sept 11, 2024	0100	70	M. CARR
	0200	68	M. CARR
	0300	67	M. CARROLL
	0400	66	M. CARROLL
	0500	64	M. CARR
	0600	60	Z. NAVA
	0700	60	Z. NAVA
	0800	64	Z. NAVA
	0900	66	Z. NAVA
	1000	70	Z. NAVA
	1100	77	Z. NAVA
	1200	81	Z. NAVA
	1300	82	Z. NAVA
	1400	83	M. Caswell
	1500	83	M. Caswell
	1600	81	M. Caswell
	1700	78	M. Caswell
	1800	75	M. Caswell
	1900	71	M. Caswell
	2000	68	M. Caswell
	2100	66	M. Caswell
	2200	65	HURT
	2300	63	HURT
	2400	62	HURT

Date	Time	Temp.	Printed Name
THURSDAY SEPT 12, 2024	0100	60	HURT
	0200	59	HURT
	0300	57	HURT
	0400	57	HURT
	0500	57	HURT
	0600	56	HOLGUIN
	0700	58	HOLGUIN
	0800	61	HOLGUIN
	0900	65	HOLGUIN
	1000	69	HOLGUIN
	1100	74	HOLGUIN
	1200	77	HOLGUIN
	1300	80	HOLGUIN
	1400	81	M. Caswell
	1500	81	M. Caswell
	1600	80	M. Caswell
	1700	79	M. Caswell
	1800	76	M. Caswell
	1900	73	M. Caswell
	2000	70	M. Caswell
	2100	69	M. Caswell
	2200	67	HURT
	2300	66	HURT
	2400	65	HURT

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRIDAY SEPT 13, 2024	0100	63	Albert
	0200	62	Albert
	0300	61	Albert
	0400	60	Albert
	0500	60	Albert
	0600	60	HOLGUIN
	0700	61	HOLGUIN
	0800	63	HOLGUIN
	0900	66	HOLGUIN
	1000	68	HOLGUIN
	1100	73	HOLGUIN
	1200	77	HOLGUIN
	1300	82	HOLGUIN
	1400	86°	E.HAM
	1500	87°	E.HAM
	1600	84°	E.HAM
	1700	79°	E.HAM
	1800	76°	E.HAM
	1900	71°	E.HAM
	2000	69°	E.HAM
	2100	67°	E.HAM
	2200	66	J.Torres
	2300	64	J.Torres
	2400	63	J.Torres

Date	Time	Temp.	Printed Name
SATURDAY SEPT 14, 2024	0100	62	J.Torres
	0200	61	J.Torres
	0300	61	J.Torres
	0400	62	J.Torres
	0500	62	J.Torres
	0600	61	HOLGUIN
	0700	63	HOLGUIN
	0800	65	HOLGUIN
	0900	67	HOLGUIN
	1000	72	HOLGUIN
	1100	75	HOLGUIN
	1200	76	HOLGUIN
	1300	77	HOLGUIN
	1400	85°	E.HAM
	1500	83°	E.HAM
	1600	80°	E.HAM
	1700	79°	E.HAM
	1800	75°	E.HAM
	1900	70°	E.HAM
	2000	68°	E.HAM
	2100	66°	E.HAM
	2200	65	J.Torres
	2300	64	J.Torres
	2400	63	J.Torres

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 15, 2024	0100	62	J. Torres
	0200	62	J. Torres
	0300	61	J. Torres
	0400	61	J. Torres
	0500	60	J. Torres
	0600	59	HOLGUIN
	0700	61	HOLGUIN
	0800	64	HOLGUIN
	0900	66	HOLGUIN
	1000	70	HOLGUIN
	1100	72	HOLGUIN
	1200	74	HOLGUIN
	1300	75	HOLGUIN
	1400	76	K HARRIS
	1500	77	K HARRIS
	1600	77	K HARRIS
	1700	75	K HARRIS
	1800	73	K HARRIS
	1900	69	K HARRIS
	2000	67	K HARRIS
	2100	66	K HARRIS
	2200	64	J. Torres
	2300	63	J. Torres
	2400	63	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 16, 2024	0100	62	J. Torres
	0200	62	J. Torres
	0300	61	J. Torres
	0400	61	J. Torres
	0500	60	J. Torres
	0600	59	HOLGUIN
	0700	60	HOLGUIN
	0800	62	HOLGUIN
	0900	63	HOLGUIN
	1000	67	HOLGUIN
	1100	70	HOLGUIN
	1200	73	HOLGUIN
	1300	76	HOLGUIN
	1400	74	M. Caswell
	1500	74	M. Caswell
	1600	73	M. Caswell
	1700	71	M. Caswell
	1800	69	M. Caswell
	1900	65	M. Caswell
	2000	63	M. Caswell
	2100	61	M. Caswell
	2200	61°	E. HAM
	2300	60°	E. HAM
	2400	60°	E. HAM

Date	Time	Temp.	Printed Name
TUESDAY SEPTEMBER 17, 2024	0100	59°	E. HAM
	0200	59°	E. HAM
	0300	58°	E. HAM
	0400	58°	E. HAM
	0500	57°	E. HAM
	0600	57	C. Villafan
	0700	58	C. Villafan
	0800	59	C. Villafan
	0900	61	C. Villafan
	1000	65	C. Villafan
	1100	70	C. Villafan
	1200	73	C. Villafan
	1300	75	C. Villafan
	1400	77	A. SMITH
	1500	77	M Caswell
	1600	76	M. Caswell
	1700	74	M. Caswell
	1800	71	M. Caswell
	1900	68	M. Caswell
	2000	65	M. Caswell
	2100	64	M. Caswell
	2200	64	M. Carr
	2300	63	M. Carr
	2400	62	M Carr

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9-18-24	0100	61	M. CARDIN
	0200	60	M. CARDIN
	0300	59	M. CARDIN
	0400	59	M. CARDIN
	0500	58	M. CARDIN
	0600	58	S. TORNES
	0700	58	S. TORNES
	0800	61	S. TORNES
	0900	63	S. TORNES
	1000	66	S. TORNES
	1100	69	S. TORNES
	1200	73	S. TORNES
	1300	77	S. TORNES
	1400	79	M. Caswell
	1500	77	M. Caswell
	1600	77	M. Caswell
	1700	75	M. Caswell
	1800	72	M. Caswell
	1900	69	M. Caswell
	2000	66	M. Caswell
	2100	64	M. Caswell
	2200	63	ALBERT
	2300	61	ALBERT
	2400	60	ALBERT

Date	Time	Temp.	Printed Name
9-19-24	0100	60	ALBERT
	0200	60	ALBERT
	0300	59	ALBERT
	0400	59	ALBERT
	0500	59	ALBERT
	0600	57	HOLGUIN
	0700	58	HOLGUIN
	0800	61	HOLGUIN
	0900	63	HOLGUIN
	1000	65	HOLGUIN
	1100	70	HOLGUIN
	1200	72	HOLGUIN
	1300	75	HOLGUIN
	1400	77	M. Caswell
	1500	77	M. Caswell
	1600	76	M. Caswell
	1700	74	M. Caswell
	1800	72	M. Caswell
	1900	69	M. Caswell
	2000	66	M. Caswell
	2100	64	M. Caswell
	2200	63	ALBERT
	2300	62	ALBERT
	2400	61	ALBERT

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4413 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SEPT 20, 2024	0100	60	ALBERT
	0200	58	ALBERT
	0300	58	ALBERT
	0400	57	ALBERT
	0500	57	ALBERT
	0600	57	HOLGUIN
	0700	58	HOLGUIN
	0800	61	HOLGUIN
	0900	65	HOLGUIN
	1000	68	HOLGUIN
	1100	71	HOLGUIN
	1200	74	HOLGUIN
	1300	79	HOLGUIN
	1400	79°	E. HAM
	1500	78°	E. HAM
	1600	75°	E. HAM
	1700	74°	E. HAM
	1800	72°	E. HAM
	1900	68°	E. HAM
	2000	67°	E. HAM
	2100	66°	E. HAM
	2200	65	J. Torres
	2300	64	J. Torres
	2400	63	J. Torres

Date	Time	Temp.	Printed Name
SEPT 21, 2024	0100	61	J. Torres
	0200	59	J. Torres
	0300	58	J. Torres
	0400	57	J. Torres
	0500	56	J. Torres
	0600	54	HOLGUIN
	0700	56	HOLGUIN
	0800	58	HOLGUIN
	0900	62	HOLGUIN
	1000	67	HOLGUIN
	1100	70	HOLGUIN
	1200	74	HOLGUIN
	1300	76	HOLGUIN
	1400	82°	E. Ham
	1500	82°	E. Ham
	1600	81°	E. Ham
	1700	78°	E. Ham
	1800	76°	E. Ham
	1900	70°	E. Ham
	2000	68°	E. Ham
	2100	66°	E. Ham
	2200	65	J. Torres
	2300	64	J. Torres
	2400	63	J. Torres

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 22, 2024	0100	62	J. Torres
	0200	61	J. Torres
	0300	60	J. Torres
	0400	59	J. Torres
	0500	58	J. Torres
	0600	58	N. PEREZ
	0700	58	N. PEREZ
	0800	58	N. PEREZ
	0900	63	N. PEREZ
	1000	72	N. PEREZ
	1100	76	N. PEREZ
	1200	80	N. PEREZ
	1300	85	N. PEREZ
	1400	88	O. Rodriguez
	1500	89	O. Rodriguez
	1600	88	O. Rodriguez
	1700	86	O. Rodriguez
	1800	82	O. Rodriguez
	1900	77	O. Rodriguez
	2000	73	O. Rodriguez
	2100	71	O. Rodriguez
	2200	69	J. Torres
	2300	68	J. Torres
	2400	67	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C.I.W.

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

1410
90°

Date	Time	Temp.	Printed Name
MONDAY SEPTEMBER 23, 2024	0100	65	J. Torres
	0200	64	J. Torres
	0300	63	J. Torres
	0400	62	J. Torres
	0500	60	J. Torres
	0600	58	HOLGUIN
	0700	60	HOLGUIN
	0800	63	HOLGUIN
	0900	69	HOLGUIN
	1000	74	HOLGUIN
	1100	80	HOLGUIN
	1200	85	HOLGUIN
	1300	88	HOLGUIN
	1400	89	HOLGUIN
	1500	91	[illegible]
	1600	92	[illegible]
	1700	89	[illegible]
	1800	88	[illegible]
	1900	80	[illegible]
	2000	75	[illegible]
	2100	73	[illegible]
	2200	70	M Cann
	2300	69	M Cann
	2400	68	M Cann

Date	Time	Temp.	Printed Name
TUESDAY SEPTEMBER 24, 2024	0100	67	M Cann
	0200	66	M Cann
	0300	65	M Cann
	0400	64	M Cann
	0500	63	M Cann
	0600	59	W. Quinonez
	0700	58	W. Quinonez
	0800	62	W. Quinonez
	0900	69	W. Quinonez
	1000	73	W. Quinonez
	1100	79	W. Quinonez
	1200	83	W. Quinonez
	1300	85	W. Quinonez
	1400	87	M. Caswell
	1500	88	M. Caswell
	1600	87	M. Caswell
	1700	85	M. Caswell
	1800	80	M. Caswell
	1900	75	M. Caswell
	2000	71	M. Caswell
	2100	68	M. Caswell
	2200	65	M Cann
	2300	65	M Cann
	2400	64	M Cann

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/15/24	0100	63	M CAPR
	0200	64	M CAPR
	0300	63	M CAPR
	0400	62	M CAPR
	0500	62	M CAPR
	0600	62	VILLELA
	0700	62	VILLELA
	0800	62	VILLELA
	0900	62	VILLELA
	1000	66	VILLELA
	1100	70	VILLELA
	1200	78	VILLELA
	1300	80	Ulamos
	1400	84	M. Caswell
	1500	84	M Caswell
	1600	82	M. Caswell
	1700	79	M. Caswell
	1800	77	M. Caswell
	1900	72	M. Caswell
	2000	70	M. Caswell
	2100	67	M. Caswell
	2200	65	ALBERT
	2300	64	ALBERT
	2400	62	ALBERT

Date	Time	Temp.	Printed Name
THURS SEPT 26, 2024	0100	61	ALBERT
	0200	61	ALBERT
	0300	59	ALBERT
	0400	57	ALBERT
	0500	56	ALBERT
	0600	57	HOLGUIN
	0700	58	HOLGUIN
	0800	59	HOLGUIN
	0900	63	HOLGUIN
	1000	67	HOLGUIN
	1100	70	HOLGUIN
	1200	78	HOLGUIN
	1300	82	HOLGUIN
	1400	83	M. Caswell
	1500	85	M. Caswell
	1600	84	M. Caswell
	1700	82	M. Caswell
	1800	78	M. Caswell
	1900	73	M. Caswell
	2000	69	M. Caswell
	2100	67	M. Caswell
	2200	66	ALBERT
	2300	64	ALBERT
	2400	62	ALBERT

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
FRI SEPT 27, 2024	0100	62	Albert
	0200	61	Albert
	0300	59	Albert
	0400	58	Albert
	0500	57	Albert
	0600	56	Holguin
	0700	58	Holguin
	0800	59	Holguin
	0900	62	Holguin
	1000	69	Holguin
	1100	76	Holguin
	1200	80	Holguin
	1300	82	Holguin
	1400	85°	E. Ham
	1500	84°	E. Ham
	1600	84°	E. Ham
	1700	83°	E. Ham
	1800	80°	E. Ham
	1900	74°	E. Ham
	2000	70°	E. Ham
	2100	68°	E. Ham
	2200	65	J. Torres
	2300	64	J. Torres
	2400	63	J. Torres

Date	Time	Temp.	Printed Name
SAT SEPT 28, 2024	0100	62	J. Torres
	0200	61	J. Torres
	0300	60	J. Torres
	0400	58	J. Torres
	0500	56	J. Torres
	0600	57	L. Free
	0700	58	L. Free
	0800	60	L. Free
	0900	65	L. Free
	1000	70	L. Free
	1100	78	L. Free
	1200	79	L. Free
	1300	83	L. Free
	1400	86°	E. Ham
	1500	86°	E. Ham
	1600	85°	E. Ham
	1700	82°	E. Ham
	1800	80°	E. Ham
	1900	75°	E. Ham
	2000	70°	E. Ham
	2100	68°	E. Ham
	2200	65	J. Torres
	2300	63	J. Torres
	2400	61	J. Torres

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA

DEPARTMENT OF CORRECTIONS AND REHABILITATION

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER-1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
SUNDAY SEPTEMBER 29, 2024	0100	60	J. Torres
	0200	59	J. Torres
	0300	58	J. Torres
	0400	56	J. Torres
	0500	54	J. Torres
	0600	55	L. Martinez
	0700	54	L. Martinez
	0800	58	L. Martinez
	0900	65	L. Martinez
	1000	70	L. Martinez
	1100	78	L. Martinez
	1200	82	L. Martinez
	1300	86	L. Martinez
	1400	87	M. Caswell
	1500	89	M. Caswell
	1600	87	M. Caswell
	1700	85	M. Caswell
	1800	81	M. Caswell
	1900	76	M. Caswell
	2000	72	M. Caswell
	2100	69	M. Caswell
	2200	67	J. Torres
	2300	66	J. Torres
	2400	65	J. Torres

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600		
	0700		
	0800		
	0900		
	1000		
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator

Attachment D

STATE OF CALIFORNIA

OUTSIDE TEMPERATURE RECORD

CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CIW

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER - 1

Immediately notify the Watch Commander at extension 4913 when the air temperature reaches 90 degrees.

MONDAY SEPTEMBER 30, 2024

Date	Time	Temp.	Printed Name
	0100	63	J. Torres
	0200	62	J. Torres
	0300	58	J. Torres
	0400	56	J. Torres
	0500	54	J. Torres
	0600	53	HOLGUIN
	0700	56	HOLGUIN
	0800	60	HOLGUIN
	0900	67	HOLGUIN
	1000	71	HOLGUIN
	1100	78	HOLGUIN
	1200	86	HOLGUIN
	1300	91	HOLGUIN
	1400	94	M. Caswell
	1500	95	M. Caswell
	1600	94	M. Caswell
	1700	91	M. Caswell
	1800	85	M. Caswell
	1900	78	M. Caswell
	2000	75	M. Caswell
	2100	72	M. Caswell
	2200	71	M. CAPPP
	2300	70	M. CAPPP
	2400	69	M. CAPPP

1253 90°

1810 84°

TUESDAY OCTOBER 1, 2024

Date	Time	Temp.	Printed Name
	0100	69	M. CAPPP
	0200	68	M. CAPPP
	0300	67	M. CAPPP
	0400	66	M. CAPPP
	0500	66	M. CAPPP
	0600	61	W. QUINONEZ
	0700	61	W. QUINONEZ
	0800	64	W. QUINONEZ
	0900	70	W. QUINONEZ
	1000	77	W. QUINONEZ
	1100		
	1200		
	1300		
	1400		
	1500		
	1600		
	1700		
	1800		
	1900		
	2000		
	2100		
	2200		
	2300		
	2400		

DISTRIBUTION: Original: Institution ADA Coordinator