

Monthly Summary Report

Institution: CHCF

Memorandum

Date: 09/06/2024
To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - CHCF August 2024

The following is a summary of the heat related activity for the month of AUGUST,
at CHCF (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? Yes

Number of days Stage I Alert initiated: 25

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?: No

5. Number of patients with heat related illness. 0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated automatically. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

GENA JONES

Warden Name

DocuSigned by:

Gena Jones

9/6/2024

27EF10BEF45A48E...
Warden Signature

JOSEPH GARLAND

Chief Executive Officer Name

DocuSigned by:

joseph garland

9/6/2024

CA151301B333471...
Chief Executive Officer Signature

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/1/24	0100	69	PIMPA
	0200	67	PIMPA
	0300	65	PIMPA
	0400	64	PIMPA
	0500	62	PIMPA
	0600	61	Rock
	0700	62	Rock
	0800	66	Rock
	0900	71	Rock
	1000	77	Rock
	1100	84	Rock
	1200	89	Rock
	1300	93	Rock
	1400	97	Tarr
	1500	100	Tarr
	1600	100	Tarr
	1700	99	Tarr
	1800	96	Tarr
	1900	94	Tarr
	2000	90	Tarr
	2100	84	Tarr
	2200	79	PIMPA
	2300	76	PIMPA
	2400	74	PIMPA

Stage 1 heat Alert
Reactive 2/0hr

8/1/24

Date	Time	Temp.	Printed Name
8/1/24	0100	72	PIMPA
	0200	70	PIMPA
	0300	69	PIMPA
	0400	67	PIMPA
	0500	65	PIMPA
	0600	66	Rock
	0700	67	Rock
	0800	69	Rock
	0900	74	Rock
	1000	79	Rock
	1100	85	Rock
	1200	89	Rock
	1300	94	Rock
	1400	97	Rock
	1500	98	Tarr
	1600	97	Tarr
	1700	97	Tarr
	1800	95	Tarr
	1900	94	Tarr
	2000	91	Tarr
	2100	85	Tarr
	2200	82	MISW
	2300	76	Alert
	2400	72	Alert

8/3/24

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHOK

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 69167 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	76	AVETAS
	0200	79	AVETAS
	0300	79	AVETAS
	0400	71	AVETAS
	0500	70	AVETAS
	0600	68	Her
	0700	69	Her
	0800	75	Her
	0900	83	Her
	1000	87	Her
	1100	93	Her
	1200	95	Her
	1300	98	Her
	1400	100	Tarr
	1500	103	Tarr
	1600	104	Tarr
	1700	102	Tarr
	1800	99	Tarr
	1900	96	Tarr
	2000	91	Tarr
	2100	87	Tarr
	2200	85	AVETAS
	2300	84	AVETAS
	2400	79	AVETAS

1044 Heat Alert Active!



DEACTIVATED



8/4/24

Date	Time	Temp.	Printed Name
8/4/24	0100	77	AVETAS
	0200	74	AVETAS
	0300	72	AVETAS
	0400	70	AVETAS
	0500	68	AVETAS
	0600	69	HARNE
	0700	70	(HARNE)
	0800	74	HARNE
	0900	79	HARNE
	1000	84	HARNE
	1100	86	HARNE
	1200	90	HARNE
	1300	95	HARNE
	1400	98	Her
	1500	100	Her
	1600	101	Her
	1700	99	Her
	1800	94	Her
	1900	93	Her
	2000	87	Her
	2100	82	Her
	2200	77	AVETAS
	2300	73	AVETAS
	2400	71	AVETAS

1044 Heat Alert Active!

Heat alert - deactivated.

8/5/24

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension #6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-5-24	0100	70	ARETAS
	0200	69	ARETAS
	0300	66	ARETAS
	0400	64	ARETAS
	0500	62	ARETAS
	0600	61	PORTER
	0700	62	PORTER
	0800	65	PORTER
	0900	70	PORTER
	1000	75	PORTER
	1100	82	PORTER
	1200	86	PORTER
	1300	91	PORTER
	1400	94	HER
	1500	97	HER
	1600	98	HER
	1700	97	HER
	1800	95	HER
	1900	90	HER
	2000	86	HER
	2100	79	HER
	2200	74	ARETAS
	2300	72	ARETAS
	2400	70	ARETAS

250 HOURS
STAGE 1 HEAT PLAN
ACTIVATED @ 1200

Heat alert deactivated

Date	Time	Temp.	Printed Name
8-6-24	0100	68	ARETAS
	0200	67	ARETAS
	0300	65	ARETAS
	0400	64	ARETAS
	0500	62	ARETAS
	0600	61	PORTER
	0700	62	PORTER
	0800	66	PORTER
	0900	71	PORTER
	1000	77	PORTER
	1100	83	PORTER
	1200	90	PORTER
	1300	94	PORTER
	1400	98	PORTER
	1500	101	PORTER
	1600	103	PORTER
	1700	103	PORTER
	1800	101	PORTER
	1900	99	PORTER
	2000	92	PORTER
	2100	85	PORTER
	2200	80	ARETAS
	2300	77	ARETAS
	2400	74	ARETAS

STAGE 1 HEAT PLAN
PUT IN ACTIVATION @ 2100

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL

Control

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/1/20	0100	72	ANITA
	0200	70	ANITA
	0300	68	ANITA
	0400	67	ANITA
	0500	66	ANITA
	0600	65	PORTER
	0700	66	PORTER
	0800	70	PORTER
	0900	76	PORTER
	1000	82	PORTER
	1100	90	PORTER
	1200	96	PORTER
	1300	100	PORTER
	1400	103	MGee
	1500	103	Her
	1600	103	Her
	1700	103	Her
	1800	101	Her
	1900	98	Her
	2000	90	Her
	2100	85	Her
	2200	83	Her
	2300	80	PIMENT
	2400	78	PIMENT

STAGE 1 HEAT
PLAN ACTIVATED
2:10AM

Date	Time	Temp.	Printed Name
8/8/20	0100	74	PIMENT
	0200	70	PIMENT
	0300	69	PIMENT
	0400	67	PIMENT
	0500	65	PIMENT
	0600	64	PORTER
	0700	65	PORTER
	0800	68	PORTER
	0900	75	PORTER
	1000	78	PORTER
	1100	84	PORTER
	1200	88	PORTER
	1300	93	PORTER
	1400	95	MGee
	1500	98	Her
	1600	99	Her
	1700	99	Her
	1800	98	Her
	1900	93	Her
	2000	86	Her
	2100	80	Her
	2200	76	Her
	2300	74	Her
	2400	71	PIMENT

12:20 STAGE 1 HEAT PLAN ACTIVATED
→

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/9/24	0100	69	PIMENT
	0200	67	PIMENT
	0300	66	PIMENT
	0400	64	PIMENT
	0500	63	PIMENT
	0600	63	Hubbard
	0700	64	Hubbard
	0800	67	Hubbard
	0900	72	Hubbard
1245	1000	78	Hubbard
90° activated	1100	83	Hubbard
	1200	87	Hubbard
	1300	93	Hubbard
	1400	97	Hubbard
	1500	99	BRISTOL
	1600	97	Bristol
	1700	92	MURKIN
	1800	91	MURKIN
	1900	91	MURKIN
	2000	86	MURKIN
	2100	84	MURKIN
	2200	84	ORTIZ
	2300	82	ORTIZ
	2400	70	ORTIZ

Date	Time	Temp.	Printed Name
	0100	70	ORTIZ
	0200	70	ORTIZ
	0300	70	ORTIZ
	0400	74	ORTIZ
	0500	73	ORTIZ
	0600	60	Her
	0700	61	Her
	0800	66	Her
	0900	71	Her
	1000	76	Her
	1100	83	Her
	1200	84	Her
	1300	92	Her
	1400	95	Her
	1500	98	Her
	1600	100	Her
	1700	100	Her
	1800	98	Her
	1900	94	Her
	2000	88	Her
	2100	82	Her
	2200	80	TEAM
	2300	78	TEAM
	2400	76	TEAM

INSTITUTION: CALIFORNIA HEALTH CARE FACILITY

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/11/24	0100	72	TEAM
	0200	70	TEAM
	0300	69	TEAM
	0400	68	TEAM
	0500	66	TEAM
	0600	63	PORTER
	0700	64	PORTER
	0800	68	PORTER
	0900	71	PORTER
	1000	77	PORTER
	1100	82	PORTER
	1200	88	PORTER
	1300	91	PORTER
	1400	95	ORTIZ
	1500	97	ORTIZ
	1600	91	ORTIZ
	1700	94	ORTIZ
	1800	91	ORTIZ
	1900	90	ORTIZ
	2000	79	ORTIZ
	2100	74	ORTIZ
	2200	71	ORTIZ
	2300	69	ORTIZ
	2400	66	ORTIZ

12:30 HOURS
574681-HOT
ALERT ACTIVATED

group
heat control

Date	Time	Temp.	Printed Name
8/13/24	0100	66	ORTIZ
	0200	65	ORTIZ
	0300	63	ORTIZ
	0400	61	ORTIZ
	0500	61	ORTIZ
	0600	59	R. PORTER
	0700	62	R. PORTER
	0800	64	R. PORTER
	0900	68	R. PORTER
	1000	74	R. PORTER
	1100	80	R. PORTER
	1200	85	R. PORTER
	1300	88	R. PORTER
	1400	90	H. GARD
	1500	91	H. GARD
	1600	89	H. GARD
	1700	89	H. GARD
	1800	87	H. GARD
	1900	82	H. GARD
	2000	76	H. GARD
	2100	72	H. GARD
	2200	70	H. GARD
	2300	67	PIMENTA
	2400	65	PIMENTA

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/13/24	0100	63	PIMENTA
	0200	62	PIMENTA
	0300	62	PIMENTA
	0400	60	PIMENTA
	0500	59	PIMENTA
	0600	58	PORTER
	0700	59	PORTER
	0800	61	PORTER
	0900	69	PORTER
	1000	73	PORTER
	1100	79	PORTER
	1200	83	PORTER
	1300	86	PORTER
	1400	90	PORTER
	1500	92	PORTER
	1600	93	PORTER
	1700	91	PORTER
	1800	90	PORTER
	1900	86	PORTER
	2000	80	PORTER
	2100	76	PORTER
	2200	73	ARETAS
	2300	70	ARETAS
8/14/24	2400	68	ARETAS

STAGE 1
HOST 74.42 & 74.40
→ ACTIVATED 8/13/24

STAGE 1
DEACTIVATED
→ 8/19/24

Date	Time	Temp.	Printed Name
8/14/24	0100	66	ARETAS
	0200	64	ARETAS
	0300	63	ARETAS
	0400	62	ARETAS
	0500	61	ARETAS
	0600	60	PORTER
	0700	61	PORTER
	0800	66	PORTER
	0900	71	PORTER
	1000	76	PORTER
	1100	81	PORTER
	1200	85	PORTER
	1300	90	PORTER
	1400	92	C. CASINO
	1500	94	C. CASINO
	1600	94	C. CASINO
	1700	94	C. CASINO
	1800	92	C. CASINO
	1900	88	C. CASINO
	2000	81	C. CASINO
	2100	77	C. CASINO
	2200	75	PIMENTA
	2300	74	PIMENTA
	2400	72	PIMENTA

STAGE 1 HOST PLANT
→ ACTIVATED 8/13/24

→

STAGE 1
DEACTIVATED
→ 8/19/24

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/16/21	0100	68	PIMFA
	0200	66	PIMFA
	0300	64	PIMFA
	0400	63	PIMFA
	0500	62	PIMFA
	0600	60	PORTOL
	0700	62	PORTOL
	0800	66	PORTOL
	0900	72	PORTOL
	1000	76	PORTOL
	1100	82	PORTOL
	1200	86	PORTOL
	1300	90	PORTOL
	1400	91	C. CASINO
	1500	92	C. CASINO
	1600	92	C. CASINO
	1700	92	C. CASINO
	1800	90	C. CASINO
	1900	85	C. CASINO
	2000	81	C. CASINO
	2100	75	C. CASINO
	2200	73	C. CASINO
	2300	71	C. CASINO
	2400	68	PIMFA

1930hrs : STAGE 1
HEAT PLAN ACTIVATED @
1300 hrs 8/25
↓

8/16/21

Date	Time	Temp.	Printed Name
8/16/21	0100	67	PIMFA
	0200	65	PIMFA
	0300	64	PIMFA
	0400	62	PIMFA
	0500	61	PIMFA
	0600	68	PIMFA
	0700	61	PIMFA
	0800	65	PIMFA
	0900	70	PIMFA
	1000	75	PIMFA
	1100	80	PIMFA
	1200	86	PIMFA
	1300	89	PIMFA
	1400	91	C. CASINO
	1500	93	C. CASINO
	1600	94	C. CASINO
	1700	94	C. CASINO
	1800	91	C. CASINO
	1900	87	C. CASINO
	2000	80	C. CASINO
	2100	76	C. CASINO
	2200	73	PIMFA
	2300	71	PIMFA
	2400	69	PIMFA

1930 hrs : STAGE 1
HEAT ACTIVATED
↓

8/17/21

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/17/24	0100	67	PINERA
	0200	65	PINERA
	0300	64	PINERA
	0400	63	PINERA
	0500	61	PINERA
	0600	61	HER
	0700	62	HER
	0800	64	HER
	0900	70	HER
	1000	73	HER
	1100	78	HER
	1200	82	HER
	1300	84	HER
	1400	85	C. CASINO
	1500	87	C. CASINO
	1600	86	C. CASINO
	1700	84	C. CASINO
	1800	82	C. CASINO
	1900	78	C. CASINO
	2000	75	C. CASINO
	2100	78	C. CASINO
	2200	69	TEAM
	2300	67	TEAM
	2400	66	TEAM

Date	Time	Temp.	Printed Name
8/18/24	0100	65	TEAM
	0200	64	TEAM
	0300	64	TEAM
	0400	63	TEAM
	0500	61	TEAM
	0600	62	PAPAYAN
	0700	63	PAPAYAN
	0800	64	PAPAYAN
	0900	67	PAPAYAN
	1000	71	PAPAYAN
	1100	76	PAPAYAN
	1200	81	PAPAYAN
	1300	81	PAPAYAN
	1400	84	ARETAS
	1500	86	ARETAS
	1600	87	ARETAS
	1700	87	ARETAS
	1800	84	ARETAS
	1900	81	ARETAS
	2000	76	ARETA
	2100	72	ARETA
	2200	69	ARETAS
	2300	67	ARETA
	2400	65	ARETA

INSTITUTION: OHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
9/19/14	0100	63	AREAS
	0200	61	AREAS
	0300	60	AREAS
	0400	59	AREAS
	0500	57	AREAS
	0600	57	POTTER
	0700	59	POTTER
	0800	63	POTTER
	0900	67	POTTER
	1000	72	POTTER
	1100	80	POTTER
	1200	84	POTTER
	1300	87	POTTER
	1400	89	POTTER
<i>Actual</i>	1500	80	POTTER
<i>1800</i>	1600	80	POTTER
<i>1745</i>	1700	84	POTTER
<i>deadset</i>	1800	87	POTTER
	1900	83	POTTER
	2000	79	POTTER
	2100	75	POTTER
	2200	70	POTTER
	2300	67	AREAS
9/20/14	2400	65	AREAS

Date	Time	Temp.	Printed Name
9/20/14	0100	63	AREAS
	0200	61	AREAS
	0300	60	AREAS
	0400	59	AREAS
	0500	58	AREAS
	0600	57	POTTER
	0700	57	POTTER
	0800	64	POTTER
	0900	68	POTTER
	1000	73	POTTER
	1100	80	POTTER
	1200	86	POTTER
	1300	88	POTTER
	1400	92	C. CASINO
	1500	92	C. CASINO
	1600	93	C. CASINO
	1700	92	C. CASINO
	1800	91	C. CASINO
	1900	87	C. CASINO
	2000	81	C. CASINO
	2100	76	C. CASINO
	2200	72	AREAS
	2300	70	AREAS
	2400	67	AREAS

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/21/24	0100	64	ARETAS
	0200	63	ARETAS
	0300	62	ARETAS
	0400	61	ARETAS
	0500	59	ARETAS
	0600	59	PORTER
	0700	61	PORTER
	0800	66	PORTER
	0900	71	PORTER
	1000	76	PORTER
	1100	82	PORTER
	1200	86	PORTER
	1300	89	PORTER
	1400	91	C. CASINO
	1500	92	C. CASINO
	1600	92	C. CASINO
	1700	90	C. CASINO
	1800	86	C. CASINO
	1900	82	C. CASINO
	2000	77	C. CASINO
	2100	72	C. CASINO
	2200	68	PIMENTA
	2300	66	PIMENTA
	2400	65	PIMENTA

STAGE 1 ACTIVATION
2 1315 hours

1846 hrs: Stage 2
PARTICIPATED

Date	Time	Temp.	Printed Name
8/22/24	0100	64	PIMENTA
	0200	62	PIMENTA
	0300	61	PIMENTA
	0400	60	PIMENTA
	0500	59	PIMENTA
	0600	58	Reck
	0700	59	Reck
	0800	63	Reck
	0900	67	Reck
	1000	71	Reck
	1100	75	Reck
	1200	79	Reck
	1300	80	C. REBELO
	1400	82	C. REBELO
	1500	83	C. REBELO
	1600	81	C. REBELO
	1700	80	C. REBELO
	1800	78	C. REBELO
	1900	74	C. REBELO
	2000	70	C. REBELO
	2100	67	C. REBELO
	2200	66	PIMENTA
	2300	64	PIMENTA
	2400	63	PIMENTA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: C14CF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/23/24	0100	62	PIMERA
	0200	61	PIMERA
	0300	59	PIMERA
	0400	58	PIMERA
	0500	57	PIMERA
	0600	57	1466ad
	0700	60	1466ad
	0800	61	1466ad
	0900	65	1466ad
	1000	68	1466ad
	1100	72	1466ad
	1200	74	1466ad
	1300	76	1466ad
	1400	77	1466ad
	1500	78	C. CASINO
	1600	77	C. CASINO
	1700	76	C. CASINO
	1800	75	C. CASINO
	1900	78	C. CASINO
	2000	68	C. CASINO
	2100	66	C. CASINO
	2200	65	PIMERA
	2300	63	PIMERA
8/24/24	2400	62	PIMERA

Date	Time	Temp.	Printed Name
8/24/24	0100	61	PIMERA
	0200	60	PIMERA
	0300	59	PIMERA
	0400	59	PIMERA
	0500	59	PIMERA
	0600	59	1466ad
	0700	60	1466ad
	0800	63	1466ad
	0900	67	1466ad
	1000	70	1466ad
	1100	74	1466ad
	1200	74	1466ad
	1300	78	1466ad
	1400	79	C. CASINO
	1500	79	C. CASINO
	1600	81	C. CASINO
	1700	80	C. CASINO
	1800	77	C. CASINO
	1900	76	C. CASINO
	2000	73	C. CASINO
	2100	69	C. CASINO
	2200	65	OPT12
	2300	66	OPT12
	2400	74	OPT12

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 16947 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-25-24	0100	62	OPT12
	0200	60	OPT12
	0300	59	OPT12
	0400	58	OPT12
	0500	57	OPT12
	0600	57	C. REBECO
	0700	57	C. REBECO
	0800	61	C. REBECO
	0900	65	C. REBECO
	1000	71	C. REBECO
	1100	76	C. REBECO
	1200	80	C. REBECO
	1300	82	C. REBECO
	1400	83	Hes
	1500	85	Hes
	1600	86	Hes
	1700	88	Hes
	1800	87	Hes
	1900	84	Hes
	2000	79	Hes
	2100	75	Hes
	2200	71	ARETA
	2300	69	ARETA
8-26-24	2400	68	ARETA

Date	Time	Temp.	Printed Name
8-26-24	0100	66	ARETA
	0200	64	ARETA
	0300	63	ARETA
	0400	61	ARETA
	0500	60	ARETA
	0600	58	PONTEN
	0700	59	PONTEN
	0800	60	PONTEN
	0900	70	PONTEN
	1000	75	PONTEN
	1100	80	PONTEN
	1200	86	PONTEN
	1300	88	PONTEN
	1400	90	Hes
	1500	91	Hes
	1600	93	Hes
	1700	94	Hes
	1800	92	Hes
	1900	89	Hes
	2000	83	Hes
	2100	79	Hes
	2200	75	Hes
	2300	74	ARETA
	2400	72	ARETA

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION:

CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location:

CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8-11-14	0100	70	ARETAS
	0200	68	ARETAS
	0300	66	ARETAS
	0400	65	ARETAS
	0500	63	ARETAS
	0600	61	PORTER
	0700	62	PORTER
	0800	66	PORTER
	0900	72	PORTER
	1000	77	PORTER
	1100	85	PORTER
	1200	90	PORTER
	1300	93	PORTER
	1400	95	C. CASINO
	1500	95	C. CASINO
	1600	96	C. CASINO
	1700	97	C. CASINO
	1800	97	C. CASINO
	1900	94	C. CASINO
	2000	89	C. CASINO
	2100	84	C. CASINO
	2200	79	ARETAS
	2300	77	ARETAS
	2400	75	ARETAS

STAGE 1
ACTIVATED
→ 1200

NOTES: STAGE 2
DEACTIVATED

8-20-14

Date	Time	Temp.	Printed Name
8-20-14	0100	73	ARETAS
	0200	70	ARETAS
	0300	68	ARETAS
	0400	66	ARETAS
	0500	64	ARETAS
	0600	62	PORTER
	0700	62	PORTER
	0800	67	PORTER
	0900	72	PORTER
	1000	80	PORTER
	1100	86	PORTER
	1200	91	PORTER
	1300	95	PORTER
	1400	97	C. CASINO
	1500	98	C. CASINO
	1600	99	C. CASINO
	1700	99	C. CASINO
	1800	97	C. CASINO
	1900	94	C. CASINO
	2000	86	C. CASINO
	2100	80	C. CASINO
	2200	75	PIMENT
	2300	72	PIMENT
	2400	69	PIMENT

STAGE 1
ACTIVATED
→ 2100 Hours

NOTES: STAGE 2
DEACTIVATED

8-20-14

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
8/29/24	0100	67	P1MFA
	0200	65	P1MFA
	0300	64	P1MFA
	0400	62	P1MFA
	0500	61	P1MFA
	0600	59	PORTER
	0700	59	PORTER
	0800	63	PORTER
	0900	68	PORTER
	1000	73	PORTER
	1100	78	PORTER
	1200	84	PORTER
	1300	88	PORTER
	1400	91	C. Casino
	1500	93	C. Casino
	1600	94	C. Casino
	1700	93	C. Casino
	1800	91	C. Casino
	1900	86	C. Casino
	2000	80	C. Casino
	2100	76	C. Casino
	2200	72	P1MFA
	2300	69	P1MFA
8/30/24	2400	67	P1MFA

STAGE 1
ACTIVATED
1315 HOURS

1916 HRS STAGE 2
DEACTIVATED

Date	Time	Temp.	Printed Name
8/30/24	0100	65	P1MFA
	0200	64	P1MFA
	0300	63	P1MFA
	0400	61	P1MFA
	0500	60	P1MFA
	0600	58	HER
	0700	56	HER
	0800	61	HER
	0900	66	HER
	1000	71	HER
	1100	79	HER
	1200	85	HER
	1300	88	HER
	1400	91	C. Casino
	1500	92	C. Casino
	1600	94	C. Casino
	1700	94	C. Casino
	1800	92	C. Casino
	1900	89	C. Casino
	2000	83	C. Casino
	2100	77	C. Casino
	2200	72	P1MFA
	2300	70	P1MFA
8/31/24	2400	68	P1MFA

1915 HRS STAGE 2
HP ACTIVATED

STATE OF CALIFORNIA
OUTSIDE TEMPERATURE RECORD
CDCR 2030 (04/18)

Attachment C

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: CHCF

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: CENTRAL CONTROL

Immediately notify the Watch Commander at extension 6967 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
6/30/24	0100	66	PIMENTA
	0200	65	PIMENTA
	0300	63	PIMENTA
	0400	62	PIMENTA
	0500	60	PIMENTA
	0600	59	Hev
	0700	61	Hev
	0800	65	Hev
	0900	68	Hev
	1000	73	Hev
	1100	79	Hev
	1200	85	Hev
	1300	84	Hev
	1400	90	ARETAS
	1500	94	ARETAS
	1600	94	ARETAS
	1700	94	ARETAS
	1800	91	ARETAS
	1900	89	ARETAS
	2000	87	ARETAS
	2100	75	ARETAS
	2200	72	ARETAS
	2300	69	ARETAS
	2400	67	ARETAS

1915 - STATE Heat Alert
Activated.

Heat Alert
Begins

21
Heat Alert
Begins

4-1-2024

Date	Time	Temp.	Printed Name
6/30/24	0100	66	ARETAS
	0200	65	ARETAS
	0300	63	ARETAS
	0400	61	ARETAS
	0500	60	ARETAS
	0600	58	PORTER
	0700	58	PORTER
	0800	63	PORTER
	0900	66	PORTER
	1000	72	PORTER
	1100	77	PORTER
	1200	73	PORTER
	1300	81	PORTER
	1400	82	PORTER
	1500	91	PORTER
	1600	92	PORTER
	1700	91	PORTER
	1800	90	PORTER
	1900	83	PORTER
	2000	77	PORTER
	2100	73	PORTER
	2200	68	ARETAS
	2300	66	ARETAS
	2400	66	ARETAS

Heat plan
activated
4/5

HP Deact.
10/29