

## Monthly Summary Report

Institution: PBSP

### Memorandum

Date: June 3, 2024

To: Statewide Heat Plan Coordinator

Subject: Heat Plan Activity - MONTHLY SUMMARY REPORT

The following is a summary of the heat related activity for the month of May 2024,  
at PBSP (Institution)

1. Were outside temperatures 90 degrees or above (Stage I Alerts)? No

Number of days Stage I Alert initiated: 0

2. Were cooling and/or hydration measures instituted in housing units reaching 90 degrees or more (Stage II Alert)? No

Number of days Stage II Alert initiated: 0

3. Were medical rounds performed in housing units reaching 95 degrees or more (Stage III Alert)? No

Number of days Stage III Alert initiated: 0

4. Weekly list of heat risk patients archived?:Yes

5. Number of patients with heat related illness.0 List these patients on the Heat Incident Log and include the patients name, CDCR #, list of heat risk medications, Mental Health Services Delivery System designation, description of the symptoms diagnosis at the time of the heat related illness, a brief summary of the medical treatment rendered, where the incident occurred, and the ultimate disposition of the patient. The Heat Incident log shall be submitted each month with the Monthly Summary Report if heat related illnesses have occurred.

Weekly list of Heat-Risk Patients is generated by the pharmacy. A hard copy is distributed to the Facility Lieutenants, Classifications and Parole Representative, Food Manager, Outpatient Housing Unit and Mental Health Department. An e-mail copy is distributed to the Litigation Coordinator, Associate Warden, Facility Captains, Prison Industry Authority, Education Staff and Medical Staff.

Inside and Outside Temperature Logs, Medical Rounds Logs, Heat Incident Logs and Weekly lists of Heat-Risk Patients have been collected and are on file and easily accessible in the office of the institution's Heat Plan Coordinator.

Mike Betzinger

Warden Name

DocuSigned by:



D366996AE395411...

Warden Signature

Bill Woods

Chief Executive Officer Name

DocuSigned by:



A6DB1EAFF9D24EA...

Chief Executive Officer Signature

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-31-2024	0100	50	
	0200	49	Floyd
	0300	48	
	0400	47	
	0500	47	
	0600	47	
	0700	47	
	0800	54	
	0900	57	
	1000	64	M. Johnson
	1100	62	
	1200	62	
	1300	60	
	1400	61	G. CASTILLO
	1500	61	Oliver
	1600	60	Oliver
	1700	59	Oliver
	1800	57	Oliver
	1900	56	Oliver
	2000	56	Oliver
	2100	52	Oliver
	2200	50	Floyd
	2300	49	
	2400	48	

Date	Time	Temp.	Printed Name
6-1-2024	0100	48	
	0200	47	Floyd
	0300	46	
	0400	48	
	0500	46	
	0600	45	
	0700	50	
	0800	53	
	0900	52	
	1000	52	
	1100	56	
	1200	55	
	1300	55	
	1400	55	
	1500	54	
	1600	54	
	1700	54	
	1800	56	
	1900	55	
	2000	52	
	2100	52	
	2200	52	
	2300	52	S. McCovey
	2400	52	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-20-24	0100	50	
	0200	49	
	0300	47	Floyd
	0400	46	
	0500	45	
	0600	44	
	0700	50	
	0800	51	
	0900	53	
	1000	54	
	1100	54	John
	1200	54	John
	1300	54	
	1400	55	
	1500	53	
	1600	53	
	1700	52	
	1800	53	John
	1900	52	John
	2000	51	
	2100	50	
	2200	50	Floyd
	2300	49	
	2400	48	

Date	Time	Temp.	Printed Name
5-30-24	0100	47	
	0200	46	
	0300	45	
	0400	45	
	0500	45	
	0600	45	
	0700	52	
	0800	59	
	0900	54	
	1000	59	
	1100	60	
	1200	59	
	1300	59	
	1400	60	
	1500	60	
	1600	59	
	1700	58	
	1800	57	
	1900	55	
	2000	54	John
	2100	50	
	2200	50	
	2300	49	
	2400		

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-27-14	0100	50	
	0200	50	
	0300	50	
	0400	50	Nova
	0500	50	
	0600	44	
	0700	52	
	0800	52	
	0900	52	
	1000	53	Tower
	1100	57	
	1200	56	vis
	1300	55	
	1400	56	
	1500	55	
	1600	53	
	1700	53	
	1800	53	
	1900	53	D:am
	2000	52	
	2100	51	
	2200	51	Floyd
	2300	50	
	2400	50	

Date	Time	Temp.	Printed Name
5-28-14	0100	52	
	0200	52	Floyd
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	54	
	0900	54	
	1000	54	Jalms
	1100	54	
	1200	56	
	1300	56	
	1400	55	
	1500	54	
	1600	55	
	1700	54	
	1800	53	
	1900	54	0:05
	2000	53	
	2100	51	
	2200	51	Floyd
	2300	50	
	2400	50	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-25-24	0100	50	
	0200	50	T. Geay
	0300	50	
	0400	50	
	0500	50	
	0600	50	
	0700	50	
	0800	50	
	0900	50	
	1000	52	A. H.
	1100	51	
	1200	52	
	1300	52	
	1400	52	
	1500	52	
	1600	52	
	1700	52	
	1800	52	G. P. EN
	1900	52	
	2000	52	
	2100	51	
	2200	51	Penra
	2300	50	
	2400	49	

Date	Time	Temp.	Printed Name
5-26-24	0100	48	
	0200	51	Penra
	0300	51	
	0400	51	
	0500	51	
	0600	43	
	0700	49	
	0800	50	
	0900	52	
	1000	55	J. McCaughey
	1100	52	
	1200	53	b
	1300	53	
	1400	51	
	1500	51	
	1600	52	
	1700	52	
	1800	51	
	1900	50	D. J. d
	2000	50	
	2100	49	
	2200	51	
	2300	50	N. m
	2400	49	

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	50	
	0200	49	
	0300	49	A-Perez
	0400	48	
	0500	48	
	0600	40	
	0700	46	
	0800	48	
	0900	51	
	1000	53	
	1100	52	MJS
	1200	54	
	1300	54	
	1400	50	
	1500	50	
	1600	50	
	1700	50	
	1800	50	
	1900	50	
	2000	50	
	2100	49	
	2200		
	2300		
	2400		

Date	Time	Temp.	Printed Name
	0100		
	0200		
	0300		
	0400		
	0500		
	0600	42	
	0700	44	
	0800	48	
	0900	52	
	1000	54	
	1100	54	
	1200	54	
	1300	54	
	1400	54	
	1500	50	1. Sodaberry
	1600	50	
	1700	50	
	1800	50	
	1900	50	
	2000	48	
	2100	48	
	2200	48	
	2300	49	
	2400	49	F. Gray

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-21-201	0100	48	
	0200	48	
	0300	48	
	0400	48	
	0500	48	
	0600	48	
	0700	48	
	0800	50	
	0900	56	
	1000	56	
	1100	53	
	1200	53	
	1300	52	
	1400	52	
	1500	51	
	1600	50	
	1700	49	
	1800	48	
	1900	48	
	2000	47	
	2100	46	
	2200	47	
	2300	47	
	2400	47	

Date	Time	Temp.	Printed Name
	0100	47	
	0200	47	
	0300	47	
	0400	47	
	0500	47	
	0600	47	
	0700	47	
	0800	48	
	0900	52	
	1000	50	
	1100	52	
	1200	52	
	1300	50	
	1400	51	
	1500	51	
	1600	50	
	1700	49	
	1800	48	
	1900	48	
	2000	47	
	2100	46	
	2200	47	
	2300	47	A. pena
	2400	46	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5/19/2024	0100	43	
	0200	42	
	0300	42	
	0400	42	J. McClevey
	0500	42	
	0600	42	
	0700	46	
	0800	48	
	0900	50	
	1000	50	Maltaverne
	1100	50	
	1200	50	
	1300	51	
	1400	51	
	1500	51	
	1600	52	
	1700	51	
	1800	51	
	1900	51	D. Johnson
	2000	50	
	2100	48	
	2200	48	
	2300	48	J. McClevey
	2400	48	

Date	Time	Temp.	Printed Name
5/20/24	0100	48	
	0200	46	
	0300	45	
	0400	45	J. McClevey
	0500	45	
	0600	45	
	0700	49	
	0800	49	
	0900	50	no sun
	1000	54	S. Johnson
	1100	54	J. McClevey
	1200	54	M. Johnson
	1300	52	M. Johnson
	1400	52	
	1500	52	
	1600	50	
	1700	50	
	1800	50	
	1900	51	
	2000	51	
	2100	48	
	2200	48	
	2300	48	
	2400	48	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-17-2024	0100	48	
	0200	48	(10/10)
	0300	47	
	0400	46	
	0500	46	
	0600	47	
	0700	49	
	0800	49	
	0900	50	
	1000	51	
	1100	52	gross
	1200	54	
	1300	54	
	1400	54	
	1500	55	
	1600	55	
	1700	55	
	1800	55	
	1900	55	
	2000	54	
	2100	50	
	2200	49	R.S.
	2300	48	
	2400	47	

Date	Time	Temp.	Printed Name
5-18-2024	0100	46	
	0200	45	
	0300	44	
	0400	43	
	0500	43	
	0600	45	
	0700	50	
	0800	50	
	0900	52	
	1000	52	
	1100	55	A. ELLIS
	1200	56	
	1300	55	
	1400	53	
	1500	51	
	1600	50	
	1700	50	
	1800	50	
	1900	50	
	2000	50	
	2100	49	
	2200	47	
	2300	46	S. McGehee
	2400	44	

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-15-24	0100	49	
	0200	49	
	0300	49	(70)
	0400	49	
	0500	49	
	0600	50	
	0700	60	
	0800	66	
	0900	66	5-15-24
	1000	69	
	1100	72	
	1200	72	
	1300	64	
	1400	65	
	1500	65	
	1600	64	
	1700	66	
	1800	64	
	1900	62	5-16-24
	2000	60	
	2100	53	
	2200	53	Floyd
	2300	52	
	2400	51	

Date	Time	Temp.	Printed Name
5-16-24	0100	50	
	0200	49	
	0300	48	
	0400	47	
	0500	47	
	0600	47	
	0700	47	
	0800	50	
	0900	52	5-16-24
	1000	54	
	1100	54	
	1200	54	
	1300	56	
	1400	56	
	1500	60	
	1600	59	
	1700	58	
	1800	55	
	1900	50	
	2000	50	
	2100	50	
	2200	49	Floyd
	2300	48	
	2400	48	

STATE OF CALIFORNIA  
OUTSIDE TEMPERATURE RECORD  
CDCR 2030 (04/18)

Attachment G  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-13-2024	0100	49	
	0200	49	
	0300	49	J. McCaughy
	0400	49	
	0500	49	
	0600	49	
	0700	48	
	0800	48	
	0900	48	
	1000	49	
	1100	54	
	1200	56	M. Johnson
	1300	56	
	1400	57	
	1500	58	
	1600	60	
	1700	59	
	1800	57	
	1900	55	D. S.
	2000	53	
	2100	50	
	2200	50	Floyd
	2300	50	
	2400	49	

Date	Time	Temp.	Printed Name
5-14-2024	0100	49	
	0200	48	
	0300	48	Floyd
	0400	48	
	0500	48	
	0600	48	
	0700	48	
	0800	48	
	0900	49	
	1000	54	
	1100	60	M. Johnson
	1200	60	
	1300	69	
	1400	65	
	1500	67	
	1600	66	
	1700	66	
	1800	64	
	1900	64	D. S.
	2000	64	
	2100	53	
	2200	52	Floyd
	2300	51	
	2400	50	

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
<i>May 11th 2024</i>			
	0100	52	
	0200	51	
	0300	50	<i>(X) J</i>
	0400	49	<i>(X) J</i>
	0500	49	
	0600	55	
	0700	59	
	0800	60	
	0900	60	
	1000	61	<i>(X) M</i>
	1100	60	<i>(X) M</i>
	1200	60	
	1300	60	
	1400	60	
	1500	60	
	1600	58	
	1700	56	
	1800	55	
	1900	55	
	2000	49	
	2100	49	<i>F10/10</i>
	2200	49	<i>F10/10</i>
	2300	49	
	2400	49	

Date	Time	Temp.	Printed Name
<i>May 12th 2024</i>			
	0100	48	
	0200	48	
	0300	48	
	0400	48	
	0500	48	
	0600	48	
	0700	48	
	0800	47	
	0900	47	
	1000	49	<i>M. Farley</i>
	1100	50	
	1200	51	
	1300	51	
	1400	52	
	1500	53	
	1600	53	
	1700	54	
	1800	54	
	1900	50	<i>D. M</i>
	2000	50	
	2100	50	
	2200	50	
	2300	50	<i>S. McCay</i>
	2400	49	

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
<b>May 9th 2024</b>	0100	52	
	0200	51	Floyd
	0300	56	
	0400	49	
	0500	48	
	0600	47	
	0700	54	
	0800	57	
	0900	60	
	1000	64	M. Johnson
	1100	64	
	1200	65	
	1300	65	
	1400	69	
	1500	69	
	1600	67	
	1700	67	Unmarked
	1800	71	
	1900	71	
	2000	69	
	2100	59	Floyd
	2200	54	
	2300	53	
	2400	52	

Date	Time	Temp.	Printed Name
<b>May 10th 2024</b>	0100	51	Floyd
	0200	50	
	0300	49	
	0400	48	
	0500	48	
	0600	49	
	0700	55	
	0800	60	
	0900	64	Floyd
	1000	67	
	1100	67	
	1200	68	
	1300	68	
	1400	68	
	1500	69	
	1600	70	
	1700	70	
	1800	68	Elliott
	1900	65	
	2000	62	
	2100	58	
	2200	55	Floyd
	2300	54	
	2400	53	

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
 CDCR 2030 (04/18)

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	43	
	0200	42	(10)
	0300	42	(10)
	0400	42	
	0500	42	
	0600	40	
	0700	44	
	0800	46	
	0900	47	
	1000	50	Johson
	1100	50	(10)
	1200	50	(10)
	1300	50	
	1400	50	
	1500	50	
	1600	50	
	1700	50	
	1800	50	(10)
	1900	50	(10)
	2000	50	
	2100	48	(10)
	2200	48	(10)
	2300	47	
	2400	46	

5-7-24

Date	Time	Temp.	Printed Name
	0100	45	
	0200	44	(10)
	0300	44	(10)
	0400	44	
	0500	44	
	0600	44	
	0700	48	
	0800	48	
	0900	51	Johson
	1000	52	
	1100	52	(10)
	1200	54	
	1300	54	
	1400	54	
	1500	54	
	1600	54	
	1700	56	
	1800	56	
	1900	58	Dick
	2000	58	Dick
	2100	53	(10)
	2200	52	(10)
	2300	51	
	2400	50	

5-8-24

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

5-5-2024

Date	Time	Temp.	Printed Name
	0100	40	
	0200	40	
	0300	40	
	0400	40	
	0500	40	
	0600	40	
	0700	42	
	0800	44	
	0900	46	
	1000	49	S. McCovey
	1100	50	
	1200	52	
	1300	52	
	1400	52	
	1500	52	
	1600	42	
	1700	42	
	1800	51	DPA
	1900	51	
	2000	50	
	2100	49	
	2200	47	
	2300	45	
	2400	45	

5-6-2024

Date	Time	Temp.	Printed Name
	0100	45	
	0200	45	
	0300	45	
	0400	45	
	0500	45	
	0600	45	
	0700	45	
	0800	46	
	0900	46	
	1000	47	
	1100	47	
	1200	48	
	1300	48	
	1400	51	
	1500	50	
	1600	49	
	1700	48	
	1800	50	
	1900	49	DPA
	2000	49	
	2100	46	
	2200	45	
	2300	44	
	2400	44	

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
	0100	42	
5-3-2024	0200	42	
	0300	41	Floyd
	0400	41	
	0500	41	
	0600	41	
	0700	41	
	0800	50	
	0900	51	
	1000	51	
	1100	51	M. Johnson
	1200	56	
	1300	56	
	1400	56	
	1500	54	
	1600	53	
	1700	51	
	1800	51	M. Laffon
	1900	49	
	2000	49	
	2100	49	
	2200	49	Floyd
	2300	48	
	2400	47	

Date	Time	Temp.	Printed Name
5-4-2024	0100	46	
	0200	45	
	0300	44	Floyd
	0400	43	
	0500	42	
	0600	42	
	0700	41	
	0800	40	
	0900	42	
	1000	44	
	1100	45	
	1200	47	McCaskill
	1300	49	
	1400	48	
	1500	48	
	1600	47	
	1700	47	
	1800	47	
	1900	47	
	2000	46	
	2100	44	
	2200	43	
	2300	42	
	2400	40	S. McCovey

STATE OF CALIFORNIA  
**OUTSIDE TEMPERATURE RECORD**  
CDCR 2030 (04/18)

INSTITUTION: PELICAN BAY STATE PRISON

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the OUTSIDE ambient air temperature.

Using an accurate thermometer located in a central, heat neutral location, the outside air temperature is to be taken every hour, seven (7) days a week.

Thermometer Location: TOWER 1

Immediately notify the Watch Commander at extension 5555 when the air temperature reaches 90 degrees.

Date	Time	Temp.	Printed Name
5-1-24	0100	41	
	0200	40	F/10/10
	0300	39	
	0400	38	
	0500	37	
	0600	37	
	0700	43	
	0800	46	
	0900	46	
	1000	48	M/10/10
	1100	48	
	1200	48	
	1300	48	
	1400	48	
	1500	48	
	1600	48	
	1700	48	L/10/10
	1800	48	
	1900	48	
	2000	47	
	2100	47	S/10/10
	2200	47	
	2300	47	
	2400	46	

Date	Time	Temp.	Printed Name
5-2-24	0100	46	F/10/10
	0200	46	
	0300	46	
	0400	46	
	0500	46	
	0600	46	
	0700	46	
	0800	46	
	0900	47	
	1000	50	J/10/10
	1100	51	
	1200	52	R/10/10
	1300	52	
	1400	52	Goweblock
	1500	52	Goweblock
	1600	50	
	1700	50	
	1800	50	
	1900	50	
	2000	48	W/10/10
	2100	46	
	2200	45	
	2300	45	
	2400	44	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC

Temp. Reading Location: Officers Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4-29-24	0300	70	C THORPE
	0600	71	J FOUST
	0900	71	J FOUST
	1200	71	I. FOUST
	1500	70	C THORPE
	1800	72	C THORPE
	2100	71	C THORPE
	2400	71	C THORPE

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	70	Luverna
	0600	70	F. MENDEZ
	0900	70	F. MENDEZ
	1200	70	F. MENDEZ
	1500	70	Luverna
	1800	70	E Kleespies
	2100	70	Luverna
	2400	70	Luverna

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	71	Luverna
	0600	70	CONTRERA
	0900	71	CONTRERA
	1200	71	CONTRERA
	1500	71	O. Thomas
	1800	71	O. Thomas
	2100	71	O. Thomas
	2400	70	Luverna

Sunday

Date	Time	Temp.	Name (Print)
5-5-24	0300	70	E. ESTRADA
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	70	CROMWELL
	1800	70	CROMWELL
	2100	70	CROMWELL
	2400	70	C THORPE

Tuesday

Date	Time	Temp.	Name (Print)
4-30-24	0300	70	C THORPE
	0600	70	R. PALAF
	0900	70	R. PALAF
	1200	70	R. PALAF
	1500	71	E. KLEESPIES
	1800	71	E. KLEESPIES
	2100	71	E. KLEESPIES
	2400	71	Luverna

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	70	Luverna
	0600	70	CONTRERA
	0900	70	CONTRERA
	1200	71	CONTRERA
	1500	70	Luverna
	1800	72	C. BAKER
	2100	72	C. BAKER
	2400	71	Luverna

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	70	Luverna
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	70	Luverna
	1800	70	Luverna
	2100	70	Luverna
	2400	70	E. ESTRADA

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Offices Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	C THORPE
	0600	70	MAGNUSEN
	0900	70	MAGNUSEN
	1200	71	MAGNUSEN
	1500	71	THORPE
	1800	71	THORPE
	2100	71	THORPE
	2400	71	THORPE

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	71	C THORPE
	0600	71	MAGNUSEN
	0900	71	MAGNUSEN
	1200	71	MAGNUSEN
	1500	71	E Kleespies
	1800	70	Luvera
	2100	70	Luvera
	2400	70	Luvera

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	72	Luvera
	0600	72	CONTRERAS
	0900	72	CONTRERAS
	1200	72	CONTRERAS
	1500	75	Ezell
	1800	75	Ezell
	2100	73	Ezell
	2400	73	Ezell

Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	72	Ezell
	0600	72	HENRY
	0900	72	V Ford
	1200	72	V Ford
	1500	72	THORPE
	1800	72	THORPE
	2100	72	THORPE
	2400	72	THORPE

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	71	THORPE
	0600	71	MAGNUSEN
	0900	71	MAGNUSEN
	1200	71	MAGNUSEN
	1500	71	C THORPE
	1800	71	C THORPE
	2100	71	C THORPE
	2400	71	C THORPE

Thursday

Date	Time	Temp.	Name (Print)
5/8/24	0300	69	Luvera
	0600	70	CONTRERAS
	0900	70	CONTRERAS
	1200	70	CONTRERAS
	1500	72	CBalzer
	1800	73	Luvera
	2100	74	Luvera
	2400	72	Luvera

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	73	Ezell
	0600	72	HENRY
	0900	75	HENRY
	1200	75	HENRY
	1500	74	E Kleespies
	1800	74	Ezell
	2100	72	Ezell
	2400	72	Ezell

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer's Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-13-24	0300	72	THORPE
	0600	72	CARLSON
	0900	72	CARLSON
	1200	72	CARLSON
	1500	72	F. MENDEZ
	1800	72	F. MENDEZ
	2100	72	F. MENDEZ
	2400	72	CTHORPE

Wednesday

Date	Time	Temp.	Name (Print)
5-15-24	0300	70	E. ESTRADA
	0600	71	R. PALAFFOX
	0900	71	R. PALAFFOX
	1200	71	R. PALAFFOX
	1500	73	E2el
	1800	72	E2el
	2100	72	E2el
	2400	70	E. ESTRADA

Friday

Date	Time	Temp.	Name (Print)
5-17-24	0300	72	CONTRERAS
	0600	72	CONTRERAS
	0900	72	CONTRERAS
	1200	72	CONTRERAS
	1500	72	E. KESNER
	1800	72	E. KESNER
	2100	72	E. KESNER
	2400	72	A. Haga

Sunday

Date	Time	Temp.	Name (Print)
5-19-24	0300	72	THORPE
	0600	72	HENRY
	0900	72	THORPE
	1200	72	THORPE
	1500	72	THORPE
	1800	72	THORPE
	2100	72	THORPE
	2400	72	THORPE

Tuesday

Date	Time	Temp.	Name (Print)
5-14-24	0300	72	CTHORPE
	0600	72	R. PALAFFOX
	0900	72	R. PALAFFOX
	1200	72	R. PALAFFOX
	1500	73	CTHORPE
	1800	72	CTHORPE
	2100	72	CTHORPE
	2400	70	E. ESTRADA

Thursday

Date	Time	Temp.	Name (Print)
5-16-24	0300	70	E. ESTRADA
	0600	71	CONTRERAS
	0900	71	CONTRERAS
	1200	71	CONTRERAS
	1500	73	CBAKER
	1800	73	CBAKER
	2100	73	CBAKER
	2400	72	ATLIVAN

Saturday

Date	Time	Temp.	Name (Print)
5-18-24	0300	72	A. Haga
	0600	72	HENRY
	0900	72	V. Ford
	1200	72	V. Ford
	1500	72	THORPE
	1800	72	THORPE
	2100	72	THORPE
	2400	72	THORPE

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

On May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed.  
(Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Offices Stair  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-22-24	0300	72	C THORPE
	0600	72	CARLSON
	0900	72	CARLSON
	1200	72	CARLSON
	1500	72	C THORPE
	1800	72	C THORPE
	2100	72	C Baker
	2400	70	ESTRADA

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	71	PALAFON
	0600	71	PALAFON
	0900	71	PALAFON
	1200	71	PALAFON
	1500	70	Luenra
	1800	69	Luenra
	2100	69	Luenra
	2400	70	ESTRADA

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	A LEE
	0600	73	J. Jeanne
	0900	73	J. Lamire
	1200	73	J. Ramire
	1500	71	Ezel
	1800	71	Ezel
	2100	70	Ezel
	2400	70	Ezel

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	ESTRADA
	0600	72	HENRY
	0900	72	HENRY
	1200	72	HENRY
	1500	72	THORPE
	1800	72	THORPE
	2100	72	THORPE
	2400	72	THORPE

Tuesday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	ESTRADA
	0600	71	L. PALAFON
	0900	71	L. PALAFON
	1200	71	L. PALAFON
	1500	72	THORPE
	1800	72	C Baker
	2100	72	C THORPE
	2400	71	PALAFON

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	70	ESTRADA
	0600	70	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	70	E Kleespies
	1800	70	E Kleespies
	2100	70	E Kleespies
	2400	70	A Hira

Saturday

Date	Time	Temp.	Name (Print)
5-25-24	0300	70	EZEL
	0600	72	J. Ramirez
	0900	72	J. Ramirez
	1200	72	J. Ramirez
	1500	72	E Kleespies
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	70	ESTRADA

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: CTC Temp. Reading Location: Officer's Station  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	72	CTHORPE
	0600	72	CARLSON
	0900	72	CARLSON
	1200	72	CARLSON
	1500	71	F. MENDEZ
	1800	71	F. MENDEZ
	2100	70	F. MENDEZ
	2400	70	CTHORPE

Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	PALAFIX
	0600	70	CONTRERAS
	0900	70	CONTRERAS
	1200	71	CONTRERAS
	1500	72	Baker
	1800	72	Baker
	2100	72	Luenna
	2400	71	Luenna

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	71	Luenna
	0600	72	J. RAMIREZ
	0900	72	J. RAMIREZ
	1200	72	J. RAMIREZ
	1500	73	Baker
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	70	Etzel

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	ESTRADA
	0600	70	HENRY
	0900	70	HENRY
	1200	70	HENRY
	1500	70	THORPE
	1800	70	THORPE
	2100	70	THORPE
	2400	70	THORPE

Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	CTHORPE
	0600	72	Greson
	0900	72	CARLSON
	1200	72	MATSON
	1500	72	CTHORPE
	1800	72	CTHORPE
	2100	71	CTHORPE
	2400	71	R. PALAFIX

Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	71	Luenna
	0600	70	CONTRERAS
	0900	71	CONTRERAS
	1200	70	CONTRERAS
	1500	71	Luenna
	1800	71	Luenna
	2100	71	Luenna
	2400	71	Luenna

Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	Etzel
	0600	72	HENRY
	0900	72	V. Etzel
	1200	72	HENRY
	1500	72	E Kleespies
	1800	71	E Kleespies
	2100	71	E Kleespies
	2400	70	ESTRADA

Notes

---



---



---



---



---



---



---



---

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	300	70	F. MENDEZ
	600	70	R. Hull
	900	70	R. Hull
	1200	70	R. Hull
	1500	70	JAVAREZ
	1800	70	JAVAREZ
	2100	70	JAVAREZ
	2400	70	F. HAMBY

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	300	70	F. HAMBY
	600	70	R. Hull
	900	70	JC HULL
	1200	70	R. Hull
	1500	70	Singh
	1800	70	Singh
	2100	70	Singh
	2400	71	F. MENDEZ

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	300	70	F. MENDEZ
	600	70	S. Chang
	900	70	S. Chang
	1200	70	S. Chang
	1500	70	C. Wilson
	1800	70	C. Wilson
	2100	70	C. Wilson
	2400	70	F. HAMBY

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	300	70	F. HAMBY
	600	70	K. Reed
	900	70	K. Reed
	1200	71	K. Reed
	1500	70	
	1800	71	Gordon
	2100	71	Gordon
	2400	71	F. HAMBY

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	300	70	F. HAMBY
	600	70	Escobar
	900	70	Escobar
	1200	70	Escobar
	1500	70	C. Melvin
	1800	70	C. Melvin
	2100	70	C. Melvin
	2400	70	F. HAMBY

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	300	70	F. HAMBY
	600	71	Escobar
	900	70	Escobar
	1200	70	Escobar
	1500	71	Lor
	1800	71	Lor
	2100	71	Lor
	2400	70	F. MENDEZ

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/5/2024	300	70	F. MENDEZ	
	600	70	L. McCloud	
	900	70	L. McCloud	
	1200	70	L. McCloud	
	1500	70	Zim	
	1800	70	Zim	
	2100	70	Zim	
	2400	71	F. MENDEZ	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	300	69	Vadnais
	600	69	M. ZAVACA
	900	70°	M. ZAVACA
	1200	70°	M. ZAVACA
	1500	69	MAGIEL
	1800	69	MAGIEL
	2100	69	MAGIEL
	2400	69	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	300	70	LABRADA
	600	70	J. DANE
	900	70	J. DANE
	1200	70	J. DANE
	1500	71	Candela
	1800	70	Candela
	2100	69	Candela
	2400	70	Candela

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	300	70	LABRADA
	600	70°	M. ZAVACA
	900	70°	M. ZAVACA
	1200	71°	M. ZAVACA
	1500	69	Candela
	1800	69	Candela
	2100	69	Candela
	2400	70	A. Little

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	300	70	A. Little
	600	69°	M. ZAVACA
	900	69	M. ZAVACA
	1200	70	ZAVACA
	1500	70	SCARL
	1800	70	SCARL
	2100	69	SCARL
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	300	70	A. Little
	600	70°	M. ZAVACA
	900	70°	M. ZAVACA
	1200	70°	M. ZAVACA
	1500	70	SCARL
	1800	70	SCARL
	2100	70	SCARL
	2400	69	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/5/2024	300	68	Vadnais	
	600	69	G. OCHOA	
	900	69	G. OCHOA	
	1200	69	G. OCHOA	
	1500	69	MAGIEL	
	1800	69	MAGIEL	
	2100	69	MAGIEL	
	2400	69	Vadnais	

From May 1st through October 31st, the ~~wardens~~<sup>LEH</sup> designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	300	69	Vadnais
	600	70	Solorzano
	900	70	Solorzano
	1200	71	Solorzano
	1500	72	Soto
	1800	72	Soto
	2100	71	Soto
	2400	71	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	300	71	LABRADA
	600	71	LEVEQUE
	900	71	LEVEQUE
	1200	71	LEVEQUE
	1500	72	B. Soto
	1800	72	B. Soto
	2100	71	B. Soto
	2400	71	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	300	71	LABRADA
	600	71	Leiva
	900	71	Leiva
	1200	71	Leiva
	1500	72	Soto
	1800	71	Soto
	2100	70	Soto
	2400	70	A. Little

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	H. Gutierrez
	1800	70	H. Gutierrez
	2100	70	H. Gutierrez
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	Soto
	1800	70	Soto
	2100	70	Soto
	2400	70	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	300	69	Vadnais
	600	70	Solorzano
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	Lor
	1800	70	Lor
	2100	70	Lor
	2400	68	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/5/2024	300	69	Vadnais	
	600	70	REMAS JUDE	
	900	70	REMAS JUDE	
	1200	70	REMAS JUDE	
	1500	70	Lor	
	1800	70	Lor	
	2100	70	Lor	
	2400	69	A. Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	300	72	Fontenot
	600	70	Fontenot
	900	70	Lewis
	1200	70	Dunn
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	71	Groodinhs

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	300	70	Groodinhs
	600	70	O'Briant
	900	71	O'Watt
	1200	71	O'Watt
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	Groodinhs

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	300	70	Groodinhs
	600	70	O'Briant
	900	71	O'Briant
	1200	71	O'Briant
	1500	71	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	Groodinhs

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	300	70	Groodinhs
	600	70	Popovic
	900	70	Popovic
	1200	70	Popovic
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	Groodinhs

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	300	70	Groodinhs
	600	70	Popovic
	900	70	Popovic
	1200	70	Popovic
	1500	70	Eck
	1800	71	Eck
	2100	70	Eck
	2400	70	A. Little

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	300	69	A. Little
	600	70	Bren
	900	70	Bren
	1200	70	Bren
	1500	70	Bren
	1800	70	Bren
	2100	70	Bren
	2400	70	A. Little

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/5/2024	300	69	A. Little	
	600	70	Bren	
	900	70	Bren	
	1200	70	Bren	
	1500	70	Bren	
	1800	70	Lewis	
	2100	70	Lewis	
	2400	70	Groodinhs	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	300	70	Fontenot
	600	70	Fontenot
	900	70	CASAREZ
	1200	70	CASAREZ
	1500	70	G.OCHOA
	1800	70	G.OCHOA
	2100	70	G.OCHOA
	2400	70	GIDDINGS

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	300	70	GIDDINGS
	600	70	G.OCHOA
	900	70	G.OCHOA
	1200	70	G.OCHOA
	1500	70	SIMP
	1800	70	SIMP
	2100	70	SIMP
	2400	70	GIDDINGS

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	300	70	GIDDINGS
	600	80	Ortiz
	900	70	Ortiz
	1200	70	Ortiz
	1500	70	SIMP
	1800	70	SIMP
	2100	70	SIMP
	2400	70	GIDDINGS

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	300	70	GIDDINGS
	600	70	SECOR
	900	71	SECOR
	1200	71	SECOR
	1500	70	PERCY
	1800	70	PERCY
	2100	70	PERCY
	2400	70	GIDDINGS

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	300	70	GIDDINGS
	600	70	SECOR
	900	71	SECOR
	1200	71	SECOR
	1500	70	CASAREZ
	1800	70	CASAREZ
	2100	70	CASAREZ
	2400	70	A. LITTLE

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	300	69	A. LITTLE
	600	70	C. LITTLE
	900	71	C. LITTLE
	1200	69	C. LITTLE
	1500	69	SECOR
	1800	70	SECOR
	2100	69	SECOR
	2400	70	A. LITTLE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/5/2024	300	70	A. LITTLE	
	600	70	GILLIS	
	900	70	GILLIS	
	1200	70	GILLIS	
	1500	70	SECOR	
	1800	70	SECOR	
	2100	70	SECOR	
	2400	70	GIDDINGS	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	300	76	A. Little
	600	70	D. Wallace
	900	70	D. Wallace
	1200	70	D. Wallace
	1500	70	M. Reyes
	1800	70	M. Reyes
	2100	70	M. Reyes
	2400	70	F. Mendez

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	300	70	F. Mendez
	600	70	C. Moya
	900	70	C. Moya
	1200	70	C. Moya
	1500	70	G. Ochoa
	1800	70	G. Ochoa
	2100	70	G. Ochoa
	2400	70	Greenough

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	300	70	Greenough
	600	69	C. Moya
	900	70	C. Moya
	1200	70	C. Moya
	1500	70	S. Weber
	1800	70	S. Weber
	2100	70	S. Weber
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	300	70	Greenough
	600	70	C. Moya
	900	70	C. Moya
	1200	70	C. Moya
	1500	70	S. Weber
	1800	70	S. Weber
	2100	70	S. Weber
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
5/3/2024	300	70	Greenough
	600	70	Moya
	900	70	Moya
	1200	70	Moya
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	Greenough

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	300	70	Greenough
	600	70	Moya
	900	70	Moya
	1200	70	Moya
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	Greenough

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/5/2024	300	70	Greenough	
	600	70	Wallace	
	900	70	Wallace	
	1200	70	Wallace	
	1500	70	Wallace	
	1800	70	LOR	
	2100	70	LOR	
	2400	70	A. Little	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/2024	300	70	A-LITTLE
	600	71	AVAREZ
	900	71	AVAREZ
	1200	71	AVAREZ
	1500	71	Winkelmann
	1800	71	Winkelmann
	2100	71	Winkelmann
	2400	70	F.RENDER

Tuesday

Date	Time	Temp.	Name (Print)
4/30/2024	300	70	F.RENDER
	600	70	AVAREZ
	900	70	AVAREZ
	1200	70	AVAREZ
	1500	71	Winkelmann
	1800	71	Winkelmann
	2100	71	Winkelmann
	2400	70	Greenough

Wednesday

Date	Time	Temp.	Name (Print)
5/1/2024	300	70	Greenough
	600	70	T.CAMPBELL
	900	70	T.CAMPBELL
	1200	70	T.CAMPBELL
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
5/2/2024	300	70	Greenough
	600	70	H.Perry
	900	70	H.Perry
	1200	70	H.Perry
	1500	70	Williams
	1800	70	Williams
	2100	70	Williams
	2400	70	Greenough

Saturday

Date	Time	Temp.	Name (Print)
5/4/2024	300	70	Greenough
	600	70	M.REYES
	900	70	M.REYES
	1200	70	M.REYES
	1500	70	J.Hann
	1800	70	J.Hann
	2100	70	J.Hann
	2400	70	Greenough

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/5/2024	300	70	Greenough	
	600	70	T.CAMPBELL	
	900	70	T.CAMPBELL	
	1200	70	T.CAMPBELL	
	1500	70	GUDER	
	1800	70	GUDER	
	2100	70	GUDER	
	2400	70	A-LITTLE	

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A2 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/6	0300	70	F. MENDEZ
	0600	70	Becker
	0900	70	Becker
	1200	71	Becker
	1500	71	Becker
	1800	71	Becker
	2100	70	Becker
	2400	70	J. HANNING

**Wednesday**

Date	Time	Temp.	Name (Print)
5/8	0300	70	G. CASANOVA
	0600	70	R. HULL
	0900	70	R. HULL
	1200	70	R. HULL
	1500	71	Sanchez
	1800	71	Sanchez
	2100	71	Sanchez
	2400	71	F. NAMBY

**Friday**

Date	Time	Temp.	Name (Print)
5/10	0300	70	F. NAMBY
	0600	70	ESCALA
	0900	70	ESCALA
	1200	70	ESCALA
	1500	71	HOUGHTON
	1800	72	HOUGHTON
	2100	71	HOUGHTON
	2400	70	F. NAMBY

**Sunday**

Date	Time	Temp.	Name (Print)
5/12	0300	71	F. MENDEZ
	0600	69	L. RADIL
	0900	70	L. RADIL
	1200	70	L. RADIL
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	F. MENDEZ

**Tuesday**

Date	Time	Temp.	Name (Print)
5/7	0300	70	Z. WILSON
	0600	71	R. HULL
	0900	71	R. HULL
	1200	70	R. HULL
	1500	70	Z. WILSON
	1800	70	Z. WILSON
	2100	70	Z. WILSON
	2400	71	G. CASANOVA

**Thursday**

Date	Time	Temp.	Name (Print)
5/9	0300	71	F. HAMBY
	0600	69	R. HULL
	0900	70	R. HULL
	1200	70	R. HULL
	1500	70	K. LEE
	1800	70	K. LEE
	2100	70	A. TAVAREZ
	2400	71	F. HAMBY

**Saturday**

Date	Time	Temp.	Name (Print)
5/11	0300	70	F. HAMBY
	0600	70	ESCALA
	0900	70	ESCALA
	1200	71	ESCALA
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	F. HAMBY

**Notes**

---

---

---

---

---

---

---

---

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/2024	300	71	A. LABRADA
	600	71	A. ZAMUDIO
	900	71	A. ZAMUDIO
	1200	71	A. ZAMUDIO
	1500	70	L. MACELO
	1800	70	L. MACELO
	2100	70	L. MACELO
	2400	70	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
5/7/2024	300	71	LABRADA
	600	70	Soto
	900	70	Soto
	1200	71	Soto
	1500	71	SCARLAR
	1800	71	SCARLAR
	2100	70	SCARLAR
	2400	70	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
5/8/2024	300	69	LABRADA
	600	70	T. CAMPBELL
	900	71	T. CAMPBELL
	1200	71	T. CAMPBELL
	1500	71	R. HU
	1800	71	R. HU
	2100	70	R. HU
	2400	70	A. LITTLE

Thursday

Date	Time	Temp.	Name (Print)
5/9/2024	300	70	A. LITTLE
	600	70	Hernandez
	900	70	Hernandez
	1200	70	Hernandez
	1500	70	R. HU
	1800	70	R. HU
	2100	70	R. HU
	2400	70	A. LITTLE

Friday

Date	Time	Temp.	Name (Print)
5/10/2024	300	70	A. LITTLE
	600	70	COVIE
	900	70	COVIE
	1200	72	COVIE
	1500	72	LOR
	1800	72	LOR
	2100	72	LOR
	2400	71	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
5/11/2024	300	70	Vadnais
	600	70	SECOL
	900	72	SECOL
	1200	72	SECOL
	1500	72	L. MACIEL
	1800	70	L. MACIEL
	2100	70	L. MACIEL
	2400	70	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/12/2024	300	69	Vadnais	
	600	69	G. OCHOA	
	900	69	G. OCHOA	
	1200	69	G. OCHOA	
	1500	69	L. MACIEL	
	1800	70	L. MACIEL	
	2100	69	L. MACIEL	
	2400	68	Vadnais	

From May 1st through October 31st, the warden ...ll designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/14/2024	300	70	LABRADA
	600	70	Solorzano
	900	70	Solorzano
	1200	70	Solorzano
	1500	71	Hamm
	1800	71	Hamm
	2100	71	Hamm
	2400	71	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
5/15/2024	300	70	LABRADA
	600	70	Solorzano
	900	70	Solorzano
	1200	71	Solorzano
	1500	70	Hamm
	1800	70	Hamm
	2100	70	Hamm
	2400	71	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
5/16/2024	300	70	LABRADA
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	H. Gutierrez
	1800	70	H. Gutierrez
	2100	70	H. Gutierrez
	2400	70	A. Little

Thursday

Date	Time	Temp.	Name (Print)
5/17/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	H. Gutierrez
	1800	70	H. Gutierrez
	2100	70	H. Gutierrez
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
5/18/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	H. Gutierrez
	1800	70	H. Gutierrez
	2100	70	H. Gutierrez
	2400	71	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
5/19/2024	300	70	Vadnais
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	C. Contreras
	1800	70	C. Contreras
	2100	70	C. Contreras
	2400	69	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/20/2024	300	69	Vadnais	
	600	70	C. Contreras	
	900	70	C. Contreras	
	1200	70	C. Contreras	
	1500	70	Zinn	
	1800	70	Zinn	
	2100	70	Zinn	
	2400	69	Vadnais	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/7/2024	300	70	GODDINBS
	600	70	G.OCHOA
	900	70	G.OCHOA
	1200	70	G.OCHOA
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	GODDINBS

Tuesday

Date	Time	Temp.	Name (Print)
5/8/2024	300	70	GODDINBS
	600	70	G.OCHOA
	900	70	G.OCHOA
	1200	70	G.OCHOA
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	GODDINBS

Wednesday

Date	Time	Temp.	Name (Print)
5/9/2024	300	70	GODDINBS
	600	70	Popatoc
	900	70	Popatoc
	1200	70	Popatoc
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	GODDINBS

Thursday

Date	Time	Temp.	Name (Print)
5/10/2024	300	70	GODDINBS
	600	70	Popatoc
	900	70	Popatoc
	1200	70	Popatoc
	1500	72	Lewis
	1800	72	Lewis
	2100	72	Lewis
	2400	71	GODDINBS

Friday

Date	Time	Temp.	Name (Print)
5/11/2024	300	71	GODDINBS
	600	70°	M.ZAVACA
	900	70°	M.ZAVACA
	1200	71°	M.ZAVACA
	1500	71	Escobar
	1800	70	Escobar
	2100	71	Escobar
	2400	70	OT. Little

Saturday

Date	Time	Temp.	Name (Print)
5/12/2024	300	70	A. Little
	600	70	OTREMBA
	900	70	OTREMBA
	1200	70	OTREMBA
	1500	71	Escobar
	1800	71	Escobar
	2100	71	Escobar
	2400	70	A. Little

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/13/2024	300	70	A. Little	
	600	70	T.CAMPBELL	
	900	70	T.CAMPBELL	
	1200	70	T.CAMPBELL	
	1500	70	D.SCHLOEPF	
	1800	71	D.SCHLOEPF	
	2100	71	D.SCHLOEPF	
	2400	70	U.SANCHEZ	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/7/2024	300	70	GIDDING
	600	70	Nelson
	900	70	Nelson
	1200	70	Nelson
	1500	70	G. Ochoa
	1800	70	G. Ochoa
	2100	70	G. Ochoa
	2400	70	GIDDING

Tuesday

Date	Time	Temp.	Name (Print)
5/8/2024	300	70	GIDDING
	600	70	J.DANE
	900	70	J.DANE
	1200	70	M.Sabir
	1500	70	Adams
	1800	70	Adams
	2100	70	Adams
	2400	70	GIDDING

Wednesday

Date	Time	Temp.	Name (Print)
5/9/2024	300	70	GIDDING
	600	70	Sabir
	900	71	Sabir
	1200	71	Sabir
	1500	70	Hann
	1800	70	Hann
	2100	70	Hann
	2400	70	GIDDING

Thursday

Date	Time	Temp.	Name (Print)
5/10/2024	300	70	GIDDING
	600	70	Escar
	900	71	Sabir
	1200	72	Sabir
	1500	70	Secor
	1800	71	Secor
	2100	71	Secor
	2400	71	GIDDING

Friday

Date	Time	Temp.	Name (Print)
5/11/2024	300	70	GIDDING
	600	70	Giles
	900	70	Giles
	1200	70	Giles
	1500	72	WEISS
	1800	72	WEISS
	2100	72	WEISS
	2400	70	A.Little

Saturday

Date	Time	Temp.	Name (Print)
5/12/2024	300	70	A.LITTLE
	600	70	Sabir
	900	70	Sabir
	1200	70	Sabir
	1500	72	WEISS
	1800	71	WEISS
	2100	70	WEISS
	2400	70	A.LITTLE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/13/2024	300	70	A.LITTLE	
	600	70	S.Jenkins	
	900	70	S.Jenkins	
	1200	70	S.Jenkins	
	1500	72	C.Melvin	
	1800	72	C.Melvin	
	2100	72	C.Melvin	
	2400	72	H.Sanchez	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A7 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06	0300	70	Greenough
	0600	70	WALLACE
	0900	70	S. Jenkins
	1200	70	WALLACE
	1500	71	WEISS
	1800	71	WEISS
	2100	71	WEISS
	2400	70	F. MENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
05/07	0300	70	F. MENDEZ
	0600	70	C. MOUA
	0900	70	C. MOUA
	1200	70	C. MOUA
	1500	70	G. OCHOA
	1800	70	G. OCHOA
	2100	70	G. OCHOA
	2400	70	GANDARA

Wednesday

Date	Time	Temp.	Name (Print)
05/08	0300	70	GANDARA
	0600	70	C. MOUA
	0900	70	C. MOUA
	1200	70	C. MOUA
	1500	70	S. weber
	1800	70	S. weber
	2100	69	S. weber
	2400	70	YADA

Thursday

Date	Time	Temp.	Name (Print)
05/09	0300	70	YADA
	0600	70	MOUA
	0900	70	MOUA
	1200	70	MOUA
	1500	70	AKKA
	1800	70	AKKA
	2100	70	AKKA
	2400	70	SCHLOEPP

Friday

Date	Time	Temp.	Name (Print)
05/10	0300	70	SCHLOEPP
	0600	70	C. MOUA
	0900	70	C. MOUA
	1200	72	C. MOUA
	1500	72	LOR
	1800	72	LOR
	2100	72	LOR
	2400	70	Freitas

Saturday

Date	Time	Temp.	Name (Print)
05/11	0300	70	Freitas
	0600	70	Freitas
	0900	72	WEISS
	1200	72	WEISS
	1500	71	LOR
	1800	71	LOR
	2100	71	LOR
	2400	70	CARTAGENA

DAY Sunday

Date	Time	Temp.	Name (Print)	NOTES:
05/12	0300	70	CARTAGENA	
	0600	70	ROCCO	
	0900	70	ROCCO	
	1200	72	ROCCO	
	1500	70	LOR	
	1800	70	LOR	
	2100	70	LOR	
	2400	70	A. LITTLE	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/7/2024	300	70	A. Little
	600	70	A. Krivanek
	900	70	A. Krivanek
	1200	70	A. Krivanek
	1500	70	M. Larson
	1800	70	M. Larson
	2100	70	M. Larson
	2400	70	F. MENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/8/2024	300	70	F. MENDEZ
	600	71	A. Krivanek
	900	71	A. Krivanek
	1200	71	A. Krivanek
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	GANDARA

Wednesday

Date	Time	Temp.	Name (Print)
5/9/2024	300	70	GANDARA
	600	70	Singh
	900	70	Singh
	1200	70	Singh
	1500	70	Winkelmann
	1800	71	Winkelmann
	2100	71	Winkelmann
	2400	70	Ydny

Friday

Date	Time	Temp.	Name (Print)
5/11/2024	300	70	SCHLOEPF
	600	71	A. Krivanek
	900	71	A. Krivanek
	1200	71	A. Krivanek
	1500	70	F. MENDEZ
	1800	70	F. MENDEZ
	2100	71	F. MENDEZ
	2400	70	F. Freitas

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/13/2024	300	70	M. Cardenas	
	600	71	A. Krivanek	
	900	71	A. Krivanek	
	1200	71	A. Krivanek	
	1500	71	Wardens	
	1800	71	Wardens	
	2100	71	Wardens	
	2400	70	A. Little	

Tuesday

Date	Time	Temp.	Name (Print)
5/10/2024	300	70	Yma
	600	71	J. Mawkins
	900	70	J. Mawkins
	1200	70	J. Mawkins
	1500	70	Guder
	1800	70	Guder
	2100	70	Guder
	2400	70	SCHLOEPF

Saturday

Date	Time	Temp.	Name (Print)
5/12/2024	300	71	F. Freitas
	600	72	A. Krivanek
	900	72	A. Krivanek
	1200	72	A. Krivanek
	1500	72	M. Zavala
	1800	71	M. Zavala
	2100	70	M. Zavala
	2400	70	M. Cardenas

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and record the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	300	70	F. MENDEZ
	600	70	L. MACIEI
	900	70	L. MACIEI
	1200	70	L. MACIEI
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	F. HAMBY

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	300	70	F. HAMBY
	600	70	R. HULL
	900	70	R. HULL
	1200	70	R. HULL
	1500	70	B. HOUGHTON
	1800	69	B. HOUGHTON
	2100	69	B. HOUGHTON
	2400	70	F. HAMBY

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	300	69	F. HAMBY
	600	70	R. HULL
	900	70	R. HULL
	1200	70	R. HULL
	1500	70	C. RYDBERG
	1800	70	C. RYDBERG
	2100	70	C. RYDBERG
	2400	70	Vadnais

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	300	69	Vadnais
	600	70	L. MACIEI
	900	70	L. MACIEI
	1200	70	L. MACIEI
	1500	70	L. MACIEI
	1800	70	K. LEE
	2100	70	K. LEE
	2400	71	F. HAMBY

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	300	70	F. HAMBY
	600	70	Escobar
	900	71	Escobar
	1200	70	Escobar
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	F. HAMBY

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	300	70	F. HAMBY
	600	70	Escobar
	900	71	Escobar
	1200	70	Escobar
	1500	71	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	F. HAMBY

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/19/2024	300	70	F. MENDEZ	
	600	70	L. MACIEI	
	900	70	L. MACIEI	
	1200	70	L. MACIEI	
	1500	70	HOUGHTON	
	1800	70	HOUGHTON	
	2100	69	HOUGHTON	
	2400	70	F. MENDEZ	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	300	69	Vadnars
	600	69	G.OCHOA
	900	69	G.OCHOA
	1200	70	G.OCHOA
	1500	70	SCHLASS
	1800	70	SCHLASS
	2100	70	SCHLASS
	2400	70	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	300	70	LABRADA
	600	70	C.melvin
	900	70	C.melvin
	1200	70	C.melvin
	1500	70	SCHLASS
	1800	71	SCHLASS
	2100	70	SCHLASS
	2400	70	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	300	71	LABRADA
	600	71	Sauceda
	900	71	Sauceda
	1200	72	Sauceda
	1500	70	R.Little
	1800	70	R.Little
	2100	70	R.Little
	2400	70	A.Little

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	300	70	A.Little
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	70	R.Wilson
	1800	70	R.Wilson
	2100	70	R.Wilson
	2400	70	Little

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	300	70	Little
	600	70	LOULE
	900	70	LOULE
	1200	72	LOULE
	1500	72	Lot
	1800	72	Lot
	2100	72	Lot
	2400	71	Vadnars

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	300	69	Vadnars
	600	70	OTREMBA
	900	70	OTREMBA
	1200	70	OTREMBA
	1500	70	L.MACIEL
	1800	70	L.MACIEL
	2100	70	L.MACIEL
	2400	69	Vadnars

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/19/2024	300	69	Vadnars	
	600	69	G.OCHOA	
	900	69	G.OCHOA	
	1200	70	G.OCHOA	
	1500	70	L.MACIEL	
	1800	70	L.MACIEL	
	2100	70	L.MACIEL	
	2400	70	Sabir	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	300	70	Vadnais
	600	70	Solorzano
	900	70	Solorzano
	1200	71	Solorzano
	1500	72	Soto
	1800	71	Soto
	2100	71	Soto
	2400	72	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	300	71	LABRADA
	600	71	Solorzano
	900	70	Solorzano
	1200	71	Solorzano
	1500	72	SOTO
	1800	72	SOTO
	2100	71	SOTO
	2400	71	LABRADA

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	300	71	LABRADA
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	H. Gutierrez
	1800	71	H. Gutierrez
	2100	71	H. Gutierrez
	2400	71	A. Little

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	SOTO
	1800	70	SOTO
	2100	71	SOTO
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	J. MARIS
	1800	70	J. MARIS
	2100	70	J. MARIS
	2400	70	Vadnais

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	300	69	Vadnais
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	C. Contreras
	1800	69	Lon
	2100	70	Lon
	2400	69	Vadnais

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/19/2024	300	69	Vadnais	
	600	70	C. Contreras	
	900	70	C. Contreras	
	1200	70	C. Contreras	
	1500	70	SLO	
	1800	70	SLO	
	2100	70	SLO	
	2400	70	SABIR	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/13/2024	300	70	Haner
	600	70	Lawrence
	900	70	Lawrence
	1200	72	Lawrence
	1500	70	Zim
	1800	70	Zim
	2100	70	Zim
	2400	70	Groenwels

**Tuesday**

Date	Time	Temp.	Name (Print)
5/14/2024	300	70	Groenwels
	600	70	Ovatt
	900	70	Ovatt
	1200	71	Ovatt
	1500	70	Zim
	1800	70	Ovatt
	2100	71	Ovatt
	2400	70	Groenwels

**Wednesday**

Date	Time	Temp.	Name (Print)
5/15/2024	300	70	Groenwels
	600	71	Ovatt
	900	71	Ovatt
	1200	71	Ovatt
	1500	71	Zim
	1800	70	Zim
	2100	70	Zim
	2400	70	Groenwels

**Thursday**

Date	Time	Temp.	Name (Print)
5/16/2024	300	71	Groenwels
	600	71	M.ZAVACA
	900	70	M.ZAVACA
	1200	70	M.ZAVACA
	1500	71	Secor
	1800	71	Secor
	2100	70	Secor
	2400	71	Groenwels

**Friday**

Date	Time	Temp.	Name (Print)
5/17/2024	300	71	Groenwels
	600	70	M.ZAVACA
	900	70	M.ZAVACA
	1200	70	M.ZAVACA
	1500	70	J.Flores
	1800	70	J.Flores
	2100	70	J.Flores
	2400	70	A.Little

**Saturday**

Date	Time	Temp.	Name (Print)
5/18/2024	300	70	A.Little
	600	70	Burr
	900	70	Burr
	1200	70	Burr
	1500	70	Burr
	1800	70	Burr
	2100	70	Burr
	2400	70	A.Little

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
5/19/2024	300	70	A.Little	
	600	70	Burr	
	900	70	Burr	
	1200	70	Burr	
	1500	70	Burr	
	1800	70	Burr	
	2100	70	Burr	
	2400	70	Groenwels	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	300	72	H.SANCHEZ
	600	72	H.SANCHEZ
	900	70	D.LEON
	1200	70	D.LEON
	1500	70	D.LEON
	1800	70	G.OCHOA
	2100	70	G.OCHOA
	2400	70	GIDDINGS

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	300	70	GIDDINGS
	600	70	D.LEON
	900	70	D.LEON
	1200	70	D.LEON
	1500	70	LEIS
	1800	70	LEIS
	2100	70	LEIS
	2400	70	GIDDINGS

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	300	70	GIDDINGS
	600	70	D.LEON
	900	70	D.LEON
	1200	70	D.LEON
	1500	70	STAY
	1800	70	STAY
	2100	70	STAY
	2400	71	GIDDINGS

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	300	70	GIDDINGS
	600	70	SECOR
	900	70	SECOR
	1200	70	SECOR
	1500	70	STAY
	1800	70	STAY
	2100	71	STAY
	2400	71	GIDDINGS

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	300	70	GIDDINGS
	600	70	SECOR
	900	70	SECOR
	1200	71	SECOR
	1500	70	ESCALAR
	1800	70	ESCALAR
	2100	70	ESCALAR
	2400	70	A.LITTLE

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	300	70	A.LITTLE
	600	70	D.LEON
	900	70	D.LEON
	1200	75	D.LEON
	1500	75	L.MCGREGOR
	1800	75	L.MCGREGOR
	2100	75	L.MCGREGOR
	2400	70	A.LITTLE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/19/2024	300	70	A.LITTLE	
	600	70	D.LEON	
	900	75	D.LEON	
	1200	75	D.LEON	
	1500	74	J.FLORES	
	1800	74	J.FLORES	
	2100	72	J.FLORES	
	2400	70	A.LITTLE	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	300	70	J. Little
	600	70	D. Huance
	900	70	S. Jenkins
	1200	70	S. Jenkins
	1500	71	J. Flores
	1800	70	J. Flores
	2100	70	J. Flores
	2400	70	F. Mendez

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	300	71	F. Mendez
	600	70	C. Moya
	900	70	C. Moya
	1200	70	C. Moya
	1500	70	G. Ochoa
	1800	70	G. Ochoa
	2100	70	G. Ochoa
	2400	70	Greenough

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	300	70	Greenough
	600	70	Moya
	900	72	Moya
	1200	72	Moya
	1500	72	Weber
	1800	72	Weber
	2100	71	Weber
	2400	70	F. Freitas

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	300	70	F. Freitas
	600	70	Moya
	900	70	Moya
	1200	70	Moya
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	D. Schloepp

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	300	70	D. Schloepp
	600	70	C. Moya
	900	70	C. Moya
	1200	70	Moya
	1500	70	LOR
	1800	70	LOR
	2100	70	Hughes
	2400	70	Hughes

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	300	69	LOR
	600	70	Moya
	900	70	Moya
	1200	70	Moya
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	Other

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/19/2024	300	71	Other	
	600	70	Calhoon	
	900	70	Calhoon	
	1200	70	Bellinger	
	1500	70	LOR	
	1800	70	LOR	
	2100	70	LOR	
	2400	70	A. Little	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/2024	300	70	A. Little
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Murden
	1800	70	Murden
	2100	70	Murden
	2400	71	F. Monroe

Wednesday

Date	Time	Temp.	Name (Print)
5/15/2024	300	70	Greenough
	600	70	Percy
	900	70	Percy
	1200	71	Percy
	1500	71	Vinkelmann
	1800	71	Vinkelmann
	2100	71	Vinkelmann
	2400	70	F. Frerkes

Friday

Date	Time	Temp.	Name (Print)
5/17/2024	300	70	D. SCHLOEPF
	600	71	F. XIONG
	900	73	F. XIONG
	1200	71	F. XIONG
	1500	71	Gloeden
	1800	70	Gloeden
	2100	70	Gloeden
	2400	70	Hughes

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/19/2024	300	70	CHAN	
	600	70	T. Vang	
	900	70	T. Vang	
	1200	70	T. Vang	
	1500	70	Murden	
	1800	70	Murden	
	2100	70	Murden	
	2400	70	A. Little	

Tuesday

Date	Time	Temp.	Name (Print)
5/14/2024	300	71	Frerkes
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	71	Vinkelmann
	1800	71	Vinkelmann
	2100	71	Vinkelmann
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
5/16/2024	300	70	F. Frerkes
	600	70	Hunter
	900	70	Hunter
	1200	70	Hunter
	1500	70	Gloeden
	1800	70	Gloeden
	2100	70	Gloeden
	2400	70	D. SCHLOEPF

Saturday

Date	Time	Temp.	Name (Print)
5/18/2024	300	70	Hughes
	600	72	F. XIONG
	900	72	F. XIONG
	1200	73	F. XIONG
	1500	73	J. Garcia
	1800	72	J. Garcia
	2100	72	J. Garcia
	2400	70	Chen

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: A-2

Temp. Reading Location: DAY ROOM

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 96 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/27/24	0300	71	F. MENDER
	0600	70	R. HULL
	0900	70	R. HULL
	1200	70	R. HULL
	1500	69	B. HOUGHTON
	1800	69	S. HOUGHTON
	2100	68	B. HOUGHTON
	2400	69	F. HAMBY

Wednesday

Date	Time	Temp.	Name (Print)
05/29/24	0300	70	CARTAGENA
	0600	70	R. HULL
	0900	70	R. HULL
	1200	70	R. HULL
	1500	70	C. WILSON
	1800	70	C. WILSON
	2100	70	C. WILSON
	2400	70	C. WILSON

Friday

Date	Time	Temp.	Name (Print)
05/31/24	0300	70	F. HAMBY
	0600	70	E. SOLA
	0900	70	E. SOLA
	1200	70	E. SOLA
	1500	70	HOUGHTON
	1800	69	HOUGHTON
	2100	69	HOUGHTON
	2400	70	F. HAMBY

Sunday

Date	Time	Temp.	Name (Print)
06/02/24	0300	70	C. HULL
	0600	70	MACE
	0900	70	MCKEE
	1200	70	MCKEE
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	69	HOUGHTON

Tuesday

Date	Time	Temp.	Name (Print)
05/29/24	0300	69	F. HAMBY
	0600	70	R. HULL
	0900	70	R. HULL
	1200	70	R. HULL
	1500	70	HOUGHTON
	1800	70	HOUGHTON
	2100	69	HOUGHTON
	2400	70	CARTAGENA

Thursday

Date	Time	Temp.	Name (Print)
05/30/24	0300	70	CANDIDA
	0600	70	R. HULL
	0900	70	R. HULL
	1200	70	R. HULL
	1500	70	LEE
	1800	70	LEE
	2100	70	LEE
	2400	70	F. HAMBY

Saturday

Date	Time	Temp.	Name (Print)
06/01/24	0300	70	F. HAMBY
	0600	70	E. SOLA
	0900	71	E. SOLA
	1200	71	E. SOLA
	1500	70	WILLIAMS
	1800	70	THOMPSON
	2100	69	THOMPSON
	2400	70	CHAZZ

Notes

**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A3 Temp. Reading Location: Dayroom  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday                    5-27-24

Date	Time	Temp.	Name (Print)
0300	69	A. Vadhans	
0600	70	M. SPURGEON	
0900	70	M. SPURGEON	
1200	70	M. SPURGEON	
1500	70	R. McCallum	
1800	70	R. McCallum	
2100	70	R. McCallum	
2400	70	R. Hiltz	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	Nava	
0600	70	M. SPURGEON	
0900	69	M. SPURGEON	
1200	70	Soto	
1500	70	Scawen	
1800	71	Scawen	
2100	70	Scawen	
2400	70	A. Little	

Friday

Date	Time	Temp.	Name (Print)
0300	70	A. Little	
0600	70	M. SPURGEON	
0900	70	M. SPURGEON	
1200	70	M. SPURGEON	
1500	70	Lay	
1800	70	Lay	
2100	70	Lay	
2400	70	Vadhans	

Sunday

Date	Time	Temp.	Name (Print)
0300	69	Vadhans	
0600	70	G. OCHOA	
0900	69	G. OCHOA	
1200	69	G. OCHOA	
1500	70	MAGEL	
1800	70	MAGEL	
2100	70	MAGEL	
2400	69	Vadhans	

Tuesday

Date	Time	Temp.	Name (Print)
0300	71	R. Hiltz	
0600	70	M. SPURGEON	
0900	70	M. SPURGEON	
1200	71	SAO	
1500	71	SCAWEN	
1800	71	SCAWEN	
2100	70	SCAWEN	
2400	70	Nava	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	A. Little	
0600	70	M. SPURGEON	
0900	70	M. SPURGEON	
1200	70	M. SPURGEON	
1500	70	C. Parikh	
1800	70	C. Parikh	
2100	70	C. Parikh	
2400	70	A. Little	

Saturday

Date	Time	Temp.	Name (Print)
0300	69	Vadhans	
0600	70	Scawen	
0900	70	Scawen	
1200	70	Scawen	
1500	70	MAGEL	
1800	70	MAGEL	
2100	70	MAGEL	
2400	70	Vadhans	

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A4 Temp. Reading Location: Day room  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	69	A. Vaudnais
	0600	71	Solorzano
	0900	71	Solorzano
	1200	71	Solorzano
	1500	70	Soto
	1800	70	Soto
	2100	70	Soto
	2400	70	Hallman

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	Hill
	0600	70	Leich
	0900	70	Leich
	1200	70	Leich
	1500	71	Soto
	1800	71	Soto
	2100	70	Soto
	2400	70	Mary

Wednesday

Date	Time	Temp.	Name (Print)
	0300	71	Nava
	0600	70	Nava
	0900	70	Contreras
	1200	70	(Contreras)
	1500	70	E. Contreras
	1800	70	Contreras
	2100	70	Contreras
	2400	70	A. Little

Thursday

Date	Time	Temp.	Name (Print)
	0300	70	A. Little
	0600	70	Lovie
	0900	70	Lovie
	1200	70	Lovie
	1500	70	Secor
	1800	70	Secor
	2100	70	Secor
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
	0300	70	A. Little
	0600	70	C. Contreras
	0900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	Taylor
	1800	71	Taylor
	2100	71	Taylor
	2400	70	Vaudnais

Saturday

Date	Time	Temp.	Name (Print)
	0300	70	Vaudnais
	0600	70	Contreras
	0900	70	Contreras
	1200	70	Contreras
	1500	70	Lee
	1800	70	Lee
	2100	70	Lee
	2400	70	Vaudnais

Sunday

Date	Time	Temp.	Name (Print)
	0300	70	Vaudnais
	0600	70	Contreras
	0900	71	Contreras
	1200	71	Contreras
	1500	70	Lee
	1800	70	Lee
	2100	70	Lee
	2400	69	Vaudnais

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A-5

Temp. Reading Location: Doyram  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/27	0300	71	GORDON'S
	0600	70	BURE
	0900	70	BURE
	1200	70	BURE
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	GORDON'S

#### Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	70	REYNOSO
	0600	70	POPATOLIC
	0900	70	POPATOLIC
	1200	70	POPATOLIC
	1500	70	D. LEON
	1800	70	D. LEON
	2100	70	D. LEON
	2400	70	GORDON'S

#### Friday

Date	Time	Temp.	Name (Print)
5/31	0300	70	GORDON'S
	0600	70	POPATOLIC
	0900	70	POPATOLIC
	1200	70	POPATOLIC
	1500	70	ESCALA
	1800	71	ESCALA
	2100	71	ESCALA
	2400	70	A. LITTLE

#### Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	70	A. LITTLE
	0600	70	BURE
	0900	70	BURE
	1200	70	BURE
	1500	70	BURE
	1800	70	BURE
	2100	70	BURE
	2400	70	GORDON'S

#### Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	70	GIDDINGS
	0600	70	ORIANT
	0900	71	ORIANT
	1200	71	D. LEON
	1500	72	D. LEON
	1800	70	D. LEON
	2100	70	D. LEON
	2400	70	RAYMOSO

#### Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	70	GORDONS
	0600	70	POPATOLIC
	0900	70	POPATOLIC
	1200	70	POPATOLIC
	1500	70	SANCHEZ
	1800	70	SANCHEZ
	2100	70	SANCHEZ
	2400	71	GORDONS

#### Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	70	A. LITTLE
	0600	70	BURE
	0900	70	BURE
	1200	70	D. LEON
	1500	70	D. LEON
	1800	70	D. LEON
	2100	70	D. LEON
	2400	70	A. LITTLE

#### Notes

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/28	0300	70	LITTLE
	0600	71	M. Casarez
	0900	71	M. Casarez
	1200	70	M. Casarez
	1500	70	OCHOA
	1800	70	OCHOA
	2100	70	OCHOA
	2400	70	Little

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28	0300	70	LITTLE
	0600	70	M. Casarez
	0900	70	M. Casarez
	1200	70	M. Casarez
	1500	70	K STORY
	1800	70	K STORY
	2100	70	K STORY
	2400	70	Greenough

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29	0300	70	Greenough
	0600	70	M. Casarez
	0900	70	M. Casarez
	1200	71	M. Casarez
	1500	70	Hagan
	1800	70	Hagan
	2100	70	Hagan
	2400	71	Greenough

**Thursday**

Date	Time	Temp.	Name (Print)
5/30	0300	71	Greenough
	0600	71	M. Casarez
	0900	71	M. Casarez
	1200	70	M. Casarez
	1500	70	McAlexander
	1800	70	McAlexander
	2100	70	McAlexander
	2400	71	7 Hagan

**Friday**

Date	Time	Temp.	Name (Print)
5/31	0300	70	7 Hagan
	0600	70	M. Casarez
	0900	70	M. Casarez
	1200	70	M. Casarez
	1500	70	K HOOD
	1800	70	K HOOD
	2100	70	K HOOD
	2400	70	7 Hagan

**Saturday**

Date	Time	Temp.	Name (Print)
6/1	0300	70	7 Hagan
	0600	71	M. Casarez
	0900	71	M. Casarez
	1200	72	M. Casarez
	1500	72	K HOOD
	1800	71	K HOOD
	2100	71	K HOOD
	2400	70	Bartista

**DAY SUN.**

Date	Time	Temp.	Name (Print)	NOTES:
6/2	0300	70	Bartista	
	0600	70	Zun	
	0900	70	Zun	
	1200	70	Zun	
	1500	70	Escar	
	1800	70	Escar	
	2100	70	Escar	
	2400	70	Perecado	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: A7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	A. Little
	0600	70	D. WALLACE
	0900	70	D. WALLACE
	1200	70	D. WALLACE
	1500	72	D. LINDERS
	1800	72	D. SCHLOEPP
	2100	70	D. SCHLOEPP
	2400	71	F. MENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	F. MENDEZ
	0600	70	C. MOUA
	0900	70	C. MOUA
	1200	70	C. MOUA
	1500	70	G. OCHOA
	1800	70	G. OCHOA
	2100	70	G. OCHOA
	2400	70	Greenough

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	Greenough
	0600	70	C. MOUA
	0900	70	C. MOUA
	1200	70	C. MOUA
	1500	70	Weber
	1800	70	Weber
	2100	69	Weber
	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	Greenough
	0600	70	MOUA
	0900	70	MOUA
	1200	70	MOUA
	1500	70	Weber
	1800	70	Weber
	2100	69	Weber
	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	Greenough
	0600	70	MOUA
	0900	70	MOUA
	1200	70	MOUA
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	Fonterrot

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	70	Fonterrot
	0600	70	MOUA
	0900	70	MOUA
	1200	70	MOUA
	1500	70	LOR
	1800	70	LOR
	2100	70	LOR
	2400	70	Greenough

DAY

Date	Time	Temp.	Name (Print)	NOTES:
6/2/24	0300	70	Greenough	
	0600	70	WALLACE	
	0900	70	WALLACE	
	1200	70	WALLACE	
	1500	70	LOR	
	1800	70	LOR	
	2100	70	LOR	
	2400	70	A. Little	

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/2024	300	70	A. Little
5/27/2024	600	71	K. Hood
5/27/2024	900	70	K. Hood
5/27/2024	1200	70	K. Hood
5/27/2024	1500	71	Winkelmann
5/27/2024	1800	71	Winkelmann
5/27/2024	2100	71	Winkelmann
5/27/2024	2400	70	F. MENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/28/2024	300	70	F. MENDEZ
5/28/2024	600	71	K. Hood
5/28/2024	900	71	K. Hood
5/28/2024	1200	71	K. Hood
5/28/2024	1500	70	Castleberry
5/28/2024	1800	70	Castleberry
5/28/2024	2100	70	Castleberry
5/28/2024	2400	70	Greenough

Wednesday

Date	Time	Temp.	Name (Print)
5/29/2024	300	70	Greenough
5/29/2024	600	72	F. Xiong
5/29/2024	900	71	F. Xiong
5/29/2024	1200	70	F. Xiong
5/29/2024	1500	70	Castleberry
5/29/2024	1800	70	Castleberry
5/29/2024	2100	70	Castleberry
5/29/2024	2400	70	Greenough

Thursday

Date	Time	Temp.	Name (Print)
5/30/2024	300	70	Greenough
5/30/2024	600	72	F. Xiong
5/30/2024	900	71	F. Xiong
5/30/2024	1200	72	F. Xiong
5/30/2024	1500	70	K. Saavedra
5/30/2024	1800	71	K. Saavedra
5/30/2024	2100	72	K. Saavedra
5/30/2024	2400	70	Greenough

Friday

Date	Time	Temp.	Name (Print)
5/31/2024	300	70	Greenough
5/31/2024	600	72	F. Xiong
5/31/2024	900	71	F. Xiong
5/31/2024	1200	70	F. Xiong
5/31/2024	1500	70	Greenough
5/31/2024	1800	70	Greenough
5/31/2024	2100	70	Greenough
5/31/2024	2400	70	Greenough

Saturday

Date	Time	Temp.	Name (Print)
5/31/2024	300	70	F. Xiong
5/31/2024	600	71	K. Hood
5/31/2024	900	71	K. Hood
5/31/2024	1200	70	K. Hood
5/31/2024	1500	72	Freijo
5/31/2024	1800	71	Freijo
5/31/2024	2100	70	Freijo
5/31/2024	2400	70	Greenough

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/22/2024	300	70	Greenough	
5/22/2024	600	70	K. Hood	
5/22/2024	900	70	K. Hood	
5/22/2024	1200	70	K. Hood	
5/22/2024	1500	71	Freijo	
5/22/2024	1800	72	Freijo	
5/22/2024	2100	70	Freijo	
5/22/2024	2400	70	A. Little	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-2 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	300	70	F. MENDEZ
	600	70	L. MACIEL
	900	70	L. MACIEL
	1200	70	L. MACIEL
	1500	70	B. HOUGHTON
	1800	70	B. HOUGHTON
	2100	69	B. HOUGHTON
	2400	70	F. HAMBY

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	300	69	F. HAMBY
	600	69	L. MACIEL
	900	69	L. MACIEL
	1200	70	L. MACIEL
	1500	70	L. MACIEL
	1800	70	R. Houghton
	2100	70	R. Houghton
	2400	69	F. HAMBY

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	300	69	F. HAMBY
	600	70	SALAS
	900	70	SALAS
	1200	70	SALAS
	1500	69	HOUGHTON
	1800	69	HOUGHTON
	2100	68	HOUGHTON
	2400	69	F. HAMBY

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/26/2024	300	71	F. MENDEZ	
	600	70	R. HUH	
	900	70	R. HUH	
	1200	70	R. HUH	
	1500	69	HOUGHTON	
	1800	69	HOUGHTON	
	2100	68	HOUGHTON	
	2400	70	F. MENDEZ	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-3 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/20/2024	300	70	M. SABIN
	600	70	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	MACEI
	1800	70	MACEI
	2100	70	MACEI
	2400	71	A. LABRADA

**Tuesday**

Date	Time	Temp.	Name (Print)
5/21/2024	300	70	LABRADA
	600	72	M. SPURGEON
	900	72	Soto
	1200	72	Soto
	1500	71	Navar
	1800	70	Navar
	2100	69	Navar
	2400	69	LABRADA

**Wednesday**

Date	Time	Temp.	Name (Print)
5/22/2024	300	70	LABRADA
	600	70	M. SPURGEON
	900	71	M. SPURGEON
	1200	72	M. SPURGEON
	1500	70	L. MACEI
	1800	70	L. MACEI
	2100	70	L. MACEI
	2400	70	A. Little

**Thursday**

Date	Time	Temp.	Name (Print)
5/23/2024	300	70	A. Little
	600	70	M. SPURGEON
	900	71	M. SPURGEON
	1200	70	M. SPURGEON
	1500	71	Schaefer
	1800	71	Schaefer
	2100	70	Schaefer
	2400	70	A. Little

**Friday**

Date	Time	Temp.	Name (Print)
5/24/2024	300	70	A. Little
	600	71	M. SPURGEON
	900	70	M. SPURGEON
	1200	70	M. SPURGEON
	1500	70	SCHAEFER
	1800	70	SCHAEFER
	2100	70	SCHAEFER
	2400	70	Valenzas

**Saturday**

Date	Time	Temp.	Name (Print)
5/25/2024	300	69	Valenzas
	600	70	Secor
	900	70	Secor
	1200	70	Secor
	1500	70	R. HUNN
	1800	70	R. HUNN
	2100	70	R. HUNN
	2400	69	Valenzas

**Sunday**

Date	Time	Temp.	Name (Print)	NOTES:
5/26/2024	300	69	Valenzas	
	600	70	G. OCHOA	
	900	70	G. OCHOA	
	1200	70	G. OCHOA	
	1500	70	Zim	
	1800	70	Zim	
	2100	70	Zim	
	2400	69	Valenzas	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and record the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-4 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	300	70	M. Sabir
	600	70	G. OCHOA
	900	70	G. OCHOA
	1200	70	G. OCHOA
	1500	71	SOTO
	1800	71	SOTO
	2100	70	SOTO
	2400	70	LABRADA

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	300	70	L.A.B.R.A.D.A
	600	70	J. DANE
	900	70	J. DANE
	1200	71	J. DANE
	1500	72	R. SOTO
	1800	72	R. SOTO
	2100	71	G. SOTO
	2400	71	L.A.B.R.A.D.A

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	300	70	LA BRADA
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	71	SOTO
	1800	71	SOTO
	2100	70	SOTO
	2400	70	A. Little

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	H. Gutierrez
	1800	70	H. Gutierrez
	2100	70	H. Gutierrez
	2400	70	A. Little

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	300	70	A. Little
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	H. Gutierrez
	1800	70	H. Gutierrez
	2100	70	H. Gutierrez
	2400	69	A. Vaca

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	300	69	A. Vaca
	600	70	C. Contreras
	900	70	C. Contreras
	1200	70	C. Contreras
	1500	70	Luz
	1800	70	Luz
	2100	70	Luz
	2400	69	A. Vaca

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/26/2024	300	69	Vaca	
	600	70	Vaca	
	900	70	C. Contreras	
	1200	70	C. Contreras	
	1500	70	Luz	
	1800	70	Luz	
	2100	70	Luz	
	2400	69	Vaca	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-5 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	300	70	GODONAS
	600	70	BURR
	900	70	BURR
	1200	70	BURR
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	GODONAS

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	300	70	GODONAS
	600	70	PAPADIC
	900	70	PAPADIC
	1200	70	PAPADIC
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	71	GODONAS

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	300	70	GODONAS
	600	70	PAPADIC
	900	70	PAPADIC
	1200	70	PAPADIC
	1500	70	Lewis
	1800	70	Lewis
	2100	70	Lewis
	2400	70	CARTAGENA

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	300	70	CARTAGENA
	600	70	MIZANZA
	900	71	MIZANZA
	1200	71	MIZANZA
	1500	71	Lewis
	1800	71	Lewis
	2100	70	Lewis
	2400	70	GANDARA

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	300	70	GANDARA
	600	70	MIZANZA
	900	70	PAPADIC
	1200	70	PAPADIC
	1500	70	EEZ
	1800	70	EEZ
	2100	70	EEZ
	2400	70	A-LITTLE

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	300	70	A.LITTLE
	600	70	EEZ
	900	70	EEZ
	1200	70	EEZ
	1500	70	EEZ
	1800	70	EEZ
	2100	70	EEZ
	2400	70	A.LITTLE

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/26/2024	300	70	A.LITTLE	
	600	70	BURR	
	900	70	BURR	
	1200	70	BURR	
	1500	70	BURR	
	1800	70	Lewis	
	2100	70	Lewis	
	2400	70	GODONAS	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-6 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	300	70	GIDDINGS
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	70	Escobar
	1800	70	Escobar
	2100	70	Escobar
	2400	70	GIDDINGS

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	300	70	GIDDINGS
	600	70	Hamm
	900	70	Hamm
	1200	70	Hamm
	1500	70	Szar
	1800	71	Szar
	2100	71	Szar
	2400	71	GIDDINGS

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	300	70	GIDDINGS
	600	70	Hamm
	900	70	Hamm
	1200	70	Hamm
	1500	70	Hamm
	1800	70	Hamm
	2100	70	Hamm
	2400	70	CORTAGENEA

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	300	70	CORTAGENEA
	600	70	Seco?
	900	70	Seco?
	1200	71	Seco?
	1500	70	FREIMEL
	1800	70	FREIMEL
	2100	70	FREIMEL
	2400	70	GANDARA

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	300	70	GANDARA
	600	70	GANDARA
	900	70	GANDARA
	1200	70	GANDARA
	1500	70	FREIMEL
	1800	70	FREIMEL
	2100	70	FREIMEL
	2400	70	A. Littie

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	300	70	A. Littie
	600	70	Zinn
	900	70	Zinn
	1200	70	Zinn
	1500	70	L. McAllister
	1800	70	L. McAllister
	2100	70	L. McAllister
	2400	70	A. Littie

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/26/2024	300	70	A. Littie	
	600	70	S. Jenkins	
	900	70	S. Jenkins	
	1200	70	S. Jenkins	
	1500	70	S. Jenkins	
	1800	70	Escobar	
	2100	70	Escobar	
	2400	70	Giddings	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-7 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	300	70	A. Little
	600	70	J. GARCIA
	900	70	J. GARCIA
	1200	72	J. GARCIA
	1500	74	J. Flores
	1800	74	J. Flores
	2100	72	J. Flores
	2400	72	F. MENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	300	71	F. MENDEZ
	600	71	B. Weller
	900	70	B. Weller
	1200	71	B. Weller
	1500	71	G. OCHOA
	1800	71	G. OCHOA
	2100	70	G. OCHOA
	2400	70	Wark

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	300	70	Wark
	600	70	Wark
	900	70	MOURA
	1200	70	MOURA
	1500	70	Weber
	1800	70	Weber
	2100	69	Weber
	2400	70	Harkins

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	300	70	Harkins
	600	70	MOURA
	900	70	MOURA
	1200	71	MOURA
	1500	71	Lor
	1800	71	Lor
	2100	71	Lor
	2400	71	YANG

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	300	70	YAMS
	600	70	YAMS
	900	70	MOURA
	1200	70	MOURA
	1500	70	Lor
	1800	70	Lor
	2100	70	Lor
	2400	70	Graem

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	300	70	Graem
	600	70	MOURA
	900	70	MOURA
	1200	70	MOURA
	1500	70	Worden
	1800	70	Worden
	2100	70	Worden
	2400	71	A. Little

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/26/2024	300	70	A. Little	
	600	70	D. Wallace	
	900	70	D. Wallace	
	1200	72	D. Wallace	
	1500	70	Worden	
	1800	71	Worden	
	2100	70	Worden	
	2400	70	A. Little	

From May 1st through October 31st, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Institution: PBSP Housing Unit: A-8 Temp. Reading Location: DAYROOM  
(e.g., 1st tier, 2nd tier, 3rd tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/2024	300	70	A. Little
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Morde
	1800	70	Morde
	2100	70	Alper
	2400	70	F. MENDEZ

Tuesday

Date	Time	Temp.	Name (Print)
5/21/2024	300	70	F. mendez
	600	70	T. Vang
	900	70	T. Vang
	1200	70	T. Vang
	1500	70	Winkelmann
	1800	70	Winkelmann
	2100	70	Winkelmann
	2400	70	Hawkins

Wednesday

Date	Time	Temp.	Name (Print)
5/22/2024	300	71	Hawkins
	600	70	Hawkins
	900	72	Hawkins
	1200	74	Hawkins
	1500	72	Winkelmann
	1800	72	Winkelmann
	2100	72	Winkelmann
	2400	71	Hawkins

Thursday

Date	Time	Temp.	Name (Print)
5/23/2024	300	70	Hawkins
	600	70	Hawkins
	900	72	Hawkins
	1200	72	Hawkins
	1500	71	Coider
	1800	71	Coider
	2100	70	Coider
	2400	69	Yane

Friday

Date	Time	Temp.	Name (Print)
5/24/2024	300	69	Yane
	600	69	Yane
	900	70	F. Xiong
	1200	72	F. Xiong
	1500	72	Goider
	1800	71	Goider
	2100	71	Goider
	2400	70	Goider

Saturday

Date	Time	Temp.	Name (Print)
5/25/2024	300	70	Goider
	600	72	F. Xiong
	900	71	F. Xiong
	1200	73	F. Xiong
	1500	72	M. Preciado
	1800	72	M. Preciado
	2100	70	M. Preciado
	2400	71	Leorden

Sunday

Date	Time	Temp.	Name (Print)	NOTES:
5/26/2024	300	70	Morde	
	600	70	T. Vang	
	900	70	T. Vang	
	1200	70	T. Vang	
	1500	70	Morde	
	1800	70	Morde	
	2100	70	Morde	
	2400	70	A. Little	

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
4-29-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
4-30-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	B. Williams
	1800	70	B. Williams
	2100	70	B. Williams
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
5-1-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
5-2-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
5-3-24	0300	70	NELSON
	0600	70	J. Carrillo
	0900	70	J. Carrillo
	1200	70	J. Carrillo
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	Haegi, J.

Saturday 2024			
Date	Time	Temp.	Name (Print)
5-4-24	0300	70	Haegi, J.
	0600	70	J. Carrillo
	0900	70	J. Carrillo
	1200	70	J. Carrillo
	1500	70	M. Larson
	1800	68	M. Larson
	2100	68	M. Larson
	2400	70	Haegi, J.

Sunday 2024			
Date	Time	Temp.	Name (Print)
5-5-24	0300	70	Haegi, J.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	SOPA
	1800	70	SOPA
	2100	70	SOPA
	2400	70	NELSON

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	Schae
	0900	72	Schae
	1200	72	Schae
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Schae

Date	Time	Temp.	Name (Print)
	0300	70	Schae
	0600	70	Schae
	0900	70	Schae
	1200	72	Schae
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Schae

Date	Time	Temp.	Name (Print)
	0300	70	Schae
	0600	70	McDano
	0900	70	McDano
	1200	70	McDano
	1500	70	OASENO
	1800	70	OASENO
	2100	70	OASENO
	2400	70	Schae

Date	Time	Temp.	Name (Print)
	0300	70	Schae
	0600	70	Schae
	0900	70	Schae
	1200	70	Schae
	1500	70	Calhoon
	1800	70	Calhoon
	2100	70	Calhoon
	2400	70	Haag, T.

Date	Time	Temp.	Name (Print)
	0300	70	Schae
	0600	70	Schae
	0900	70	Schae
	1200	70	Schae
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Schae

Date	Time	Temp.	Name (Print)
	0300	70	Schae
	0600	70	Medrano
	0900	70	Medrano
	1200	70	Medrano
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Schae

Date	Time	Temp.	Name (Print)
	0300	70	Schae
	0600	70	Schae
	0900	70	Schae
	1200	70	Schae
	1500	70	OTREMBA
	1800	70	OTREMBA
	2100	70	OTREMBA
	2400	70	Schae

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-4 Temp. Reading Location: Bed - 1

Immediately notify the Watch Commander at extension 5555 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.) 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4-29-24	0300	70	S. Schwartz
	0600	70	B. Diaz
	0900	70	D. Diaz
	1200	70	D. Diaz
	1500	67	Ruvalcaba
	1800	70	Ruvalcaba
	2100	71	Ruvalcaba
	2400	70	Scared

## Wednesday

Date	Time	Temp.	Name (Print)
8/1 24	0300	70	Screech
	0600	70	REEVES
	0900	70	REEVES
	1200	70	REEVES
	1500	70	J FIDERS
	1800	68	J FIDERS
	2100	69	J FIDERS
	2400	70	Yee &

Friday

Date	Time	Temp.	Name (Print)
4-27-14	0300	70	Vreed
	0600	70	O'Conney
	0900	71	O'Conney
	1200	71	O'Conney
	1500	71	Truvalcabs.
	1800	70	Truvalcabs.
	2100	70	Truvalcabs.
	2400	70	Vreed

Sunday

Date	Time	Temp.	Name (Print)
8/5/20	0300	70	Santos
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	Ruvalcabe
	1800	71	Ruvalcabe
	2100	71	Ruvalcabe
	2400	71	Santos

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	Screed
	0600	70	B. DUGG
	0900	70	B. DUGG
	1200	70	B. DUGG
	1500	70	G. Carl
	1800	70	G. Carl
	2100	70	G. Carl
	2400	70	Screed

Thursday

Date	Time	Temp.	Name (Print)
4-2-41	0300	70	J. Reed
	0600	70	W. H. D.
	0900	70	B. D. G.
	1200	70	B. D. G.
	1500	71	Balfour
	1800	70	Balfour
	2100	70	Balfour
	2400	70	J. Reed

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	70	Grecd
	0600	70	Mahan
	0900	70	McLean
	1200	76	McFarland
	1500	70	Rovalcaba
	1800	71	Rovalcaba
	2100	76	Rovalcaba
	2400	70	Schmitz

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
04/29/24	0300	70	GARRISON
	0600	70	Rafferty/Weatherall
	0900	70	Rafferty
	1200	70	Rafferty
	1500	70	G. Gail
	1800	70	G. Gail
	2100	70	G. Gail
	2400	70	GARRISON

**Tuesday**

Date	Time	Temp.	Name (Print)
4/30/24	0300	70	GARRISON
	0600	70	G. Grönlund
	0900	70	G. Grönlund
	1200	70	G. Grönlund
	1500	72	A. Merano
	1800	71	A. Merano
	2100	70	A. Merano
	2400	70	GARRISON

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	GARRISON
	0600	70	D. Endes
	0900	70	D. Endes
	1200	70	D. Endes
	1500	71	A. Merano
	1800	72	A. Merano
	2100	70	A. Merano
	2400	70	RIOS

**Thursday**

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	RIOS
	0600	70	RIOS
	0900	70	Berry
	1200	70	Berry
	1500	71	Merano
	1800	72	Merano
	2100	71	Merano
	2400	71	C. LESLEY

**Friday**

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	C. LESLEY
	0600	70	I. Mercado
	0900	70	I. Mercado
	1200	70	I. Mercado
	1500	71	A. Merano
	1800	70	A. Merano
	2100	70	A. Merano
	2400	70	SCHWARTZ

**Saturday**

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	SCHWARTZ
	0600	70	Medrano
	0900	70	Medrano
	1200	70	Medrano
	1500	70	A. Merano
	1800	69	A. Merano
	2100	67	A. Merano
	2400	70	GARRISON

**Sunday**

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	GARRISON
	0600	70	A. Merano
	0900	70	A. Merano
	1200	70	A. Merano
	1500	70	G. Gail
	1800	70	G. Gail
	2100	70	G. Gail
	2400	70	GARRISON

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B6 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

## Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	70	MELENDOREZ
	0600	70	Wiliam
	0900	70	Wiliam
	1200	70	Wiliam
	1500	70	Welton
	1800	71	Welton
	2100	70	Welton
	2400	70	Edney

## Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	Selena
	0600	70	Gronlund
	0900	70	Gronlund
	1200	70	Gronlund
	1500	70	Welton
	1800	71	Welton
	2100	70	Welton
	2400	70	Edney

## Friday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	Selena
	0600	70	S. Chang
	0900	70	S. Chang
	1200	70	S. Chang
	1500	70	E. Cota
	1800	70	E. Cota
	2100	70	E. Cota
	2400	70	Edney

## Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	MARTINEZ
	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	Welton
	1800	71	Welton
	2100	70	Welton
	2400	70	MELENDOREZ

## Tuesday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	Selena
	0600	70	CALWOOD
	0900	70	CALWOOD
	1200	70	CALWOOD
	1500	70	Welton
	1800	70	Welton
	2100	71	Welton
	2400	70	Selena

## Thursday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	Selena
	0600	70	E. Cota
	0900	70	E. Cota
	1200	70	E. Cota
	1500	71	E. Cota
	1800	70	E. Cota
	2100	70	E. Cota
	2400	70	Selena

## Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	Selena
	0600	70	S. Chang
	0900	70	S. Chang
	1200	70	S. Chang
	1500	70	B. Wells
	1800	71	B. Wells
	2100	70	B. Wells
	2400	70	MARTINEZ

## Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBS? Housing Unit: B 7 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
9/29/24	0300	70	Chittick
	0600	70	Mercado
	0900	70	Milano
	1200	70	Milano
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	73	Chittick

Tuesday

Date	Time	Temp.	Name (Print)
9/30/24	0300	70	Chittick
	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	G. Pope
	0600	70	ZAMUDIO
	0900	70	ZAMUDIO
	1200	70	ZAMUDIO
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	O. Thompson
	1800	70	O. Thompson
	2100	69	O. Thompson
	2400	70	G. Pope

Notes

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	J. Suback
	1800	70	J. Suback
	2100	70	J. Suback
	2400	70	Chittick

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B8 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5530 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

4/29/24

Date	Time	Temp.	Name (Print)
	0300	70	Thomas
4-29-24	0600	70	L. Moon
	0900	70	L. Moon
	1200	70	L. Moon
	1500	70	CARNEY
	1800	70	CARNEY
	2100	70	CARNEY
	2400	70	Thomas

Wednesday

Date	Time	Temp.	Name (Print)
5/1	0300	70	Thomas
	0600	70	Singh
	0900	70	Singh
	1200	70	Singh
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	Thomas

Friday

Date	Time	Temp.	Name (Print)
5/3	0300	70	Chittach
	0600	70	L. Moon
	0900	70	L. Moon
	1200	70	L. Moon
	1500	70	L. Moon
	1800	70	L. Moon
	2100	70	DB
	2400	73	Chittach

Sunday

Date	Time	Temp.	Name (Print)
5/5	0300	70	Thomas
	0600	70	L. Moon
	0900	70	L. Moon
	1200	70	L. Moon
	1500	70	Cabellos
	1800	70	Cabellos
	2100	70	Cabellos
	2400	70	Thomas

Tuesday

Date	Time	Temp.	Name (Print)
4-30-24	0300	70	Thomas
	0600	70	L. Moon
	0900	70	L. Moon
	1200	70	L. Moon
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	Thomas

Thursday

Date	Time	Temp.	Name (Print)
5/2	0300	70	Thomas
	0600	70	Abernathy
	0900	70	Abernathy
	1200	70	Abernathy
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	72	Chittach

Saturday

Date	Time	Temp.	Name (Print)
5/4	0300	70	Chittach
	0600	70	L. Moon
	0900	70	L. Moon
	1200	70	L. Moon
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	Thomas

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1

Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
5-6-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	71	BOJORQUEZ
	1800	71	BOJORQUEZ
	2100	72	BOJORQUEZ
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
5-7-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
5-8-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	71	E. FALCON
	1800	73	E. FALCON
	2100	74	E. FALCON
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
5-9-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
5-10-24	0300	70	NELSON
	0600	70	Carrillo
	0900	70	Carrillo
	1200	70	Carrillo
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	Haag, J.

Saturday 2024			
Date	Time	Temp.	Name (Print)
5-11-24	0300	70	Haag, J.
	0600	70	C. Rodriguez
	0900	70	C. Rodriguez
	1200	70	C. Rodriguez
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	Haag, J.

Sunday 2024			
Date	Time	Temp.	Name (Print)
5-12-24	0300	70	Haag, J.
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. ROMERO
	1800	70	E. ROMERO
	2100	70	E. ROMERO
	2400	70	NELSON

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	SCHMITZ

Date	Time	Temp.	Name (Print)
	0300	70	PALAFIX
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Haag, T.

Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	Midarr
	0900	70	Midarr
	1200	70	Midarr
	1500	71	Thompson
	1800	70	Thompson
	2100	70	Thompson
	2400	70	MARTINEZ

Date	Time	Temp.	Name (Print)
	0300	70	MARTINEZ
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	T. WHITESIDE

Date	Time	Temp.	Name (Print)
	0300	70	SCHMITZ
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	PALAFIX

Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	Pena
	0900	70	Pena
	1200	71	Pena
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Haag, T.

Date	Time	Temp.	Name (Print)
	0300	70	MARTINEZ
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	G. GIL
	1800	70	G. GIL
	2100	70	G. GIL
	2400	70	MARTINEZ

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-4 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
0300	70	J. Creed	
0600	70	B. Diaz	
0900	70	B. Diaz	
1200	70	B. Diaz	
1500	70	R. Gallegos	
1800	70	R. Gallegos	
2100	70	R. Gallegos	
2400	70	Xreed	

Date	Time	Temp.	Name (Print)
0300	69	MCCASLANDS	
0600	70	DIAZ	
0900	70	DIAZ	
1200	70	DIAZ	
1500	69	Ahumada	
1800	69	Ahumada	
2100	69	Ahumada	
2400	70	Xreed	

Date	Time	Temp.	Name (Print)
0300	70	Xreed	
0600	70	B. Diaz	
0900	70	B. Diaz	
1200	70	B. Diaz	
1500	72	C. Ruvilcabs	
1800	72	C. Ruvilcabs	
2100	71	C. Ruvilcabs	
2400	70	GANDARA	

Date	Time	Temp.	Name (Print)
0300	70	SCHWARTZ	
0600	70	Medano	
0900	70	Medano	
1200	70	Medano	
1500	70	Ruvilcabs	
1800	71	Ruvilcabs	
2100	71	Ruvilcabs	
2400	70	Lesley	

Date	Time	Temp.	Name (Print)
0300	70	Xreed	
0600	70	DIAZ	
0900	70	DIAZ	
1200	70	DIAZ	
1500	69	Ahumada	
1800	69	Ahumada	
2100	69	Ahumada	
2400	69	MCCASLANDS	

Date	Time	Temp.	Name (Print)
0300	70	Xreed	
0600	70	B. Diaz	
0900	70	B. Diaz	
1200	70	B. Diaz	
1500	70	Baltazar	
1800	71	Baltazar	
2100	71	Baltazar	
2400	70	Xreed	

Date	Time	Temp.	Name (Print)
0300	70	GANDARA	
0600	70	Medano	
0900	70	Medano	
1200	70	Medano	
1500	70	Ruvilcabs	
1800	71	Ruvilcabs	
2100	71	Ruvilcabs	
2400	71	SCHWARTZ	

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>05/06/24</u>	0300	70	<u>GARRISON</u>
	0600	70	R. Abernathy
	0900	70	R. Abernathy
	1200	70	R. Abernathy
	1500	70	G. Gil
	1800	70	G. Gil
	2100	70	G. Gil
	2400	70	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
<u>05/08/24</u>	0300	70	<u>GARRISON</u>
	0600	70	Abernathy
	0900	70	Abernathy
	1200	70	Abernathy
	1500	70	A. Merano
	1800	69	A. Merano
	2100	69	A. Merano
	2400	69	RIOS

Friday

Date	Time	Temp.	Name (Print)
<u>05/10/24</u>	0300	70	<u>SCHWARTZ</u>
	0600	70	I. Mercado
	0900	70	I. Mercado
	1200	70	I. Mercado
	1500	70	Meronu
	1800	69	Meronu
	2100	68	Meronu
	2400	69	SCHWARTZ

Sunday

Date	Time	Temp.	Name (Print)
<u>05/12/24</u>	0300	70	<u>RIOS</u>
	0600	70	<u>RIOS</u>
	0900	70	Abernathy
	1200	70	Abernathy
	1500	70	G. Gil
	1800	70	G. Gil
	2100	70	G. Gil
	2400	70	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
<u>05/07/24</u>	0300	70	<u>GARRISON</u>
	0600	70	R. Abernathy
	0900	70	R. Abernathy
	1200	70	R. Abernathy
	1500	69	A. Merano
	1800	69	A. Merano
	2100	69	A. Merano
	2400	70	<u>GARRISON</u>

Thursday

Date	Time	Temp.	Name (Print)
<u>05/09/24</u>	0300	70	<u>RIOS</u>
	0600	70	<u>RIOS</u>
	0900	70	R. Abernathy
	1200	70	R. Abernathy
	1500	70	Merano
	1800	69	Merano
	2100	69	Merano
	2400	69	<u>SCHWARTZ</u>

Saturday

Date	Time	Temp.	Name (Print)
<u>05/11/24</u>	0300	69	<u>SCHWARTZ</u>
	0600	70	Merano
	0900	70	Merano
	1200	70	Merano
	1500	72	Merano
	1800	71	Merano
	2100	70	Merano
	2400	70	<u>RIOS</u>

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

OP 1014, Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B6 Temp. Reading Location: 2nd TRM  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	MERCADO
5-6-24	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Elliott

Wednesday

Date	Time	Temp.	Name (Print)
5-8-24	0300	70	Schaefer
	0600	70	ARTIGAS
	0900	70	ARTIGAS
	1200	70	ARTIGAS
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Gill

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	70	Schaefer
	0600	70	ARTIGAS
	0900	70	ARTIGAS
	1200	70	ARTIGAS
	1500	71	COTA
	1800	71	COTA
	2100	71	COTA
	2400	70	Schaefer

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	70	MERCADO
	0600	70	L. Mercado
	0900	70	L. Mercado
	1200	70	L. Mercado
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Hamm

Tuesday

Date	Time	Temp.	Name (Print)
5-7-24	0300	70	Schaefer
	0600	70	ARTIGAS
	0900	70	ARTIGAS
	1200	70	ARTIGAS
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	Schaefer

Thursday

Date	Time	Temp.	Name (Print)
5-9-24	0300	78	Schaefer
	0600	78	ARTIGAS
	0900	70	ARTIGAS
	1200	70	ARTIGAS
	1500	70	COTA
	1800	70	COTA
	2100	70	COTA
	2400	70	COTA

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	70	Schaefer
	0600	70	ARTIGAS
	0900	70	ARTIGAS
	1200	70	ARTIGAS
	1500	70	Weltz
	1800	71	Weltz
	2100	70	Weltz
	2400	70	A. MELCHOR

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 1031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B7 Temp. Reading Location: 2<sup>nd</sup> tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	Chittach
	0600	70	Madero
	0900	70	Madero
	1200	70	Madero
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	Chittach

Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	70	Chittach
	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G.Pope

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	T. Suback
	1800	70	T. Suback
	2100	70	T. Suback
	2400	70	G. Pope

Notes

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	G. Pope
	0600	70	G. Grunlund
	0900	70	G. Grunlund
	1200	70	G. Grunlund
	1500	70	T. Suback
	1800	70	T. Suback
	2100	70	T. Suback
	2400	73	Chittach

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B8 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5330 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

5/6/24

Date	Time	Temp.	Name (Print)
	0300	70	T. Morris
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	T. Suback
	1800	70	T. Suback
	2100	70	T. Suback
	2400	70	T. Morris

Wednesday

Date	Time	Temp.	Name (Print)
<u>5/8</u>	0300	70	T. Morris
	0600	71	Gallagher
	0900	71	Gallagher
	1200	71	Gallagher
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	T. Morris

Friday

Date	Time	Temp.	Name (Print)
<u>5/10</u>	0300	70	Christie
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	73	Christie

Sunday

Date	Time	Temp.	Name (Print)
<u>5/12</u>	0300	70	T. Morris
	0600	73	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	76	FARIS
	1800	73	FARIS
	2100	72	FARIS
	2400	70	T. Morris

Tuesday

Date	Time	Temp.	Name (Print)
<u>5/9</u>	0300	70	T. Morris
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	T. Morris

Thursday

Date	Time	Temp.	Name (Print)
<u>5/9</u>	0300	70	T. Morris
	0600	70	A. Stevenson
	0900	71	A. Stevenson
	1200	71	A. Stevenson
	1500	71	River
	1800	70	River
	2100	70	River
	2400	72	Christie

Saturday

Date	Time	Temp.	Name (Print)
<u>5/11</u>	0300	70	Christie
	0600	70	L. Mora
	0900	70	L. Mora
	1200	70	L. Mora
	1500	70	Brown
	1800	70	Brown
	2100	70	Brown
	2400	70	T. Morris

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
5-14-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	71	A. Castellum
	1800	70	A. Castellum
	2100	70	A. Castellum
	2400	70	NELSON

Tuesday Wednesday 2024			
Date	Time	Temp.	Name (Print)
5-15-24	0300	70	NELSON
	0600	70	B. Ojeda
	0900	70	B. Ojeda
	1200	70	B. Ojeda
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Wednesday Tuesday 2024			
Date	Time	Temp.	Name (Print)
5-16-24	0300	70	NELSON
	0600	70	B. Sorquez
	0900	70	B. Sorquez
	1200	70	B. Sorquez
	1500	70	Williams
	1800	70	Williams
	2100	70	Williams
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
5-16-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
5-17-24	0300	70	NELSON
	0600	70	J. Griffith
	0900	70	J. Griffith
	1200	70	J. Griffith
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	F. Fontenot

Saturday 2024			
Date	Time	Temp.	Name (Print)
5-18-24	0300	70	F. Fontenot
	0600	70	E. Cota
	0900	70	E. Cota
	1200	70	E. Cota
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	71	P. Chapa

Sunday 2024			
Date	Time	Temp.	Name (Print)
5-19-24	0300	71	P. Chapa
	0600	70	P. Chapa
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	J. Johnson
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday 5-13-24**

Date	Time	Temp.	Name (Print)
	0300	70	Son
	0600	70	B.Schun
	0900	70	B.Schun
	1200	70	B.Schun
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Son

**Wednesday 5-15-24**

Date	Time	Temp.	Name (Print)
	0300	70	Son
	0600	70	Schun
	0900	72	Schen
	1200	72	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Son

**Friday 5-17-24**

Date	Time	Temp.	Name (Print)
	0300	70	Son
	0600	70	Madd
	0900	70	Madd
	1200	70	Madd
	1500	70	J.Rodriguez
	1800	70	J.Rodriguez
	2100	70	J.Rodriguez
	2400	70	Son

**Sunday 5-19-24**

Date	Time	Temp.	Name (Print)
	0300	70	Son
	0600	70	Schun
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	MARTINEZ

**Tuesday 5-14-24**

Date	Time	Temp.	Name (Print)
	0300	70	Son
	0600	70	B.Schun
	0900	70	B.Schun
	1200	70	B.Schun
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Son

**Thursday 5-16-24**

Date	Time	Temp.	Name (Print)
	0300	70	Son
	0600	70	Medano
	0900	70	Medano
	1200	70	medano
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Son

**Saturday 5-18-24**

Date	Time	Temp.	Name (Print)
	0300	70	Son
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	G.Gil
	1800	70	G.Gil
	2100	70	G.Gil
	2400	70	Son

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: 2ND  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5/13/24

Date	Time	Temp.	Name (Print)
	0300	70	C. LESLER
	0600	71	WILSON
	0900	70	WILSON
	1200	70	WILSON
	1500	70	
	1800	70	
	2100	70	
	2400	70	Xreed

Wednesday

Date	Time	Temp.	Name (Print)
5-15	0300	70	Xreed
	0600	70	WOLVERIN
	0900	71	WOLVERIN
	1200	71	WOLVERIN
	1500	71	Ahumada
	1800	71	McGraw
	2100	70	McGraw
	2400	70	Xreed

Friday

Date	Time	Temp.	Name (Print)
5-17	0300	70	Xreed
	0600	70	WOLVERIN
	0900	71	WOLVERIN
	1200	71	WOLVERIN
	1500	70	Ruvalcaba
	1800	71	Ruvalcaba
	2100	70	Ruvalcaba
	2400	70	Xreed

Sunday

Date	Time	Temp.	Name (Print)
5-19	0300	70	SCARF
	0600	70	Medrano
	0900	70	Medrano
	1200	70	Medrano
	1500	70	J. CEBALLOS
	1800	70	J. CEBALLOS
	2100	70	J. CEBALLOS
	2400	70	SCARF

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	Xreed
	0600	70	VanGilder
	0900	70	VanGilder
	1200	70	VanGilder
	1500	71	Ahumada
	1800	70	Ahumada
	2100	69	Ahumada
	2400	70	Xreed

Thursday

Date	Time	Temp.	Name (Print)
5-16	0300	70	Xreed
	0600	71	WOLVERIN
	0900	71	WOLVERIN
	1200	73	WOLVERIN
	1500	71	Ruvalcaba
	1800	71	Ruvalcaba
	2100	70	Ruvalcaba
	2400	70	Xreed

Saturday

Date	Time	Temp.	Name (Print)
5-18	0300	70	Xreed
	0600	70	WOLVERIN
	0900	71	McGrane
	1200	71	McGrane
	1500	70	BALTAZAR
	1800	70	BALTAZAR
	2100	71	BALTAZAR
	2400	70	SCARF

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B 5 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
05	0300	70	GARRISON
13	0600	70	Abernathy
24	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	CEDARROS
	1800	70	CEDARROS
	2100	70	CEDARROS
	2400	70	GARRISON

**Wednesday**

Date	Time	Temp.	Name (Print)
05	0300	70	GARRISON
13	0600	71	LAUDWIGS
24	0900	72	Abernathy
	1200	72	Abernathy
	1500	71	Meronew
	1800	71	Meronew
	2100	70	Meronew
	2400	70	RIOS

**Friday**

Date	Time	Temp.	Name (Print)
05	0300	70	S.SCHWARTZ
17	0600	70	Mercado
24	0900	70	Mercado
	1200	70	Mercado
	1500	71	Meronew
	1800	70	Meronew
	2100	70	Meronew
	2400	70	S.SCHWARTZ

**Sunday**

Date	Time	Temp.	Name (Print)
05	0300	70	RIOS
19	0600	70	RIOS
25	0900	72	Abernathy
	1200	72	Abernathy
	1500	70	G.Gil
	1800	70	G.Gil
	2100	70	G.Gil
	2400	70	GARRISON

**Tuesday**

Dat	Time	Temp.	Name (Print)
05	0300	70	GARRISON
14	0600	72	Abernathy
24	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	Meronew
	1800	71	Meronew
	2100	70	Meronew
	2400	70	GARRISON

**Thursday**

Date	Time	Temp.	Name (Print)
05	0300	70	RIOS
16	0600	70	RIOS
24	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	Meronew
	1800	71	Meronew
	2100	70	Meronew
	2400	70	SCHWARTZ

**Saturday**

Date	Time	Temp.	Name (Print)
05	0300	70	SCHWARTZ
13	0600	70	Mercado
24	0900	70	Mercado
	1200	70	Mercado
	1500	70	Meronew
	1800	69	Meronew
	2100	69	Meronew
	2400	70	RIOS

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

OP 1014, Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit B-6 Temp. Reading Location: \_\_\_\_\_  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/18/21	0300	70	J. Hamm
	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	Wester
	1800	70	Wester
	2100	70	Wester
	2400	70	Soler

**Tuesday**

Date	Time	Temp.	Name (Print)
5/18/21	0300	70	Soler
	0600	73	E. CARRE
	0900	73	E. CARRE
	1200	73	E. CARRE
	1500	70	Wester
	1800	70	Wester
	2100	71	Wester
	2400	70	Soler

**Wednesday**

Date	Time	Temp.	Name (Print)
5/19/21	0300	70	S. Chang
	0600	70	S. Chang
	0900	70	S. Chang
	1200	70	S. Chang
	1500	71	Wester
	1800	70	Wester
	2100	70	Wester
	2400	70	Soler

**Thursday**

Date	Time	Temp.	Name (Print)
5/19/21	0300	76	Soler
	0600	70	UCIEL
	0900	71	UCIEL
	1200	72	UCIEL
	1500	74	FAGAS
	1800	73	FAGAS
	2100	74	FAGAS
	2400	71	Soler

**Friday**

Date	Time	Temp.	Name (Print)
5/19/21	0300	70	Soler
	0600	70	C. CARTAGENA
	0900	70	C. CARTAGENA
	1200	70	C. CARTAGENA
	1500	70	T. Subsack
	1800	70	T. Subsack
	2100	70	T. Subsack
	2400	70	Holiday

**Saturday**

Date	Time	Temp.	Name (Print)
5/19/21	0300	70	Wester
	0600	70	C. CARTAGENA
	0900	70	C. CARTAGENA
	1200	70	C. CARTAGENA
	1500	70	Wester
	1800	71	Wester
	2100	70	Wester
	2400	70	MELONIER

**Sunday**

Date	Time	Temp.	Name (Print)
5/19/21	0300	70	MELONIER
	0600	70	BARKER
	0900	70	BARKER
	1200	70	BARKER
	1500	70	Wester
	1800	71	Wester
	2100	70	Wester
	2400	70	A. INGLENOIR

**Notes**

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B7

Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	Chittach
	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	Mercado
	1800	70	Mercado
	2100	70	Mercado
	2400	73	Chittach

Tuesday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	Chittach
	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	71	Alvarez
	1800	71	Alvarez
	2100	70	Alvarez
	2400	70	Alvarez

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	G-Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	71	D-STATION
	1800	71	D-STATION
	2100	70	D-STATION
	2400	70	G-Pope

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	G-Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	Rivas
	1800	70	Rivas
	2100	70	Rivas
	2400	70	G-Pope

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	G-Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	Mercado
	1800	70	Mercado
	2100	70	Mercado
	2400	70	G-Pope

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	G-Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	Rivas
	1800	70	T. Suback
	2100	70	T. Suback
	2400	70	G-Pope

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	G-Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	T. Suback
	1800	70	T. Suback
	2100	70	T. Suback
	2400	73	Chittach

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B4

Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5330 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

5/13/24

Date	Time	Temp.	Name (Print)
	0300	70	T. Morris
	0600	71	L. Mora
	0900	71	L. Mora
	1200	72	L. Mora
	1500	72	J. Second
	1800	73	J. Second
	2100	70	J. Second
	2400	70	T. Morris

Wednesday

Date	Time	Temp.	Name (Print)
	0300	74	T. Morris
	0600	71	R. Abernathy
	0900	71	R. Abernathy
	1200	71	R. Abernathy
	1500	75	B. Brown
	1800	75	B. Brown
	2100	73	B. Brown
	2400	74	T. Morris

Friday

Date	Time	Temp.	Name (Print)
	0300	70	Chiffock
	0600	70	L. Mora
	0900	71	L. Mora
	1200	72	L. Mora
	1500	70	B. Brown
	1800	70	B. Brown
	2100	70	B. Brown
	2400	72	S. Wilson

Sunday

Date	Time	Temp.	Name (Print)
	0300	72	T. Morris
	0600	71	L. Mora
	0900	72	L. Mora
	1200	72	L. Mora
	1500	72	C. GIL
	1800	71	C. GIL
	2100	71	C. GIL
	2400	70	T. Morris

Tuesday

Date	Time	Temp.	Name (Print)
	0300	70	T. Morris
	0600	70	L. Mora
	0900	71	L. Mora
	1200	71	L. Mora
	1500	72	SERVIN
	1800	74	SERVIN
	2100	76	SERVIN
	2400	74	T. Morris

Thursday

Date	Time	Temp.	Name (Print)
	0300	74	T. Morris
	0600	73	Abernathy
	0900	73	Abernathy
	1200	74	Abernathy
	1500	75	B. Brown
	1800	75	B. Brown
	2100	75	B. Brown
	2400	74	Chiffock

Saturday

Date	Time	Temp.	Name (Print)
	0300	72	S. Wilson
	0600	72	L. Mora
	0900	71	L. Mora
	1200	72	L. Mora
	1500	72	B. Brown
	1800	72	B. Brown
	2100	72	B. Brown
	2400	72	T. Morris

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 2024			
Date	Time	Temp.	Name (Print)
5-20-24	0300	70	NELSON
	0600	70	J-Johnson
	0900	70	J-Johnson
	1200	70	J-Johnson
	1500	70	S. Jenkins
	1800	70	S. Jenkins
	2100	70	S. Jenkins
	2400	70	NELSON

Tuesday 2024			
Date	Time	Temp.	Name (Print)
5-21-24	0300	70	NELSON
	0600	70	J-Johnson
	0900	70	J-Johnson
	1200	70	J-Johnson
	1500	70	M. Ceballos
	1800	70	M. Ceballos
	2100	70	M. Ceballos
	2400	70	NELSON

Wednesday 2024			
Date	Time	Temp.	Name (Print)
5-22-24	0300	70	NELSON
	0600	70	J-Johnson
	0900	70	J-Johnson
	1200	70	J-Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Thursday 2024			
Date	Time	Temp.	Name (Print)
5-23-24	0300	70	NELSON
	0600	70	J-Johnson
	0900	70	J-Johnson
	1200	70	J-Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

Friday 2024			
Date	Time	Temp.	Name (Print)
5-24-24	0300	70	NELSON
	0600	70	J-Carillo
	0900	70	J-Carillo
	1200	70	J-Carillo
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haag, J.

Saturday 2024			
Date	Time	Temp.	Name (Print)
5-25-24	0300	70	Haag, J.
	0600	70	K-Larson
	0900	70	K-Larson
	1200	70	K-Larson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Haag, J.

Sunday 2024			
Date	Time	Temp.	Name (Print)
5-26-24	0300	70	Haag, J.
	0600	70	J-Johnson
	0900	70	J-Johnson
	1200	70	J-Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

DISTRIBUTION: Original: Institution Heat Plan Coordinator

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B3 Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-20-24

Date	Time	Temp.	Name (Print)
	0300	70	Morinwe
	0600	70	Schen
	0900	70	J.Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	C. LESLER

Tuesday 5-21-24

Date	Time	Temp.	Name (Print)
	0300	70	C. LESLER
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Schen

Wednesday 5-22-24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Z.
	1800	70	Z.
	2100	70	Z.
	2400	70	Schen

Thursday 5-23-24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Schen

Friday 5-24-24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	Thompson
	1800	70	Thompson
	2100	70	Thompson
	2400	70	Schen

Saturday 5-25-24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	C.CJ
	1800	70	C.CJ
	2100	70	C.CJ
	2400	70	Schen

Sunday 5-26-24

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Haag J.

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B4 Temp. Reading Location: wd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/20	0300	70	C. Lester
	0600	70	B. Diaz
	0900	70	Diaz
	1200	70	Diaz
	1500	70	Ruvalesca
	1800	71	Ruvalesca
	2100	70	Ruvalesca
	2400	70	AVILA

#### Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300	70	Jreed
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Jreed

#### Friday

Date	Time	Temp.	Name (Print)
5/24	0300	70	Jreed
	0600	70	DIAZ
	0900	70	DIAZ
	1200	70	DIAZ
	1500	70	Ruvalesca
	1800	71	Ruvalesca
	2100	71	Ruvalesca
	2400	70	Jreed

#### Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	CARTAGENA
	0600	70	Medrano
	0900	70	Medrano
	1200	70	Medrano
	1500	72	Ruvalesca
	1800	70	Ruvalesca
	2100	70	Ruvalesca
	2400	70	Kun

#### Tuesday

Date	Time	Temp.	Name (Print)
5/23	0300	72	AVILA
	0600	70	B. Diaz
	0900	70	DIAZ
	1200	70	DIAZ
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Jreed

#### Thursday

Date	Time	Temp.	Name (Print)
5/25	0300	70	Jreed
	0600	70	DIAZ
	0900	70	DIAZ
	1200	70	B. Diaz
	1500	70	Ruvalesca
	1800	70	Ruvalesca
	2100	70	Ruvalesca
	2400	70	Jreed

#### Saturday

Date	Time	Temp.	Name (Print)
5/25	0300	70	Jreed
	0600	70	Medrano
	0900	70	Medrano
	1200	70	Medrano
	1500	70	Ruvalesca
	1800	70	Ruvalesca
	2100	71	Ruvalesca
	2400	70	CARTAGENA

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-5

Temp. Reading Location:

2nd

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
<u>05</u> <u>20</u> <u>24</u>	0300	70	GARRISON
	0600	70	Abernathy
	0900	71	Abernathy
	1200	72	Abernathy
	1500	70	G. G.I.
	1800	70	G. G.I.
	2100	70	G. G.I.
	2400	70	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
<u>05</u> <u>25</u> <u>24</u>	0300	70	GARRISON
	0600	70	Abernathy
	0900	72	Abernathy
	1200	72	Abernathy
	1500	71	Morano
	1800	70	Morano
	2100	70	Morano
	2400	70	Rios

Friday

Date	Time	Temp.	Name (Print)
<u>05</u> <u>22</u> <u>24</u>	0300	70	SCHMIDT
	0600	70	I. Mercado
	0900	70	I. Mercado
	1200	70	I. Mercado
	1500	70	Morano
	1800	69	Morano
	2100	69	Morano
	2400	70	Bellinger

Sunday

Date	Time	Temp.	Name (Print)
<u>05</u> <u>26</u> <u>24</u>	0300	71	Rios
	0600	71	Rios
	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	G.G.I.
	1800	70	G.G.I.
	2100	70	G. G.I.
	2400	70	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
<u>05</u> <u>21</u> <u>24</u>	0300	70	GARRISON
	0600	70	Abernathy
	0900	72	Abernathy
	1200	72	Abernathy
	1500	71	Morano
	1800	70	Morano
	2100	70	Morano
	2400	70	GARRISON

Thursday

Date	Time	Temp.	Name (Print)
<u>05</u> <u>23</u> <u>24</u>	0300	70	RIOS
	0600	70	RIOS
	0900	72	Abernathy
	1200	72	Abernathy
	1500	71	Morano
	1800	70	Morano
	2100	70	Morano
	2400	70	SCHMIDT

Saturday

Date	Time	Temp.	Name (Print)
<u>05</u> <u>25</u> <u>24</u>	0300	70	Bellinger
	0600	70	I. Mercado
	0900	70	I. Mercado
	1200	70	I. Mercado
	1500	70	I. Mercado
	1800	70	I. Mercado
	2100	70	I. Mercado
	2400	70	RIOS

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

OP 1014, Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B6 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	A. MELENDOER
5/20/24	0600	70	I. Mercado
	0900	70	I. Mercado
	1200	70	I. Mercado
	1500	70	Weltner
	1800	71	Weltner
	2100	70	Weltner
	2400	70	Schulz

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	Schulz
	0600	70	Gronlund
	0900	70	Gronlund
	1200	70	Gronlund
	1500	70	Weltner
	1800	71	Weltner
	2100	70	Weltner
	2400	70	Schulz

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	Edwards
	0600	70	LANDIN
	0900	70	LANDIN
	1200	70	LANDIN
	1500	70	Weltner
	1800	70	Weltner
	2100	70	Weltner
	2400	70	Weltner

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	O'Neill
	0600	70	O'Neill
	0900	70	O'Neill
	1200	70	O'Neill
	1500	70	T. Suback
	1800	70	T. Suback
	2100	70	T. Suback
	2400	70	T. Suback

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	T. Suback
	0600	70	O'Connell
	0900	70	O'Connell
	1200	70	O'Connell
	1500	70	T. Suback
	1800	70	T. Suback
	2100	70	T. Suback
	2400	70	Martinez

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	Martinez
	0600	70	S. Chang
	0900	70	S. Chang
	1200	70	S. Chang
	1500	70	Williams
	1800	70	Williams
	2100	70	Williams
	2400	71	Melenoer

Notes

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	Melenoer
	0600	70	I. Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	Weltner
	1800	71	Weltner
	2100	70	Weltner
	2400	70	Melenoer

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B7 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	Chifflock
	0600	70	I. Medrano
	0900	70	I. Medrano
	1200	70	I. Medrano
	1500	72	A. L. S. Teller
	1800	71	A. L. S. Teller
	2100	70	A. L. S. Teller
	2400	73	Chifflock

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Friday

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	Giles
	1800	70	Giles
	2100	70	Giles
	2400	70	G. Pope

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	T. Subsack
	1800	70	T. Subsack
	2100	70	T. Subsack
	2400	70	Chifflock

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	Chifflock
	0600	70	Merado
	0900	70	Merado
	1200	70	Merado
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Thursday

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	ZAMUDIO
	1800	70	ZAMUDIO
	2100	70	ZAMUDIO
	2400	70	G. Pope

Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	G. Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	T. Subsack
	1800	70	T. Subsack
	2100	70	T. Subsack
	2400	70	G. Pope

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B8

Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5330 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

5/20/24

Date	Time	Temp.	Name (Print)
0300	71	Thomas	
0600	72	L. Mora	
0900	72	L. Mora	
1200	72	L. Mora	
1500	72	J. Suback	
1800	70	J. Suback	
2100	70	J. Suback	
2400	70	J. Suback	

Wednesday

5/22

Date	Time	Temp.	Name (Print)
0300	72	Thomas	
0600	71	Abernathy	
0900	72	Abernathy	
1200	72	Abernathy	
1500	73	Farias	
1800	73	Farias	
2100	74	Farias	
2400	73	Thomas	

Friday

5/24

Date	Time	Temp.	Name (Print)
0300	70	Chifflock	
0600	71	Vadnais	
0900	71	Vadnais	
1200	70	Vadnais	
1500	74	Farias	
1800	73	Farias	
2100	72	Farias	
2400	70	Chifflock	

Sunday

5/26

Date	Time	Temp.	Name (Print)
0300	75	Isaac	
0600	72	L. Mora	
0900	72	L. Mora	
1200	73	L. Mora	
1500	72	Thompson	
1800	71	Thompson	
2100	70	Thompson	
2400	70	Thompson	

Tuesday

5/21

Date	Time	Temp.	Name (Print)
0300	71	Thomas	
0600	72	L. Mora	
0900	73	L. Mora	
1200	72	L. Mora	
1500	72	Williams	
1800	72	Williams	
2100	72	Williams	
2400	72	Thomas	

Thursday

Date	Time	Temp.	Name (Print)
0300	73	Thomas	
0600	72	Abernathy	
0900	72	Abernathy	
1200	72	Abernathy	
1500	72	Brown	
1800	72	Mena	
2100	72	Mena	
2400	73	Chifflock	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	Chifflock	
0600	70	L. Mora	
0900	70	L. Mora	
1200	71	L. Mora	
1500	73	Farias	
1800	72	Farias	
2100	74	Farias	
2400	75	Isaac	

Notes

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-1 Temp. Reading Location: SECOND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	71	A. GASTELUM
	1800	70	A. GASTELUM
	2100	70	A. GASTELUM
	2400	70	NELSON

**Tuesday**

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	72	Gastelum
	1800	71	GASTELUM
	2100	70	GASTELUM
	2400	70	NELSON

**Wednesday**

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

**Thursday**

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	NELSON
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

**Friday**

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	NELSON
	0600	70	E. MEDRANO
	0900	70	E. MEDRANO
	1200	70	E. MEDRANO
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Rios

**Saturday**

Date	Time	Temp.	Name (Print)
6-1-24	0300	69	Rios
	0600	69	Rios
	0900	70	ZAMUDIO
	1200	70	ZAMUDIO
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	Hoagir

**Notes**

Date	Time	Temp.	Name (Print)
6-2-24	0300	70	Hoagir
	0600	70	J. Johnson
	0900	70	J. Johnson
	1200	70	J. Johnson
	1500	70	E. Romero
	1800	70	E. Romero
	2100	70	E. Romero
	2400	70	NELSON

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: B3      Temp. Reading Location: 2ND TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Date	Time	Temp.	Name (Print)
	0300	70	Haag, T.
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	SCHEN

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	SCHEN

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	Sanchez
	1800	70	Sanchez
	2100	70	Sanchez
	2400	70	SCHEN

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	Haag, T.

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	SCHEN

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	Worth
	1800	70	Worth
	2100	70	Worth
	2400	70	SCHEN

Date	Time	Temp.	Name (Print)
	0300	70	Schen
	0600	70	Schen
	0900	70	Schen
	1200	70	Schen
	1500	70	(S-C)
	1800	70	(S-C)
	2100	70	(S-C)
	2400	70	SCHEN

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSI Housing Unit: B4

Temp. Reading Location: 2nd Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
	0300	70	A. K.
5/21/18	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	70	E. Co.
	1800	70	T. Co.
	2100	70	T. Co.
	2400	70	Screed

Wednesday

Date	Time	Temp.	Name (Print)
5/21/18	0300	70	Screed
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	69	Ahumada
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Screed

Friday

Date	Time	Temp.	Name (Print)
5/21/18	0300	70	Screed
	0600	70	Giles
	0900	70	Giles
	1200	70	Giles
	1500	70	J. CEBALLOS
	1800	70	J. CEBALLOS
	2100	69	J. CEBALLOS
	2400	70	MARTINEZ

Sunday

Date	Time	Temp.	Name (Print)
6/2/18	0300	70	S. SCHWARTZ
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	ALDRETE
	1800	70	ALDRETE
	2100	70	ALDRETE
	2400	70	C. Lesley

Tuesday

Date	Time	Temp.	Name (Print)
5/21/18	0300	70	Screed
	0600	70	B. Diaz
	0900	70	B. Diaz
	1200	70	B. Diaz
	1500	69	Ahumada
	1800	69	Ahumada
	2100	69	Ahumada
	2400	70	Screed

Thursday

Date	Time	Temp.	Name (Print)
5/21/18	0300	70	Screed
	0600	70	O'Neill
	0900	70	O'Neill
	1200	71	O'Neill
	1500	71	Baltazar
	1800	71	Baltazar
	2100	72	Baltazar
	2400	70	Screed

Saturday

Date	Time	Temp.	Name (Print)
6/2/18	0300	70	MARTINEZ
	0600	70	Medano
	0900	70	Medano
	1200	70	Medano
	1500	70	Giles
	1800	70	Giles
	2100	70	Giles
	2400	70	SCHWARTZ

Notes

---



---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B5 Temp. Reading Location: On W  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/22	0300	70	GARRISON
22	0600	70	R. Abernathy
24	0900	72	R. Abernathy
	1200	71	R. Abernathy
	1500	72	G. Gil
	1800	72	G. Gil
	2100	72	G. Gil
	2400	70	GARRISON

Tuesday

Date	Time	Temp.	Name (Print)
5/22	0300	70	GARRISON
22	0600	70	Abernathy
24	0900	72	Abernathy
	1200	71	Abernathy
	1500	71	Mercado
	1800	71	Mercado
	2100	71	Mercado
	2400	70	GARRISON

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	70	GARRISON
29	0600	70	Abernathy
24	0900	72	Abernathy
	1200	71	Abernathy
	1500	73	FACIAS
	1800	73	FACIAS
	2100	74	FACIAS
	2400	73	RIOS

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	71	RIOS
	0600	71	RIOS
	0900	72	Abernathy
	1200	72	Abernathy
	1500	72	Mercado
	1800	71	Mercado
	2100	70	Mercado
	2400	70	SCHWARTZ

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	70	SCHWARTZ
	0600	70	Mercado
	0900	70	Mercado
	1200	70	Mercado
	1500	71	Mercado
	1800	70	Mercado
	2100	69	Mercado
	2400	69	SCHWARTZ

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	69	SCHWARTZ
	0600	69	Mercado
	0900	70	Mercado
	1200	71	Mercado
	1500	72	Mercado
	1800	70	Mercado
	2100	70	Mercado
	2400	70	RIOS

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	70	RIOS
	0600	70	RIOS
	0900	72	Abernathy
	1200	71	Abernathy
	1500	71	G. Gil
	1800	72	G. Gil
	2100	72	G. Gil
	2400	70	GARRISON

Notes

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

OP 1014, Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBP Housing Unit B6 Temp. Reading Location: rd. tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-27-18	0300	70	MEREDITH
	0600	70	Kerrado
	0900	70	Mercado
	1200	70	Mercado
	1500	70	Weltz
	1800	70	Weltz
	2100	70	Weltz
	2400	70	Weltz

Tuesday

Date	Time	Temp.	Name (Print)
5-28-18	0300	70	Shay
	0600	70	G.Gronlund
	0900	70	G.Gronlund
	1200	70	G.Gronlund
	1500	70	S.Chang
	1800	70	S.Chang
	2100	70	S.Chang
	2400	70	S.Chang

Wednesday

Date	Time	Temp.	Name (Print)
5-29-18	0300	70	Shay
	0600	70	G.Gronlund
	0900	70	G.Gronlund
	1200	70	G.Gronlund
	1500	71	Weltz
	1800	70	Weltz
	2100	71	Weltz
	2400	70	Weltz

Thursday

Date	Time	Temp.	Name (Print)
5-30-18	0300	70	A.Rosse
	0600	70	A.Rosse
	0900	70	A.Rosse
	1200	70	A.Rosse
	1500	70	T.Suback
	1800	70	T.Suback
	2100	70	T.Suback
	2400	70	T.Suback

Friday

Date	Time	Temp.	Name (Print)
5-31-18	0300	70	Shay
	0600	70	I.Mecano
	0900	70	I.Mecano
	1200	70	I.Mecano
	1500	70	Thompson
	1800	70	Thompson
	2100	70	Thompson
	2400	70	Thompson

Saturday

Date	Time	Temp.	Name (Print)
5-31-18	0300	70	Shay
	0600	70	M.Landin
	0900	70	M.Landin
	1200	70	M.Landin
	1500	70	B.Weltz
	1800	71	B.Weltz
	2100	70	B.Weltz
	2400	70	B.Weltz

Sunday

Date	Time	Temp.	Name (Print)
6-1-18	0300	70	Meredith
	0600	70	G.Gronlund
	0900	70	G.Gronlund
	1200	70	G.Gronlund
	1500	70	B.Weltz
	1800	70	B.Weltz
	2100	71	B.Weltz
	2400	70	B.Weltz

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B 7 Temp. Reading Location: 2<sup>nd</sup> TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/18	0300	69	Chitlock
	0600	70	Medano
	0900	70	Medano
	1200	71	Medano
	1500	71	Zamudio
	1800	71	Zamudio
	2100	70	Zamudio
	2400	70	Chitlock

**Wednesday**

Date	Time	Temp.	Name (Print)
5/2/18	0300	70	Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	71	Rivas
	1500	70	Zamudio
	1800	71	Zamudio
	2100	70	Zamudio
	2400	70	Pope

**Friday**

Date	Time	Temp.	Name (Print)
5/3/18	0300	70	Pope
	0600	71	Rivas
	0900	70	Rivas
	1200	71	Rivas
	1500	71	Zamudio
	1800	71	Zamudio
	2100	70	Zamudio
	2400	70	PENA

**Sunday**

Date	Time	Temp.	Name (Print)
6/2/18	0300	70	Pope
	0600	70	C. Madrid
	0900	70	C. Madrid
	1200	70	C. Madrid
	1500	70	T. Subjack
	1800	70	T. Subjack
	2100	70	T. Subjack
	2400	69	Chitlock

**Tuesday**

Date	Time	Temp.	Name (Print)
5/29/18	0300	70	Chitlock
	0600	70	MERCADO
	0900	70	MERCADO
	1200	71	MERCADO
	1500	71	Zamudio
	1800	71	Zamudio
	2100	71	Zamudio
	2400	71	Pope

**Thursday**

Date	Time	Temp.	Name (Print)
5/30/18	0300	70	Pope
	0600	70	Rivas
	0900	70	Rivas
	1200	70	Rivas
	1500	70	Zamudio
	1800	70	Zamudio
	2100	70	Zamudio
	2400	70	Pope

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/18	0300	70	PENA
	0600	70	Rivas
	0900	70	Rivas
	1200	71	Rivas
	1500	71	T. Subjack
	1800	71	T. Subjack
	2100	70	T. Subjack
	2400	70	Pope

**Notes**

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSR Housing Unit: B2 Temp. Reading Location: 2nd TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5350 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

5/27/24

Date	Time	Temp.	Name (Print)
0300	70	Thomas	
0600	70	L. Mora	
0900	71	L. Mora	
1200	72	L. Mora	
1500	72	Williams	
1800	72	Williams	
2100	71	Williams	
2400	72	Thomas	

Wednesday

Date	Time	Temp.	Name (Print)
0300	70	Thomas	
0600	70	R. Abenathy	
0900	70	R. Abenathy	
1200	70	R. Abenathy	
1500	70	OB	
1800	70	Brown	
2100	70	Brown	
2400	70	Thomas	

Friday

Date	Time	Temp.	Name (Print)
0300	70	Chittick	
0600	70	L. Mora	
0900	70	L. Mora	
1200	70	L. Mora	
1500	70	Brown	
1800	70	Brown	
2100	70	Brown	
2400	70	Chittick	

Sunday

Date	Time	Temp.	Name (Print)
0300	70	R. S. Floyd	
0600	71	L. Mora	
0900	71	L. Mora	
1200	72	L. Mora	
1500	70	O. Thompson	
1800	70	O. Thompson	
2100	70	O. Thompson	
2400	70	Thomas	

Tuesday

5/28/24

Date	Time	Temp.	Name (Print)
0300	72	Thomas	
0600	70	S. Chang	
0900	72	L. Mora	
1200	72	L. Mora	
1500	74	SERVIN	
1800	72	SERVIN	
2100	70	SERVIN	
2400	70	Thomas	

Thursday

Date	Time	Temp.	Name (Print)
0300	70	Thomas	
0600	70	Abernathy	
0900	70	Abernathy	
1200	70	Abernathy	
1500	74	Brown	
1800	74	Brown	
2100	74	Brown	
2400	72	Chittick	

Saturday

Date	Time	Temp.	Name (Print)
0300	70	Chittick	
0600	70	L. Mora	
0900	72	L. Mora	
1200	72	L. Mora	
1500	70	Brown	
1800	70	Brown	
2100	70	Brown	
2400	70	Floyd	

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-2

Temp. Reading Location: 2nd TIER

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/29/24	0300	70	ALDRETE
	0600	70	Vadrais
	0900	70	Vadrais
	1200	71	Vadrais
	1500	70	W BLACK
	1800	70	W BLACK
	2100	69	W BLACK
	2400	70	ALDRETE

**Tuesday**

Date	Time	Temp.	Name (Print)
4/30/24	0300	70	ALDRETE
	0600	70	J. M. Lewis
	0900	70	J. M. Lewis
	1200	72	J. M. Lewis
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	70	ALDRETE

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	ALDRETE
	0600	70	Hendry
	0900	70	Hendry
	1200	70	Hendry
	1500	70	CHAPA
	1800	70	CHAPA
	2100	70	J. CHAPA
	2400	70	V. McAllough

**Thursday**

Date	Time	Temp.	Name (Print)
5/2/24	0300	71	V. McAllough
	0600	70	Kerr
	0900	70	Kerr
	1200	70	Kerr
	1500	70	J. Gentry
	1800	71	J. Corson
	2100	71	J. Corson
	2400	71	V. McAllough

**Friday**

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	V. McAllough
	0600	70	
	0900	70	
	1200	70	
	1500	70	W BLACK
	1800	70	W BLACK
	2100	69	W BLACK
	2400	69	ALDRETE

**Saturday**

Date	Time	Temp.	Name (Print)
5/4/24	0300	69	ALDRETE
	0600	70	
	0900	70	
	1200	70	
	1500	70	GRUNDY, H.
	1800	70	GRUNDY, H.
	2100	69	GRUNDY, H.
	2400	70	ALDRETE

**Sunday**

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	ALDRETE
	0600	70	Revere
	0900	70	Revere
	1200	70	Revere
	1500	70	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	71	ALDRETE

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/1/24	0300	71	HILLMAN
	0600	70	HILLMAN
	0900	70	H. Stephens
	1200	70	H. Stephens
	1500	71	M. OCTHOA
	1800	70	M. OCTHOA
	2100	70	M. OCTHOA
	2400	68	SERVIN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/1/24	0300	68	SERVIN
	0600	67	H. Stephens
	0900	69	H. Stephens
	1200	73	H. Stephens
	1500	72	C. LESLEY
	1800	72	C. LESLEY
	2100	71	C. LESLEY
	2400	70	G. GIL

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/24	0300	68	SERVIN
	0600	67	H. Stephens
	0900	69	H. Stephens
	1200	69	H. Stephens
	1500	68	C. PENA
	1800	70	C. PENA
	2100	70	C. PENA
	2400	70	PENA

**Thursday**

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	PENA
	0600	70	M. LOISELLE
	0900	70	M. LOISELLE
	1200	70	M. LOISELLE
	1500	70	J. MARKS
	1800	70	J. MARKS
	2100	70	J. MARKS
	2400	70	CARMONA

**Friday**

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	CARMONA
	0600	72	Rodriguez
	0900	72	Rodriguez
	1200	72	Rodriguez
	1500	70	ZOL
	1800	70	ZOL
	2100	70	ZOL
	2400	70	V. McMillan

**Saturday**

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	V. McMillan
	0600	70	BENJAMIN
	0900	70	BENJAMIN
	1200	70	BENJAMIN
	1500	71	DANIEL
	1800	70	DANIEL
	2100	70	DANIEL
	2400	70	DANIEL

**Sunday**

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	CHARM
	0600	70	B. L.
	0900	71	B. L.
	1200	72	B. L.
	1500	71	M. OCTHOA
	1800	71	M. OCTHOA
	2100	70	M. OCTHOA
	2400	70	Nava

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FBSP Housing Unit: D-3 Temp. Reading Location: 2nd Tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	71	HILLMAN
	0600	70	THOMAS B. HOWE
	0900	71	B. HOWE
	1200	71	B. HOWE
	1500	71	J-S -
	1800	71	J-S -
	2100	70	J-S -
	2400	70	SERVIN

Tuesday

Date	Time	Temp.	Name (Print)
7/30/24	0300	68	SERVING
	0600	70	Streeter
	0900	71	Streeter
	1200	71	Streeter
	1500	70	C.Pern
	1800	70	C.Pern
	2100	71	C.Pern
	2400	71	C.Pern

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	SERNIN
	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	71	Gibbons
	1800	71	Gibbons
	2100	71	Gibbons
	2400	71	Peng

**Thursday**

Date	Time	Temp.	Name (Print)
5/2/24	0300	71	Pena
	0600	71	Rodriguez
	0900	71	Rodriguez
	1200	71	Rodriguez
	1500	71	Gibbons
	1800	71	Gibbons
	2100	71	Gibbons
	2400	71	Carmena

Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	71	Cannava
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	70	Gutierrez
	1800	70	Gutierrez
	2100	70	Gutierrez
	2400	70	V. McAllanay

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	V. McLaughlin
	0600	71	B. Howard
	0900	71	R. Abernathy
	1200	71	R. Abernathy
	1500	71	W. Black
	1800	70	W. Black
	2100	70	W. Black
	2400	70	Cham

Sunday

Date	Time	Temp.	Name (Print)
6/5/2K	0300	70	Clem
	0600	70	B. Howe
	0900	70	B. Howe
	1200	70	B. Howe
	1500	70	BCooley
	1800	70	B. Cark
	2100	70	J. Nava
	2400	64	Nava

## Notes

**DISTRIBUTION:** Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-4 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/30/24	0300	70	ALDRETE
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	71	MAGNUSEN
	1800	71	MAGNUSEN
	2100	70	MAGNUSEN
	2400	70	ALDRETE

Tuesday

Date	Time	Temp.	Name (Print)
4/30/24	0300	70	ALDRETE
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	71	MAGNUSEN
	1800	71	MAGNUSEN
	2100	70	MAGNUSEN
	2400	70	ALDRETE

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	ALDRETE
	0600	71	CARSEN
	0900	71	CARSEN
	1200	72	CARSEN
	1500	72	HANSFORD
	1800	72	HANSFORD
	2100	71	HANSFORD
	2400	71	V. McMillan

Thursday

Date	Time	Temp.	Name (Print)
5/1/24	0300	71	V. McMillan
	0600	71	CARSEN
	0900	71	CARSEN
	1200	72	CARSEN
	1500	72	HANSFORD
	1800	72	HANSFORD
	2100	71	HANSFORD
	2400	71	V. McMillan

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	V. McMillan
	0600	71	CARSEN
	0900	72	CARSEN
	1200	72	CARSEN
	1500	72	J. DENICHOULAS
	1800	72	J. DENICHOULAS
	2100	72	J. DENICHOULAS
	2400	71	ALDRETE

Saturday

Date	Time	Temp.	Name (Print)
5/3/24	0300	71	ALDRETE
	0600	71	CARSEN
	0900	72	CARSEN
	1200	72	CARSEN
	1500	72	—
	1800	72	—
	2100	71	—
	2400	71	ALDRETE

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	71	ALDRETE
	0600	71	CARSEN
	0900	71	CARSEN
	1200	71	CARSEN
	1500	71	—
	1800	71	—
	2100	70	—
	2400	70	ALDRETE

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 05 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
4 29 24	0300	70	CHARONEL
	0600	70	BROZ
	0900	70	BROZ
	1200	70	BROZ
	1500	70	BROZ
	1800	70	RICH
	2100	70	RICH
	2400	70	BARBAGAN

Wednesday

Date	Time	Temp.	Name (Print)
4/20	0300	71	Bartley Jr
5/30	0600	70	Woods
1-24	0900	70	Woods
29	1200	70	Woods
	1500	70	Ricci
	1800	70	Ricci
	2100	69	Ricci
	2400	71	Bartley Jr

**Friday**

Date	Time	Temp.	Name (Print)
5/3	0300	69	Bartazur
	0600	69	K. SHEDD
	0900	69	K. SHEDD
	1200	69	K. SHEDD
5/4	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	71	Bartazur

Sunday

Date	Time	Temp.	Name (Print)
5/24	0300	70	Rovalchen
	0600	71	Rovalchen
	0900	71	K. SHEDD
	1200	71	K. SHEDD
	1500	71	MILROY
	1800	71	LICRIS
	2100	71	LICRIS
	2400	70	CARAWAY

Tuesday

Dat	Time	Temp.	Name (Print)
4 30 /24	0300	70	SACARAN
	0600	70	A. Stevenson
	0900	70	A. Stevenson
	1200	70	A. Stevenson
	1500	70	L ENTRE
	1800	70	LFVFOUE
	2100	70	LFVFOUE
	2400	71	Bulbury

Thursday

Date	Time	Temp.	Name (Print)
<del>Aug 22</del> S-224	0300	71	Bulterzar
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	70	Ricks
	1800	70	Ricks
	2100	69	Ricks
	2400	70	Bulterzar

## Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	71	Baltazar
	0600	71	K. SHEED
	0900	71	K. SHEED
	1200	70	K. SHEED
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	71	Ravelo - 24

## Notes

---

---

---

---

---

---

---

---

---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1<sup>st</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	70	WAGNER
	0600	70	R. ROBINSON
	0900	70	R. ROBINSON
	1200	70	R. ROBINSON
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
5-1-24	0300	70	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	Boggs
	1800	70	Boggs
	2100	70	Boggs
	2400	70	Sabir

Friday

Date	Time	Temp.	Name (Print)
5-3-24	0300	70	sabir
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	71	BAPTISTA
	1800	70	BAPTISTA
	2100	70	BAPTISTA
	2400	70	sabir

Sunday

Date	Time	Temp.	Name (Print)
Sept. 24	0300	70	BARRAGAN
	0600	70	R. ROBINSON
	0900	70	R. ROBINSON
	1200	70	R. ROBINSON
	1500	70	Bardish
	1800	70	Boutin
	2100	70	Boutin
	2400	70	BARRAGAN

Tuesday

Dat	Time	Temp.	Name (Print)
4-30-24	0300	70	Sabir
	0600	70	Broz
	0900	70	Broz
	1200	70	Broz
	1500	70	W BLACK
	1800	70	W BLACK
	2100	69	W BLACK
	2400	70	Sabir

Thursday

Date	Time	Temp.	Name (Print)
5-2-24	0300	70	Sabir
	0600	70	Robinson
	0900	70	Robinson
	1200	70	Robinson
	1500	70	Bogley
	1800	70	Bogley
	2100	71	Bogley
	2400	70	Sabir

Saturday

Date	Time	Temp.	Name (Print)
5-4-24	0300	70	SABIR
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	70	BAUTISTA
	1800	70	BAUTISTA
	2100	70	BAUTISTA
	2400	70	BARRABAW

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/16)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	70°	Yang
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	71	H. Stephens
	1800	71	Adams
	2100	71	Adams
	2400	70	CARNEY

Tuesday

Date	Time	Temp.	Name (Print)
4/30/24	0300	70	CARNEY
	0600	70	Vodrais
	0900	71	Yedrais
	1200	71	Yedrais
	1500	71	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	CARNEY

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	CARNEY
	0600	70	Adams
	0900	70	Adams
	1200	71	Adams
	1500	71	V. McNealy
	1800	71	V. McNealy
	2100	71	V. McNealy
	2400	70	J. Rodriguez

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	J. Rodriguez
	0600	70	J. Rodriguez
	0900	70	Adams
	1200	70	Adams
	1500	70	Adams
	1800	70	J. McNealy
	2100	70	J. McNealy
	2400	70	Bairangian

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	Bairangian
	0600	70	Adams
	0900	70	Adams
	1200	70	Adams
	1500	70	Sabir
	1800	70	Sabir
	2100	70	Sabir
	2400	70	Bairangian

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	Bairangian
	0600	70	Adams
	0900	70	Adams
	1200	70	Adams
	1500	72	Carney
	1800	70	Carney
	2100	70	Carney
	2400	70°	Yang

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	70°	Yang
	0600	70	J.DANE
	0900	70	J.DANE
	1200	70	S.DANE
	1500	70	Thomas
	1800	70	Thomas
	2100	70	Thomas
	2400	70	CARNEY

Tuesday

Date	Time	Temp.	Name (Print)
4/30/24	0300	70	CARNEY
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	70	Thomas
	1800	70	Thomas
	2100	70	Thomas
	2400	70	CARNEY

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	CARNEY
	0600	70	LEVEQUE
	0900	70	LEVEQUE
	1200	70	LEVEQUE
	1500	71	C.Hamilton
	1800	71	C.Hamilton
	2100	70	C.Hamilton
	2400	70	J.W.BRINGER

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	J.W.BRINGER
	0600	70	J.W.BRINGER
	0900	69	W.BLACK
	1200	70	W.BLACK
	1500	70	C.Hamilton
	1800	70	C.Hamilton
	2100	70	C.Hamilton
	2400	70	B.J.CRAVEN

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	BARRAGAN
	0600	70	Cagle
	0900	70	Cagle
	1200	70	Cagle
	1500	70	C.Hamilton
	1800	70	C.Hamilton
	2100	70	C.Hamilton
	2400	70	BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	13.ARRAGON
	0600	70	Cagle
	0900	70	Cagle
	1200	70	Cagle
	1500	70	Cagle
	1800	70	Cagle
	2100	70	Cagle
	2400	70	Yang

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70°	Yang
	0600	70	Cagle
	0900	70	Cagle
	1200	70	Cagle
	1500	70	Cagle
	1800	70	Cagle
	2100	70	Cagle
	2400	70°	J.Yang

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: DESP Housing Unit: D - 9

Temp. Reading Location:

5555

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	70	GARRISON
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	70	GARRISON
	1800	70	GARRISON
	2100	70	GARRISON
	2400	70	Sabir

Tuesday

Date	Time	Temp.	Name (Print)
4/30/24	0300	70	Sabir
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	74	H. Stephens
	1800	74	H. Stephens
	2100	71	H. Stephens
	2400	70	Sabir

Wednesday

Date	Time	Temp.	Name (Print)
5/1/24	0300	70	Sabir
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	74	H. Stephens
	1800	74	H. Stephens
	2100	71	H. Stephens
	2400	70	Sabir

Thursday

Date	Time	Temp.	Name (Print)
5/2/24	0300	70	Sabir
	0600	70	BROZ
	0900	70	BROZ
	1200	70	BROZ
	1500	70	MWHITO
	1800	70	MWHITO
	2100	70	MWHITO
	2400	70	Sabir

Friday

Date	Time	Temp.	Name (Print)
5/3/24	0300	70	Sabir
	0600	70	Vadnais
	0900	71	Vadnais
	1200	71	Vadnais
	1500	71	NWALD
	1800	71	NWALD
	2100	71	NWALD
	2400	70	Sabir

Saturday

Date	Time	Temp.	Name (Print)
5/4/24	0300	70	Sabir
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	71	P. Barnes
	1500	71	Z. L.
	1800	70	Z. L.
	2100	70	Z. L.
	2400	70	B. BARNES

Sunday

Date	Time	Temp.	Name (Print)
5/5/24	0300	70	B. BARNES
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	71	P. Barnes
	1500	71	Z. L.
	1800	70	Z. L.
	2100	70	Z. L.
	2400	70	B. BARNES

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D10 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Monday

Date	Time	Temp.	Name (Print)
4/29/24	0300	70	Cannick
	0600	70	Wetzel
	0900	70	Wetzel
	1200	70	Wetzel
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Benziger

Wednesday

Date	Time	Temp.	Name (Print)
8/12	0300	70	Baltazar
	0600	69	Untitled
	0900	69	Untitled
	1200	70	Untitled
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	71	Baltazar

Friday

Date	Time	Temp.	Name (Print)
5/3/87	0300	71	Bartow
	0600	70	Miller
	0900	69	Miller
	1200	70	Miller
	1500	70	Neuman
	1800	70	Denton
	2100	70	Perry
	2400	70	Bartow

Sunday

Date	Time	Temp.	Name (Print)
5/31/11	0300	70	Royalch
	0600	75	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	70	IVES
	1800	70	IVES
	2100	70	IVES
	2400	70	Cavender

Tuesday

Dat	Time	Temp.	Name (Print)
	0300	70	R. Garrison
1/10/11	0600	69	Mr. Bell U
	0900	70	Mr. Bell U
	1200	70	Mr. Bell U
	1500	70	Bear
	1800	70	Bear
	2100	70	Bear
	2400	70	Bear

Thursday

Date	Time	Temp.	Name (Print)
5/21	0300	70	Bartow
	0600	69	W. Taylor
	0900	70	W. Taylor
	1200	70	W. Taylor
	1500	70	Bartow
	1800	70	Bartow
	2100	70	Bartow
	2400	70	Bartow

Saturday

Date	Time	Temp.	Name (Print)
S 4 /	0300	71	Baltazar
2	0600	70	P. GAY
	0900	70	N. GAY
	1200	70	N. GAY
	1500	70	<del>✓✓</del> Death
	1800	69	<del>✓✓</del> Death
	2100	68	<del>✓✓</del> Death
	2400	70	Dwylsart

## Notes

**DISTRIBUTION:** Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 55 55 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/14/18	0300	70	ALDRETE
	0600	70	J. Nicolas
	0900	70	J. Nicolas
	1200	71	J. Nicolas
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	ALDRETE

Tuesday

Date	Time	Temp.	Name (Print)
5/15/18	0300	70	ALDRETE
	0600	70	NELSON
	0900	70	NELSON
	1200	70	NELSON
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	ALDRETE

Wednesday

Date	Time	Temp.	Name (Print)
5/16/18	0300	70	ALDRETE
	0600	70	RS
	0900	70	GRUNDY
	1200	70	Temp
	1500	71	Price
	1800	70	Price
	2100	70	Price
	2400	70	V. McEntayl

Thursday

Date	Time	Temp.	Name (Print)
5/17/18	0300	70	YXX
	0600	70	YXX
	0900	70	YXX
	1200	70	YXX
	1500	70	Z
	1800	71	YXX
	2100	71	YXX
	2400	71	YXX

Friday

Date	Time	Temp.	Name (Print)
5/18/18	0300	71	YXX
	0600	70	YXX
	0900	70	YXX
	1200	70	YXX
	1500	74	W. BLACK
	1800	73	W. BLACK
	2100	72	W. BLACK
	2400	72	ALDRETE

Saturday

Date	Time	Temp.	Name (Print)
5/19/18	0300	70	ALDRETE
	0600	70	YXX
	0900	70	YXX
	1200	70	YXX
	1500	70	YXX
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	ALDRETE

Sunday

Date	Time	Temp.	Name (Print)
5/20/18	0300	70	ALDRETE
	0600	70	YXX
	0900	70	YXX
	1200	70	YXX
	1500	70	GRUNDY, H.
	1800	70	GRUNDY, H.
	2100	69	GRUNDY, H.
	2400	70	GAMEZ

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5.6.2027	0300	67	
	0600	68	H. Stephens
	0900	67	H. Stephens
	1200	67	H. Stephens
	1500	69	M. OCHOA
	1800	70	M. OCHOA
	2100	70	M. OCHOA
	2400	68	SERVIN

**Wednesday**

Date	Time	Temp.	Name (Print)
5.8.2027	0300	68	SERVIN
	0600	70	H. Stephens
	0900	68	H. Stephens
	1200	68	H. Stephens
	1500	69	Candela
	1800	69	Candela
	2100	68	Candela
	2400	70	REYNOLDO

**Friday**

Date	Time	Temp.	Name (Print)
5.10.2027	0300	70	Carrasco
	0600	70	Rodriguez
	0900	70	Rodriguez
	1200	70	Rodriguez
	1500	71	Zefel
	1800	71	Zefel
	2100	70	Zefel
	2400	71	Carrasco

**Sunday**

Date	Time	Temp.	Name (Print)
5.12.2027	0300	72	OBrien
	0600	71	B. Lut
	0900	71	B. Lut
	1200	72	B. Lut
	1500	71	M. OCHOA
	1800	71	M. OCHOA
	2100	71	M. OCHOA
	2400	71	M. OCHOA

**Tuesday**

Date	Time	Temp.	Name (Print)
5.7.2027	0300	68	SERVIN
	0600	67	H. Stephens
	0900	68	H. Stephens
	1200	69	H. Stephens
	1500	70	C. LESLEY
	1800	70	C. LESLEY
	2100	70	C. LESLEY
	2400	70	SERVIN

**Thursday**

Date	Time	Temp.	Name (Print)
5.9.2027	0300	70	RODRIGUEZ
	0600	70	ZEPEDA
	0900	70	ZEPEDA
	1200	71	ZEPEDA
	1500	71	Zefel
	1800	71	Zefel
	2100	70	Zefel
	2400	70	CARMONA

**Saturday**

Date	Time	Temp.	Name (Print)
5.11.2027	0300	70	CARRASCO
	0600	71	BRYANT
	0900	72	BRYANT
	1200	72	BRYANT
	1500	72	Zefel
	1800	72	Zefel
	2100	71	Zefel
	2400	72	CARMONA

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FBSP Housing Unit: D3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5.6.51	0300	69	—
	0600	70	B. Howe
	0900	70	B. Howe
	1200	70	B. Howe
	1500	69	Candela
	1800	69	Candela
	2100	69	Candela
	2400	68	SERVIA

Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	71	Mr
	0600	72	Rodriguez
	0900	72	Rodriguez
	1200	72	Rodriguez
	1500	72	Rodriguez
	1800	72	Lugent
	2100	72	Lugent
	2400	70	Peterson

Friday

Date	Time	Temp.	Name (Print)
5.10.24	0300	79	Carrasco
	0600	73	B. Howe
	0900	75	B. Howe
	1200	75	B. Howe
	1500	75	Lugofest
	1800	75	Lugofest
	2100	75	Lugofest
	2400	75	Carrasco

Sunday

Date	Time	Temp.	Name (Print)
5. 12. 24	0300	75	Cohen
	0600	74	B. Howe
	0900	74	B. Howe
	1200	74	B. Howe
	1500	75	Lagache
	1800	75	Lagache
	2100	75	Lagache
	2400	75	A.G.

Tuesday

Date	Time	Temp.	Name (Print)
5.7.24	0300	68	SERVIN
	0600	68	Syntester
	0900	70	Syntester
	1200	70	Syntester
	1500	70	Cardela
	1800	69	Cardela
	2100	69	Cardela
	2400	69	W

Thursday

Date	Time	Temp.	Name (Print)
5.9.24	0300	70	Carmena
	0600	71	Vadnais
	0900	71	Vadnais
	1200	71	Vadnais
	1500	74	B. Schmid
	1800	78	Layfield
	2100	75	Layfield
	2400	73	Carmena

Saturday

Date	Time	Temp.	Name (Print)
5-11-95	0300	74	Carrillo
	0600	73	Brazz
	0900	73	Brazz
	1200	73	Brazz
	1500	75	105 (4pm)
	1800	78	Leyher
	2100	78	Leyher
	2400	75	Gutierrez

## Notes

---

---

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/26	0300	70	ALDRETE
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	71	MAGNUSEN
	1800	71	MAGNUSEN
	2100	70	MAGNUSEN
	2400	70	ALDRETE

Wednesday

Date	Time	Temp.	Name (Print)
5/28	0300	71	ALDRETE
	0600	71	CARSEN
	0900	72	CARSEN
	1200	72	CARSEN
	1500	72	HANSFORD
	1800	72	HANSFORD
	2100	71	HANSFORD
	2400	71	V. MULLER

Friday

Date	Time	Temp.	Name (Print)
5/30	0300	71	V. MULLER
	0600	72	CARSEN
	0900	73	CARSEN
	1200	73	CARSEN
	1500	73	HANSFORD
	1800	73	HANSFORD
	2100	73	HANSFORD
	2400	72	ALDRETE

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300	71	ALDRETE
	0600	72	CARSEN
	0900	73	CARSEN
	1200	74	CARSEN
	1500	73	Cordeli
	1800	71	Cordeli
	2100	71	Cordeli
	2400	70	GAMOZ

Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	70	ALDRETE
	0600	70	NELSON
	0900	70	NELSON
	1200	70	NELSON
	1500	71	MAGNUSEN
	1800	71	MAGNUSEN
	2100	70	MAGNUSEN
	2400	71	ALDRETE

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	71	ALDRETE
	0600	72	CARSEN
	0900	72	CARSEN
	1200	73	CARSEN
	1500	72	HANSFORD
	1800	72	CARSEN
	2100	72	HANSFORD
	2400	71	V. MULLER

Saturday

Date	Time	Temp.	Name (Print)
5/26	0300	72	ALDRETE
	0600	72	CARSEN
	0900	73	CARSEN
	1200	74	CARSEN
	1500	74	W. BLACK
	1800	72	W. BLACK
	2100	71	W. BLACK
	2400	71	ALDRETE

Notes

---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 5 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/ 6/ 24	0300	70	CERROS
	0600	70	CERROS
	0900	70	CERROS
	1200	71	CERROS
	1500	70	J. RODRIGUEZ
	1800	70	LOFTON
	2100	70	LOFTON
	2400	70	BARRAGAN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/ 7/ 24	0300	70	BARRAGAN
	0600	70	CERROS
	0900	70	CERROS
	1200	71	CERROS
	1500	70	RIVERA
	1800	70	RIVERA
	2100	71	RIVERA
	2400	71	BUTTERFIELD

**Wednesday**

Date	Time	Temp.	Name (Print)
5/ 8/ 24	0300	71	BUTTERFIELD
	0600	71	K. SHEDD
	0900	71	K. SHEDD
	1200	71	K. SHEDD
	1500	70	NELSON
	1800	70	NELSON
	2100	70	NELSON
	2400	71	BUTTERFIELD

**Thursday**

Date	Time	Temp.	Name (Print)
5/ 9/ 24	0300	71	BUTTERFIELD
	0600	71	K. SHEDD
	0900	71	K. SHEDD
	1200	71	K. SHEDD
	1500	71	HOLMES
	1800	71	HOLMES
	2100	71	HOLMES
	2400	71	BUTTERFIELD

**Friday**

Date	Time	Temp.	Name (Print)
5/ 10/ 24	0300	71	BUTTERFIELD
	0600	71	K. SHEDD
	0900	71	K. SHEDD
	1200	71	K. SHEDD
	1500	73	WAGNER
	1800	72	WAGNER
	2100	72	WAGNER
	2400	72	Fontenot

**Saturday**

Date	Time	Temp.	Name (Print)
5/ 11/ 24	0300	70	Fontenot
	0600	70	Woods
	0900	70	Woods
	1200	70	Woods
	1500	73	WAGNER
	1800	73	WAGNER
	2100	71	WAGNER
	2400	70	TRUVELLIS

**Sunday**

Date	Time	Temp.	Name (Print)
5/ 12/ 24	0300	71	RUVILLES
	0600	71	Woods
	0900	70	Woods
	1200	70	Woods
	1500	71	Streeter
	1800	70	Streeter
	2100	70	Streeter
	2400	70	OBAMA

**Notes**


---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D - 6 Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5 / 6 / 18	0300	70	R. ROBINSON
	0600	70	R. ROBINSON
	0900	70	R. ROBINSON
	1200	70	R. ROBINSON
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	Sabir

Tuesday

Date	Time	Temp.	Name (Print)
5 - 7 - 24	0300	70	Sabir
	0600	70	R. ROBINSON
	0900	70	R. ROBINSON
	1200	70	R. ROBINSON
	1500	70	LEVEQUE
	1800	70	LEVEQUE
	2100	70	LEVEQUE
	2400	70	M. SABIR

Wednesday

Date	Time	Temp.	Name (Print)
5 - 8 - 25	0300	70	M. SABIR
	0600	70	R. ROBINSON
	0900	70	R. ROBINSON
	1200	70	R. ROBINSON
	1500	70	Bogley
	1800	70	Bogley
	2100	70	Bogley
	2400	70	REYNOSO

Thursday

Date	Time	Temp.	Name (Print)
5 - 9 - 24	0300	70	REYNOSO
	0600	70	R. ROBINSON
	0900	70	R. ROBINSON
	1200	70	R. ROBINSON
	1500	70	Bogley
	1800	70	Bogley
	2100	70	Bogley
	2400	70	Fantenet

Friday

Date	Time	Temp.	Name (Print)
5 - 10 - 24	0300	70	Fantenet
	0600	70	Fantenet
	0900	70	BRANION
	1200	70	BRANION
	1500	71	BAUTISTA
	1800	71	BAUTISTA
	2100	70	BAUTISTA
	2400	70	M. SABIR

Saturday

Date	Time	Temp.	Name (Print)
5 - 11 - 24	0300	70	M. SABIR
	0600	70	BRANION
	0900	70	BRANION
	1200	71	BRANION
	1500	70	BAUTISTA
	1800	70	BAUTISTA
	2100	70	BAUTISTA
	2400	70	BARRECA

Sunday

Date	Time	Temp.	Name (Print)
5 - 12 - 24	0300	70	BARRECA
	0600	70	ARMED
	0900	71	ARMED
	1200	72	ARMED
	1500	72	WAGNER
	1800	71	WAGNER
	2100	70	WAGNER
	2400	70	BARRECA

Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: 1<sup>ST</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	Yang
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	70	SERVIN
	1800	70	SERVIN
	2100	68	SERVIN
	2400	70	CARNEY

**Tuesday**

Date	Time	Temp.	Name (Print)
5/7/24	0300	70	CARNEY
	0600	70	BRANION
	0900	71	BRANION
	1200	72	BRANION
	1500	72	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	CARNEY

**Wednesday**

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	CARNEY
	0600	70	BRANION
	0900	71	BRANION
	1200	72	BRANION
	1500	72	V. McMillan
	1800	72	V. McMillan
	2100	71	V. McMillan
	2400	70	CARNEY

**Thursday**

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	CARNEY
	0600	70	BRANION
	0900	71	BRANION
	1200	73	BRANION
	1500	72	V. McMillan
	1800	72	V. McMillan
	2100	72	V. McMillan
	2400	70	BRANION

**Friday**

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	BRANION
	0600	70	BRANION
	0900	71	BRANION
	1200	72	BRANION
	1500	75	J. Rodriguez
	1800	74	J. Rodriguez
	2100	74	J. Rodriguez
	2400	70	BRANION

**Saturday**

Date	Time	Temp.	Name (Print)
5/11/24	0300	70	BRANION
	0600	70	BRANION
	0900	72	BRANION
	1200	74	BRANION
	1500	72	OBRIEN
	1800	72	OBRIEN
	2100	72	OBRIEN
	2400	70	Yang

**Sunday**

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	Yang
	0600	70	BRANION
	0900	72	BRANION
	1200	72	BRANION
	1500	72	OBRIEN
	1800	72	OBRIEN
	2100	72	OBRIEN
	2400	70	CARNEY

**Notes**


---



---



---



---



---



---



---



---

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: (S) tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Date	Time	Temp.	Name (Print)
5/6/24	0300	70°	J.Yang
	0600	70	J.DANG
	0900	70	J.DANG
	1200	70	J.DANG
	1500	70	L.Thomas
	1800	70	L.Thomas
	2100	70	L.Thomas
	2400	70	CARINA

Dat	Time	Temp.	Name (Print)
5/7/24	0300	70	CARNEY
	0600	70	Vedrais
	0900	71	Vedrais
	1200	71	Vedrais
	1500	71	Thomas
	1800	71	Thomas
	2100	71	Thomas
	2400	70	CARNEY

Wednesday			
Date	Time	Temp.	Name (Print)
5/18/24	0300	70	CARNEY
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	71	C. Hamilton
	1800	70	C. Hamilton
	2100	70	C. Hamilton
	2400	70	CARNEY

Thursday			
Date	Time	Temp.	Name (Print)
5/9/24	0300	70	CARNEY
	0600	70	W BLACK
	0900	70	W BLACK
	1200	71	W BLACK
	1500	72	C. HAMILTON
	1800	71	C. HAMILTON
	2100	70	C. HAMILTON
	2400	70	BARNUM

Friday			
Date	Time	Temp.	Name (Print)
5/10/24	0300	70	Brennan
	0600	70	Schultz
	0900	70	Schultz
	1200	71	Schultz
	1500	72	C. Hamilton
	1800	72	C. Hamilton
	2100	71	C. Hamilton
	2400	70	Brennan

Saturday			
Date	Time	Temp.	Name (Print)
5/11/24	0300	70	Barry Green
	0600	70	Craig
	0900	70	Craig
	1200	70	Craig
	1500	71	C. White
	1800	71	C. White
	2100	70	C. White
	2400	70°	Yang

Sunday			
Date	Time	Temp.	Name (Print)
5/12/24	0300	70°	Yang
	0600	70	PACIFIC
	0900	70	PACIFIC
	1200	70	PACIFIC
	1500	70	C. Linn
	1800	70	C. Linn
	2100	70	C. Linn
	2400	70°	Yang

## Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 1st tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5 6 24	0300	70	Barnes
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	71	B. L.
	1800	70	B. L.
	2100	70	B. L.
	2400	70	Sabir

**Wednesday**

Date	Time	Temp.	Name (Print)
05 08 24	0300	70	Sabir
	0600	71	P. Barnes
	0900	72	P. Barnes
	1200	73	P. Barnes
	1500	75	H. Stephens
	1800	75	H. Stephens
	2100	71	H. Stephens
	2400	70	Reynoso

**Friday**

Date	Time	Temp.	Name (Print)
05 10 24	0300	70	Fountainot
	0600	70	Fountainot
	0900	71	Vadnais
	1200	71	Vadnais
	1500	72	MWhits
	1800	72	MWhits
	2100	72	MWhits
	2400	70	m. Sabir

**Sunday**

Date	Time	Temp.	Name (Print)
05 12 24	0300	70	Barnes
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	72	B. L.
	1800	71	B. L.
	2100	70	B. L.
	2400	70	Reynoso

**Tuesday**

Date	Time	Temp.	Name (Print)
05 07 24	0300	70	Sabir
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	74	H. Stephens
	1800	74	H. Stephens
	2100	71	H. Stephens
	2400	70	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
05 09 24	0300	70	Reynoso
	0600	70	Bao
	0900	70	Bao
	1200	70	Bao
	1500	70	MWhits
	1800	70	MWhits
	2100	70	MWhits
	2400	70	Fountainot

**Saturday**

Date	Time	Temp.	Name (Print)
05 11 24	0300	70	m. Sabir
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	72	B. L.
	1800	71	B. L.
	2100	70	B. L.
	2400	70	B. L.

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 10 Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/ 24	0300	70	CHAWAN
	0600	69	W-Mitch
	0900	69	W-Mitch
	1200	70	W-Mitch
	1500	70	BROZ
	1800	70	BROZ
	2100	70	BROZ
	2400	70	BARRAGAN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/ 25	0300	70	BARRAGAN
	0600	69	W-Mitch
	0900	70	W-Mitch
	1200	70	W-Mitch
	1500	70	BROZ
	1800	70	BROZ
	2100	70	BROZ
	2400	71	Baltazar

**Wednesday**

Date	Time	Temp.	Name (Print)
5/ 27	0300	71	Baltazar
	0600	69	W-Mitch
	0900	70	W-Mitch
	1200	70	W-Mitch
	1500	BROZ	70
	1800	BROZ	70
	2100	BROZ	70
	2400	71	Baltazar

**Thursday**

Date	Time	Temp.	Name (Print)
5/ 29	0300	71	Baltazar
	0600	70	W-Mitch
	0900	70	W-Mitch
	1200	70	W-Mitch
	1500	70	BROZ
	1800	70	BROZ
	2100	70	BROZ
	2400	71	Baltazar

**Friday**

Date	Time	Temp.	Name (Print)
5/ 10	0300	71	Baltazar
	0600	69	W-Mitch
	0900	70	W-Mitch
	1200	70	W-Mitch
	1500	70	5-S
	1800	70	5-S
	2100	70	5-S
	2400	70	Fontenot

**Saturday**

Date	Time	Temp.	Name (Print)
5/ 11	0300	72	Fontenot
	0600	78 A	Rodriguez
	0900	77 C	Rodriguez
	1200	76 F	Rodriguez
	1500	75	Deatrick
	1800	75	Deatrick
	2100	75	Deatrick
	2400	71	Ruvalcaba

**Sunday**

Date	Time	Temp.	Name (Print)
5/ 12	0300	71	Ruvalcaba
	0600	80 C	Rodriguez
	0900	78 E	Rodriguez
	1200	78 A	Rodriguez
	1500	76	IVES
	1800	76	IVES
	2100	75	IVES
	2400	72	CHAWAN

**Notes**


From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300	70	GARREZ
	0600	70	J. Nichols
	0900	70	J. Nichols
	1200	72	J. Nichols
	1500	71	GRUNDY H.
	1800	71	GRUNDY H.
	2100	70	GRUNDY H.
	2400	70	Price

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300	70	Price
	0600	70	Vadrais
	0900	71	Vadrais
	1200	71	Vadrais
	1500	71	GRUNDY H.
	1800	71	GRUNDY H.
	2100	70	GRUNDY H.
	2400	70	Price

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300	70	Price
	0600	70	
	0900	70	
	1200	70	
	1500	73	RICHARD
	1800	73	RICHARD
	2100	73	RICHARD
	2400	72	V. McMillough

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300	71	V. McMillough
	0600	71	Vadrais
	0900	71	Vadrais
	1200	71	Vadrais
	1500	71	CONTREPAS
	1800	72	CONTREPAS
	2100	71	Conway
	2400	71	V. McMillough

Friday

Date	Time	Temp.	Name (Print)
5/17	0300	71	V. McMillough
	0600	70	
	0900	70	
	1200	70	
	1500	72	GRUNDY H.
	1800	72	GRUNDY H.
	2100	70	GRUNDY H.
	2400	72	E. YACIAS

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300	73	E. YACIAS
	0600	71	
	0900	71	
	1200	72	
	1500	70	STOKEF
	1800	70	STOKEF
	2100	70	STOKEF
	2400	70	BROWN

Notes

Date	Time	Temp.	Name (Print)
5/19	0300	70	BROWN
	0600	70	BROWN
	0900	70	
	1200	70	
	1500	70	
	1800	70	GRUNDY H.
	2100	70	GRUNDY H.
	2400	72	J. Parks

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 12 Temp. Reading Location: 2nd tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday			
Date	Time	Temp.	Name (Print)
<u>5-13-2024</u>	0300	71	M. Gay
	0600	71	M. Gay
	0900	71	Vadnais
	1200	71	Vadnais
	1500	70	M. OCHOA
	1800	70	M. OCHOA
	2100	70	M. OCHOA
	2400	70	SERVIN

  

Tuesday			
Date	Time	Temp.	Name (Print)
<u>5-14-2024</u>	0300	68	SERVIN
	0600	70	K. SANCEDA
	0900	71	SANCEDA
	1200	71	SANCEDA
	1500	71	C. LESLEY
	1800	71	C. LESLEY
	2100	70	C. LESLEY
	2400	70	SERVIN

  

Wednesday			
Date	Time	Temp.	Name (Print)
<u>5-15-2024</u>	0300	70	SERVIN
	0600	72	H. Stephens
	0900	74	H. Stephens
	1200	74	H. Stephens
	1500	74	Candela
	1800	72	Candela
	2100	71	Candela
	2400	70	UCIEL

  

Thursday			
Date	Time	Temp.	Name (Print)
<u>5-16-2024</u>	0300	70	UCIEL
	0600	70	M. LOISANCE
	0900	65	M. LOISANCE
	1200	65	M. LOISANCE
	1500	70	ZEB
	1800	70	ZEB
	2100	65	ZEB
	2400	70	Common

  

Friday			
Date	Time	Temp.	Name (Print)
<u>5-17-2024</u>	0300	70	Common
	0600	78 B	Rodger
	0900	76 D	Common
	1200	76 F	Rodger
	1500	75	John
	1800	75	John
	2100	72	John
	2400	72	K. McHallay

  

Saturday			
Date	Time	Temp.	Name (Print)
<u>5-18-2024</u>	0300	72	V. McHallay
	0600	71	B. LEE
	0900	71	B. LEE
	1200	72	B. LEE
	1500	72	ZEB
	1800	71	ZEB
	2100	71	ZEB
	2400	70	Common

  

Notes			

STATE OF CALIFORNIA

**INSIDE TEMPERATURE RECORD**

CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: FBSP Housing Unit: D3 Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/13-24	0300	79	M Gage
	0600	73	B. Howe
	0900	73	B. Howe
	1200	73	B. Howe
	1500	73	Candela
	1800	72	Candela
	2100	71	Candela
	2400	70	SERVIN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/14-2024	0300	68	SERVIN
	0600	69	Spreeter
	0900	70	Spreeter
	1200	71	Spreeter
	1500	71	Candela
	1800	70	Candela
	2100	69	Candela
	2400	72	SERVIN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/15-2024	0300	70	SERVIN
	0600	75	K. Howe
	0900	74	K. Howe
	1200	75	K. Howe
	1500	79	Gibbons
	1800	78	Gibbons
	2100	75	Gibbons
	2400	72	UCIEL

**Thursday**

Date	Time	Temp.	Name (Print)
5/16-2024	0300	71	UCIEL
	0600	75	Rodriguez
	0900	75	Rodriguez
	1200	76	Rodriguez
	1500	79	Gibbons
	1800	77	Gibbons
	2100	75	Gibbons
	2400	75	Carmona

**Friday**

Date	Time	Temp.	Name (Print)
5/17-2024	0300	73	Carmona
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	78	Gibbons
	1800	75	Gibbons
	2100	74	Gibbons
	2400	72	V. McMillayh

**Saturday**

Date	Time	Temp.	Name (Print)
5/18-2024	0300	72	V. McMillayh
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	70	B. Carter
	1800	70	B. Carter
	2100	70	B. Carter
	2400	70	Carmona

**Sunday**

Date	Time	Temp.	Name (Print)
5/19-2024	0300	70	Carmona
	0600	68	B. Howe
	0900	70	B. Howe
	1200	70	B. Howe
	1500	70	B. Carter
	1800	70	B. Carter
	2100	70	B. Carter
	2400	70	T. WHITESIDE

**Notes**


---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D4 Temp. Reading Location: 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13	0300	71	GAMFZ
	0600	71	Stephens
	0900	71	Stephens
	1200	71	Stephens
	1500	72	Lo
	1800	71	Lo
	2100	71	Lo
	2400	70	Price

Tuesday

Date	Time	Temp.	Name (Print)
5/14	0300	70	Price
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	71	Lo
	1800	71	T. Lo
	2100	71	T. Lo
	2400	71	Price

Wednesday

Date	Time	Temp.	Name (Print)
5/15	0300	71	Price
	0600	71	CARSEN
	0900	72	CARSEN
	1200	72	CARSEN
	1500	72	R. George
	1800	71	R. George
	2100	71	R. George
	2400	71	V. McMillan

Thursday

Date	Time	Temp.	Name (Print)
5/16	0300	71	V. McMillan
	0600	72	CARSEN
	0900	72	CARSEN
	1200	73	CARSEN
	1500	72	NELSON
	1800	72	NELSON
	2100	72	NELSON
	2400	71	V. McMillan

Friday

Date	Time	Temp.	Name (Print)
5/17	0300	71	V. McMillan
	0600	71	CARSEN
	0900	71	CARSEN
	1200	71	CARSEN
	1500	72	Felder
	1800	72	Felder
	2100	72	Felder
	2400	73	CARSEN

Saturday

Date	Time	Temp.	Name (Print)
5/18	0300	74	Felder
	0600	73	CARSEN
	0900	74	CARSEN
	1200	74	CARSEN
	1500	71	q
	1800	71	q
	2100	71	q
	2400	74	Brown

Sunday

Date	Time	Temp.	Name (Print)
5/19	0300	73	Brown
	0600	72	Brown
	0900	73	CARSEN
	1200	74	CARSEN
	1500	71	Milin
	1800	71	Milin
	2100	71	Milin
	2400	73	O. Parks

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 05 Temp. Reading Location: 2 tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/ 13/ 24	0300	71	CBAWAW
	0600	72	CERRAS
	0900	71	CERRAS
	1200	72	CERRAS
	1500	71	RICH
	1800	71	RICH
	2100	70	RICH
	2400	71	RICH

**Wednesday**

Date	Time	Temp.	Name (Print)
5/ 15/ 24	0300	71	WORDE
	0600	71	K.SHEED
	0900	71	K.SHEED
	1200	72	K.SHEED
	1500	72	RICH
	1800	72	RICH
	2100	70	RICH
	2400	73	BALTAZAR

**Friday**

Date	Time	Temp.	Name (Print)
5/ 11/ 29	0300	70	A.PINA
	0600	71	K.SHEED
	0900	71	K.SHEED
	1200	73	K.SHEED
	1500	72	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	BALTAZAR

**Sunday**

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	CARTAGENA
	0600	70	CUBEDS
	0900	70	CUBEDS
	1200	70	CUBEDS
	1500	70	RICKS
	1800	70	RICKS
	2100	70	RICKS
	2400	70	CUBEDS

**Tuesday**

Date	Time	Temp.	Name (Print)
5/ 14/ 24	0300	71	WORDE
	0600	71	J.DANE
	0900	71	J.DANE
	1200	72	J.DANE
	1500	73	RICH
	1800	71	RICH
	2100	70	RICH
	2400	70	WORDE

**Thursday**

Date	Time	Temp.	Name (Print)
5/ 16/ 24	0300	76	BALTAZAR
	0600	74	K.SHEED
	0900	74	K.SHEED
	1200	74	K.SHEED
	1500	74	RICH
	1800	72	RICH
	2100	70	RICH
	2400	70	ROVIELES

**Saturday**

Date	Time	Temp.	Name (Print)
5/ 18/ 24	0300	71	BALTAZAR
	0600	70	WOODS
	0900	70	WOODS
	1200	70	WOODS
	1500	70	THOMAS
	1800	70	THOMAS
	2100	70	THOMAS
	2400	70	CARTAGENA

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/13	0300	70	BARRYGAR
13	0600	70	ROBINSON
13	0900	70	ROBINSON
13	1200	70	ROBINSON
13	1500	70	WAGNER
13	1800	70	WAGNER
13	2100	70	WAGNER
13	2400	70	BODESA

**Tuesday**

Date	Time	Temp.	Name (Print)
5/14	0300	70	BODESA
14	0600	70	ROBINSON
14	0900	70	ROBINSON
14	1200	70	ROBINSON
14	1500	70	GIC
14	1800	70	GIC
14	2100	70	GIC
14	2400	70	ACIDA

**Wednesday**

Date	Time	Temp.	Name (Print)
5/15	0300	70	ACIDA
15	0600	70	ROBINSON
15	0900	70	ROBINSON
15	1200	70	ROBINSON
15	1500	70	BIG/AL
15	1800	70	BIG/AL
15	2100	70	BIG/AL
15	2400	70	REYNOSO

**Thursday**

Date	Time	Temp.	Name (Print)
5/16	0300	70	REYNOSO
16	0600	70	ACIDA
16	0900	70	MORENO
16	1200	70	MORENO
16	1500	70	BIG/AL
16	1800	70	BIG/AL
16	2100	70	BIG/AL
16	2400	70	ACIDA

**Friday**

Date	Time	Temp.	Name (Print)
5/17	0300	70	ACIDA
17	0600	77	ASchultz
17	0900	77	ASchultz
17	1200	77	ASchultz
17	1500	68	BAUTISTA
17	1800	68	BAUTISTA
17	2100	68	BAUTISTA
17	2400	68	ACIDA

**Saturday**

Date	Time	Temp.	Name (Print)
5/18	0300	68	ACIDA
18	0600	75	ASchultz
18	0900	75	ASchultz
18	1200	75	ASchultz
18	1500	71	BAUTISTA
18	1800	71	BAUTISTA
18	2100	70	BAUTISTA
18	2400	70	BAUTISTA

**Sunday**

Date	Time	Temp.	Name (Print)
5/19	0300	70	BARRYGAR
19	0600	70	ROBINSON
19	0900	70	ROBINSON
19	1200	70	ROBINSON
19	1500	70	WAGNER
19	1800	70	WAGNER
19	2100	70	WAGNER
19	2400	70	BARRYGAR

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: 1<sup>st</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Yang
	0600	70	A.Smailding
	0900	78	A.Smailding
	1200	78	A.Smailding
	1500	77	C.Wilh
	1800	77	C.Wilh
	2100	75	C.Wilh
	2400	75	CARNET

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	78	CARNET
	0600	70	Anand
	0900	70	Anand
	1200	71	Anand
	1500	80	WAGNER
	1800	80	WAGNER
	2100	77	WAGNER
	2400	77	CARNET

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	76	CARNET
	0600	75	Anand
	0900	77	Anand
	1200	77	Anand
	1500	77	V.McAllan
	1800	75	V.McAllan
	2100	74	V.McAllan
	2400	90	CARNET

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	80	CARNET
	0600	70	Anand
	0900	70	Anand
	1200	71	Anand
	1500	71	V.McAllan
	1800	71	V.McAllan
	2100	71	V.McAllan
	2400	71	McAllan

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	71	BARRAGA
	0600	72	Anand
	0900	72	Anand
	1200	72	Anand
	1500	73	J.Carr
	1800	72	J.Carr
	2100	71	J.Carr
	2400	72	BARRAGA

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	72	BARRAGA
	0600	70	Anand
	0900	71	Anand
	1200	72	Anand
	1500	72	CARM
	1800	72	CARM
	2100	71	CARM
	2400	75	CARNET

Sunday

Date	Time	Temp.	Name (Print)
5/19/24	0300	75	CARNET
	0600	75	A.Smailding
	0900	75	A.Smailding
	1200	75	A.Smailding
	1500	72	CARM
	1800	72	CARM
	2100	72	CARM
	2400	75	CARNET

Notes

---



---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 1<sup>st</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	Yong
	0600	70	J. DANE
	0900	70	J. DANE
	1200	70	J. DANE
	1500	70	L. Thomas
	1800	70	L. Thomas
	2100	70	L. Thomas
	2400	70	CARNEY

Tuesday

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	CARNEY
	0600	78	A. Spalding
	0900	78	A. Spalding
	1200	78	A. Spalding
	1500	75	Thomas
	1800	75	Thomas
	2100	75	Thomas
	2400	75	CARNEY

Wednesday

Date	Time	Temp.	Name (Print)
5/15/24	0300	75	CARNEY
	0600	70	Stephens
	0900	70	Stephens
	1200	71	Stephens
	1500	73	C. Hamilton
	1800	73	C. Hamilton
	2100	73	C. Hamilton
	2400	80	CARNEY

Thursday

Date	Time	Temp.	Name (Print)
5/16/24	0300	80	CARNEY
	0600	72	W. BLACK
	0900	72	W. BLACK
	1200	73	W. BLACK
	1500	73	C. Hamilton
	1800	73	C. Hamilton
	2100	73	C. Hamilton
	2400	72	BARRAGAN

Friday

Date	Time	Temp.	Name (Print)
5/17/24	0300	72	BARRAGAN
	0600	70	CAGIS
	0900	70	CAGIS
	1200	70	CAGIS
	1500	71	C. Hamilton
	1800	70	C. Hamilton
	2100	70	C. Hamilton
	2400	73	BARRAGAN

Saturday

Date	Time	Temp.	Name (Print)
5/18/24	0300	73	BARRAGAN
	0600	72	CAGIS
	0900	72	CAGIS
	1200	72	CAGIS
	1500	71	C. W. H.
	1800	71	C. W. H.
	2100	70	C. W. H.
	2400	73	CARNEY

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning.)

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/13/24	0300	70	BARNES
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	71	B. Bryant
	1800	71	B. Bryant
	2100	70	B. Bryant
	2400	70	BUDESA

**Tuesday**

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	BUDESA
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	74	H. Stephens
	1800	74	H. Stephens
	2100	71	H. Stephens
	2400	71	A. Pina

**Wednesday**

Date	Time	Temp.	Name (Print)
5/15/24	0300	70	A. Pina
	0600	70	BROZ
	0900	70	BROZ
	1200	70	BROZ
	1500	74	H. Stephens
	1800	72	H. Stephens
	2100	72	H. Stephens
	2400	70	RENOZO

**Thursday**

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	RENOZO
	0600	70	BROZ
	0900	70	BROZ
	1200	70	BROZ
	1500	71	M. White
	1800	71	M. White
	2100	70	M. White
	2400	70	A. Pina

**Friday**

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	A. Pina
	0600	71	H. Stephens
	0900	74	H. Stephens
	1200	74	H. Stephens
	1500	74	M. White
	1800	74	M. White
	2100	74	M. White
	2400	74	A. Pina

**Saturday**

Date	Time	Temp.	Name (Print)
5/18/24	0300	74	A. Pina
	0600	75	P. Barnes
	0900	75	P. Barnes
	1200	75	P. Barnes
	1500	75	B. Bryant
	1800	74	B. Bryant
	2100	75	B. Bryant
	2400	71	B. Bryant

**Sunday**

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	BARNES
	0600	71	P. Barnes
	0900	72	P. Barnes
	1200	73	P. Barnes
	1500	73	B. Bryant
	1800	72	B. Bryant
	2100	71	B. Bryant
	2400	71	BUDESA

**Notes**

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 010 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	Gordon
	0600	70	Mitchell
	0900	70	Mitchell
	1200	70	Mitchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Morden

**Wednesday**

Date	Time	Temp.	Name (Print)
5/15/24	0300	71	Baltazar
	0600	71	Mitchell
	0900	70	Mitchell
	1200	70	Mitchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	73	Baltazar

**Friday**

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	A. PIPA
	0600	70	Mitchell
	0900	70	Mitchell
	1200	70	Mitchell
	1500	71	Deathridge
	1800	72	Deathridge
	2100	72	Deathridge
	2400	71	Baltazar

**Sunday**

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	CHAMBERS
	0600	76 C	Rodriguez
	0900	76 D	Rodriguez
	1200	76 E	Rodriguez
	1500	75 A	LVE3
	1800	75 E	LVE3
	2100	74 F	LVE3
	2400	70	CHAMBERS

**Tuesday**

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	Morden
	0600	70	Mitchell
	0900	70	Mitchell
	1200	70	Mitchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	71	Baltazar

**Thursday**

Date	Time	Temp.	Name (Print)
5/16/24	0300	76	Baltazar
	0600	71	Mitchell
	0900	70	Mitchell
	1200	70	Mitchell
	1500	70	Broz
	1800	70	Broz
	2100	70	Broz
	2400	70	Ruvalcan

**Saturday**

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	Baltazar
	0600	79 A	Rodriguez
	0900	78 F	Rodriguez
	1200	78 F	Rodriguez
	1500	76	Deathridge
	1800	75	Deathridge
	2100	75	Deathridge
	2400	70	ROBERTSON

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 80 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300	72	D. PRINS
	0600	72	BADZ
	0900	72	BADZ
	1200	72	BADZ
	1500	72	GRUNDY, H.
	1800	72	GRUNDY, H.
	2100	71	GRUNDY, H.
	2400	70	KELLEY

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300	70	KELLEY
	0600	70	
	0900	70	
	1200	70	
	1500	71	O. CHAPA
	1800	71	O. CHAPA
	2100	71	O. CHAPA
	2400	71	V. McCallum

Friday

Date	Time	Temp.	Name (Print)
5/24	0300	70	V. McCallum
	0600	70	
	0900	70	
	1200	70	
	1500	70	W. BLACK
	1800	70	W. BLACK
	2100	69	W. BLACK
	2400	70	ALDRETE

Sunday

Date	Time	Temp.	Name (Print)
5/26	0300	70	ALDRETE
	0600	70	
	0900	70	
	1200	71	
	1500	71	C. GRIFFITH
	1800	71	C. GRIFFITH
	2100	70	C. GRIFFITH
	2400	70	

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300	70	KELLEY
	0600	70	J. MURRAY
	0900	72	J. MURRAY
	1200	72	J. MURRAY
	1500	72	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	KELLEY

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300	71	J. McCallum
	0600	70	
	0900	70	
	1200	70	
	1500	70	CONTRIB P/R
	1800	70	CONTRIB P/R
	2100	70	CONTRIB P/R
	2400	70	V. McCallum

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300	70	ALDRETE
	0600	70	
	0900	70	
	1200	70	
	1500	70	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	ALDRETE

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D - 2 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5-20-24	0300	70	T. WHITESIDE
	0600	71	H. STEPHENS
	0900	70	H. STEPHENS
	1200	70	H. STEPHENS
	1500	70	M. OCHOA
	1800	70	M. OCHOA
	2100	70	M. OCHOA
	2400	70	SERVIN

**Wednesday**

Date	Time	Temp.	Name (Print)
5-21-24	0300	70	S. Chang
	0600	72	H. Stephens
	0900	71	H. Stephens
	1200	71	H. Stephens
	1500	71	Candice
	1800	70	Candice
	2100	70	Candice
	2400	70	ORTIZ

**Friday**

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	Carmona
	0600	70	Giles
	0900	70	Giles
	1200	71	Giles
	1500	71	Zelie
	1800	71	Zelie
	2100	70	Zelie
	2400	70	CARTAGENA

**Sunday**

Date	Time	Temp.	Name (Print)
5-26-24	0300	71	Carmona
	0600	70	Bright
	0900	71	Bright
	1200	71	Bright
	1500	70	M. OCHOA
	1800	70	M. OCHOA
	2100	70	M. OCHOA
	2400	70	Orion

**Tuesday**

Date	Time	Temp.	Name (Print)
5-21-24	0300	68	SERVIN
	0600	67	H. Stephens
	0900	70	H. Stephens
	1200	70	H. Stephens
	1500	70	C. LESLEY
	1800	70	C. LESLEY
	2100	70	C. LESLEY
	2400	70	S. Chang

**Thursday**

Date	Time	Temp.	Name (Print)
5-23-24	0300	70	Carmona
	0600	70	WOLVERTON
	0900	71	WOLVERTON
	1200	71	WOLVERTON
	1500	71	Zelie
	1800	71	Zelie
	2100	70	Zelie
	2400	70	Carmona

**Saturday**

Date	Time	Temp.	Name (Print)
5-25-24	0300	70	CHAVAGERA
	0600	70	Bright
	0900	70	Bright
	1200	71	Bright
	1500	71	Zelie
	1800	71	Zelie
	2100	70	Zelie
	2400	71	Carmona

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBS P Housing Unit: D - 3 Temp. Reading Location: 2nd tier  
(e.g. 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20 2024	0300	70	T. WHITESIDE
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	71	Cerro s
	1800	70	Cerro s
	2100	71	Cerro s
	2400	70	SERVIN

Tuesday

Dat	Time	Temp.	Name (Print)
5/21	0300	70	Servin
	0600	70	Sprecher
	0900	71	Sprecher
	1200	71	Sprecher
	1500	71	Candela
	1800	70	Candela
	2100	70	Candela
	2400	70	S. Chang

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300	70	S. Chang
	0600	72	Rasmussen
	0900	72	Rasmussen
	1200	72	Rasmussen
	1500	71	Cynthia
	1800	71	Gibbons
	2100	70	Gibbons
	2400	70	GACTHD

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300	72	Carmena
	0600	72	Padover
	0900	72	Padover
	1200	72	Padover
	1500	72	Gibbons
	1800	71	Gibbons
	2100	71	Gibbons
	2400	71	Carmena

Friday

Date	Time	Temp.	Name (Print)
5/24	0300	11	Caron
	0600	71	B. Howe
	0900	71	B. Howe
	1200	71	B. Howe
	1500	71	B. Howe
	1800	20	B. Howe
	2100	70	B. Howe
	2400	70	B. Howe

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300	70	CARIBBEAN
	0600	71	B. Howe
	0900	71	R. Howe
	1200	71	B. Howe
	1500	71	D. Carr
	1800	70	R. Carr
	2100	70	R. Carr
2400	70	(None)	

Sunday

Date	Time	Temp.	Name (Print)
5/24	0300	70	C. AM
	0600	69	B. HOWE
	0900	69	B. HOWE
	1200	69	B. HOWE
	1500	70	W. BLACK
	1800	70	W. BLACK
	2100	69	W. BLACK
	2400	70	partly cloudy

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSF Housing Unit: D - 4 Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/20	0300	73	V. Parks
	0600	73	Stefness
	0900	72	Stefness
	1200	72	Stefness
	1500	72	MAGNUSEN
	1800	71	MAGNUSEN
	2100	70	MAGNUSEN
	2400	70	KELLEY

Tuesday

Date	Time	Temp.	Name (Print)
5/21	0300	70	KELLEY
	0600	70	Vadraik
	0900	71	Vadraik
	1200	71	Vadraik
	1500	71	MAGNUSEN
	1800	71	MAGNUSEN
	2100	70	MAGNUSEN
	2400	70	V. McCallum

Wednesday

Date	Time	Temp.	Name (Print)
5/22	0300	70	V. McCallum
	0600	72	CARLSEN
	0900	73	CARLSEN
	1200	74	CARLSEN
	1500	73	HANSTED
	1800	73	HANSTED
	2100	72	HANSTED
	2400	72	V. McCallum

Thursday

Date	Time	Temp.	Name (Print)
5/23	0300	72	V. McCallum
	0600	72	CARLSEN
	0900	73	CARLSEN
	1200	74	CARLSEN
	1500	73	HANSTED
	1800	73	HANSTED
	2100	72	HANSTED
	2400	72	V. McCallum

Friday

Date	Time	Temp.	Name (Print)
5/24	0300	72	V. McCallum
	0600	72	CARLSEN
	0900	73	CARLSEN
	1200	74	CARLSEN
	1500	73	BROZ
	1800	73	BROZ
	2100	73	BROZ
	2400	73	ALDRETE

Saturday

Date	Time	Temp.	Name (Print)
5/25	0300	72	ALDRETE
	0600	72	CARLEEN
	0900	74	CARLEEN
	1200	74	CARLEEN
	1500	74	Scheer
	1800	73	Scheer
	2100	72	Scheer
	2400	72	ALDRETE

Notes

Date	Time	Temp.	Name (Print)
5/26	0300	72	ALDRETE
	0600	72	CARLEEN
	0900	73	CARLEEN
	1200	74	CARLEEN
	1500	73	Candice
	1800	72	Candice
	2100	71	Candice
	2400	70	D. Parks

DISTRIBUTION: Original: Institution ADA Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-6 Temp. Reading Location: 1<sup>ST</sup> TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	BAPTISTA
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	72	Sabir

**Wednesday**

Date	Time	Temp.	Name (Print)
5-22-24	0300	72	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	Baptista
	1800	70	Baptista
	2100	70	Baptista
	2400	72	Sabir

**Friday**

Date	Time	Temp.	Name (Print)
5-24-24	0300	70	Sabir
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	68	BAUTISTA
	1800	68	BAUTISTA
	2100	68	BAUTISTA
	2400	72	Sabir

**Sunday**

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	BAPTISTA
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	BAPTISTA

**Tuesday**

Date	Time	Temp.	Name (Print)
5-21-24	0300	72	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	Robinson
	1800	70	wagner
	2100	70	wagner
	2400	72	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
5-23-24	0300	72	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	71	Baptista
	1800	70	Baptista
	2100	70	Baptista
	2400	71	Sabir

**Saturday**

Date	Time	Temp.	Name (Print)
5-25-24	0300	71	Sabir
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	70	BAPTISTA
	1800	70	BAPTISTA
	2100	70	BAPTISTA
	2400	70	BAPTISTA

**Notes**

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 05 Temp. Reading Location: 2 tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	BARRERA
	0600	70	CERROS
	0900	71	CERROS
	1200	70	CERROS
	1500	70	RICH
	1800	70	RICH
	2100	69	RICH
	2400	70	BALTAZAR

**Wednesday**

Date	Time	Temp.	Name (Print)
5/22/24	0300	71	BALTAZAR
	0600	71	K.SHEED
	0900	71	K.SHEED
	1200	72	K.SHEED
	1500	71	RICH
	1800	70	RICH
	2100	70	RICH
	2400	71	BALTAZAR

**Friday**

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	BALTAZAR
	0600	70	K.SHEED
	0900	70	K.SHEED
	1200	70	K.SHEED
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	BALTAZAR

**Sunday**

Date	Time	Temp.	Name (Print)
5/26/24	0300	71	RUVIALCAZ
	0600	70	ROBERT WOODS
	0900	70	WOODS
	1200	70	WOODS
	1500	70	WOODS
	1800	70	RICH
	2100	70	RICH
	2400	70	RICH

**Tuesday**

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	BALTAZAR
	0600	70	K.HOMERS
	0900	70	RICH
	1200	70	RICH
	1500	70	RICH
	1800	70	RICH
	2100	69	RICH
	2400	70	BALTAZAR

**Thursday**

Date	Time	Temp.	Name (Print)
5/23/24	0300	71	BALTAZAR
	0600	70	K.SHEED
	0900	70	K.SHEED
	1200	70	K.SHEED
	1500	70	RICH
	1800	70	RICH
	2100	69	RICH
	2400	70	RUVIALCAZ

**Saturday**

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	BALTAZAR
	0600	70	WOODS
	0900	70	WOODS
	1200	70	WOODS
	1500	70	WOODS
	1800	70	WOODS
	2100	70	WOODS
	2400	70	RUVIALCAZ

**Notes**

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-7 Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday 5-20-24			
Date	Time	Temp.	Name (Print)
5-20-24	0300	71	Carney
	0600	71	Vadnais
	0900	72	Vadnais
	1200	72	Vadnais
	1500	71	C. White
	1800	70	C. White
	2100	70	C. White
	2400	72	CARNEY

Tuesday			
Date	Time	Temp.	Name (Print)
5-21-24	0300	74	CARNEY
	0600	70	Aarond
	0900	72	Aarond
	1200	72	Aarond
	1500	72	WAGNER
	1800	71	WAGNER
	2100	71	WAGNER
	2400	74	CARNEY

Wednesday			
Date	Time	Temp.	Name (Print)
5-22-24	0300	74	CARNEY
	0600	70	Aarond
	0900	71	Aarond
	1200	73	Aarond
	1500	72	V. McAllister
	1800	72	V. McAllister
	2100	72	V. McAllister
	2400	74	CARNEY

Thursday			
Date	Time	Temp.	Name (Print)
5-23-24	0300	74	CARNEY
	0600	70	Aarond
	0900	71	Aarond
	1200	72	Aarond
	1500	72	V. McAllister
	1800	72	V. McAllister
	2100	72	V. McAllister
	2400	70	BRANDON

Friday			
Date	Time	Temp.	Name (Print)
5-24-24	0300	70	BRANDON
	0600	70	BRANDON
	0900	72	BRANDON
	1200	72	BRANDON
	1500	72	CHAM
	1800	72	CHAM
	2100	72	CHAM
	2400	70	BRANDON

Saturday			
Date	Time	Temp.	Name (Print)
5-25-24	0300	70	BRANDON
	0600	70	MELENDERZ
	0900	71	MELENDERZ
	1200	71	MELENDERZ
	1500	72	CHAM
	1800	72	CHAM
	2100	71	CHAM
	2400	70	Yong

Sunday			
Date	Time	Temp.	Name (Print)
5-26-24	0300	70	Yong
	0600	70	AAROND
	0900	71	AAROND
	1200	72	AAROND
	1500	72	CHAM
	1800	72	CHAM
	2100	72	CHAM
	2400	70	Yong

Notes

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: Fac D 8 Temp. Reading Location: 2nd

Temp. Reading Location: anc  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Monday

Date	Time	Temp.	Name (Print)
5/29 27	0300	71	CARNET
	0600	71	J.DANG
	0900	73	J.DANG
	1200	73	J.DANG
	1500	72	Thomas
	1800	72	Thomas
	2100	72	Thomas
	2400	74	CARNET

Wednesday

Date	Time	Temp.	Name (Print)
5/22/24	0300	74	CARNEY
	0600	74	Stephens
	0900	74	Stephens
	1200	73	Stephens
	1500	73	C. Hamilton
	1800	73	C. Hamilton
	2100	72	LLD
	2400	74	CARNEY

Friday

Date	Time	Temp.	Name (Print)
5/24/14	0300	71	BAZARABAN
	0600	71	CAGLE
	0900	71	CAGLE
	1200	71	CAGLE
	1500	71	CAVAZOS
	1800	71	CAVAZOS
	2100	71	CAVAZOS
	2400	70	BAZARABAN

Sunday

Date	Time	Temp.	Name (Print)
5/26/24	0300	70°	J Yang
	0600	71	Cagan
	0900	71	Capone
	1200	71	Capone
	1500	70	C. White
	1800	70	C. White
	2100	70	C. White
	2400	70°	Tong

Tuesday

Date	Time	Temp.	Name (Print)
5/21/24	0300	74	CARNEY
	0600	71	BROZ
	0900	71	BROZ
	1200	71	BROZ
	1500	71	Thomas
	1800	71	Thomas
	2100	71	Thomas
	2400	74	CARNEY

Thursday

Date	Time	Temp.	Name (Print)
5/23 24	0300	74	CARNEY
	0600	73	W BLACK
	0900	73	W BLACK
	1200	72	W BLACK
	1500	73	C. Hamilton
	1800	72	C. Hamilton
	2100	72	C. Hamilton
	2400	71	REAGAN

## Saturday

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	to a rurigan
	0600	71	Calls
	0900	71	EAGLES
	1200	71	Call 12
	1500	70	c. lyp
	1800	70	c. lyp
	2100	70	c. lyp
	2400	70°	J. Ma-2

## Notes

DISTRIBUTION: Original: Institution Heat Plan Coordinator

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-9 Temp. Reading Location: 1st tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/20/24	0300	70	13 April 2024
	0600	71	P. Barnes
	0900	72	P. Barnes
	1200	73	P. Barnes
	1500	74	B. Stephens
	1800	73	B. Stephens
	2100	72	B. Stephens
	2400	72	Sabir

**Wednesday**

Date	Time	Temp.	Name (Print)
5/22/24	0300	72	Sabir
	0600	72	P. Barnes
	0900	73	P. Barnes
	1200	74	P. Barnes
	1500	75	H. Stephens
	1800	75	H. Stephens
	2100	71	H. Stephens
	2400	72	Sabir

**Friday**

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	Sabir
	0600	72	Ives
	0900	72	Ives
	1200	72	Ives
	1500	71	Ute
	1800	70	Ute
	2100	70	Ute
	2400	70	Sabir

**Sunday**

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	13 April 2024
	0600	70	P. Barnes
	0900	71	P. Barnes
	1200	72	P. Barnes
	1500	71	B. Stephens
	1800	70	B. Stephens
	2100	70	B. Stephens
	2400	70	P. Barnes

**Tuesday**

Date	Time	Temp.	Name (Print)
5/21/24	0300	72	Sabir
	0600	73	P. Barnes
	0900	73	P. Barnes
	1200	74	P. Barnes
	1500	75	H. Stephens
	1800	75	H. Stephens
	2100	73	H. Stephens
	2400	72	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
5/23/24	0300	72	Sabir
	0600	70	B. 202
	0900	70	B. 203
	1200	70	B. 202
	1500	70	N. White
	1800	70	N. White
	2100	70	N. White
	2400	70	Sabir

**Saturday**

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	Sabir
	0600	71	P. Barnes
	0900	72	P. Barnes
	1200	73	P. Barnes
	1500	73	B. 202
	1800	72	B. 202
	2100	71	B. 202
	2400	70	Sabir

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: 110 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>5/20/24</u>	0300	70	<u>C6Amm</u>
	0600	69	<u>M. T. L.</u>
	0900	70	<u>M. T. L.</u>
	1200	70	<u>M. T. L.</u>
	1500	70	<u>B602</u>
	1800	70	<u>B603</u>
	2100	70	<u>B602</u>
	2400	70	<u>13. AMM. M. A.</u>

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>5/21/24</u>	0300	70	<u>B602</u>
	0600	70	<u>W. t. L.</u>
	0900	70	<u>W. t. L.</u>
	1200	70	<u>W. t. L.</u>
	1500	70	<u>B602</u>
	1800	70	<u>B603</u>
	2100	70	<u>B602</u>
	2400	71	<u>Baltazar</u>

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>5/22/24</u>	0300	71	<u>Baltazar</u>
	0600	70	<u>W. t. L.</u>
	0900	70	<u>W. t. L.</u>
	1200	70	<u>W. t. L.</u>
	1500	70	<u>B602</u>
	1800	70	<u>B603</u>
	2100	70	<u>B602</u>
	2400	71	<u>Baltazar</u>

#### Thursday

Date	Time	Temp.	Name (Print)
<u>5/23/24</u>	0300	71	<u>Baltazar</u>
	0600	70	<u>W. t. L.</u>
	0900	70	<u>W. t. L.</u>
	1200	70	<u>W. t. L.</u>
	1500	70	<u>B602</u>
	1800	70	<u>B603</u>
	2100	70	<u>B602</u>
	2400	70	<u>Baltazar</u>

#### Friday

Date	Time	Temp.	Name (Print)
<u>5/24/24</u>	0300	70	<u>Baltazar</u>
	0600	69	<u>W. t. L.</u>
	0900	70	<u>W. t. L.</u>
	1200	70	<u>W. t. L.</u>
	1500	71	<u>Deathridge</u>
	1800	72	<u>Deathridge</u>
	2100	70	<u>Deathridge</u>
	2400	70	<u>Baltazar</u>

#### Saturday

Date	Time	Temp.	Name (Print)
<u>5/25/24</u>	0300	70	<u>Baltazar</u>
	0600	72	<u>Rodger</u>
	0900	72	<u>Rodger</u>
	1200	72	<u>Rodger</u>
	1500	71	<u>Deathridge</u>
	1800	70	<u>Deathridge</u>
	2100	70	<u>Deathridge</u>
	2400	70	<u>Rodger</u>

#### Notes

Date	Time	Temp.	Name (Print)
<u>5/26/24</u>	0300	71	<u>Rodger</u>
	0600	72	<u>Rodger</u>
	0900	72	<u>Rodger</u>
	1200	72	<u>Rodger</u>
	1500	72	<u>IVES</u>
	1800	72	<u>IVES</u>
	2100	72	<u>IVES</u>
	2400	72	<u>6AM</u>

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-1 Temp. Reading Location: 2<sup>nd</sup> tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	ALDRETE
	0600	70	J. Nichols
	0900	70	J. Nichols
	1200	72	J. Nichols
	1500	72	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	ALDRETE

Tuesday

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	ALDRETE
	0600	70	J. Nichols
	0900	71	J. Nichols
	1200	71	J. Nichols
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	ALDRETE

Wednesday

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	ALDRETE
	0600	70	R.
	0900	70	R.
	1200	72	Hendrix
	1500	72	G. CARRASCO
	1800	72	G. CARRASCO
	2100	71	G. CARRASCO
	2400	71	V. McMillan

Thursday

Date	Time	Temp.	Name (Print)
5/30/24	0300	71	V. McMillan
	0600	70	
	0900	70	
	1200	70	
	1500	71	CONTRERA
	1800	71	CONTRERA
	2100	71	CONTRERA
	2400	71	V. McMillan

Friday

Date	Time	Temp.	Name (Print)
5/31/24	0300	71	V. McMillan
	0600	70	
	0900	70	
	1200	70	
	1500	72	W. BLACK
	1800	72	W. BLACK
	2100	71	W. BLACK
	2400	71	ALDRETE

Saturday

Date	Time	Temp.	Name (Print)
6/1/24	0300	71	ALDRETE
	0600	70	
	0900	71	
	1200	71	
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	ALDRETE

Sunday

Date	Time	Temp.	Name (Print)
6/2/24	0300	70	ALDRETE
	0600	71	W. BLACK
	0900	71	W. BLACK
	1200	71	W. BLACK
	1500	71	GRUNDY, H.
	1800	71	GRUNDY, H.
	2100	70	GRUNDY, H.
	2400	70	Copefelt

Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D2

Temp. Reading Location: 2nd tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	65	Mellingz
	0600	69	H. Stephens
	0900	68	H. Stephens
	1200	68	H. Stephens
	1500	70	M. OCHOA
	1800	70	M. OCHOA
	2100	69	M. OCHOA
	2400	68	SERUN

Wednesday

Date	Time	Temp.	Name (Print)
5-29-27	0300	68	SERVIN
	0600	65	H. Steppens
	0900	65	H. Steppens
	1200	66	H. Steppens
	1500	67	Carole
	1800	67	Carole
	2100	67	Carole
	2400	69	Pence

Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	Reynoso
	0600	70	VanGelder
	0900	70	VanGelder
	1200	70	VanGelder
	1500	70	Zefor
	1800	70	Zefor
	2100	69	Zefor
	2400	70	V. McHenry

Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	71	Chase
	0600	70	Bryant
	0900	71	Bryant
	1200	72	Bryant
	1500	70	M. OCHORA
	1800	70	M. OCHORA
	2100	70	M. OCHORA
	2400	70	Namen

**Tuesday**

Dat	Time	Temp.	Name (Print)
5-28-27	0300	68	SERVIN
	0600	68	H. STEPHENS
	0900	70	H. STEPHENS
	1200	70	H. STEPHENS
	1500	70	C. LESLEY
	1800	70	C. LESLEY
	2100	70	C. LESLEY
	2400	68	SERVIN

**Thursday**

Date	Time	Temp.	Name (Print)
5-30-24	0300	69	Perry
	0600	69	M. LOZIER
	0900	70	M. LOZIER
	1200	70	M. LOZIER
	1500	70	Zelma
	1800	70	Zelma
	2100	69	Zelma
	2400	70	Zelma

## Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	McMurry
	0600	70	McMurry
	0900	71	McMurry
	1200	71	McMurry
	1500	71	McMurry
	1800	71	McMurry
	2100	70	McMurry
	2400	71	McMurry

## Notes

DISTRIBUTION: Original: Institution ADA Coordinator

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D - 3 Temp. Reading Location: 2nd tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5-27	0300	71	Mellinger
	0600	70	Mellinger
	0900	69	B.Hawke
	1200	71	B.Hawke
	1500	71	B.Hawke
	1800	71	Candela
	2100	69	Candela
	2400	70	SERVIN

#### Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	68	SERVIN
	0600	69	Sprenger
	0900	70	Sprenger
	1200	70	Sprenger
	1500	71	Gibbons
	1800	70	Candela
	2100	69	Candela
	2400	68	SERVIN

#### Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	SERVIN
	0600	70	B.Gibbons
	0900	70	B.Gibbons
	1200	74	
	1500	75	Gibbons
	1800	71	Gibbons
	2100	70	Gibbons
	2400	70	Pen

#### Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	69	Pen
	0600	72	H.Stephens
	0900	70	H.Stephens
	1200	71	H.Stephens
	1500	74	Gibbons
	1800	71	Gibbons
	2100	70	Gibbons
	2400	70	REYNOSO

#### Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	REYNOSO
	0600	77	B.Hawke
	0900	71	B.Hawke
	1200	71	B.Hawke
	1500	74	ANAYA
	1800	73	LEVEQUE
	2100	73	LEVEQUE
	2400	72	V.McMullay

#### Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	71	V.McMullay
	0600	70	B.Hawke
	0900	74	B.Hawke
	1200	73	B.Hawke
	1500	71	BS.Carter
	1800	71	BS.Carter
	2100	71	BS.Carter
	2400	71	CGARCIA

#### Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	72	CGARCIA
	0600	74	G.Gronlund
	0900	74	G.Gronlund
	1200	74	G.Gronlund
	1500	74	BS.Carter
	1800	73	BS.Carter
	2100	73	BS.Carter
	2400	71	NAVA

#### Notes

---



---



---



---



---



---



---



---

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-4 Temp. Reading Location: 2<sup>nd</sup> Tier  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27/2014	0300	71	ALDRETE
	0600	71	Stephens
	0900	71	Stephens
	1200	72	Stephens
	1500	72	MAGNUSON
	1800	71	MAGNUSON
	2100	71	MAGNUSON
	2400	71	ALDRETE

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28/2014	0300	71	ALDRETE
	0600	71	W BLACK
	0900	71	W BLACK
	1200	72	W BLACK
	1500	72	MAGNUSON
	1800	71	MAGNUSON
	2100	71	MAGNUSON
	2400	71	ALDRETE

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29/2014	0300	71	ALDRETE
	0600	71	THORPE
	0900	71	THORPE
	1200	71	THORPE
	1500	71	CAVAZOS
	1800	71	CAVAZOS
	2100	71	CAVAZOS
	2400	71	V. McAllanay

**Thursday**

Date	Time	Temp.	Name (Print)
5/30/2014	0300	71	V. McAllanay
	0600	72	CARLSEN
	0900	73	CARLSEN
	1200	71	CARLSEN
	1500	73	HANFORD
	1800	73	HANFORD
	2100	73	HANFORD
	2400	72	V. McAllanay

**Friday**

Date	Time	Temp.	Name (Print)
5/31/2014	0300	72	V. McAllanay
	0600	73	CARLSEN
	0900	73	CARLSEN
	1200	74	CARLSEN
	1500	73	Fielder
	1800	73	Fielder
	2100	72	Fielder
	2400	72	ALDRETE

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/2014	0300	73	ALDRETE
	0600	72	CARLSEN
	0900	73	CARLSEN
	1200	74	CARLSEN
	1500	74	Hughes
	1800	74	Hughes
	2100	73	Hughes
	2400	72	ALDRETE

**Sunday**

Date	Time	Temp.	Name (Print)
6/2/2014	0300	72	ALDRETE
	0600	73	CARLSEN
	0900	74	CARLSEN
	1200	75	CARLSEN
	1500	74	Candela
	1800	74	Candela
	2100	73	Candela
	2400	72	Loyola, T

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D5 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5/21	0300	72	CERRAS
22	0600	72	CERRAS
23	0900	71	CERRAS
24	1200	71	CERRAS
	1500	70	ZICH
	1800	70	ZICH
	2100	69	RICHS
	2400	70	CHAMAN

Tuesday

Date	Time	Temp.	Name (Print)
5/25	0300	70	MANIRAWA
26	0600	69	Candela
27	0900	70	Candela
28	1200	71	Candela
	1500	70	RICH
	1800	70	RICH
	2100	69	RICH
	2400	70	BALTAZAR

Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	71	BALTAZAR
29	0600	71	K-SHEED
29	0900	71	K-SHEED
29	1200	72	K-SHEED
29	1500	70	RICH
29	1800	70	RICH
29	2100	70	RICH
29	2400	71	BALTAZAR

Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	71	BALTAZAR
30	0600	71	K-SHEED
30	0900	71	K-SHEED
30	1200	71	K-SHEED
30	1500	70	RICH
30	1800	70	RICH
30	2100	69	RICH
30	2400	70	BALTAZAR

Friday

Date	Time	Temp.	Name (Print)
5/31	0300	71	BALTAZAR
31	0600	71	K-SHEED
31	0900	71	K-SHEED
31	1200	71	K-SHEED
31	1500	71	WAGNER
31	1800	70	WAGNER
31	2100	70	WAGNER
31	2400	71	BALTAZAR

Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	71	BALTAZAR
1	0600	70	WOODS
1	0900	70	WOODS
1	1200	70	WOODS
1	1500	71	WAGNER
1	1800	70	WAGNER
1	2100	70	WAGNER
1	2400	71	BALTAZAR

Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	70	BALTAZAR
2	0600	70	WOODS
2	0900	70	WOODS
2	1200	70	WOODS
2	1500	71	RICH
2	1800	70	RICH
2	2100	69	RICH
2	2400	71	CHAMAN

Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-C Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5558 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	BABERMAN
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	Sabir

**Tuesday**

Date	Time	Temp.	Name (Print)
5-28-24	0300	70	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	71	CARSON
	1800	71	CARSON
	2100	71	CARSON
	2400	70	Sabir

**Wednesday**

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	Bogel
	1800	70	Bogel
	2100	70	Bogel
	2400	70	Sabir

**Thursday**

Date	Time	Temp.	Name (Print)
5-30-24	0300	70	Sabir
	0600	70	ROBINSON
	0900	70	ROBINSON
	1200	70	ROBINSON
	1500	70	Bogel
	1800	70	Bogel
	2100	71	BAUTISTA
	2400	70	Sabir

**Friday**

Date	Time	Temp.	Name (Print)
5-31-24	0300	70	Sabir
	0600	70	BRANION
	0900	70	BRANION
	1200	70	BRANION
	1500	70	BAUTISTA
	1800	70	BAUTISTA
	2100	70	BAUTISTA
	2400	70	Sabir

**Saturday**

Date	Time	Temp.	Name (Print)
6-1-24	0300	70	Sabir
	0600	72	BRANION
	0900	74	BRANION
	1200	74	BRANION
	1500	71	BAUTISTA
	1800	71	BAUTISTA
	2100	71	BAUTISTA
	2400	70	BRANION

**Sunday**

Date	Time	Temp.	Name (Print)
6/2/24	0300	71	BABERMAN
	0600	70	R. ROBINSON
	0900	70	R. ROBINSON
	1200	70	R. ROBINSON
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	70	BABERMAN

**Notes**

---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D- 7 Temp. Reading Location: 2ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5-27-24	0300	70°	Tony
	0600	70	BRANION
	0900	71	BRANION
	1200	71	BRANION
	1500	70	C. Wht
	1800	70	C. Wht
	2100	70	E. Wht
	2400	72	CARNEY

**Tuesday**

Date	Time	Temp.	Name (Print)
5-28-24	0300	72	CARNEY
	0600	70	HANRED
	0900	70	HANRED
	1200	70	HANRED
	1500	70	WAGNER
	1800	70	WAGNER
	2100	70	WAGNER
	2400	74	CARNEY

**Wednesday**

Date	Time	Temp.	Name (Print)
5-29-24	0300	70	CARNEY
	0600	70	HANRED
	0900	70	HANRED
	1200	72	HANRED
	1500	72	V. McMillough
	1800	72	V. McMillough
	2100	72	V. McMillough
	2400	72	CARNEY

**Thursday**

Date	Time	Temp.	Name (Print)
5-30-24	0300	73	CARNEY
	0600	70	HANRED
	0900	72	HANRED
	1200	74	HANRED
	1500	74	MC
	1800	74	MC
	2100	74	MC
	2400	72	130 person

**Friday**

Date	Time	Temp.	Name (Print)
5-31-24	0300	72	BRANION
	0600	72	HANRED
	0900	74	HANRED
	1200	74	HANRED
	1500	72	BRANION
	1800	72	CHAM
	2100	72	CHAM
	2400	72	BRANION

**Saturday**

Date	Time	Temp.	Name (Print)
6-1-24	0300	72	BRANION
	0600	72	HANRED
	0900	73	HANRED
	1200	73	HANRED
	1500	72	CHAM
	1800	72	CHAM
	2100	71	CHAM
	2400	73°	Yong

**Sunday**

Date	Time	Temp.	Name (Print)
6-2-24	0300	72°	Tony
	0600	75	BRANION
	0900	75	BRANION
	1200	74	BRANION
	1500	72	CHAM
	1800	72	CHAM
	2100	71	CHAM
	2400	70°	Tony

**Notes**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D-8 Temp. Reading Location: 2nd  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5-27-24	0300	70	Yong
	0600	70	J. DANE
	0900	71	J. DANE
	1200	70	J. DANE
	1500	75	D. LEON
	1800	72	D. LEON
	2100	75	D. LEON
	2400	75	CARNEY

#### Tuesday

Date	Time	Temp.	Name (Print)
5-28-24	0300	75	CARNEY
	0600	71	BRANLON
	0900	73	BRANLON
	1200	73	BRANLON
	1500	73	SCHLOEPP
	1800	70	SCHLOEPP
	2100	70	SCHLOEPP
	2400	74	CARNEY

#### Wednesday

Date	Time	Temp.	Name (Print)
5-29-24	0300	74	CARNEY
	0600	74	Stephens
	0900	74	Stephens
	1200	74	Stephens
	1500	74	A. Adams
	1800	74	Adams
	2100	74	Adams
	2400	74	CARNEY

#### Thursday

Date	Time	Temp.	Name (Print)
5-30-24	0300	74	CARNEY
	0600	73	W. BLACK
	0900	73	W. BLACK
	1200	73	W. BLACK
	1500	75	Adams
	1800	73	Adams
	2100	73	Adams
	2400	72	BRANLON

#### Friday

Date	Time	Temp.	Name (Print)
5-31-24	0300	74	BARRAGAN
	0600	72	C. COLE
	0900	72	C. COLE
	1200	72	C. COLE
	1500	72	Melvin
	1800	72	Melvin
	2100	72	Melvin
	2400	74	BRANLON

#### Saturday

Date	Time	Temp.	Name (Print)
6-1-24	0300	72	BRANLON
	0600	72	Page
	0900	72	Page
	1200	72	Page
	1500	71	C. WILK
	1800	71	C. WILK
	2100	70	C. WILK
	2400	70	Yong

#### Sunday

Date	Time	Temp.	Name (Print)
6-2-24	0300	70°	Yong
	0600	71	C. COLE
	0900	71	C. COLE
	1200	71	C. COLE
	1500	70	C. WILK
	1800	70	C. WILK
	2100	70	C. WILK
	2400	70°	Yong

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D - 9 Temp. Reading Location: 1ST TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/21	0300	70	Barnes
5/21	0600	70	P. Barnes
5/21	0900	71	P. Barnes
5/21	1200	72	P. Barnes
5/21	1500	73	Barnet
5/21	1800	72	Barnet
5/21	2100	72	Barnet
5/21	2400	70	Sabir

#### Tuesday

Date	Time	Temp.	Name (Print)
5/28	0300	70	Sabir
5/28	0600	71	P. Barnes
5/28	0900	72	P. Barnes
5/28	1200	73	P. Barnes
5/28	1500	75	H. Stephens
5/28	1800	75	H. Stephens
5/28	2100	75	H. Stephens
5/28	2400	72	Sabir

#### Wednesday

Date	Time	Temp.	Name (Print)
5/29	0300	71	Sabir
5/29	0600	71	P. Barnes
5/29	0900	72	P. Barnes
5/29	1200	73	P. Barnes
5/29	1500	75	H. Stephens
5/29	1800	73	H. Stephens
5/29	2100	70	H. Stephens
5/29	2400	70	Sabir

#### Thursday

Date	Time	Temp.	Name (Print)
5/30	0300	70	Sabir
5/30	0600	70	Broz
5/30	0900	70	Broz
5/30	1200	70	Broz
5/30	1500	70	M. White
5/30	1800	70	M. White
5/30	2100	70	M. White
5/30	2400	70	Sabir

#### Friday

Date	Time	Temp.	Name (Print)
5/31	0300	70	Sabir
5/31	0600	70	Ives
5/31	0900	70	Ives
5/31	1200	70	Ives
5/31	1500	70	M. White
5/31	1800	70	M. White
5/31	2100	70	M. White
5/31	2400	70	Sabir

#### Saturday

Date	Time	Temp.	Name (Print)
6/1	0300	70	Sabir
6/1	0600	71	P. Barnes
6/1	0900	72	P. Barnes
6/1	1200	73	P. Barnes
6/1	1500	74	Barnet
6/1	1800	71	Barnet
6/1	2100	70	Barnet
6/1	2400	70	Barnet

#### Sunday

Date	Time	Temp.	Name (Print)
6/2	0300	70	Barnes
6/2	0600	70	P. Barnes
6/2	0900	71	P. Barnes
6/2	1200	72	P. Barnes
6/2	1500	72	Barnet
6/2	1800	73	Barnet
6/2	2100	72	Barnet
6/2	2400	70	Barnes

#### Notes

---



---



---



---



---



---



---



---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: D10 Temp. Reading Location: 2 tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/ 22 24	0300	72	Colvin
	0600	71	M. taylor
	0900	70	M. taylor
	1200	70	M. taylor
	1500	70	Baez
	1800	70	Baez
	2100	70	Baez
	2400	70	BARRAGAN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/ 20 22	0300	70	Baltazar
	0600	70	M. taylor
	0900	71	M. taylor
	1200	70	M. taylor
	1500	70	Baez
	1800	70	Baez
	2100	70	Baez
	2400	71	Baltazar

**Friday**

Date	Time	Temp.	Name (Print)
5/ 31 22	0300	71	Baltazar
	0600	71	M. taylor
	0900	71	M. taylor
	1200	71	M. taylor
	1500	74	H. Stephens
	1800	74	H. Stephens
	2100	71	H. Stephens
	2400	71	Baltazar

**Sunday**

Date	Time	Temp.	Name (Print)
6/ 1/ 2/ 24	0300	70	Baltazar
	0600	70	J. WHITESIDE
	0900	70	J. WHITESIDE
	1200	70	J. WHITESIDE
	1500	70	IVLZ
	1800	70	IVLZ
	2100	70	IVLZ
	2400	71	Colvin

**Tuesday**

Date	Time	Temp.	Name (Print)
5/ 26 24	0300	70	BALTAZAR
	0600	70	M. taylor
	0900	70	M. taylor
	1200	70	M. taylor
	1500	70	Hughes
	1800	70	Hughes
	2100	69	HUGHES
	2400	70	Baltazar

**Thursday**

Date	Time	Temp.	Name (Print)
5/ 30 29	0300	71	Baltazar
	0600	71	M. taylor
	0900	70	M. taylor
	1200	71	M. taylor
	1500	71	Baez
	1800	71	Baez
	2100	71	Baez
	2400	71	Baltazar

**Saturday**

Date	Time	Temp.	Name (Print)
6/ 1/ 2/ 29	0300	71	Baltazar
	0600	70	OTREMBA
	0900	70	OTREMBA
	1200	70	OTREMBA
	1500	72	Deatley
	1800	72	Deatley
	2100	70	Deatley
	2400	71	Baltazar

**Notes**

---



---



---



---



---



---



---



---

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: MSF A-DORM Temp. Reading Location: TIER 2<sup>nd</sup>  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
04/29/24	0300	73	E. CARRERA
	0600	73	J. DENICHOCAS
	0900	73	J. DENICHOCAS
	1200	73	J. DENICHOCAS
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

**Wednesday**

Date	Time	Temp.	Name (Print)
05/01/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	Coupe
	1800	74	Coupe
	2100	74	Coupe
	2400	73	A. PENA

**Friday**

Date	Time	Temp.	Name (Print)
05/03/24	0300	74	A. PENA
	0600	73	P. CHAPA
	0900	72	P. CHAPA
	1200	72	P. CHAPA
	1500	70	ISOLIS
	1800	70	ISOLIS
	2100	70	ISOLIS
	2400	73	E. CARRERA

**Sunday**

Date	Time	Temp.	Name (Print)
05/05/24	0300	70	Pena
	0600	70	Coupe
	0900	70	Coupe
	1200	72	Coupe
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

**Tuesday**

Date	Time	Temp.	Name (Print)
04/30/24	0300	73	E. CARRERA
	0600	73	J. DENICHOCAS
	0900	73	J. DENICHOCAS
	1200	73	J. DENICHOCAS
	1500	73	Coupe
	1800	74	Coupe
	2100	74	Coupe
	2400	73	E. CARRERA

**Thursday**

Date	Time	Temp.	Name (Print)
05/02/24	0300	73	A. PENA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	Coupe
	1800	74	XIONG
	2100	74	Coupe
	2400	74	A. PENA

**Saturday**

Date	Time	Temp.	Name (Print)
05/04/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	72	ALDRETE
	1800	72	ALDRETE
	2100	72	ALDRETE
	2400	71	Pena

**Notes**


---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: MSF 2 Temp. Reading Location: 2 ND TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
4/29/14	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	A. PINA
	1800	70	A. PINA
	2100	70	A. PINA
	2400	70	J. TRAIN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/1/14	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. TRAIN
	1200	70	J. TRAIN
	1500	70	A. PINA
	1800	70	A. PINA
	2100	70	A. PINA
	2400	70	J. TRAIN

**Friday**

Date	Time	Temp.	Name (Print)
5/3/14	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	GILES
	1800	70	GILES
	2100	70	GILES
	2400	70	D. LEON

**Sunday**

Date	Time	Temp.	Name (Print)
5/5/14	0300	70	C. STRAS
	0600	71	J. DENICHOCH
	0900	71	J. DENICHOCH
	1200	71	J. DENICHOCH
	1500	70	M. DRIGER
	1800	70	M. DRIGER
	2100	70	M. DRIGER
	2400	71	R. HITMAN

**Tuesday**

Date	Time	Temp.	Name (Print)
4/30/14	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. REICHLIN
	1200	70	J. REICHLIN
	1500	70	A. PINA
	1800	70	A. PINA
	2100	70	A. PINA
	2400	70	J. TRAIN

**Thursday**

Date	Time	Temp.	Name (Print)
5/2/14	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	ZAMUDIO
	1200	70	ZAMUDIO
	1500	70	A. PINA
	1800	70	A. PINA
	2100	70	A. PINA
	2400	70	J. TRAIN

**Saturday**

Date	Time	Temp.	Name (Print)
5/4/14	0300	70	D. LEON
	0600	70	MORENO
	0900	70	MORENO
	1200	70	MORENO
	1500	70	C. CARTAGENA
	1800	70	C. CARTAGENA
	2100	70	C. CARTAGENA
	2400	70	C. SALAS

**Notes**

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: MSF A-DAM      Temp. Reading Location: TIER 2<sup>nd</sup> TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
05/06/24	0300	74	E. CARRERA
	0600	72	J. DENICHOA
	0900	72	J. DENICHOA
	1200	72	J. DENICHOA
	1500	73	Coupe
	1800	72	Coupe
	2100	72	Coupe
	2400	73	E. CARRERA

Tuesday

Date	Time	Temp.	Name (Print)
05/07/24	0300	73	F. CARRERA
	0600	72	J. DENICHOA
	0900	72	J. DENICHOA
	1200	72	J. DENICHOA
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
05/08/24	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	Coupe
	1800	74	Coupe
	2100	73	Coupe
	2400	73	A. PIÑA

Thursday

Date	Time	Temp.	Name (Print)
05/09/24	0300	73	A. PIÑA
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400	73	A. PIÑA

Friday

Date	Time	Temp.	Name (Print)
05/10/24	0300	73	A. PIÑA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	75	ISAIS
	1800	75	ISAIS
	2100	73	ISAIS
	2400	73	E. CARRERA

Saturday

Date	Time	Temp.	Name (Print)
05/11/24	0300	73	G. CARRERA
	0600	74	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISAIS
	1800	73	ISAIS
	2100	73	ISAIS
	2400	73	E. CARRERA

Notes

---



---



---



---



---



---



---



---

Date	Time	Temp.	Name (Print)
05/12/24	0300	72	E. CARRERA
	0600	70	ISAIS
	0900	70	ISAIS
	1200	70	ISAIS
	1500	72	Coupe
	1800	72	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: M-2 R.Drm Temp. Reading Location: 2<sup>nd</sup> Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
5/6/24	0300	70	R. Pegueso
	0600	70	J. Reichlin
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	J. TRAIN

#### Wednesday

Date	Time	Temp.	Name (Print)
5/8/24	0300	70	J. TRAIN
	0600	65	J. TRAIN
	0900	68	J. Reichlin
	1200	68	J. Faest
	1500	68	J. Faest
	1800	69	J. Faest
	2100	69	J. Faest
	2400	70	J. TRAIN

#### Friday

Date	Time	Temp.	Name (Print)
5/10/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. Faest
	1200	72	J. Faest
	1500	74	J. Faest
	1800	74	J. Faest
	2100	74	J. Faest
	2400	75	J. Romine

#### Sunday

Date	Time	Temp.	Name (Print)
5/12/24	0300	70	V. Cetang G
	0600	70	V. Cetang G
	0900	72	J. Denicholas
	1200	72	J. Denicholas
	1500	76	ISQIS
	1800	70	ISQIS
	2100	71	ISQIS
	2400	70	C. McIvin

#### Tuesday

Date	Time	Temp.	Name (Print)
5/7/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	J. TRAIN

#### Thursday

Date	Time	Temp.	Name (Print)
5/9/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. Faest
	1200	70	J. Faest
	1500	70	J. Faest
	1800	70	J. Faest
	2100	70	J. Faest
	2400	70	J. TRAIN

#### Saturday

Date	Time	Temp.	Name (Print)
5/11/24	0300	74	J. Romine
	0600	72	J. Denicholas
	0900	72	J. Denicholas
	1200	74	J. Denicholas
	1500	72	D. Anderson
	1800	70	D. Anderson
	2100	70	D. Anderson
	2400	70	D. Anderson

#### Notes

---



---



---



---



---



---



---



---

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: A DORM      Temp. Reading Location: TIER 2<sup>nd</sup>  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

#### Monday

Date	Time	Temp.	Name (Print)
<u>05/13/24</u>	0300	73	E. CARRERA
	0600	72	J. DENICHOCAS
	0900	72	J. DENICHOCAS
	1200	72	J. DENICHOCAS
	1500	74	Coupe
	1800	75	Coupe
	2100	74	Coupe
	2400	73	E. CARRERA

#### Wednesday

Date	Time	Temp.	Name (Print)
<u>05/15/24</u>	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	T. Coupe
	1800	74	T. Coupe
	2100	74	T. Coupe
	2400	73	G. CASTILLER

#### Friday

Date	Time	Temp.	Name (Print)
<u>05/17/24</u>	0300	73	Xlong
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISALS
	1800	73	ISALS
	2100	73	ISALS
	2400	73	E. CARRERA

#### Sunday

Date	Time	Temp.	Name (Print)
<u>05/19/24</u>	0300	73	E. CARRERA
	0600	73	ISALS
	0900	73	ISALS
	1200	73	ISALS
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	M. RIVIN

#### Tuesday

Date	Time	Temp.	Name (Print)
<u>05/14/24</u>	0300	73	E. CARRERA
	0600	72	J. DENICHOCAS
	0900	72	J. DENICHOCAS
	1200	72	J. DENICHOCAS
	1500	73	Coupe
	1800	74	Coupe
	2100	74	Coupe
	2400	73	E. CARRERA

#### Thursday

Date	Time	Temp.	Name (Print)
<u>05/16/24</u>	0300	73	G. CASTILLER
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	74	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400	73	Xlong

#### Saturday

Date	Time	Temp.	Name (Print)
<u>05/18/24</u>	0300	73	E. CARRERA
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	74	P. CHAPA
	1500	73	ISALS
	1800	73	ISALS
	2100	73	ISALS
	2400	73	E. CARRERA

#### Notes

---

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
CDCR 2031 (04/18)

Attachment H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: M5F-B-Dorm Temp. Reading Location: 2nd Tier  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/13/24	0300	72	C. Melvin
	0600	70	C. Melvin
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	D. SCHLOEPP
	1800	70	D. SCHLOEPP
	2100	70	D. SCHLOEPP
	2400	70	S. TRAIN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	J. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	D. SCHLOEPP
	1800	70	D. SCHLOEPP
	2100	70	D. SCHLOEPP
	2400	70	S. TRAIN

**Friday**

Date	Time	Temp.	Name (Print)
5/17/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	F. Xiong
	1800	70	F. Xiong
	2100	70	F. Xiong
	2400	70	S. TRAIN

**Sunday**

Date	Time	Temp.	Name (Print)
5/19/24	0300	70	A. PINA
	0600	72	J. DENICHEKAT
	0900	72	J. DENICHEKAT
	1200	72	J. DENICHEKAT
	1500	72	I. SAVIS
	1800	72	I. SAVIS
	2100	72	I. SAVIS
	2400	70	S. TRAIN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/14/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	D. SCHLOEPP
	1800	70	D. SCHLOEPP
	2100	70	D. SCHLOEPP
	2400	70	J. TRAIN

**Thursday**

Date	Time	Temp.	Name (Print)
5/16/24	0300	70	J. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	D. SCHLOEPP
	1800	70	D. SCHLOEPP
	2100	70	D. SCHLOEPP
	2400	70	J. TRAIN

**Saturday**

Date	Time	Temp.	Name (Print)
5/18/24	0300	70	J. XIAO
	0600	72	J. DENICHEKAT
	0900	72	J. DENICHEKAT
	1200	72	J. DENICHEKAT
	1500	70	D. ANDERSON
	1800	70	D. ANDERSON
	2100	70	D. ANDERSON
	2400	70	A. PIDA

**Notes**

---

---

---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP      Housing Unit: A Perm      Temp. Reading Location: TIER 2<sup>nd</sup>  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5-20-24	0300	73	Melvin
	0600	73	Melvin
	0900	72	J. DEMICHOEUR
	1200	72	J. DEMICHOEUR
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

**Tuesday**

Date	Time	Temp.	Name (Print)
5-21-24	0300	73	E. CARRERA
	0600	72	J. DEMICHOEUR
	0900	72	J. DEMICHOEUR
	1200	72	J. DEMICHOEUR
	1500	73	Coupe
	1800	73	Coupe
	2100	72	Coupe
	2400	73	E. CARRERA

**Wednesday**

Date	Time	Temp.	Name (Print)
5-22-24	0300	73	E. CARRERA
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	72	REYNOSO

**Thursday**

Date	Time	Temp.	Name (Print)
5-23-24	0300	72	REYNOSO
	0600	73	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	74	P. CHAPA
	1800	73	P. CHAPA
	2100	73	P. CHAPA
	2400	73	A. PENA

**Friday**

Date	Time	Temp.	Name (Print)
5-24-24	0300	73	A. PENA
	0600	74	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISAIAS
	1800	73	ISAIAS
	2100	73	ISAIAS
	2400	73	E. CARRERA

**Saturday**

Date	Time	Temp.	Name (Print)
5-25-24	0300	73	E. CARRERA
	0600	74	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISAIAS
	1800	73	ISAIAS
	2100	73	ISAIAS
	2400	73	E. CARRERA

**Sunday**

Date	Time	Temp.	Name (Print)
5-26-24	0300	73	E. CARRERA
	0600	72	ISAIAS
	0900	73	ISAIAS
	1200	72	ISAIAS
	1500	73	Coupe
	1800	73	Coupe
	2100	74	Coupe
	2400	73	CALWOOD

**Notes**


---

---

---

---

---

---

---

---

**INSIDE TEMPERATURE RECORD**  
**CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B-DORM msF Temp. Reading Location: UPPER TIER  
 (e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/20/24	0300	68	J. TRAIN
	0600	68	J. TRAIN
	0900	70	J. Reichlin
	1200	69	J. Reichlin
	1500	68	J. Reichlin
	1800	68	J. Reichlin
	2100	68	J. Reichlin
	2400	68	J. TRAIN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/21/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	J. TRAIN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/22/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	69	J. Faust
	1800	68	J. Faust
	2100	69	J. Faust
	2400	70	J. TRAIN

**Thursday**

Date	Time	Temp.	Name (Print)
5/23/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	69	J. Faust
	1200	70	J. Faust
	1500	70	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	J. TRAIN

**Friday**

Date	Time	Temp.	Name (Print)
5/24/24	0300	70	J. TRAIN
	0600	70	J. TRAIN
	0900	70	J. Faust
	1200	70	J. Faust
	1500	70	J. Faust
	1800	70	J. Faust
	2100	70	J. Faust
	2400	70	F. Fontenot

**Saturday**

Date	Time	Temp.	Name (Print)
5/25/24	0300	70	F. Fontenot
	0600	70	Hughes
	0900	71	Hughes
	1200	71	Hughes
	1500	70	D. ANDERSON
	1800	70	D. ANDERSON
	2100	70	D. ANDERSON
	2400	70	A. Pitt

**Sunday**

Date	Time	Temp.	Name (Print)
5/26/24	0300	70	A. Pitt
	0600	72	J. DENICHLAS
	0900	72	J. DENICHLAS
	1200	72	J. DENICHLAS
	1500	72	L. SALS
	1800	72	L. SALS
	2100	70	J. TRAIN
	2400	70	J. TRAIN

**Notes**

STATE OF CALIFORNIA  
**INSIDE TEMPERATURE RECORD**  
 CDCR 2031 (04/18)

Attachment H

DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBS P Housing Unit: B-DORM msf Temp. Reading Location: Upper Tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

**Monday**

Date	Time	Temp.	Name (Print)
5/27/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

**Tuesday**

Date	Time	Temp.	Name (Print)
5/28/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	70	J. Reichlin
	1800	70	J. Reichlin
	2100	70	J. Reichlin
	2400	70	S. TRAIN

**Wednesday**

Date	Time	Temp.	Name (Print)
5/29/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Reichlin
	1200	70	J. Reichlin
	1500	69	J. Foust
	1800	70	J. Foust
	2100	69	J. Foust
	2400	70	S. TRAIN

**Thursday**

Date	Time	Temp.	Name (Print)
5/30/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Foust
	1200	70	J. Foust
	1500	70	J. Foust
	1800	70	J. Foust
	2100	70	J. Foust
	2400	70	S. TRAIN

**Friday**

Date	Time	Temp.	Name (Print)
5/31/24	0300	70	S. TRAIN
	0600	70	S. TRAIN
	0900	70	J. Foust
	1200	70	J. Foust
	1500	70	L. Carmona
	1800	70	L. Carmona
	2100	70	L. Carmona
	2400	72	XIONG

**Saturday**

Date	Time	Temp.	Name (Print)
6/1/24	0300	72	XIONG
	0600	72	J. Denicholas
	0900	72	J. Denicholas
	1200	72	J. Denicholas
	1500	71	D. ANDERSON
	1800	71	D. ANDERSON
	2100	71	D. ANDERSON
	2400	71	Pena

**Notes**

Date	Time	Temp.	Name (Print)
6/2/24	0300	70	Pena
	0600	72	J. Denicholas
	0900	72	J. Denicholas
	1200	72	J. Denicholas
	1500	72	ISAGS
	1800	72	ISAGS
	2100	72	ISAGS
	2400	70	S. TRAIN

DISTRIBUTION: Original: Institution Heat Plan Coordinator

**STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)**

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: ADorm Temp. Reading Location: TIER  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

**Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.**

## **Monday**

Date	Time	Temp.	Name (Print)
5/27/24	0300	73	Calhoon
	0600	74	Calhoon
	0900	72	J. DENICHOCAAS
	1200	72	J. DENICHOCAAS
	1500	73	Coupe
	1800	73	Coupe
	2100	74	Coupe
	2400	73	E. CARRERA

Wednesday

Date	Time	Temp.	Name (Print)
05/29/24	0300	73	E. CARRERA
	0600	73	P. CHAVIA
	0900	74	P. CHAVIA
	1200	73	P. CHAVIA
	1500	74	Coyote
	1800	74	Coyote
	2100	73	Coyote
	2400	73	E. Fontenot

Friday

Date	Time	Temp.	Name (Print)
05/31/24	0300	72	XIONG
	0600	72	L. CHAPA
	0900	72	L. CHAPA
	1200	73	L. CHAPA
	1500	73	D. OROSU
	1800	73	D. OROSU
	2100	73	D. OROSU
	2400	73	E. ADRERA

## Sunday

Date	Time	Temp.	Name (Print)
06/02/24	0300	73	E. CARRERA
	0600	73	Coupe
	0900	73	Coupe
	1200	73	Coupe
	1500	73	Coupe
	1800	73	Coupe
	2100	73	Coupe
	2400	73	E. CARRERA

**Tuesday**

Date	Time	Temp.	Name (Print)
05/28/24	0300	73	E. CARRERA
	0600	72	J. DENICHAUDS
	0900	72	J. DENICHAUDS
	1200	72	J. DENICHAUDS
	1500	72	R. Floyd
	1800	72	R. Floyd
	2100	72	R. Floyd
	2400	73	E. CARRERA

Thursday

Date	Time	Temp.	Name (Print)
05/30/24	0300	72	F. Fontenot
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	P. CHAPA
	1800	73	P. CHAPA
	2100	72	P. CHAPA
	2400	72	X LONG

Saturday

Date	Time	Temp.	Name (Print)
06/01/24	0300	73	E. LARRERA
	0600	72	P. CHAPA
	0900	73	P. CHAPA
	1200	73	P. CHAPA
	1500	73	ISALS
	1800	73	ISALS
	2100	73	ISALS
	2400	73	E. LARRERA

## Notes

---

---

---

---

---

---

---

STATE OF CALIFORNIA  
INSIDE TEMPERATURE RECORD  
CDCR 2031 (04/18)

ATTACHMENT H  
DEPARTMENT OF CORRECTIONS AND REHABILITATION

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: B14U

Temp. Reading Location:

1st

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 5555 when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-06-24	0300	70	A. GASTELUM
	0600	70	T. SubSack
	0900	70	T. SubSack
	1200	70	T. SubSack
	1500	71	m. Sabir
	1800	71	m. Sabir
	2100	70	m. Sabir
	2400	70	A. Perreault A.

Wednesday

Date	Time	Temp.	Name (Print)
5-08-24	0300	63 G	Perreault A.
	0600	64	CALANIS
	0900	72	CALANIS
	1200	70	CALANIS
	1500	70 A	m Perreault
	1800	69 B	m Perreault
	2100	64 G	m Perreault
	2400	70 E	Perreault A.

Friday

Date	Time	Temp.	Name (Print)
5-10-24	0300	81 H	M PERREAU
	0600	71	E. COTA
	0900	72	E. COTA
	1200	72	E. COTA
	1500	72 A	m Perreault
	1800	70 B	m Perreault
	2100	72 C	m Perreault
	2400	77 D	M PERREAU

Sunday

Date	Time	Temp.	Name (Print)
5-12-24	0300	73	FARIAS
	0600	72	Cameron
	0900	72	Cameron
	1200	72	Cameron
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	71	HILLMAN
	2400	71	A. GASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
5-07-24	0300	64 H	Perreault A
	0600	65	CALANIS
	0900	68	CALANIS
	1200	70	CALANIS
	1500	70 A	Perreault A
	1800	69 B	Perreault A
	2100	71 C	Perreault A
	2400	74 D	Perreault A

Thursday

Date	Time	Temp.	Name (Print)
5-09-24	0300	65 F	Perreault A
	0600	66	CALANIS
	0900	68	CALANIS
	1200	70	CALANIS
	1500	71 S	M Perreault
	1800	72 D	M Perreault
	2100	70 E	M Perreault
	2400	68 F	M Perreault

Saturday

Date	Time	Temp.	Name (Print)
5-11-24	0300	71 E	M Perreault
	0600	72	CABRENT
	0900	72	CABRENT
	1200	72	CABRENT
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	70	HILLMAN
	2400	71	FARIAS

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: BHU

Temp. Reading Location: 1st tier

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

SSSS when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
4-29-24	0300	70	A.GASTELUM
	0600	70	CALANIS
	0900	68	CALANIS
	1200	70	CALANIS
	1500	71	Perreault, A
	1800	73	Perreault, A
	2100	69 E	Perreault, A
	2400	65 F	Perreault, A

Wednesday

Date	Time	Temp.	Name (Print)
5-01-24	0300	63 G	Perreault, A
	0600	65	CALANIS
	0900	68	CALANIS
	1200	70	CALANIS
	1500	71 A	Perreault
	1800	69 B	Perreault
	2100	65 H	Perreault
	2400	70 A	Perreault, A

Friday

Date	Time	Temp.	Name (Print)
5-07-24	0300	66 H	Perreault
	0600	67	CALANIS
	0900	70	CALANIS
	1200	68	CALANIS
	1500	70 A	Perreault
	1800	69 D	Perreault
	2100	71 C	Perreault
	2400	73 D	Perreault

Sunday

Date	Time	Temp.	Name (Print)
5-05-24	0300	71	A.GASTELUM
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	CABRERA
	1800	72	FILIPON
	2100	71	FILIPON
	2400	70	A.GASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
4-30-24	0300	66 A	Perreault, A
	0600	70	CALANIS
	0900	68	CALANIS
	1200	71	CALANIS
	1500	70 A	Perreault, A
	1800	70 B	Perreault, A
	2100	64 C	Perreault, A
	2400	64 H	Perreault, A

Thursday

Date	Time	Temp.	Name (Print)
5-02-24	0300	69 B	Perreault, A
	0600	70	CALANIS
	0900	68	CALANIS
	1200	70	CALANIS
	1500	72 C	Perreault, A
	1800	72 D	Perreault, A
	2100	70 E	Perreault, A
	2400	65 F	Perreault, A

Saturday

Date	Time	Temp.	Name (Print)
5-04-24	0300	69 E	Perreault, A
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	J
	1800	72	J
	2100	72	J
	2400	71	A.GASTELUM

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHU

Temp. Reading Location: 1st

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension SSSS when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-13-18	0300	71	A. MASTELUM
	0600	71	B. FLOYD
	0900	71	B. FLOYD
	1200	71	B. FLOYD
	1500	72	N. GALLEGO
	1800	72	N. GALLEGO
	2100	71	N. GALLEGO
	2400	72	A. PERREAULT, H.

Wednesday

Date	Time	Temp.	Name (Print)
5-15	0300	67 F	PERREAULT, H.
	0600	70 A	C. MACHUA
	0900	69 G	C. MACHUA
	1200	70 B	C. MACHUA
	1500	72	A. PERREAULT
	1800	70	A. PERREAULT
	2100	70	A. PERREAULT
	2400	70 A	A. PERREAULT

Friday

Date	Time	Temp.	Name (Print)
5-17	0300	65 G	M. PERREAULT
	0600	67	B. FLOYD
	0900	69	B. FLOYD
	1200	70	B. FLOYD
	1500	72	A. PERREAULT
	1800	70	A. PERREAULT
	2100	72	C. PERREAULT
	2400	73	D. PERREAULT

Sunday

Date	Time	Temp.	Name (Print)
5-19	0300	70	A. MASTELUM
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	70	HILLMAN
	2400	70	A. MASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
5-14	0300	70 B	PERREAULT, H.
	0600	70	BALTUTAR
	0900	70	
	1200	70	
	1500	72 C	M. PERREAULT
	1800	74 D	M. PERREAULT
	2100	70 E	M. PERREAULT
	2400	68 F	M. PERREAULT

Thursday

Date	Time	Temp.	Name (Print)
5-16	0300	70 B	PERREAULT, H.
	0600	70	BALTUTAR
	0900	70	
	1200	70	
	1500	72 C	M. PERREAULT
	1800	74 D	M. PERREAULT
	2100	70 E	M. PERREAULT
	2400	68 F	M. PERREAULT

Saturday

Date	Time	Temp.	Name (Print)
5-18	0300	70 E	M. PERREAULT
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	70	HILLMAN
	2400	70	A. MASTELUM

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP Housing Unit: BHU

Temp. Reading Location: 1st

(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension SSSS when the inside air temperature reaches 90 degrees and again at 95 degrees.

Monday

Date	Time	Temp.	Name (Print)
5-20-24	0300	70	A. HASTELLY
	0600	70	S. Taylor
	0900	70	S. Taylor
	1200	70	
	1500	71 A	Ferreault, J.
	1800	70 B	Ferreault, J.
	2100	72 C	Ferreault, J.
	2400	77 D	Ferreault, J.

Wednesday

Date	Time	Temp.	Name (Print)
5-22-24	0300	70 A	Ferreault, J.
	0600	70	C. Adams
	0900	70	C. Adams
	1200	71	C. Adams
	1500	70 A	M. Ferreault
	1800	70 B	M. Ferreault
	2100	68 H	M. Ferreault
	2400	70 A	M. Ferreault

Friday

Date	Time	Temp.	Name (Print)
5-24-24	0300	70 E	M. Ferreault
	0600	70 A	S. Chang
	0900	70 D	S. Chang
	1200	70 E	S. Chang
	1500	65 F	M. Ferreault
	1800	64 G	M. Ferreault
	2100	67 H	M. Ferreault
	2400	70 A	M. Ferreault

Sunday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70	A. HASTELLY
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	HILLMAN
	1800	72	HILLMAN
	2100	70	HILLMAN
	2400	70	GASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
5-21-24	0300	70 F	Ferreault, J.
	0600	70 A	
	0900	70 A	
	1200	66	
	1500	64 G	Ferreault, J.
	1800	68 H	Ferreault, J.
	2100	73 O	Ferreault, J.
	2400	70 E	Ferreault, J.

Thursday

Date	Time	Temp.	Name (Print)
5-23-24	0300	68 H	Ferreault, J.
	0600	68	CADARS
	0900	72	CADARS
	1200	70	CADARS
	1500	70 A	M. Ferreault
	1800	70 B	M. Ferreault
	2100	72 C	M. Ferreault
	2400	73 D	M. Ferreault

Saturday

Date	Time	Temp.	Name (Print)
5-26-24	0300	70 D	M. Ferreault
	0600	72	CABRERA
	0900	72	CABRERA
	1200	72	CABRERA
	1500	72	CABRERA
	1800	72	HILLMAN
	2100	70	HILLMAN
	2400	70	A. GASTELUM

Notes

From May 1<sup>st</sup> through October 31<sup>st</sup>, the warden shall designate staff to be responsible to monitor and log the INSIDE ambient air temperature in all non-air-conditioned housing units where an inmate on the heat risk list may be housed. (Note: Air-conditioned housing units will also be monitored when the air conditioner is malfunctioning).

Using an accurate thermometer on the highest location in the housing unit (e.g., top tier) where an inmate on the heat risk list is housed. The inside air temperature is to be taken every three (3) hours, seven (7) days a week.

Institution: PBSP

Housing Unit: RHD

Temp. Reading Location: 1st  
(e.g., 1<sup>st</sup> tier, 2<sup>nd</sup> tier, 3<sup>rd</sup> tier, etc.)

Immediately notify the Watch Commander at extension 90 degrees and again at 95 degrees.

SSSS when the inside air temperature reaches

Monday

Date	Time	Temp.	Name (Print)
05-27-24	0300	70 A	GASTELUM
	0600	70 B	GASTELUM
	0900	68	CALANIS
	1200	69	CALANIS
	1500	70 A	Perrault A
	1800	70 A	Perrault A
	2100	65 G	Perrault A
	2400	68 H	Perrault A

Wednesday

Date	Time	Temp.	Name (Print)
05-29-24	0300	70 F	Perrault A
	0600	70	CALANIS
	0900	72	CALANIS
	1200	70	CALANIS
	1500	70 A	M Perrault
	1800	70 B	M Perrault
	2100	64 G	M Perrault
	2400	70 E	Perrault A

Friday

Date	Time	Temp.	Name (Print)
05-31-24	0300	67 H	M Perrault
	0600	70	CALANIS
	0900	72	CALANIS
	1200	68	CALANIS
	1500	72 A	M Perrault
	1800	70 B	M Perrault
	2100	72 C	M Perrault
	2400	74 D	M Perrault

Sunday

Date	Time	Temp.	Name (Print)
06-02-24	0300	70 E	A.GASTELUM
	0600	72	CARRETT
	0900	72	CARRETT
	1200	72	CARRETT
	1500	72	FILLION
	1800	71	FILLION
	2100	70	FILLION
	2400	70	GASTELUM

Tuesday

Date	Time	Temp.	Name (Print)
05-28-24	0300	65 C	Perrault A
	0600	67	CALANIS
	0900	68	CALANIS
	1200	70	CALANIS
	1500	71 A	Perrault A
	1800	70 B	Perrault A
	2100	71 C	Perrault A
	2400	74 D	Perrault A

Thursday

Date	Time	Temp.	Name (Print)
05-30-24	0300	68 F	Perrault A
	0600	70	CALANIS
	0900	68	CALANIS
	1200	72	CALANIS
	1500	72 G	M Perrault
	1800	74 D	M Perrault
	2100	70 E	M Perrault
	2400	67 F	M Perrault

Saturday

Date	Time	Temp.	Name (Print)
06-01-24	0300	70 F	M Perrault
	0600	70	G. Singh
	0900	70	G. Singh
	1200	70	G. Singh
	1500	70 A	B. Singh
	1800	71 B	B. Singh
	2100	71 C	B. Singh
	2400	70 D	GASTELUM

Notes

---



---



---



---



---



---



---



---