## PERTEMUAN 2 LAPORAN PERINTAH DASAR LINUX

Untuk Memenuhi Salah Satu Tugas

Mata Kuliah Sistem Operasi

Dosen: Ibu Annisa Taufika Firdausi, S.T., M.T.



Disusun oleh: Revani Nanda Putri (NIM: 2341760056)

PROGRAM STUDI SISTEM INFORMASI BISNIS

JURUSAN TEKNOLOGI INFORMASI


POLITEKNIK NEGERI MALANG

2024

1. Buatlah summary Percobaan 1 sampai dengan percobaan 15 dalam bentuk table seperti di bawah ini :

Perintah	Deskripsi	Format
\$ id	Merupakan perintah	□ membesedhomespent - X → · · · · · · · · · · · · · · · · · ·
	untukmenampilkan	For more information please visit https://aka.ms/mststoreinfo To run a command as administrator (user "root"), use "sudo «command»: See "man sudo,root" for details. Welcome to Unbutu 22.00.1 lit 5(00U/inux 5.10.10.3-mirrooft-standard-MSL2.886.60)
	identitas pemakai	* Occumentation: https://help.ubuntu.com * Kanagement: https://landscape.canonical.com * Support: https://buntu.com/downatage
		this message is shown once a day. To disable it please create the Amount/resulpopers/ healthque felle. [resulpopers/ healthque felle. [resulpopers/ healthque felle. ] [resulpopers/ healthque felle. [resulpopers/ healthque felle. ] [resulpopers/ healthque felle
Ċ do+o	N. 1 ' . 1 1	□ manipular@norappant . X + V - □ X
\$ date	Merupakan perintah untuk	Mindows Subsystem for Linux is now available in the Microsoft Store! You can upgrade by running "mail.ore —update" or by visiting https://aka.ms/msiterepage zontailing Miss.f from the Microsoft Store Mill gare you the latest Mi. updates, faster. For more information please visit https://aka.ms/msitereinfo
	menampilkan tanggal	To run a command as administrator (oser "root"), use "sudo "command=".  See "ann sudo, ruot" for details.  Whiteme to Uhundu 22.00.3 LTS (SMU/Linux 5.10.16.3-microsoft-standard=WSL2 x80,60)  * Documentation: https://help.uhundu.com
	beserta jam.	* Management: https://landscape.canonical.com * Support: https://ubuntu.com/advantage
		This message is shown once a day. To disable it please create the /mmm/remail/confir/f.lamblings iffer a /mmm/remail/confir/f.lamblings iffer a sub-sub-free-construct) pict-please (remail-please construct), disable, 206(slabout), 206(sr ab), 206(construct), 206(slabout), 206(sla
\$ cal	Merupakan perintah untuk	malphafellamaghata
\$ cal -y	melihat kalender.	remainsterigreeniquierii-1 sal-y 3000 3000 3000 3000 3000 3000 3000 30
		34 15 16 77 18 19 78 11 11 23 73 14 15 16 73 73 17 16 73 12 73 74 15 15 16 72 23 73 24 75 16 75 17 18 19 78 13 12 72 74 75 75 75 75 75 75 75 75 75 75 75 75 75
		Six No Tix Not Th PY Six Six Mo Tix Not Tix No
		30  July August September  Se Mo No New 11: FP SA SUM TO TO WE TO FP SA SA MO TO NEW TO FP SA
		34 IS 16 17 TH 89 70 II 11 12 IS 10 IS 16 IS 17 IS 18
		Six No 11 we fit for Six Six No Tix We fit for Six Six No Tix We fit for Six Six No Tix We fit for Six
		revarigaterigrevaripaterii-5 call March 2020 Sa 60 Tu we Th Fer Sa 1 2 3 4 5 6 7 8 9
		86 11 12 13 19 18 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18
<pre>\$ hostname</pre>	Melihat identitas mesin.	maniphetimanipate: X + v
\$ uname		Limes  The control of
\$ uname -a		
\$ W	Mengetahui siapa saja	□ manapandramapani × X + V - □ X  46 146,46 GW/Linux ProstipitorityProstipitority = 0
<pre>\$ who \$ whoami</pre>	yang sedang aktif	1.6 to Reg. ColUption   1.5 to Reg. ColUption   1.6 to Reg. ColUption   1.6 to Reg. Column
WITCHIE		

\$	chfn <user></user>	Mengubah informasi	□ meniphet@meniphet × X + v = □ X  proxeligit=relevanipaterii=\$ chfin Password:
		finger	Chaping the user information for revanipators: Enter the new value, or press DITES for the default Full Name: Name Name: (1) Lab Pengraman 2 Note Phone (2) 2001 Name Phone (3) 2002
		6	revaniputerifrevaniputeri:-\$
\$	finger	Melihat informasi finger	□ melpha/Desephali - X + v - □ X
\$	finger <user></user>	Weimat informasi iniger	reconfigurations industrial flager to set together or the set toge
	man ls	Menggunakan manual.	□ Managhand@manapanes × + v - □ X  Manual pager utils MAN(2)  MAN(2)
1.	man man man -k file		THEM - An interfece to the system reference annuals THEMPOTES (and times) [feeting] space]
	man 5 passwd		DESCRIPTION
			man is the system's annual paper. Each agge argument given to man is normally the name of a propay, utility or function. The annual page associated with each of these argu- ments is then found and displayed. A section, if provider, will direct man to lose only in that section of the name. The default action is to search in all of the available sections following a pre-of-fixed enter (see defaults), and to show only the first page found, even if page exists in several sections.
_	_		The table below shows the <u>section</u> numbers of the wanual followed by the types of pages they contain.  **Ennual page can(t) like 1 (gress h for belowing to quit)
\$	clear	Menghapus layar	□ mempendimempent × * v
\$	apropos date	Mencari perintah yang	□ mempandunempent × X + v - □ X tc-coun (s) - checksum update action
	apropos mail apropos telnet	deskripsinya mengandung	described (1) of the by report cases again, or undate an existing report.  Section (1) of the by report cases again, or undate an existing report.  Section (2) of the by report cases again, or undate an existing report.  Section (3) of the by report cases again, or ordinates filts sent cases again or ordinates filts set undate of the section of the
Т	apropos cornec	kata kunci	spoate-lecals (8) — modify global locals settings spoate-miss-delabase (1) = a propume to build the Shared MIM-Info database cache spoate-med (6) — "spoase ONI" personation spoate-messed (8) — safely modify (MIM-Info and print it to action spoate-messed (8) — safely modify (MIM-Info and MIM-Info and MIM-Info spoate-messed (8) — safely modify (MIM-Info and MIM-Info and MIM-Info and spoate-messed (8) — safely modify (MIM-Info and MIM-Info
			undate-poids (8) — somethand new version of the NCI ID list undate-rox. (8) — installa and renewe System's typic init script links update-bells (8) — spaths which renewe System's typic init script links update-bells (8) — spaths the list of valid login shells secred (8) — configuration for only-unrefirer-undate unered (8) — configuration for only-unrefirer-undate secred (8) — configuration for only-unrefirer-undate secred (8) — configuration for only-unrefirer-undate secred (8) — for contract typic undate (8) — for the secretary of the files the secretary
		yang dicari	separate intermediate properties and an intermediate in a consistent of the consiste
			pit-former_part( ) = Frepre_partners for -mail namination of the formattine( )
			pas_mail (2) raffers about available mail revenilularifersamilpropositelint revenilularifersamilpropositelint setted (1) raffers are interface to the TELNET protect (1) raffers (1) raffers (1) raffers (1) referred to the TELNET protect)
\$	whatis date	Mencari perintah yang	El mempandemempant: X + v = 0 X reconstructives/particle/shadis date date (1)print are set the system date and time reconstructives/particle/shadis/date.
		tepat sama dengan kunci	
		yang dicari	





## 2. Analisa latihan yang telah dilakukan.

Tujuan praktikum ini adalah untuk mempelajari dan memahami perintah-perintah dasar Linux yang digunakan untuk navigasi file, manipulasi file, manajemen proses, konfigurasi system, dan lainnya. Dari tabel, terlihat bahwa penulis telah mempelajari berbagai perintah dasar Linux yang penting untuk mengoperasikan sistem Linux. Praktikum ini memberikan penulis kesempatan untuk mempraktikkan penggunaan perintah-perintah tersebut dalam berbagai situasi.

## 3. Berikan kesimpulan dari praktikum ini

Secara keseluruhan, praktikum "Perintah Dasar Linux" ini bermanfaat untuk membantu penulis mempelajari dan memahami perintah-perintah dasar Linux. Praktikum ini memberikan penulis dasar perintah OS Linux untuk menggunakan OS tersebut.