

SmartBridge Externship- Data Analytics

Assignment - 2



Name: Bollepalli Revanth



Reg.No: 20BCD7189



1. Create any 7 data visualizations/charts and perform the following


The screenshot shows the Tableau 'Charts' workspace. On the left sidebar, under 'Connections', 'localhost MySQL' is selected. Under 'Database', 'new_sales' is selected. Under 'Table', 'sample_superstore' is selected. The main workspace shows a box for 'sample_superstore' and a message 'Need more data? Drag tables here to relate them. Learn more'. Below this, a data preview table is displayed with 21 fields and 138 rows. The table has the following columns: Row ID, Order ID, Order Date, Ship Date, Ship Mode, Customer ID, and Customer Name. The data preview shows 7 rows of sample data.

#	Row ID	Order ID	Order Date	Ship Date	Ship Mode	Customer ID	Customer Name
1	CA-2016-152156	11/8/2016	11/11/2016	Second Class	CG-12520	Claire Gute	
2	CA-2016-152156	11/8/2016	11/11/2016	Second Class	CG-12520	Claire Gute	
3	CA-2016-138688	6/12/2016	6/16/2016	Second Class	DV-13045	Darrin Van Huff	
4	US-2015-108966	10/11/2015	10/18/2015	Standard Class	SO-20335	Sean O'Donnell	
5	US-2015-108966	10/11/2015	10/18/2015	Standard Class	SO-20335	Sean O'Donnell	
6	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	
7	CA-2014-115812	6/9/2014	6/14/2014	Standard Class	BH-11710	Brosina Hoffman	














2. Filter: By measure




By dimension:



By context:



Creating a Hierarchy



Creating a Set

The screenshot displays the Tableau Desktop interface. On the left, the 'Data' pane shows the 'sample_superstore (new...)' data source. Below it, the 'Fields' list includes dimensions like 'Category', 'City', 'Country', 'Customer ID', 'Customer ID Set', 'Customer Name', 'Order Date', 'Postal Code', 'Product ID', 'Product Name', 'Quantity (bin)', 'Region', 'Row ID', 'Segment', 'Ship Date', 'Ship Mode', 'State', 'Sub-Category', and 'Measure Names' such as 'Discount', 'Profit', 'Quantity', 'Sales', 'Latitude (generated)', 'Profit Bin Size', and 'Top Customers'. The main view is a bar chart titled 'Set'. The 'Columns' shelf contains 'IN/OUT(Custome...)' and the 'Rows' shelf contains 'SUM(Sales)'. The 'Marks' card is set to 'Automatic'. The chart shows two blue bars: 'In' with a value of approximately 13.5K and 'Out' with a value of approximately 12.5K. The y-axis is labeled 'Sales' and ranges from 0K to 14K. The bottom status bar indicates '2 marks 1 row by 2 columns SUM(Sales): 26,456.9'.

Creating a Group

Edit Group [Discount (group)]

Field Name: Discount (group)

Groups: Add to:

0

0.1

0.2

0.3

0.32

0.4

0.45

0.5

0.6

0.7

0.8

Group

Rename

Ungroup

☒ Show Add Location

☐ Include 'Other'

Find >>

Reset

OK

Cancel

Apply

