```
-- MySQL dump 10.13  Distrib 8.0.25, for Win64 (x86_64)
--
-- Host: localhost    Database: student
-- ------------------------------------------------------
-- Server version       8.0.25

/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8mb4 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0
*/;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--
-- Table structure for table `attendancedetail`
--

DROP TABLE IF EXISTS `attendancedetail`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `attendancedetail` (
  `id` bigint NOT NULL AUTO_INCREMENT,
  `attencount` bigint NOT NULL,
  `available` bit(1) DEFAULT NULL,
  `date` varchar(255) DEFAULT NULL,
  `employee_id` varchar(255) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci
DEFAULT NULL,
  `student_id` varchar(255) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci
DEFAULT NULL,
  `month` varchar(255) DEFAULT NULL,
  `grade_id` varchar(100) DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO_INCREMENT=171 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `attendancedetail`
--

LOCK TABLES `attendancedetail` WRITE;
/*!40000 ALTER TABLE `attendancedetail` DISABLE KEYS */;
INSERT INTO `attendancedetail` VALUES (169,0,_binary
'','2021-06-13','1','15',NULL,'4'),(170,0,_binary
'\0','2021-06-13','1','16',NULL,'4');
/*!40000 ALTER TABLE `attendancedetail` ENABLE KEYS */;
UNLOCK TABLES;

--
```

```sql
-- Table structure for table `departmentdetail`
--

DROP TABLE IF EXISTS `departmentdetail`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `departmentdetail` (
  `departmentid` varchar(255) NOT NULL,
  `department_name` varchar(255) DEFAULT NULL,
  `managerid` varchar(255) DEFAULT NULL,
  `noof_employee` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`departmentid`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `departmentdetail`
--

LOCK TABLES `departmentdetail` WRITE;
/*!40000 ALTER TABLE `departmentdetail` DISABLE KEYS */;
INSERT INTO `departmentdetail` VALUES
('1','Mathematics','1','5'),('2','Physics','1','5'),('3','Science','1','5'),('4'
,'English','1','4'),('5','Hindi','1','5'),('6','Language','1','2'),('7','Non
teaching','1','2');
/*!40000 ALTER TABLE `departmentdetail` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `employeedetail`
--

DROP TABLE IF EXISTS `employeedetail`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `employeedetail` (
  `employee_id` int NOT NULL AUTO_INCREMENT,
  `address` varchar(255) DEFAULT NULL,
  `bloodgroup` varchar(255) DEFAULT NULL,
  `dateofjoining` date DEFAULT NULL,
  `department` varchar(255) DEFAULT NULL,
  `dob` date DEFAULT NULL,
  `firstname` varchar(255) DEFAULT NULL,
  `gender` varchar(255) DEFAULT NULL,
  `lastname` varchar(255) DEFAULT NULL,
  `mailid` varchar(255) DEFAULT NULL,
  `phno` bigint DEFAULT NULL,
  `salary` bigint DEFAULT NULL,
  `teaching` tinyint(1) DEFAULT NULL,
  PRIMARY KEY (`employee_id`),
  UNIQUE KEY `mailid` (`mailid`),
  UNIQUE KEY `phno` (`phno`)
) ENGINE=InnoDB AUTO_INCREMENT=22 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
```

```sql
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `employeedetail`
--

LOCK TABLES `employeedetail` WRITE;
/*!40000 ALTER TABLE `employeedetail` DISABLE KEYS */;
INSERT INTO `employeedetail` VALUES (20,'Gurunank colony,
Vijayawada','A+','2021-06-05','3','2021-06-04','HARINI','male','S','sangapuharin
i@gmail.com',6304820177,4567890,1),(21,'sdfsdfsf','A','2020-12-10','2','1985-01-
01','fsfs','male','sdfsdf','ancd@gmail.com',34567890,1500,1);
/*!40000 ALTER TABLE `employeedetail` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `grades`
--

DROP TABLE IF EXISTS `grades`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `grades` (
  `grade_id` bigint NOT NULL AUTO_INCREMENT,
  `grade_name` varchar(100) DEFAULT NULL,
  PRIMARY KEY (`grade_id`)
) ENGINE=InnoDB AUTO_INCREMENT=11 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `grades`
--

LOCK TABLES `grades` WRITE;
/*!40000 ALTER TABLE `grades` DISABLE KEYS */;
INSERT INTO `grades` VALUES (1,'Grade 1'),(2,'Grade 2'),(3,'Grade 3'),(4,'Grade
4'),(5,'Grade 5'),(6,'Grade 6'),(7,'Grade 7'),(8,'Grade 8'),(9,'Grade
9'),(10,'Grade 10');
/*!40000 ALTER TABLE `grades` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `hibernate_sequence`
--

DROP TABLE IF EXISTS `hibernate_sequence`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `hibernate_sequence` (
  `next_val` bigint DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
```

```sql
--
-- Dumping data for table `hibernate_sequence`
--

LOCK TABLES `hibernate_sequence` WRITE;
/*!40000 ALTER TABLE `hibernate_sequence` DISABLE KEYS */;
INSERT INTO `hibernate_sequence` VALUES (18);
/*!40000 ALTER TABLE `hibernate_sequence` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `holidaydetail`
--

DROP TABLE IF EXISTS `holidaydetail`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `holidaydetail` (
  `id` bigint NOT NULL AUTO_INCREMENT,
  `date` bigint DEFAULT NULL,
  `reason` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `holidaydetail`
--

LOCK TABLES `holidaydetail` WRITE;
/*!40000 ALTER TABLE `holidaydetail` DISABLE KEYS */;
/*!40000 ALTER TABLE `holidaydetail` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `leavedetail`
--

DROP TABLE IF EXISTS `leavedetail`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `leavedetail` (
  `id` bigint NOT NULL AUTO_INCREMENT,
  `date` varchar(255) DEFAULT NULL,
  `dept_id` varchar(255) DEFAULT NULL,
  `employee_id` varchar(255) DEFAULT NULL,
  `fromdate` varchar(255) DEFAULT NULL,
  `leavereason` varchar(255) DEFAULT NULL,
  `leavetype` varchar(255) DEFAULT NULL,
  `todate` varchar(255) DEFAULT NULL,
  `type` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;
```

```sql
--
-- Dumping data for table `leavedetail`
--

LOCK TABLES `leavedetail` WRITE;
/*!40000 ALTER TABLE `leavedetail` DISABLE KEYS */;
/*!40000 ALTER TABLE `leavedetail` ENABLE KEYS */;
UNLOCK TABLES;


--
-- Table structure for table `marks`
--

DROP TABLE IF EXISTS `marks`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `marks` (
  `id` int NOT NULL AUTO_INCREMENT,
  `student` varchar(255) CHARACTER SET utf8mb4 COLLATE utf8mb4_0900_ai_ci
DEFAULT NULL,
  `sub1` double DEFAULT NULL,
  `sub2` double DEFAULT NULL,
  `sub3` double DEFAULT NULL,
  `sub4` double DEFAULT NULL,
  `grade` varchar(100) DEFAULT NULL,
  `test_name` varchar(100) DEFAULT NULL,
  `year` int DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO_INCREMENT=12 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;


--
-- Dumping data for table `marks`
--

LOCK TABLES `marks` WRITE;
/*!40000 ALTER TABLE `marks` DISABLE KEYS */;
INSERT INTO `marks` VALUES (11,'16',98,99,99,99,'4','Annaul',2020);
/*!40000 ALTER TABLE `marks` ENABLE KEYS */;
UNLOCK TABLES;


--
-- Table structure for table `tbl_student`
--

DROP TABLE IF EXISTS `tbl_student`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `tbl_student` (
  `id` bigint NOT NULL,
  `address` varchar(255) DEFAULT NULL,
  `created_date` datetime(6) DEFAULT NULL,
```

```sql
  `gender` varchar(255) DEFAULT NULL,
  `grade` varchar(255) DEFAULT NULL,
  `last_updated_date` datetime(6) DEFAULT NULL,
  `full_name` varchar(255) DEFAULT NULL,
  `phone` varchar(255) DEFAULT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `tbl_student`
--

LOCK TABLES `tbl_student` WRITE;
/*!40000 ALTER TABLE `tbl_student` DISABLE KEYS */;
INSERT INTO `tbl_student` VALUES (15,'Gurunank colony, Vijayawada','2021-06-21
22:07:05.665000','female','4','2021-06-21 22:07:05.665000','HARINI
S','6304820177'),(16,'sd;flsd fsdfjsio ','2021-06-21
22:08:05.794000','male','4','2021-06-21 22:08:05.794000','Dinesh','9885992652');
/*!40000 ALTER TABLE `tbl_student` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Table structure for table `useraccount`
--

DROP TABLE IF EXISTS `useraccount`;
/*!40101 SET @saved_cs_client     = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;
CREATE TABLE `useraccount` (
  `type` varchar(255) NOT NULL,
  `employee_id` varchar(255) DEFAULT NULL,
  `password` varchar(255) DEFAULT NULL,
  `ref_id` varchar(100) NOT NULL,
  `id` int NOT NULL AUTO_INCREMENT,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO_INCREMENT=7 DEFAULT CHARSET=utf8mb4
COLLATE=utf8mb4_0900_ai_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `useraccount`
--

LOCK TABLES `useraccount` WRITE;
/*!40000 ALTER TABLE `useraccount` DISABLE KEYS */;
INSERT INTO `useraccount` VALUES
('2','FAC00020','$2a$10$LSnLQ61TMogRF/.ZILDGSeCMjcvMsdTYbLAyviUKeuC6Pl.ydpuoS','
20',1),('1','admin','$2a$10$LSnLQ61TMogRF/.ZILDGSeCMjcvMsdTYbLAyviUKeuC6Pl.ydpuo
S','1',2),('2','FAC00021','$2a$10$bG/eCzE3k6TT0gXDsLNzP.OvErBhtY52EFeZ9bROs/LGk9
5ItjIFu','21',3),('3','STU00015','$2a$10$eo8zJrBdmQfQk66hn/u3Mu1XD5jUtsxLN3ue8iB
Bg55QmckPxmRM2','15',4),('3','STU00016','$2a$10$4xo2W3UtweXcTpkm.BreaukA4CgErhan
gIQ5IAhdO/D93bPzagdAi','16',5),('3','STU00017','$2a$10$IcWAXKjVdAfUmuotiUraqOllF
q3rP/bJwRUMFUJdn5V8Rzwz.7xjm','17',6);
```

```
/*!40000 ALTER TABLE `useraccount` ENABLE KEYS */;
UNLOCK TABLES;

--
-- Dumping routines for database 'student'
--
/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;
/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;
/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;
/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;
/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2021-06-21 23:41:58
```