

The Four Identifiers

MsgId . EndToEndId . TxId . UETR

MsgId

Identifies the message/file for THIS hop.

Point-to-point . disposable . changes at every forward.

EndToEndId

The customer's own reference for the payment.

End to end . untouched . reaches the beneficiary's statement.

TxId

Identifies one transaction inside a message.

Scoped to the transaction, between the two banks.

UETR

A globally unique UUIDv4 tracking the payment.

The whole life . fixed . the reference gpi tracking runs on.

-
- InstrId is local & disposable. EndToEndId & UETR are sacred.

The R-Transactions

Every way a payment fails – sorted by one question

Has the money settled yet?

BEFORE SETTLEMENT

Reject . RJCT . pacs.002 / pain.002

Turned away before any money moves. Nothing to send back – fix & resubmit.

AFTER SETTLEMENT

Return . pacs.004

The receiver sends settled money back.

Recall . camt.056 -> camt.029

The sender asks for it back – can be refused.

Reversal . pacs.007

The originator undoes its own collection, by right.

Investigations . camt.110/111 (was camt.026/027/029)

Unclear or missing? Open a case, find out what happened, then act.

-
- **Reject . Return . Recall . Reversal – never confuse them again.**

The Message Families

Who's talking, and about what

pain

You -> your bank

Initiation. pain.001 instructs, pain.002 reports status.

pacs

Bank <-> bank

Clearing & settlement. pacs.008 customer transfer, pacs.009 FI / cover, pacs.002 status, pacs.004 return.

camt

Bank -> you

Reporting. camt.053 statement, camt.052 intraday, camt.054 notification, camt.056 cancel.

head

The envelope

The Business Application Header (head.001) every message travels inside.

admi

Housekeeping

The network's quiet admin messages that keep the post office running.

- **One dictionary. Every dialect. pain instructs, pacs pays, camt tells.**