





PIZZA SALES ANALYSIS USING MYSQL





KEY HIGHLIGHTS

TOTAL REVENUE: 817860.05

EXPENSIVE PIZZA: THE GREEK PIZZA


POPULAR SIZE: MEDIUM

TOP CATEGORY: CLASSIC

BUSIEST HOUR: 12:00

AVERAGE ORDER VALUE: 17RS.

MOST ORDERED SIZE: L



RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED

```
SELECT  
    COUNT(order_id) AS total_orders  
FROM  
    orders;
```


Result Grid	
	total_orders
▶	21350



CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES

```
SELECT  
    ROUND(SUM(pizzas.price * orders_details.quantity),  
        2) AS total_revenue  
  
FROM  
    pizzas  
    JOIN  
    orders_details ON pizzas.pizza_id = orders_details.pizza_id;
```

Result Grid	
	total_revenue
▶	817860.05



IDENTIFY THE HIGHEST-PRICED PIZZA

```
SELECT  
    pizza_types.name, pizzas.price  
FROM  
    pizza_types  
        JOIN  
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id  
ORDER BY pizzas.price DESC  
LIMIT 1;
```

	name	price
▶	The Greek Pizza	35.95





IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED

```
SELECT
    pizzas.size,
    COUNT(orders_details.order_details_id) AS order_count
FROM
    pizzas
        JOIN
    orders_details ON pizzas.pizza_id = orders_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```



size	order_count
L	18526
M	15385
S	14137
XL	544
XXL	28






JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA

```
SELECT
    pizza_types.category,
    SUM(orders_details.quantity) AS quantity
FROM
    pizza_types
        JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
        JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY quantity DESC;
```




Result Grid		
	category	quantity
▶	Classic	14888
	Supreme	11987
	Veggie	11649
	Chicken	11050



DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY

```
SELECT  
    HOUR(order_time) as hour, COUNT(order_id) as order_count  
FROM  
    orders  
GROUP BY HOUR(order_time);
```



Result Grid

	hour	order_count
▶	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642
	21	1198
	22	663
	23	28
	10	8
	9	1

JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS

```
SELECT
    category, COUNT(name)
FROM
    pizza_types
GROUP BY category;
```



Result Grid | Filter Rows

	category	COUNT(name)
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9

GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERS PER DAY

```
SELECT
    ROUND(AVG(quantity), 0) as avg_pizza_ordered_per_day
FROM
    (SELECT
        orders.order_date, SUM(orders_details.quantity) AS quantity
    FROM
        orders
    JOIN orders_details ON orders.order_id = orders_details.order_id
    GROUP BY orders.order_date) AS order_quantity;
```



Result Grid		Filter Rows:
avg_pizza_ordered_per_day		
▶	138	

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE

SELECT

```
    pizza_types.name,  
    SUM(pizzas.price * orders_details.quantity) AS revenue
```

FROM

```
    pizza_types
```

JOIN

```
    pizzas ON pizzas.pizza_type_id = pizza_types.pizza_type_id
```

JOIN

```
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
```

GROUP BY pizza_types.name


ORDER BY revenue **DESC**

LIMIT 3;


	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE

```
SELECT
    pizza_types.category,
    ROUND(SUM(orders_details.quantity * pizzas.price) / (SELECT
        ROUND(SUM(pizzas.price * orders_details.quantity),
        2) AS total_sales
    )
    FROM
        pizzas
        JOIN
            orders_details ON pizzas.pizza_id = orders_details.pizza_id) * 100,
    2) AS revenue
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
        orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category
ORDER BY revenue DESC;
```



	category	revenue
▶	Classic	26.91
	Supreme	25.46
	Chicken	23.96
	Veggie	23.68



ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME

```
select order_date,sum(revenue) over(order by order_date)
as cum_revenue from
  (select orders.order_date,sum(orders_details.quantity * pizzas.price)
   as revenue from orders_details
   join pizzas on orders_details.pizza_id=pizzas.pizza_id
   join orders on orders.order_id=orders_details.order_id
group by orders.order_date)
as sales;
```



order_date	cum_revenue
2015-01-01	2713.850000000004
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.4
2015-01-10	23990.35000000002
2015-01-11	25862.65
2015-01-12	27781.7