Data Model

Data Service

_	
ICrud <t></t>	
Get(): List <t></t>	
Create(T : any): boolean	
Delete (T : any): boolean	

RequestBroker : ICrud

dbTodao: MapperConfiguration daoTodb

: MapperConfiguration handler : DAOHandler

Get(): List<RequestDAO>

Create(RequestDAO request): boolean Delete (RequestDAO request): boolean

Update (RequestDAO request): boolean

PersonBroker: ICrud

dbTodao: MapperConfiguration

daoTodb : MapperConfiguration

handler: DAOHandler

Get(): List<PersonDAO>

Create(PersonDAO person): boolean Delete (PersonDAO person): boolean

Update (PersonDAO person): boolean

PropertyBroker: ICrud

dbTodao: MapperConfiguration

daoTodb : MapperConfiguration

handler: DAOHandler

Get(): List<PersonDAO>

Create(PropertyDAO property): boolean

Delete (PropertyDAO property): boolean

Update (PropertyDAO property): boolean

ProviderBroker : ICrud

dbTodao: MapperConfiguration

daoTodb : MapperConfiguration

handler : DAOHandler

Get(): List<ProvideDAOr>

Create(ProviderDAO provider): boolean

Delete (ProviderDAO provider): boolean

Update (ProviderDAO provider): boolean

RequestController

Update (T : any): boolean

RequestBroker rb;

Get(): List<RequesDAOt>

Create(RequestDAO request): boolean

Delete (RequestDAO request): boolean

Update (RequestDAO request): boolean

PersonController

PersonBroker pb;

Get(): List<PersonDAO>

Create(PersonDAO person): boolean

Delete (PersonDAO person): boolean Update (PersonDAO person): boolean

ProviderController

ProviderBroker pb;

Get(): List<ProviderDAO>

Create(ProviderDAO provider): boolean

Update (ProviderDAO provider): boolean

Delete (ProviderDAO provider): boolean

PropertyController

PropertyBroker pb;

Get(): List<PropertyDAO>

Create(PropertyDAO property): boolean Delete (PropertyDAO property): boolean

Update (PropertyDAO property): boolean

ProviderDAO

Name: string

Contact: ContactDAO

Addr: AddressDAO

PropList: List<PropertyDAO>

EmpList: List<PersonDAO>

AddressDAO

Street1: string Street2: string AptNum: Int City: string State: string

ZipCode: string

ContactDAO

Email: string

Phone: string

- Rejected

Status

- Completed

PersonDAO

First: string

Last: string

ContactDAO: Contact

- Pending,
- Hold,

RequestType

- Maintenence
- 2. Supply
- 3. Housing

PropertyDAO

NumRoom: Int NumBath: Int

Addr: AddressDAO

Complex: ComplexDAO ReqList: List<RequestDAO>

ComplexDAO

Name: string

Contact: Contact Addr: Address

RequestDate : DataTime

RequestTitle: string

Description : string

RequestModifiedDate : DateTime

RequestorName: string

Propertyld: int

RequestDAO

Urgent : bool

RepresentativeName: string

Action: string

RequestType : RequestType

Status: Status

<u>Data</u>

DAOHandler

Private Static Context: DBEntity PropertyDAO PropertyDao

AddressDAO: AddressDao

RequestDAO : RequestDao

ProviderDAO ProviderDao

PersonDAO : PersonDao

ICrud

Get(): List<T>

Create(T : any)

Delete (T: any)

Update (T : any)

RequestDAO: ICrud

Get(): List<Request>

Create(Request Request)

Delete (Request Request)

Update (Request Request)

Get(): List<Person>

PersonDAO: ICrud

Create(Person Person)

Delete (Person Person)

Update (Person Person)

AddressDAO: ICrud

Get(): List<Address>

Create(Address Address)

Update (Address Address)

Delete (Address Address)

PropertyDAO : ICrud

Get(): List<Property>

Create(Property Property)

Delete (Property Property)

Update (Property Property)

ProviderDAO: ICrud

Get(): List<Provider>

Create(Provider Provider)

Delete (Provider Provider)

Update (Provider Provider)