

iRevatureQuizPro API Specification

Version 0.2

Document History

Description	Version	Author
DRAFT	DRAFT	Udayakumar Mathivanan
Updated Login and Quiz API's	0.1	Udayakumar Mathivanan
Updated Questions API	0.2	Udayakumar Mathivanan

Contents

POST - Trainer/Ambassador Login	3
POST - Associate Login	14
POST - Create New Quiz	25
PUT - Update an existing quiz	30
DELETE - Delete a quiz	34
PUT - Update quiz status based on quiz id and status.....	35
POST - Fetch all quizzes.....	36
GET - Fetch quiz details based on quiz id.....	39
POST - Fetch all the questions	42
GET - Fetch the question details for the specified Id.....	46

POST - Trainer/Ambassador Login

This endpoint should be used by consumers to authenticate Revature Trainers and Ambassadors.

Method: POST

request

POST /security/admin/login HTTP/1.1

Content-Type: application/json

Host: dev5.revature.com

Content-Length: 99

```
{  
  "password" : "XXXXXXX",  
  "timeZone" : "Asia/Calcutta",  
  "userName" : "testuser@yopmail.com"  
}
```

response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 4078

```
{  
  "statusCode" : 200,  
  "description" : "Authentication successful",
```

QuizPro API Specification

```
"data" : {  
  "id" : 1,  
  "userName" : "testuser@yopmail.com",  
  "isActive" : true,  
  "createdBy" : 2,  
  "createdOn" : "2020-03-01T14:59:25.8331",  
  "currentLoginTime" : "2020-03-01T14:59:25.833139",  
  "previousLoginTime" : null,  
  "updatedBy" : 2,  
  "updatedOn" : "2020-03-01T14:59:25.833123",  
  "passwordResetRequest" : null,  
  "passwordResetToken" : null,  
  "isFirstLogin" : false,  
  "isAdminV2Opted" : false,  
  "password" : null,  
  "ip" : null,  
  "location" : null,  
  "timeZone" : "Asia/Calcutta",  
  "locale" : null,  
  "sessionId" : null,  
  "employeeId" : 1,  
  "activeStatus" : null,  
  "displayFirstName" : null,  
  "displayLastName" : null,  
  "displayFullName" : "Test User",  
  "displayRoles" : null,  
  "displayEmail" : "testuser@yopmail.com",  
  "killSessionManually" : false,  
  "fromIdleMonitor" : false,
```

QuizPro API Specification

```
"currentSystemRole" : {  
  "id" : 1,  
  "code" : "SR000",  
  "description" : null,  
  "hierarchy" : null,  
  "isActive" : true,  
  "name" : "Super Admin",  
  "isOrgRoleActive" : true  
},  
"switchUserSystemRole" : null,  
"systemUserRoles" : [ {  
  "id" : 1,  
  "code" : "SR000",  
  "description" : null,  
  "hierarchy" : null,  
  "isActive" : true,  
  "name" : "Super Admin",  
  "isOrgRoleActive" : true  
}, {  
  "id" : 2,  
  "code" : "SR001",  
  "description" : null,  
  "hierarchy" : null,  
  "isActive" : true,  
  "name" : "Content Admin",  
  "isOrgRoleActive" : true  
} ],  
"orgSystemUsers" : [ {  
  "id" : 1,
```

QuizPro API Specification

```
"orgId" : null,  
  
"organization" : {  
  "id" : 1,  
  "name" : "Test Organization",  
  "aliasName" : "TEST",  
  "type" : null,  
  "sfAccountId" : null,  
  "sfAccountName" : null,  
  "isContentSubscribed" : null,  
  "isAllContentSubscribed" : null,  
  "isActive" : null,  
  "createdOn" : "2020-03-01T14:59:25.833031",  
  "createdBy" : 1,  
  "modifiedOn" : null,  
  "modifiedBy" : null,  
  "isRootOrganization" : null,  
  "isAllVideoSubscribed" : null,  
  "isAllQsnSubscribed" : null,  
  "isEnabledUserVerification" : null,  
  "isPaymentOptionEnabled" : null,  
  "isSignUpPageActive" : null,  
  "organizationCode" : null  
},  
  
"isActive" : true,  
"currentSystemRole" : null,  
"systemUserRoles" : null  
}],  
  
"primaryOrganization" : {  
  "id" : 1,
```

QuizPro API Specification

```
"name" : "Test Organization",  
"aliasName" : "TEST",  
"type" : null,  
"sfAccountId" : null,  
"sfAccountName" : null,  
"isContentSubscribed" : null,  
"isAllContentSubscribed" : null,  
"isActive" : null,  
"createdOn" : "2020-03-01T14:59:25.826715",  
"createdBy" : 1,  
"modifiedOn" : null,  
"modifiedBy" : null,  
"isRootOrganization" : null,  
"isAllVideoSubscribed" : null,  
"isAllQsnSubscribed" : null,  
"isEnabledUserVerification" : null,  
"isPaymentOptionEnabled" : null,  
"isSignUpPageActive" : null,  
"organizationCode" : null  
},  
"currentOrganization" : {  
"id" : 1,  
"name" : "Test Organization",  
"aliasName" : "TEST",  
"type" : null,  
"sfAccountId" : null,  
"sfAccountName" : null,  
"isContentSubscribed" : null,  
"isAllContentSubscribed" : null,
```

QuizPro API Specification

```
"isActive" : null,

"createdOn" : "2020-03-01T14:59:25.833156",

"createdBy" : 1,

"modifiedOn" : null,

"modifiedBy" : null,

"isRootOrganization" : null,

"isAllVideoSubscribed" : null,

"isAllQsnSubscribed" : null,

"isEnabledUserVerification" : null,

"isPaymentOptionEnabled" : null,

"isSignUpPageActive" : null,

"organizationCode" : null

},

"loginToken" : "LOGIN_TOKEN",

"encryptedLoginToken" : "ENCRYPTED_TOKEN",

"tokenExpTime" : 1583074765833,

"regenThreshold" : 500,

"validEmployee" : true,

"actualUserId" : null,

"roleCode" : null,

"orgId" : null

}

}
```

Sample curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/security/admin/login' -i -X POST \
-H 'Content-Type: application/json' \
-d '{
  "password" : "XXXXXXX",
  "timeZone" : "Asia/Calcutta",
```



```
"userName" : "testuser@yopmail.com"
```

```
}'
```

request-body

```
{
```

```
  "password" : "XXXXXXX",
```

```
  "timeZone" : "Asia/Calcutta",
```

```
  "userName" : "testuser@yopmail.com"
```

```
}
```

Request Fields

Path	Type	Description	Required
username	String	UserName of user	True
Password	String	Password of the user	True
timeZone	String	Timezone of the user	True

response-body

```
{
```

```
  "statusCode" : 200,
```

```
  "description" : "Authentication successful",
```

```
  "data" : {
```

```
    "id" : 1,
```

```
    "userName" : "testuser@yopmail.com",
```

```
    "isActive" : true,
```

```
    "createdBy" : 2,
```

```
    "createdOn" : "2020-03-01T14:59:25.8331",
```

```
    "currentLoginTime" : "2020-03-01T14:59:25.833139",
```

```
    "previousLoginTime" : null,
```

```
    "updatedBy" : 2,
```

```
    "updatedOn" : "2020-03-01T14:59:25.833123",
```

```
    "passwordResetRequest" : null,
```

QuizPro API Specification

```
"passwordResetToken" : null,  
"isFirstLogin" : false,  
"isAdminV2Opted" : false,  
"password" : null,  
"ip" : null,  
"location" : null,  
"timeZone" : "Asia/Calcutta",  
"locale" : null,  
"sessionId" : null,  
"employeeId" : 1,  
"activeStatus" : null,  
"displayFirstName" : null,  
"displayLastName" : null,  
"displayFullName" : "Test User",  
"displayRoles" : null,  
"displayEmail" : "testuser@yopmail.com",  
"killSessionManually" : false,  
"fromIdleMonitor" : false,  
"currentSystemRole" : {  
  "id" : 1,  
  "code" : "SR000",  
  "description" : null,  
  "hierarchy" : null,  
  "isActive" : true,  
  "name" : "Super Admin",  
  "isOrgRoleActive" : true  
},  
"switchUserSystemRole" : null,  
"systemUserRoles" : [ {
```

QuizPro API Specification

```
"id" : 1,

"code" : "SR000",

"description" : null,

"hierarchy" : null,

"isActive" : true,

"name" : "Super Admin",

"isOrgRoleActive" : true
}, {

"id" : 2,

"code" : "SR001",

"description" : null,

"hierarchy" : null,

"isActive" : true,

"name" : "Content Admin",

"isOrgRoleActive" : true
} ],

"orgSystemUsers" : [ {

"id" : 1,

"orgId" : null,

"organization" : {

"id" : 1,

"name" : "Test Organization",

"aliasName" : "TEST",

"type" : null,

"sfAccountId" : null,

"sfAccountName" : null,

"isContentSubscribed" : null,

"isAllContentSubscribed" : null,

"isActive" : null,
```

QuizPro API Specification

```
"createdOn" : "2020-03-01T14:59:25.833031",  
  "createdBy" : 1,  
  "modifiedOn" : null,  
  "modifiedBy" : null,  
  "isRootOrganization" : null,  
  "isAllVideoSubscribed" : null,  
  "isAllQsnSubscribed" : null,  
  "isEnabledUserVerification" : null,  
  "isPaymentOptionEnabled" : null,  
  "isSignUpPageActive" : null,  
  "organizationCode" : null  
},  
  "isActive" : true,  
  "currentSystemRole" : null,  
  "systemUserRoles" : null  
}],  
  "primaryOrganization" : {  
    "id" : 1,  
    "name" : "Test Organization",  
    "aliasName" : "TEST",  
    "type" : null,  
    "sfAccountId" : null,  
    "sfAccountName" : null,  
    "isContentSubscribed" : null,  
    "isAllContentSubscribed" : null,  
    "isActive" : null,  
    "createdOn" : "2020-03-01T14:59:25.826715",  
    "createdBy" : 1,  
    "modifiedOn" : null,
```

QuizPro API Specification

```
"modifiedBy" : null,  
  
"isRootOrganization" : null,  
  
"isAllVideoSubscribed" : null,  
  
"isAllQsnSubscribed" : null,  
  
"isEnabledUserVerification" : null,  
  
"isPaymentOptionEnabled" : null,  
  
"isSignUpPageActive" : null,  
  
"organizationCode" : null  
},  
  
"currentOrganization" : {  
  "id" : 1,  
  "name" : "Test Organization",  
  "aliasName" : "TEST",  
  "type" : null,  
  "sfAccountId" : null,  
  "sfAccountName" : null,  
  "isContentSubscribed" : null,  
  "isAllContentSubscribed" : null,  
  "isActive" : null,  
  "createdOn" : "2020-03-01T14:59:25.833156",  
  "createdBy" : 1,  
  "modifiedOn" : null,  
  "modifiedBy" : null,  
  "isRootOrganization" : null,  
  "isAllVideoSubscribed" : null,  
  "isAllQsnSubscribed" : null,  
  "isEnabledUserVerification" : null,  
  "isPaymentOptionEnabled" : null,  
  "isSignUpPageActive" : null,
```

QuizPro API Specification

```
"organizationCode" : null  
  
},  
  
"loginToken" : "LOGIN_TOKEN",  
  
"encryptedLoginToken" : "ENCRYPTED_TOKEN",  
  
"tokenExpTime" : 1583074765833,  
  
"regenThreshold" : 500,  
  
"validEmployee" : true,  
  
"actualUserId" : null,  
  
"roleCode" : null,  
  
"orgId" : null  
  
}  
}
```

POST - Associate Login

This endpoint should be used by consumers to authenticate Revature associates.

Method: POST**request**

POST /security/revtek/login HTTP/1.1

Content-Type: application/json

Accept: application/json

client_key: RjUyNzhFOTQ2MjhGQTE3OTlwRTdCRjkxM0Q0MDI3OUl=

Host: dev5.revature.com

Content-Length: 228

eyJlbWFpbCI6InRlc3R1c2VyMTIzQHlvcG1haWwuY29tliwicGFzc3dvcnQ0IjQYXNzMTIzJCIsInVzZXJBY2Nlc3NMb2NhdGlvbiI6Ikdvb2dsZS9DaHJvbWUiLCJkZXZpY2VJZCI6IjIld3I4NzZld3Jld3I1NDU0d2Vld3J3ZXliLCJmY21Ub2t1biI6ImVyd2U4OXdlcndlNGVyd2U2NXI0dzZlIn0=

QuizPro API Specification
response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 4227

```
{  
  "statusCode" : 200,  
  "description" : "Login successful",  
  "data" : {  
    "id" : null,  
    "intern" : {  
      "id" : null,  
      "email" : "testuser@yopmail.com",  
      "secondaryEmail" : null,  
      "tempEmail" : null,  
      "phone" : null,  
      "contactNo" : "987-654-3210",  
      "otherUniversity" : null,  
      "otherDegree" : null,  
      "isActive" : null,  
      "universityId" : null,  
      "signedupOn" : null,  
      "activationKey" : null,  
      "isDeleted" : false,  
      "isDeletedOn" : null,  
      "workAuthorization" : null,  

```

QuizPro API Specification

"desiredPay" : null,
"preferedCareerPath" : null,
"sourceOfEntry" : "Test Source of Entry",
"considerForEmployment" : null,
"resetPasswordKey" : null,
"university" : null,
"internType" : "E",
"tmpPassword" : null,
"traineeProjectCount" : null,
"checkBox" : false,
"gplusId" : null,
"fbId" : null,
"sendKey" : null,
"minor" : null,
"accountId" : null,
"userId" : null,
"resumeSource" : null,
"campus" : null,
"majorName" : null,
"address" : null,
"dob" : null,
"photo" : null,
"photoType" : null,
"profilePublish" : null,
"country" : null,
"currentCity" : null,
"currentState" : null,
"zip" : null,
"marketReady" : null,

QuizPro API Specification

```
"aboutMe" : null,  
  
"designation" : null,  
  
"activatedOn" : null,  
  
"fullName" : null,  
  
"lastName" : "User",  
  
"firstName" : "Test",  
  
"lastLoggedTime" : null,  
  
"currentLoggedTime" : null,  
  
"profileScore" : null,  
  
"profileCompPercentage" : null,  
  
"degrees" : null,  
  
"passedoutYear" : 2012,  
  
"passedoutMonth" : "January",  
  
"isContactNoUpdated" : null,  
  
"interest" : null,  
  
"type" : "I",  
  
"collegeCity" : null,  
  
"collegeState" : null,  
  
"graduationDate" : null,  
  
"otherMajor" : null,  
  
"referralCode" : null,  
  
"tempPassword" : null,  
  
"major" : {  
  "id" : 1  
},  
  
"isLoggedIn" : null,  
  
"isOptOutDashboard" : true,  
  
"recruiterName" : null,  
  
"recruiterEmail" : null,
```

QuizPro API Specification

"salesforceTrainingStatus" : null,
"salesforceSelectedStatus" : null,
"sfTrainingStatusUpdatedOn" : null,
"isProfileAssessmentCompleted" : false,
"gitUsername" : null,
"password" : null,
"securityToken" : null,
"oldPassword" : null,
"imageUrl" : null,
"startDay" : null,
"endDay" : null,
"currentMentor" : null,
"profileUpdateTime" : null,
"candidateType" : null,
"profileName" : null,
"socialAccountId" : null,
"accountName" : null,
"friendReferralCode" : null,
"showPrimaryEmailOnPublicProfile" : false,
"showContactNoOnPublicProfile" : false,
"showCurrentCityOnPublicProfile" : false,
"showCurrentStateOnPublicProfile" : false,
"showZipCodeOnPublicProfile" : false,
"showUniversityOnPublicProfile" : false,
"showDegreeOnPublicProfile" : false,
"showMajorOnPublicProfile" : false,
"showGraduationDateOnPublicProfile" : false,
"showVeteran" : false,
"veteranBranch" : null,

QuizPro API Specification

```
"militrayStatus" : null,  
  
"otherStatus" : null,  
  
"veteranClearance" : null,  
  
"userAccessLocation" : null,  
  
"timeZone" : null,  
  
"isTimeZoneUpdated" : false,  
  
"isSocialLogin" : false,  
  
"profileUpdatedTime" : null,  
  
"otherSourceOfEntry" : null,  
  
"orgId" : null,  
  
"organization" : null,  
  
"shortName" : null,  
  
"academicName" : null,  
  
"isPayableCandidate" : null,  
  
"planExpiresOn" : null,  
  
"isInternUpdate" : null,  
  
"signupSource" : null,  
  
"otpGenerationTime" : null,  
  
"otpResentTime" : null,  
  
"deviceId" : null,  
  
"fcmToken" : null,  
  
"favoriteTechnologies" : null,  
  
"favoriteCareers" : null  
},  
  
"token" : "Test token",  
  
"issuedTime" : "01-03-2020 02:59:30 PM",  
  
"expiryTime" : "31-03-2020 02:59:30 PM",  
  
"adminToken" : null,  
  
"isLoggedIn" : null,
```

QuizPro API Specification

```
"lastActivityTime" : null,  
  
"userAccessLocation" : null,  
  
"isAdminLogin" : null,  
  
"isBlocked" : null,  
  
"deviceId" : null,  
  
"fcmToken" : null  
  
}  
  
}
```

Sample curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/security/revtek/login' -i -X POST \  
  
-H 'Content-Type: application/json' \  
  
-H 'Accept: application/json' \  
  
-H 'client_key: RjUyNzhFOTQ2MjhGQTE3OTIwRTdCRjkxM0Q0MDI3OUI=' \  
  
-d  
'eyJlbWFpbCI6InRlc3R1c2VyMTIzQHlvcG1haWwuY29tliwicGFzc3dvcmQiOiJQYXNzMTIzJCIsInVzZXJBY2Nlc3NMb2NhdGlvbil6Ikdvb2dsZS9DaHJvbWUiLCJkZXZpY2VJZCI6IjIld3I4NzZld3Jld3I1NDU0d2Vld3J3ZXIiLCJmY21Ub2tlibil6ImVyd2U4OXdlcndlNGVyd2U2NXI0dzZlIn0='
```

request-body

```
eyJlbWFpbCI6InRlc3R1c2VyMTIzQHlvcG1haWwuY29tliwicGFzc3dvcmQiOiJQYXNzMTIzJCIsInVzZXJBY2Nlc3NMb2NhdGlvbil6Ikdvb2dsZS9DaHJvbWUiLCJkZXZpY2VJZCI6IjIld3I4NzZld3Jld3I1NDU0d2Vld3J3ZXIiLCJmY21Ub2tlibil6ImVyd2U4OXdlcndlNGVyd2U2NXI0dzZlIn0=
```

response-body

```
{  
  
  "statusCode" : 200,  
  
  "description" : "Login successful",  
  
  "data" : {  
  
    "id" : null,  
  
    "intern" : {  
  
      "id" : null,  
  
      "email" : "testuser@yopmail.com",  
  

```

QuizPro API Specification

```
"secondaryEmail" : null,  
  
"tempEmail" : null,  
  
"phone" : null,  
  
"contactNo" : "987-654-3210",  
  
"otherUniversity" : null,  
  
"otherDegree" : null,  
  
"isActive" : null,  
  
"universityId" : null,  
  
"signedupOn" : null,  
  
"activationKey" : null,  
  
"isDeleted" : false,  
  
"isDeletedOn" : null,  
  
"workAuthorization" : null,  
  
"desiredPay" : null,  
  
"preferredCareerPath" : null,  
  
"sourceOfEntry" : "Test Source of Entry",  
  
"considerForEmployment" : null,  
  
"resetPasswordKey" : null,  
  
"university" : null,  
  
"internType" : "E",  
  
"tmpPassword" : null,  
  
"traineeProjectCount" : null,  
  
"checkBox" : false,  
  
"gplusId" : null,  
  
"fbId" : null,  
  
"sendKey" : null,  
  
"minor" : null,  
  
"accountId" : null,  
  
"userId" : null,
```

QuizPro API Specification

```
"resumeSource" : null,  
  
"campus" : null,  
  
"majorName" : null,  
  
"address" : null,  
  
"dob" : null,  
  
"photo" : null,  
  
"photoType" : null,  
  
"profilePublish" : null,  
  
"country" : null,  
  
"currentCity" : null,  
  
"currentState" : null,  
  
"zip" : null,  
  
"marketReady" : null,  
  
"aboutMe" : null,  
  
"designation" : null,  
  
"activatedOn" : null,  
  
"fullName" : null,  
  
"lastName" : "User",  
  
"firstName" : "Test",  
  
"lastLoggedTime" : null,  
  
"currentLoggedTime" : null,  
  
"profileScore" : null,  
  
"profileCompPercentage" : null,  
  
"degrees" : null,  
  
"passedoutYear" : 2012,  
  
"passedoutMonth" : "January",  
  
"isContactNoUpdated" : null,  
  
"interest" : null,  
  
"type" : "I",
```

QuizPro API Specification

```
"collegeCity" : null,  
"collegeState" : null,  
"graduationDate" : null,  
"otherMajor" : null,  
"referralCode" : null,  
"tempPassword" : null,  
"major" : {  
  "id" : 1  
},  
"isLoggedIn" : null,  
"isOptOutDashboard" : true,  
"recruiterName" : null,  
"recruiterEmail" : null,  
"salesforceTrainingStatus" : null,  
"salesforceSelectedStatus" : null,  
"sfTrainingStatusUpdatedOn" : null,  
"isProfileAssessmentCompleted" : false,  
"gitUsername" : null,  
"password" : null,  
"securityToken" : null,  
"oldPassword" : null,  
"imageUrl" : null,  
"startDay" : null,  
"endDay" : null,  
"currentMentor" : null,  
"profileUpdateTime" : null,  
"candidateType" : null,  
"profileName" : null,  
"socialAccountId" : null,
```

QuizPro API Specification

"accountName" : null,
"friendReferralCode" : null,
"showPrimaryEmailOnPublicProfile" : false,
"showContactNoOnPublicProfile" : false,
"showCurrentCityOnPublicProfile" : false,
"showCurrentStateOnPublicProfile" : false,
"showZipCodeOnPublicProfile" : false,
"showUniversityOnPublicProfile" : false,
"showDegreeOnPublicProfile" : false,
"showMajorOnPublicProfile" : false,
"showGraduationDateOnPublicProfile" : false,
"showVeteran" : false,
"veteranBranch" : null,
"militrayStatus" : null,
"otherStatus" : null,
"veteranClearance" : null,
"userAccessLocation" : null,
"timeZone" : null,
"isTimeZoneUpdated" : false,
"isSocialLogin" : false,
"profileUpdatedTime" : null,
"otherSourceOfEntry" : null,
"orgId" : null,
"organization" : null,
"shortName" : null,
"academicName" : null,
"isPayableCandidate" : null,
"planExpiresOn" : null,
"isInternUpdate" : null,

QuizPro API Specification

```
"signupSource" : null,  
  
"otpGenerationTime" : null,  
  
"otpResentTime" : null,  
  
"deviceId" : null,  
  
"fcmToken" : null,  
  
"favoriteTechnologies" : null,  
  
"favoriteCareers" : null  
  
},  
  
"token" : "Test token",  
  
"issuedTime" : "01-03-2020 02:59:30 PM",  
  
"expiryTime" : "31-03-2020 02:59:30 PM",  
  
"adminToken" : null,  
  
"isLoggedIn" : null,  
  
"lastActivityTime" : null,  
  
"userAccessLocation" : null,  
  
"isAdminLogin" : null,  
  
"isBlocked" : null,  
  
"deviceId" : null,  
  
"fcmToken" : null  
  
}  
  
}
```

POST - Create New Quiz

This endpoint should be used by consumers to create a new quiz.

Method: POST

request

POST /quiz/secure HTTP/1.1

Content-Type: application/json

QuizPro API Specification
encryptedToken: ENCRYPTED_TOKEN

Host: dev5.revature.com

Content-Length: 1212

```
{  
  "title" : "Sample quiz test",  
  "levelId" : 2,  
  "categoryId" : 2,  
  "noOfAttempts" : 2,  
  "passPercentage" : 70,  
  "mode" : "P",  
  "preSignupFlag" : false,  
  "dashboardFlag" : true,  
  "overrideFlag" : false,  
  "quizPools" : [ {  
    "name" : "Sample quiz pool",  
    "maxQstnToDisplay" : 2,  
    "displayOrder" : 1,  
    "quizPoolQuestions" : [ {  
      "question" : {  
        "id" : 1,  
        "isDeactivated" : true,  
        "updatedTotalRecords" : false,  
        "lineNumber" : 0,  
        "validAnswers" : false  
      },  
      "order" : 1,  
      "isSticky" : false,  
      "dontEvaluate" : true  
    }  
  ]  
}
```

QuizPro API Specification

```
    } ],  
    "isEdittedMaxQsnToDisp" : false  
  } ],  
  "isActive" : false,  
  "isStickyEnabled" : false,  
  "isImageUploaded" : false,  
  "quizDuration" : 20,  
  "isDurationOverridden" : false,  
  "isPublic" : true,  
  "description" : "Sample quiz description test",  
  "enableSaveResume" : true,  
  "displayCorrectAnswerWhenPassed" : true,  
  "displayCorrectAnswerWhenFailed" : true,  
  "isReviewEnabled" : true,  
  "showWhetherCorrect" : true,  
  "displayScore" : true,  
  "timerEnable" : true,  
  "showExplanation" : true,  
  "shuffleQsn" : true,  
  "shuffleAns" : true,  
  "iconDeleted" : false,  
  "updatedTotalRecords" : false  
}
```

response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

```
{  
  "statusCode" : 200,  
  "description" : "Data Insertion Success"  
}
```

curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/quiz/secure' -i -X POST \  
  -H 'Content-Type: application/json' \  
  -H 'encryptedToken: ENCRYPTED_TOKEN' \  
  -d '{  
    "title" : "Sample quiz test",  
    "levelId" : 2,  
    "categoryId" : 2,  
    "noOfAttempts" : 2,  
    "passPercentage" : 70,  
    "mode" : "P",  
    "preSignupFlag" : false,  
    "dashboardFlag" : true,  
    "overrideFlag" : false,  
    "quizPools" : [ {  
      "name" : "Sample quiz pool",  
      "maxQstnToDisplay" : 2,  
      "displayOrder" : 1,  
      "quizPoolQuestions" : [ {  
        "question" : {  
          "id" : 1,  
          "isDeactivated" : true,  
          "updatedTotalRecords" : false,
```

QuizPro API Specification

```
"lineNumber" : 0,  
  "validAnswers" : false  
},  
  "order" : 1,  
  "isSticky" : false,  
  "dontEvaluate" : true  
}],  
  "isEditedMaxQsnToDisp" : false  
}],  
  "isActive" : false,  
  "isStickyEnabled" : false,  
  "isImageUploaded" : false,  
  "quizDuration" : 20,  
  "isDurationOverridden" : false,  
  "isPublic" : true,  
  "description" : "Sample quiz description test",  
  "enableSaveResume" : true,  
  "displayCorrectAnswerWhenPassed" : true,  
  "displayCorrectAnswerWhenFailed" : true,  
  "isReviewEnabled" : true,  
  "showWhetherCorrect" : true,  
  "displayScore" : true,  
  "timerEnable" : true,  
  "showExplanation" : true,  
  "shuffleQsn" : true,  
  "shuffleAns" : true,  
  "iconDeleted" : false,  
  "updatedTotalRecords" : false  
}'
```

PUT - Update an existing quiz

This endpoint should be used by consumers to update an existing quiz.

Method: PUT

request

PUT /quiz/secure HTTP/1.1

Content-Type: application/json

encryptedToken: ENCRYPTED_TOKEN

Host: dev5.revature.com

Content-Length: 1264

```
{
  "id" : 1,
  "title" : "Sample quiz",
  "levelId" : 2,
  "categoryId" : 2,
  "noOfAttempts" : 2,
  "passPercentage" : 70,
  "mode" : "P",
  "preSignupFlag" : false,
  "dashboardFlag" : true,
  "overrideFlag" : false,
  "quizPools" : [ {
    "id" : 2,
    "name" : "Sample quiz pool",
    "maxQstnToDisplay" : 2,
```

QuizPro API Specification

```
"displayOrder" : 1,  
"quizPoolQuestions" : [ {  
  "id" : 1,  
  "question" : {  
    "id" : 1,  
    "isDeactivated" : true,  
    "updatedTotalRecords" : false,  
    "lineNumber" : 0,  
    "validAnswers" : false  
  },  
  "order" : 1,  
  "isSticky" : false,  
  "dontEvaluate" : true  
}],  
"isEdittedMaxQsnToDisp" : false  
}],  
"isActive" : false,  
"isStickyEnabled" : false,  
"isImageUploaded" : false,  
"quizDuration" : 20,  
"isDurationOverridden" : false,  
"isPublic" : true,  
"description" : "Sample quiz description",  
"enableSaveResume" : true,  
"displayCorrectAnswerWhenPassed" : true,  
"displayCorrectAnswerWhenFailed" : true,  
"isReviewEnabled" : true,  
"showWhetherCorrect" : true,  
"displayScore" : true,
```

QuizPro API Specification

```
"timerEnable" : true,  
  
"showExplanation" : true,  
  
"shuffleQsn" : true,  
  
"shuffleAns" : true,  
  
"iconDeleted" : false,  
  
"updatedTotalRecords" : false,  
  
"isRoot" : false  
}
```

response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 65

```
{  
  "statusCode" : 200,  
  "description" : "Data Update Success"  
}
```

Sample curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/quiz/secure' -i -X PUT \  
  -H 'Content-Type: application/json' \  
  -H 'encryptedToken: ENCRYPTED_TOKEN' \  
  -d '{  
    "id" : 1,  
    "title" : "Sample quiz",  
    "levelId" : 2,  
    "categoryId" : 2,
```


QuizPro API Specification

```
"noOfAttempts" : 2,  
"passPercentage" : 70,  
"mode" : "P",  
"preSignupFlag" : false,  
"dashboardFlag" : true,  
"overrideFlag" : false,  
"quizPools" : [ {  
  "id" : 2,  
  "name" : "Sample quiz pool",  
  "maxQstnToDisplay" : 2,  
  "displayOrder" : 1,  
  "quizPoolQuestions" : [ {  
    "id" : 1,  
    "question" : {  
      "id" : 1,  
      "isDeactivated" : true,  
      "updatedTotalRecords" : false,  
      "lineNumber" : 0,  
      "validAnswers" : false  
    },  
    "order" : 1,  
    "isSticky" : false,  
    "dontEvaluate" : true  
  } ],  
  "isEdittedMaxQsnToDisp" : false  
} ],  
"isActive" : false,  
"isStickyEnabled" : false,  
"isImageUploaded" : false,
```

QuizPro API Specification

```
"quizDuration" : 20,  
"isDurationOverridden" : false,  
"isPublic" : true,  
"description" : "Sample quiz description",  
"enableSaveResume" : true,  
"displayCorrectAnswerWhenPassed" : true,  
"displayCorrectAnswerWhenFailed" : true,  
"isReviewEnabled" : true,  
"showWhetherCorrect" : true,  
"displayScore" : true,  
"timerEnable" : true,  
"showExplanation" : true,  
"shuffleQsn" : true,  
"shuffleAns" : true,  
"iconDeleted" : false,  
"updatedTotalRecords" : false,  
"isRoot" : false  
}'
```

DELETE - Delete a quiz

This endpoint should be used by consumers to delete an existing Quiz by Quiz ID

Method: DELETE

request

DELETE /quiz/secure/1012 HTTP/1.1

Content-Type: application/json

encryptedToken: ENCRYPTED_TOKEN

Host: dev5.revature.com

response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 67

```
{  
  "statusCode" : 200,  
  "description" : "Data Deletion Success"  
}
```

Sample curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/quiz/secure/1012' -i -X DELETE \  
  -H 'Content-Type: application/json' \  
  -H 'encryptedToken: ENCRYPTED_TOKEN'
```

PUT - Update quiz status based on quiz id and status

This endpoint should be used by consumers to update an existing quiz by quiz id and status

Method: PUT

request

PUT /quiz/secure/1214 HTTP/1.1

Content-Type: application/json

encryptedToken: ENCRYPTED_TOKEN

Host: dev5.revature.com

QuizPro API Specification
status=true



response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 65

```
{  
  "statusCode" : 200,  
  "description" : "Data Update Success"  
}
```

Sample curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/quiz/secure/1214' -i -X PUT \  
-H 'Content-Type: application/json' \  
-H 'encryptedToken: ENCRYPTED_TOKEN' \  
-d 'status=true'
```

POST - Fetch all quizzes

This endpoint should be used by consumers to fetch all the quiz available

Method: POST

request

POST /quiz/secure/quizzes HTTP/1.1

Content-Type: application/json

encryptedToken: ENCRYPTED_TOKEN

Host: dev5.revature.com

```
{  
  "size" : 50,  
  "page" : 1,  
  "sortOrder" : "asc",  
  "orderBy" : "title",  
  "subscribedContent" : false,  
  "publicContent" : false,  
  "ownContent" : false,  
  "isOrdered" : false  
}
```

response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 1109

```
{  
  "statusCode" : 200,  
  "description" : "Data Retrieval Success",  
  "data" : [ {  
    "id" : 198,  
    "title" : "(Test) Basic Assessment",  
    "categoryId" : 12,  
    "passPercentage" : 70,  
    "version" : 1,  
  } ]  
}
```

QuizPro API Specification

```
"mode" : "P",  
  
"orgId" : 2,  
  
"superParentId" : 198,  
  
"preSignupFlag" : false,  
  
"dashboardFlag" : false,  
  
"overrideFlag" : false,  
  
"createdBy" : 2264,  
  
"isActive" : true,  
  
"isStickyEnabled" : false,  
  
"isImageUploaded" : false,  
  
"quizDuration" : 0,  
  
"isDurationOverridden" : false,  
  
"isPublic" : true,  
  
"enableSaveResume" : true,  
  
"displayCorrectAnswerWhenPassed" : true,  
  
"displayCorrectAnswerWhenFailed" : true,  
  
"isReviewEnabled" : true,  
  
"showWhetherCorrect" : true,  
  
"displayScore" : true,  
  
"timerEnable" : true,  
  
"showExplanation" : true,  
  
"shuffleQsn" : true,  
  
"shuffleAns" : true,  
  
"qsnCount" : 1,  
  
"isChildAvailable" : false,  
  
"contentType" : "Public",  
  
"totalRecords" : 449,  
  
"iconDeleted" : false,  
  
"updatedTotalRecords" : false,
```

QuizPro API Specification

```
"categoryName" : "Web Tools",  
  "createdName" : "Raj Kumar"  
}]  
}
```

Sample curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/quiz/secure/quizzes' -i -X POST \  
  -H 'Content-Type: application/json' \  
  -H 'encryptedToken: ENCRYPTED_TOKEN' \  
  -d '{  
    "size" : 50,  
    "page" : 1,  
    "sortOrder" : "asc",  
    "orderBy" : "title",  
    "subscribedContent" : false,  
    "publicContent" : false,  
    "ownContent" : false,  
    "isOrdered" : false  
  }'
```

GET - Fetch quiz details based on quiz id

This endpoint should be used by consumers to fetch quiz details of a particular quiz based on its id.

Method: GET

request

```
GET /quiz/secure/1 HTTP/1.1  
Content-Type: application/json  
encryptedToken: ENCRYPTED_TOKEN  
Host: dev5.revature.com
```

response

QuizPro API Specification
HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 1447

```
{
  "statusCode" : 200,
  "description" : "Data Retrieval Success",
  "data" : {
    "id" : 1,
    "title" : "Sample quiz",
    "levelId" : 2,
    "categoryId" : 2,
    "noOfAttempts" : 2,
    "passPercentage" : 70,
    "mode" : "P",
    "preSignupFlag" : false,
    "dashboardFlag" : true,
    "overrideFlag" : false,
    "quizPools" : [ {
      "id" : 2,
      "name" : "Sample quiz pool",
      "maxQstnToDisplay" : 2,
      "displayOrder" : 1,
      "quizPoolQuestions" : [ {
        "id" : 1,
        "question" : {
```


QuizPro API Specification

```
"id" : 1,  
  
  "isDeactivated" : true,  
  
  "updatedTotalRecords" : false,  
  
  "lineNumber" : 0,  
  
  "validAnswers" : false  
},  
  
"order" : 1,  
  
"isSticky" : false,  
  
"dontEvaluate" : true  
}],  
  
"isEdittedMaxQsnToDisp" : false  
}],  
  
"isActive" : false,  
  
"isStickyEnabled" : false,  
  
"isImageUploaded" : false,  
  
"quizDuration" : 20,  
  
"isDurationOverridden" : false,  
  
"isPublic" : true,  
  
"description" : "Sample quiz description",  
  
"enableSaveResume" : true,  
  
"displayCorrectAnswerWhenPassed" : true,  
  
"displayCorrectAnswerWhenFailed" : true,  
  
"isReviewEnabled" : true,  
  
"showWhetherCorrect" : true,  
  
"displayScore" : true,  
  
"timerEnable" : true,  
  
"showExplanation" : true,  
  
"shuffleQsn" : true,  
  
"shuffleAns" : true,
```

QuizPro API Specification

```
"iconDeleted" : false,  
  
"updatedTotalRecords" : false,  
  
"isRoot" : false  
}  
}
```

Sample curl-request

```
$ curl 'https://dev5-ms.revature.com/apigateway/quiz/secure/1' -i -X GET \  
-H 'Content-Type: application/json' \  
-H 'encryptedToken: ENCRYPTED_TOKEN'
```

POST - Fetch all the questions

This endpoint should be used by consumers to fetch all the available questions.

Method: POST

request

POST /quiz/secure/questions HTTP/1.1

Content-Type: application/json

encryptedToken: ENCRYPTED_TOKEN

Host: dev.revature.com

Content-Length: 182

```
{  
  "size" : 50,  
  "page" : 1,  
  "sortOrder" : "asc",  
  "orderBy" : "title",  
  "subscribedContent" : false,
```

QuizPro API Specification

```
"publicContent" : false,
```

```
"ownContent" : false,
```

```
"isOrdered" : false
```

```
}
```

response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 451

```
{
```

```
  "statusCode" : 200,
```

```
  "description" : "Data Retrieval Success",
```

```
  "data" : [ {
```

```
    "id" : 287,
```

```
    "title" : "1+2",
```

```
    "levelId" : 2,
```

```
    "tags" : "test, TestNG, TestNG Basics",
```

```
    "categoryId" : 11,
```

```
    "categoryName" : ".NET",
```

```
    "questionType" : "Numerical Value",
```

```
    "isDeactivated" : false,
```

```
    "totalRecords" : 423,
```

```
    "contentType" : "Public",
```

```
    "updatedTotalRecords" : false,
```

```
    "lineNumber" : 0,
```

```
    "validAnswers" : false
```

QuizPro API Specification

}]

}

curl-request

```
$ curl 'https://dev3-ms.revature.com/apigateway/quiz/secure/questions' -i -X POST \
```

```
-H 'Content-Type: application/json' \
```

```
-H 'encryptedToken: ENCRYPTED_TOKEN' \
```

```
-d '{
```

```
"size" : 50,
```

```
"page" : 1,
```

```
"sortOrder" : "asc",
```

```
"orderBy" : "title",
```

```
"subscribedContent" : false,
```

```
"publicContent" : false,
```

```
"ownContent" : false,
```

```
"isOrdered" : false
```

```
}'
```

httpie-request

```
$ echo '{
```

```
"size" : 50,
```

```
"page" : 1,
```

```
"sortOrder" : "asc",
```

```
"orderBy" : "title",
```

```
"subscribedContent" : false,
```

```
"publicContent" : false,
```

```
"ownContent" : false,
```

```
"isOrdered" : false
```

```
} | http POST 'https://dev3-ms.revature.com/apigateway/quiz/secure/questions' \
```

```
'Content-Type:application/json' \
```

```
'encryptedToken:ENCRYPTED_TOKEN'
```

QuizPro API Specification

request-body

```
{  
  "size" : 50,  
  "page" : 1,  
  "sortOrder" : "asc",  
  "orderBy" : "title",  
  "subscribedContent" : false,  
  "publicContent" : false,  
  "ownContent" : false,  
  "isOrdered" : false  
}
```

response-body

```
{  
  "statusCode" : 200,  
  "description" : "Data Retrieval Success",  
  "data" : [ {  
    "id" : 287,  
    "title" : "1+2",  
    "levelId" : 2,  
    "tags" : "test, TestNG, TestNG Basics",  
    "categoryId" : 11,  
    "categoryName" : ".NET",  
    "questionType" : "Numerical Value",  
    "isDeactivated" : false,  
    "totalRecords" : 423,  
    "contentType" : "Public",  
    "updatedTotalRecords" : false,  
    "lineNumber" : 0,  
    "validAnswers" : false  
  }  
]
```

```
    }]
```

```
}
```

GET - Fetch the question details for the specified Id

This endpoint should be used by consumers to fetch the question details by question id.

Method: GET

Fetch the question details for the specified question Id.

request

GET /quiz/secure/question/1 HTTP/1.1

Content-Type: application/json

encryptedToken: ENCRYPTED_TOKEN

Host: dev.revature.com

response

HTTP/1.1 200 OK

Vary: Origin

Vary: Access-Control-Request-Method

Vary: Access-Control-Request-Headers

Content-Type: application/json

Content-Length: 811

```
{
```

```
  "statusCode" : 200,
```

```
  "description" : "Data Retrieval Success",
```

```
  "data" : {
```

```
    "id" : 12,
```

QuizPro API Specification

```
"title" : "Sample question",  
  
"qsnText" : "sample question",  
  
"levelId" : 1,  
  
"points" : 1,  
  
"score" : 10.0,  
  
"tags" : "test tags",  
  
"durationInSec" : 120,  
  
"categoryId" : 1,  
  
"qsnAnswers" : [ {  
  "id" : 1,  
  "answer" : "Answer1",  
  "grade" : 100,  
  "order" : 1,  
  "correct" : true,  
  "sticky" : false  
}, {  
  "id" : 2,  
  "answer" : "Answer2",  
  "grade" : 100,  
  "order" : 2,  
  "correct" : true,  
  "sticky" : false  
}],  
  
"qsnType" : {  
  "id" : 1,  
  "code" : "QT1",  
  "qsnType" : "Best Choice"  
},  
  
"isDeactivated" : false,
```

QuizPro API Specification

```
"updatedTotalRecords" : false,  
  
"lineNumber" : 0,  
  
"validAnswers" : true  
  
}  
  
}
```

curl-request

```
$ curl 'https://dev3-ms.revature.com/apigateway/quiz/secure/question/1' -i -X GET \  
-H 'Content-Type: application/json' \  
-H 'encryptedToken: ENCRYPTED_TOKEN'
```

httpie-request

```
$ http GET 'https://dev3-ms.revature.com/apigateway/quiz/secure/question/1' \  
'Content-Type:application/json' \  
'encryptedToken:ENCRYPTED_TOKEN'
```

response-body

```
{  
  
  "statusCode" : 200,  
  
  "description" : "Data Retrieval Success",  
  
  "data" : {  
  
    "id" : 12,  
  
    "title" : "Sample question",  
  
    "qsnText" : "sample question",  
  
    "levelId" : 1,  
  
    "points" : 1,  
  
    "score" : 10.0,  
  
    "tags" : "test tags",  
  
    "durationInSec" : 120,  
  
    "categoryId" : 1,  
  
    "qsnAnswers" : [ {  
  
      "id" : 1,
```


QuizPro API Specification

```
"answer" : "Answer1",  
  
"grade" : 100,  
  
"order" : 1,  
  
"correct" : true,  
  
"sticky" : false  
}, {  
  
"id" : 2,  
  
"answer" : "Answer2",  
  
"grade" : 100,  
  
"order" : 2,  
  
"correct" : true,  
  
"sticky" : false  
}],  
  
"qsnType" : {  
  
"id" : 1,  
  
"code" : "QT1",  
  
"qsnType" : "Best Choice"  
},  
  
"isDeactivated" : false,  
  
"updatedTotalRecords" : false,  
  
"lineNumber" : 0,  
  
"validAnswers" : true  
}  
}
```