DRIVER'S HANDBOOK · MODEL RL-100

RevLimiter 3.1.9

FACTORY TUNED
MODEL RL-100

Eight cylinders of loudness.

Bolt it to the master bus, turn the key, and bury the needle. Multiband glue, tube-warm saturation and a true-peak ceiling — built like a '71 muscle car, tuned for the redline.



Idling in the driveway — threshold at −6 dB, all three bands flat, ignition ARMed.

REDLINE	CEILING	BANDS	OVERSAMPLE	GEARS	FORMATS
Threshold	−0.1 dBTP	3	up to 32×	3	VST3 · AU · AAX

01 WHAT'S UNDER THE HOOD

Multiband glue

3-BAND TORQUE

Binds the lows, mids and highs onto one chassis so the mix moves as a whole.

Engine Heat

THE CARBURETOR

Analog-style saturation — warmth, density and a little harmonic exhaust note.

Adaptive limiter

THE BRAKES

Lookahead catches true peaks at −0.1 dBTP. Never spills, never lifts off.

Oversampling

REDLINE-CLEAN

4× to 32× around the hot stages. 8× off the lot, more for the final lap.

02 THE DRIVETRAIN

Input → 3-band split → Multiband comp → Engine Heat → Clipper → Adaptive limiter → Output

03 BOLT IT IN

- **Format:** VST3, AU & AAX — macOS & Windows 64-bit. Mount it **early on the master bus**.
- **Install:** run Setup, or drop **RevLimiter.vst3** into **Common Files\VST3** (Win) or **/Library/Audio/Plug-Ins/VST3/** (Mac) — AU and AAX land in their matching system folders automatically.
- **Activate:** paste your license key from the purchase email into the info panel.
- **Find it:** in your DAW, **Preferences → Plug-Ins → Rescan** — fresh metal isn't auto-spotted.
- **Adjust the seat:** drag any window corner — the dashboard scales to fit.
- **Trial:** a 14-day trial starts automatically on first launch — no key needed to explore.

04 THE COCKPIT

Threshold −25 … 0 dB	The redline. Drop it to drive harder into the limiter — more loudness, more density, more snarl.
Clipper −20 … 0 dB	Clip threshold, sitting before the limiter. Lower it to shave transients and add some gravel.
Drive 0 … +6 dB	The gas pedal. Push here for more, instead of riding the threshold into the floor.
Engine Heat 0 … 100 %	Saturation. The **Heat Use** gauge tells you how hard the engine's actually working.
Low · Mid · High −12 … +12 dB	Per-band tone. EQ on = a tone tilt; EQ off = drives each band into its comp for density.
Input −12 … +12 dB	Trim going in, before the chain sees the signal.
Output −24 … +12 dB	Trim coming out — the only road that climbs past the ceiling.
Transient Link 0 … 100 %	Stereo-links the limiter's transient response. 100% keeps peaks locked together across channels; lower it to let each side breathe on its own.
Release Link 0 … 100 %	Stereo-links release time the same way — dial down for independent per-channel recovery.
Gain Comp On / Off	Auto-makeup that offsets Threshold's level loss, so Threshold buys density, not just quiet. Off hands gain-staging back to you.

05 CROSSOVER & COMBINABLE GEARS

Adjustable crossover

20 HZ – 16 KHZ

Drag the Low and High split points to retune the 3-band crossover, or double-click to type an exact frequency. Each band also carries its own MB threshold offset for asymmetric density.

Combinable gears

FOLLOW OR OVERRIDE

Comp, Clip and Limiter each carry their own gear lever. Leave one on FOLLOW to track the main CRUISE / SPORT / NOS switch, or set it independently — a slow CRUISE comp under a NOS clipper, for instance.

06 PICK YOUR GEAR

CRUISE

Top down, easy glue. Near-transparent — your everyday drive to the master bus.

SPORT

Drop a gear. Tighter, louder, with some attitude in the throttle.

NOS

Floor it. Maximum slam — flip the red guard, hit ARM, and hold on.

⚠ **NOS — HANDLE WITH CARE.** It's behind a flip-up safety guard for a reason. Lift the cover, press ARM, then send it. Not recommended on the quiet jazz ballad.

07 DASH SWITCHES

- **EQ** — band knobs as a tone tilt (on) or a density drive (off).
- **Oversample** — 4× / 8× / 16× / 32×. 8× stock; gear up for the final render.
- **Gain Comp** — auto-makeup on/off; see The Cockpit.
- **MB+EQ / Limiter** — kill either stage solo. The ceiling never lets go.
- **Modes Off** — one switch, full dry bypass of comp, clip and limiter — meters keep running.
- **A / B + Copy** — two tunes, side by side; Copy clones A onto B, Undo/Redo steps back up to 10 moves.

08 THE GLOVEBOX — FACTORY TUNING SHEETS

- CR **Idle Mix** — transparent, safest start
- CR **Highway Cruise** — smooth glue, light warmth
- SP **Pit Stop Punch** — tighter, punchier
- NO **Track Day Loud** — loud and dense
- NO **Burnout** — maximum slam
- NO **SMILE** — smiley EQ, bright + hot
- CR **Backfire** — warm mid-gain glue
- NO **Engine Partical** — dense NOS density
- SP **Car Wash** — airy top, clean
- CR **to much mid champ** — mid-forward presence
- SP **hydraulic bounce** — bouncy mids
- NO **CRAZY DRIVER** — hot, bright, aggressive
- CR **low riders** — lifted lows + air
- CR **Cold Start** — glue + true-peak safety net
- CR **Slipstream** — streaming-safe, fast top end
- SP **Torque Curve** — bass that moves, not flattens
- CR **Night Drive** — late-night, must-not-sound-processed
- SP **Chrome Polish** — polished top, not brittle
- SP **Launch Control** — loud without the squash
- NO **Quarter Mile** — club / trap / drill masters
- NO **Nitrous Bloom** — dry sub, blooming top
- CR **Gravel Road** — dirty on purpose, lo-fi
- NO **Autobahn** — final-stage mastering, 32×
- CR **Coasting** — peak control, no colour
- CR **Traction Control** — density, no static EQ
- SP **Apex** — rock, live bands, real drums
- CR **Sunday Drive** — do not let me hear you
- CR **Sun Visor** — tames a top end, de-esser

09 ZERO TO LOUD IN THREE

1. **Turn the key.** Load Idle Mix or Highway Cruise and set Input so the needle sits in a healthy range.
2. **Find the redline.** Lower Threshold until GR reads about 2–4 dB on peaks. Want more? Tap Drive or Engine Heat — not raw level.
3. **Set your speed.** Trim Output to your loudness target while watching LUFS. The −0.1 dBTP ceiling holds the line unless you push Output past 0.

> **PIT-CREW TIP** Glue lives in the first 2–4 dB of gain reduction. Past that you're not driving, you're drifting — fun, but watch the smoke.