ICT&L REVENUE

Revenue
Cáin agus Custaim na hÉireann
Irish Tax and Customs

VAT3 Webservice

VAT3 Webservice Error Structure Guide

Version History

Version History			
Version	**Change Date**	**Section**	**Change Description**
1.0	23/03/2026	New Document	

Table of Contents

Version History 1

Audience 2

Document context 2

Related Documents 2

1. Introduction 2

2. Example Errors 3

2.1. Schema Error 3

2.2. Bad Request Error 3

2.3. Authorisation Error 4

2.4. Server Fault 4

3. List of Example XSD Validation Errors 5

Audience

This document is for any user/software provider who wishes understand Revenue's VAT3 Webservice error message structure in more detail.

Document context

This document provides details of REST error message structure for the VAT3 Webservice

Related Documents

This document should be read in conjunction with the following documents:

Document Name	Description
VAT3 Return Rules	Outlines the business rules and validation logic that govern a valid VAT3 return submission.
VAT3 Schema Notes	Describes the schema structure for the VAT3 request, covering the expected elements, data types, and an example XML file.
REST Webservice Integration Guide	Document which provides a technical overview of how to integrate with Revenue's REST web services including how to sign requests validly.
Sample HTTP messages	Example files of http response messages.

1. Introduction

This document details the cases where the VAT3 Webservice sends invalid HTTP error codes. These are 4xx/5xx error codes in Rest.

There can be several cases where these error codes are sent:

1. Schema error
2. Valid schema but bad request
3. Authorisation error
4. Server fault

The error response structure for all four cases is shown below. The response can have one or more error objects.

An error object has the following fields:

1. **Description:** a short description of the error message.
2. **Code:** Validation code for the error.

2. Example Errors

2.1. Schema Error

Problem with Request: Missing ‘startdate’ field

Response Code: 400

```
<VAT3Response xmlns="http://www.ros.ie/schemas/vat3/response/v1/">
      <Status>Invalid</Status>
      <ErrorList>
            <Code>11002</Code>
            <Message>
                 Invalid or malformed XML format:
                 org.xml.sax.SAXParseException; lineNumber: 21;
                 columnNumber: 3; cvc-complex-type.4: Attribute
                 'startdate' must appear on element 'VAT3'.
            </Message>
      </ErrorList>
</VAT3Response>
```

2.2. Bad Request Error

Problem with Request: Invalid Date added

Response Code: 400

```
<VAT3Response xmlns="http://www.ros.ie/schemas/vat3/response/v1/">
      <Status>Invalid</Status>
      <ErrorList>
            <Code>11002</Code>
            <Message>
                  Invalid or malformed XML format:
                  org.xml.sax.SAXParseException; lineNumber: 22;
                  columnNumber: 3; cvc-pattern-valid: Value '01/03/20526'
                  is not facet-valid with respect to pattern
                  '\d{2}/\d{2}/\d{4}' for type '#AnonType_startdateVAT3'.
            </Message>
      </ErrorList>
</VAT3Response>
```

2.3. Authorisation Error

Problem with Request: Insufficient Permissions

Response Code: 403

```
<VAT3Response xmlns="http://www.ros.ie/schemas/vat3/response/v1/">
      <Status>Invalid</Status>
      <ErrorList>
            <Code>9001</Code>
            <Message>
                  Insufficient permissions to file VAT3 return
            </Message>
      </ErrorList>
</VAT3Response>
```

2.4. Server Fault

Problem with Request: Internal Server Error

Response Code: 500

```
      <VAT3Response xmlns="http://www.ros.ie/schemas/vat3/response/v1/">
            <Status>Invalid</Status>
            <ErrorList>
                  <Code>9007</Code>
                  <Message>
                        An unexpected error occurred while processing the
                        VAT3 return. Please quote error code: VAT3-
                        WEBSERVICE-ERROR-123456789123
                  </Message>
            </ErrorList>
      </VAT3Response>
```

3. List of Example XSD Validation Errors

Field	Constraint Violated	Exact Message
currency	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'currency' must appear on element 'VAT3'.
currency	Wrong value	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-enumeration-valid: Value 'D' is not facet-valid with respect to enumeration '[E]' for type '#AnonType_currencyVAT3'.
currency	Wrong length	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-length-valid: Value 'EU' with length = '2' is not facet-valid with respect to length '1' for type '#AnonType_currencyVAT3'.
name	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'name' must appear on element 'VAT3'.
name	Too short (empty)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minLength-valid: Value '' with length = '0' is not facet-valid with respect to minLength '1' for type '#AnonType_nameVAT3'.
name	Too long	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxLength-valid: Value 'AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA' with length = '31' is not facet-valid with respect to maxLength '30' for type '#AnonType_nameVAT3'.
regnum	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'regnum' must appear on element 'VAT3'.
regnum	Invalid pattern	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-pattern-valid: Value '123456' is not

		facet-valid with respect to pattern '[0-9]{7}[A-Z]{1,2}' for type '#AnonType_regnumVAT3'.
startdate	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'startdate' must appear on element 'VAT3'.
startdate	Invalid pattern	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-pattern-valid: Value '2021-01-01' is not facet-valid with respect to pattern '\d{2}/\d{2}/\d{4}' for type '#AnonType_startdateVAT3'.
enddate	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'enddate' must appear on element 'VAT3'.
enddate	Invalid pattern	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-pattern-valid: Value '2021-01-01' is not facet-valid with respect to pattern '\d{2}/\d{2}/\d{4}' for type '#AnonType_enddateVAT3'.
sales	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'sales' must appear on element 'VAT3'.
sales	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'AmountType'.
sales	Above maximum (999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '1000000000' is not facet-valid with respect to maxInclusive '999999999' for type 'AmountType'.
sales	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.

purchs	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'purchs' must appear on element 'VAT3'.
purchs	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'AmountType'.
purchs	Above maximum (999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '1000000000' is not facet-valid with respect to maxInclusive '999999999' for type 'AmountType'.
purchs	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.
goodsto	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'goodsto' must appear on element 'VAT3'.
goodsto	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'AmountType'.
goodsto	Above maximum (999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '1000000000' is not facet-valid with respect to maxInclusive '999999999' for type 'AmountType'.
goodsto	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.
goodsfrom	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X;

		columnNumber: Y; cvc-complex-type.4: Attribute 'goodsfrom' must appear on element 'VAT3'.
goodsfrom	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'AmountType'.
goodsfrom	Above maximum (999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '1000000000' is not facet-valid with respect to maxInclusive '999999999' for type 'AmountType'.
goodsfrom	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.
servicesto	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'servicesto' must appear on element 'VAT3'.
servicesto	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'AmountType'.
servicesto	Above maximum (999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '1000000000' is not facet-valid with respect to maxInclusive '999999999' for type 'AmountType'.
servicesto	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.
servicesfrom	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'servicesfrom' must appear on element 'VAT3'.

servicesfrom	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'AmountType'.
servicesfrom	Above maximum (999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '1000000000' is not facet-valid with respect to maxInclusive '999999999' for type 'AmountType'.
servicesfrom	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.
postponedAccounting	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'postponedAccounting' must appear on element 'VAT3'.
postponedAccounting	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'LargeAmountType'.
postponedAccounting	Above maximum (9999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '10000000000' is not facet-valid with respect to maxInclusive '9999999999' for type 'LargeAmountType'.
postponedAccounting	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.
type	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'type' must appear on element 'VAT3'.
type	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not

		facet-valid with respect to minInclusive '0' for type '#AnonType_typeVAT3'.
type	Above maximum (2)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '3' is not facet-valid with respect to maxInclusive '2' for type '#AnonType_typeVAT3'.
filefreq	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'filefreq' must appear on element 'VAT3'.
filefreq	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type '#AnonType_filefreqVAT3'.
filefreq	Above maximum (3)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '4' is not facet-valid with respect to maxInclusive '3' for type '#AnonType_filefreqVAT3'.
formversion	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'formversion' must appear on element 'VAT3'.
formversion	Wrong value	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-enumeration-valid: Value '2' is not facet-valid with respect to enumeration '[1]' for type '#AnonType_formversionVAT3'.
language	Missing	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-complex-type.4: Attribute 'language' must appear on element 'VAT3'.
language	Wrong value	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-enumeration-valid: Value 'F' is not facet-valid with respect to enumeration '[E, G]' for type '#AnonType_languageVAT3'.

language	Wrong length	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-length-valid: Value 'EN' with length = '2' is not facet-valid with respect to length '1' for type '#AnonType_languageVAT3'.
unusualExpenditure	Wrong value	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-enumeration-valid: Value 'X' is not facet-valid with respect to enumeration '[Y, N]' for type '#AnonType_unusualExpenditureVAT3'.
unusualExpenditure	Wrong length	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-length-valid: Value 'YES' with length = '3' is not facet-valid with respect to length '1' for type '#AnonType_unusualExpenditureVAT3'.
unusualExpenditureAmt	Below minimum (0)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-minInclusive-valid: Value '-1' is not facet-valid with respect to minInclusive '0' for type 'AmountType'.
unusualExpenditureAmt	Above maximum (999999999)	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxInclusive-valid: Value '1000000000' is not facet-valid with respect to maxInclusive '999999999' for type 'AmountType'.
unusualExpenditureAmt	Not an integer	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-datatype-valid.1.2.1: 'abc' is not a valid value for 'integer'.
unusualExpenditureDtl	Too long	Invalid or malformed XML format: org.xml.sax.SAXParseException; lineNumber: X; columnNumber: Y; cvc-maxLength-valid: Value 'AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA' with length = '51' is not facet-valid with respect to maxLength '50' for type '#AnonType_unusualExpenditureDtlVAT3'

.