# Pre-IVF infectious screening and CBC

| | | | |
|---|---|---|---|
| Patient | Maya Chen \| SYN-MAYA-001 | Clinical date | 2024-05-17 |
| DOB / age | 1993-03-14 / 31 years | Record | D019 |
| Provider | Dr Iona Field | Status | Final |

Specimen: EDTA blood and serum | Collected: 2024-05-17 | Reported: 2024-05-17

Accession: SYN-ACC-D019

| Test | Result | Units | Reference interval | Indicator |
|---|---|---|---|---|
| Hemoglobin | 129 | g/L | 120-160 | |
| Ferritin | 36 | ug/L | 15-150 | |
| HIV Ag/Ab | Nonreactive | | Nonreactive | |
| HBsAg | Nonreactive | | Nonreactive | |
| Hepatitis C antibody | Nonreactive | | Nonreactive | |
| Syphilis screen | Nonreactive | | Nonreactive | |
| Rubella IgG | 64 | IU/mL | >=10 immune | |
| ABO/RhD | O positive | | Categorical | |

## COMMENT

Consent documented for infectious screening. Rubella IgG supports immunity; negative screens do not establish lifetime absence of infection.

Related records: D018

Electronically authorized by Dr Iona Field | Laboratory physician | SYN-CPSO-002

Signed 2024-05-17