

Table S1. Female students' selected concerns about future mixed-gender workplaces

Concern	A-F n=50	B-F n=50	C-F n=50	D-F n=50	Coed-F n=150	Main female-only pattern	Holm-adjusted planned contrast(s)
Judged based on gender rather than expertise	43 (86%)	27 (54%)	23 (46%)	21 (42%)	93 (62%)	Higher in pooled Coed-F than D-F; A-F was especially high.	Coed-F > D-F: +20 pp, $p=.021$ A-F > D-F: +44 pp, $p < .001$ A-F > B-F/C-F: +32/+40 pp, $p < .01/.001$
Difficulty maintaining professional/formal communication	2 (4%)	9 (18%)	14 (28%)	25 (50%)	25 (16.7%)	Highest in D-F; substantially higher than pooled Coed-F.	D-F > Coed-F: +33.3 pp, $p < .001$ D-F > A-F/B-F/C-F: +46/+32/+22 pp, $p < .001/.01/.05$
Discomfort or stress	22 (44%)	12 (24%)	12 (24%)	23 (46%)	46 (30.7%)	D-F and A-F were descriptively highest.	No Holm-significant female-only contrast.
Ability overlooked by male colleagues	12 (24%)	16 (32%)	18 (36%)	12 (24%)	46 (30.7%)	Concern appeared across female groups.	No Holm-significant female-only contrast.
No specific concern	6 (12%)	8 (16%)	12 (24%)	4 (8%)	26 (17.3%)	D-F had the lowest descriptive value.	No Holm-significant female-only contrast.

Note. Values are count (%). A-F, B-F, and C-F are women in coeducational universities A, B, and C; D-F is women in the single-sex university; Coed-F pools A-F+B-F+C-F. Participants could select multiple concerns, so percentages do not sum to 100%. Female-only contrasts used chi-square tests of independence for binary indicators, with Fisher's exact test used when expected cell counts were small. P-values shown in the contrast column are Holm-adjusted within each concern across planned female comparisons. pp = percentage points.