

LeadAC x FineDine pivot project paper

Status: Master project paper

Date: 2026-05-29

Language: Turkish

Audience: LeadAC founder team, product, engineering, marketing, sales, FineDine activation stakeholders

*Project name: **LeadAC Restaurant-Tech Intelligence Pilot for FineDine***

1. Yoneticici ozeti

LeadAC'in yeniyonu netlesmistir: urun artik sadece local lead generation veya enrichment araci olarak konumlanmamalidir. Bu katman piyasada hizla kalabaliklasmistir. Orbital, Resquared, Openmart, Clay workflow'lari ve benzeri araclar local business discovery, owner/contact enrichment, Google Maps extraction, review scraping, basic scoring ve outreach workflow alanlarini sahiplenmeye baslamistir.

LeadAC'in kazanabilecegi alan bu veriyi uretmekten cok, verinin ustunde karar veren katmandir:

LeadAC, restaurant-tech ve local-business marketlerine satis yapan ekipler icin post-enrichment operational intelligence layer'dir.

Bu su anlama gelir:

- Openmart, Orbital, Resquared, Clay, HubSpot, Smartlead, Instantly, Google Places ve Apify gibi kaynaklar veri uretir.
- LeadAC bu kaynaklardan gelen veriyi birlestirir, catisan sinyalleri cozer, hangi account'in aksiyon almaya deger oldugunu belirler.
- Sistem her outreach, reply, bounce, meeting, no-show, closed-won ve closed-lost sonucundan ogrenir.
- Bu ogrenim FineDine gibi restaurant-tech sirketleri icin vertical playbook'a donusur.

Ilk beachhead FineDine olmalidir. FineDine QR menu, digital menu, online ordering, reservation, payment, guest CRM, marketing automation ve restaurant website alanlarinda faaliyet gosteren restaurant-tech sirketidir. FineDine'in satis problemi LeadAC'in yeni vizyonunu test etmek icin idealdir: binlerce restoran arasindan hangisinin gercekten FineDine'e ihtiyaci oldugunu anlamak, dogru pitch acisini secmek, chain ile independent restoranlari ayirmak, her sonucdan ogrenmek ve BD ekibinin tekrar tekrar ayni arastirmayi yapmasini engellemek.

Bu dokumanin karari:

1. LeadAC'in kategori dili **Operational Revenue Intelligence for SMB Markets** olarak korunur, ancak FineDine pilotunda daha somut ifade kullanilir: **Restaurant-Tech Operational Intelligence**.
2. MVP bir lead listesi degil, FineDine icin native entegrasyonlu account intelligence ve closed-loop learning pilotudur.
3. MVP'nin amaci revenue automation degil, FineDine'in restaurant outbound motion'inda karar kalitesini, rep hizini ve ogrenme dongusunu kanitlamaktir.
4. Ilk 30 gunluk pilot, FineDine ile design partner olarak yurur ve sonraki restaurant-tech ICP'sinin kanit zemini olur.

2. Pivot gerekcesi

2.1 Eski positioning neden zayıfladı?

LeadAC'in onceki positioning'i local lead generation, enrichment, audit ve opener hazirlama uzerine kuruluydu. Bu dil pazarin ilk boslugunu iyi yakaladi: Apollo ve ZoomInfo local SMB'lerde zayifti; agency ve restaurant-tech ekipleri Google Maps, websites, reviews ve sosyal hesaplari manuel kontrol etmek zorundaydi.

Ancak 2025-2026 arasinda bu katman kalabaliklasti:

- Openmart local business data/API, owner finding, Google Maps scraping ve CRM enrichment diliyle local data rail olmaya calisiyor.
- Resquared local business selling workflow'u uzerinden satis ekiplerine data ve outreach kolayligi sunuyor.
- Orbital sadece enrichment degil, "SMB Account Intelligence for Sales Teams" dilini kullaniyor.
- Clay, GTM engineer kitleleri icin enrichment, waterfall, AI research ve workflow platformu haline geldi.
- Apify/n8n/Google Maps scraper kombinasyonlari raw local listeleri ucuzlatiyor.

Bu yuzden "biz local lead buluyoruz" artik yeterince savunulabilir bir stratejik alan degildir. Bu alan veri maliyeti, coverage claim'i ve provider yarisi haline gelir. LeadAC'in gercek farki, local SMB verisini satis kararina ve ekip hafizasina cevirmekte olmalidir.

2.2 Yeni tez

Yeni tez:

Piyasada daha fazla local data eksigi kalmiyor. Yeni eksik, bu datanin ne anlama geldigini bilen ve her outcome'dan ogrenerek sonraki aksiyonu daha iyi secen operational intelligence layer'dir.

Bu, LeadAC'i su noktalarda farklilastirir:

- LeadAC veri kaynagi olmak zorunda degil; veri kaynaklarinin ustundeki karar sistemi olabilir.

- LeadAC tek seferlik audit raporu degil; surekli ogrenebilen sales intelligence sistemi olabilir.
- LeadAC generic AI SDR degil; vertical-specific operational playbook engine olabilir.
- LeadAC'in moat'i proprietary data degil, proprietary outcome graph olabilir.

2.3 AI-native LeadAC vizyonu

LeadAC'i AI-native yapmak, urune daha fazla AI feature eklemek degildir. Sistemin calisma mantigini intelligence-first hale getirmektir.

Bugunku LeadAC ileri seviye AI-assisted outbound platformudur: kullanıcı bir aksiyon alır, belirli worker'lar calisir, audit/scoring/dossier/opener uretilir. AI arac gibi davranir.

AI-native evrimde sistem operasyonu yoneten bir varlik gibi davranir:

Kullanici "Londra'daki premium sushi restoranlarından bu ay 15 demo cikar" hedefini verir. Sistem ICP'yi parcalar, hangi sub-niche'in sicak oldugunu analiz eder, gecmiste hangi outreach angle'lerinin cevap aldigini hatirlar, hangi enrichment worker'larinin calismasi gerektigine karar verir, outreach'i optimize eder ve basarisiz pattern'leri birakir.

Bu vizyonun dört temel parçasi vardır:

1. **Dynamic planning:** Static chain yerine objective-driven runtime planlama. Sistem lead_created -> audit -> scorer gibi sabit akisi degil, hedefe gore execution DAG'i kurar.
2. **Tool graph:** Worker registry, LLM/planner tarafından cagirilabilir arac grafigine donusur. Ornek tool'lar: search_reviews, deep_research, score_opportunity, find_lookalikes, build_sequence, sync_outcome.
3. **Behavioral learning:** Semantic memory sadece retrieval katmani degil, outcome-driven ogrenme katmani olur. Hangi opener reply aldi, hangi tone spam gibi algilandi, hangi sub-niche hangi pain'e cevap verdi sistem tarafından ogrenilir.
4. **Niche ontology:** Sistem F&B ekonomisini bilir. Fine dining, cafe, bakery, ghost kitchen, bar, hotel restaurant, QSR ve chain farkli davranir. Reservation flow, table turnover, no-show, brunch economics, delivery dependency, local SEO, review psychology, booking provider friction ve Instagram influence structured bilgi haline gelir.

Uzun vadede LeadAC'in esas moati sudur:

Market knowledge + historical outcomes + sales psychology + retrieval memory + tool graph + vertical ontology.

3. Piyasa ve restaurant-tech market analizi

3.1 Restaurant-tech pazari neden uygun beachhead?

Restaurant-tech, local SMB satisinin en guclu orneklerinden biridir. Restoranlar yogun, lokasyon bazli, operasyonel olarak karmasik ve dijital donusum ihtiyaci surekli olan isletmelerdir. Ancak satis motion'u klasik SaaS satisindan farklıdır.

Toast CRO anlatiminda restoran satisinin ozellikleri net gorulur:

- Toast'un satis modeli buyuk olcude field-based ilerler.
- Territory segmentation revenue potential yerine restaurant density uzerinden kurgulanir.
- On-site visit alan prospect'lerde conversion daha yuksektir.
- Social proof ve referral cok gucludur.
- Bir bolgede yeterli density olunca flywheel baslar.

Bu, LeadAC icin kritik bir insight'tir: restaurant-tech satisinda account intelligence sadece "bu restoranin email'i nedir?" sorusu degildir. Asil soru sudur:

- Bu restoran hangi operasyonel sinyallerle FineDine'e uygun?
- Bu bolgede density var mi?
- Bu restoran chain mi, independent mi, group mu?
- QR menu mu, ordering mi, reservation mi, payment mi, loyalty mi, guest CRM mi daha guclu pitch?
- Hangi restoranlara once gidilmeli?
- Hangi mesaj field visit veya demo acma ihtimalini artirir?

3.2 QR menu pazari nasil degisti?

QR menu artik tek basina yeterli bir positioning degildir. COVID sonrasi QR menu kullanimi yayginlasti, fakat 2026 itibariyle pazar "menu linki"nden daha genis digital stack'e kaymistir:

- QR menu
- Digital menu
- Online ordering
- Table-side ordering
- Payments
- Reservations
- Loyalty
- Guest CRM
- Automated marketing
- Restaurant website
- Multi-location content/menu management
- POS ve delivery entegrasyonlari

FineDine'in resmi positioning'i de bunu destekler: platform QR menus, AI, websites, automated marketing, quick payments ve reservations gibi daha genis bir all-in-one restaurant platformu olarak sunulur. FineDine Help Center tarafinda da menu linki, QR code, tablet menu, delivery/pickup ordering ve plan yapisi anlatilir.

LeadAC bu nedenle FineDine icin sadece "QR menu olmayan restoranlari bulma" araci olmamalidir. Daha dogru vaad:

FineDine'in hangi restorana hangi digital stack angle'yle gitmesi gerektiğini belirleyen operational intelligence sistemi.

3.3 Restaurant operator gercegi

Restoran sahipleri ve yoneticileri feature listesiyle satin almaz. Cogu zaman su konulara tepki verir:

- Masa donus hizi
- No-show ve rezervasyon kaybi
- Menu guncelleme maliyeti
- Komisyon ve delivery dependency
- Yogun saatlerde servis yavasligi
- Staff shortage
- Review rating ve sikayet pattern'leri
- Instagram ve local discovery etkisi
- Sadakat ve repeat visit
- Multi-location operasyon kontrolu

Bu nedenle LeadAC'in FineDine icin uretecegi account intelligence brief su soruya cevap vermelidir:

Bu restoranin bugunku operasyonel goruntusune gore FineDine hangi sonucu satar?

Ornekler:

- Fine dining: reservation quality, no-show reduction, premium menu presentation, guest data.
- Cafe/bakery: mobile menu quality, local discovery, order-ahead, loyalty stamps, queue management.
- Ghost kitchen: delivery conversion, menu optimization, commission reduction.
- Bar/nightlife: late-night traffic, event menus, mobile payment, group ordering.
- Chain/multi-location: centralized menu control, location-level analytics, loyalty, brand consistency.

4. Tool ve rakip arastirmasi

4.1 Market layer haritasi

Pazar bes katmana ayriliyor:

Katman	Ornekler	Ne yapiyor?	LeadAC'in yorumu
Local SMB data rails	Openmart, Resquared, Google Maps scrapers, Apify	Local business kaydi, owner, website, review, category, location, contact	Bu katman veri uretir; LeadAC bunun ustunde karar verir.
SMB account intelligence	Orbital	SMB TAM mapping, enrichment, vertical signals, outbound/inbound activation	Orbital en yakin positioning tehdidi; "SMB account intelligence" diliyle carpismamak gerekir.
Enrichment/workflow workbench	Clay	Data waterfall, AI research, CRM sync, workflow builder	Clay teknik ekipler icin lego setidir; LeadAC packaged vertical intelligence olmalidir.
Buyer/signal intelligence	Pocus, Common Room	Sinyal toplama, scoring, plays, buyer context	Sinyal -> aksiyon trendini dogrular; ancak local-business derinligi yoktur.
Revenue learning loop / agents	HockeyStack	Revenue data, journey, blueprint, agents	Enterprise tarafta learning-loop tezini dogrular; LeadAC bunun SMB/local versiyonudur.

4.2 Tool-by-tool degerlendirme

Tool	Kategori claim'i	Funding/backing/traction	Sahiplendigi alan	LeadAC icin tehdit	LeadAC icin fırsat
Orbital	SMB Account Intelligence for Sales Teams	Funding miktari net public degil; olgun GTM dili, CRM/GTM tooling ve GTM Engineer onboarding anlatimi var	SMB TAM mapping, 200+ SMB attribute, contacts beyond LinkedIn, inbound routing, outbound activation, vertical-specific signals	En yakin positioning tehdidi. "SMB account intelligence" dili Orbital'e cok yakin.	Orbital upstream data/intel kaynagi gibi konumlanmasi. LeadAC packaged enrichment judgement source code playbook memory v

					best-action katmani o
Resquared	Platform for selling to local businesses	YC W21; VentureBeat tarafında \$5M seed olarak raporlandı	Local business data, outreach workflow, CRM/social flows	Agency/local outbound use case'ini sahiplenir	Resquare kaynaklı account'la hangi siny convert et LeadAC o
Openmart	Local business data intelligence/API	YC W24; public profillerde seed backing görünüyor, detaylı funding rakamları kaynağına göre değişebilir	200M+ local business claim, owner contacts, tech stack, Google Maps scraping, API, Clay integration	Raw local data ve owner finding commodity hale gelir	En güçlü integratio rail adayla biri. Lead Openmar account'la aksiyona
Clay	GTM enrichment/workflow platform	GTM engineering kategorisinin en bilinen platformlarından	Enrichment waterfall, 75+ provider, AI scraping/research, CRM sync	Teknik ekipler LeadAC'in basit versiyonunu Clay'de kurabilir	LeadAC, C workflow' ustune ve playbook learning k koyar.
Pocus	Product-led sales / signals	2022'de \$23M funding duyurdu	Product usage signals, explainable scoring, plays	"signals to revenue" mental modelini PLG tarafında sahiplenir	LeadAC product-u first değil, business-context-fi olur.
Common Room	AI-native GTM / buyer intelligence	\$52M total funding ile launch; Series B haberleri var	Buyer intelligence, identity resolution, signal aggregation, AI agents	Broad platform olarak vertical SMB'ye inebilir	LeadAC d dar, restoran/ operation context ile ayırır.
HockeyStack	Revenue Agents for the Enterprise	\$20M Series A, Bessemer liderliğinde	Revenue attribution, buyer journeys, Blueprint, Odin/Nova agents	Enterprise learning-loop beklentisini yukarı tasir	LeadAC "HockeyS style learn loop, rest tech ve SN GTM için h

					versiyon" anlatilabil
Sixtyfour	Intelligence infrastructure on people/entities	YC-backed; 2025 spring batch duyurusu var	Deep research agents, people/company intelligence, entity resolution	Research/enrichment infrastructure olarak API katmanina inebilir	Potansiyel upstream research provider; LeadAC a revenue a sahiplenir

4.3 Strategic conclusion

Bu pazar arastirmasi su sonucu verir:

- LeadAC data vendor olmamali.
- LeadAC "SMB account intelligence" kategorisini genis sekilde sahiplenmemeli; Orbital ile carpismaya cok yakin.
- LeadAC "post-enrichment operational intelligence" olarak konumlanmali.
- FineDine pilotu, bu farki gostermek icin somut ve guclu bir ornektir.

Kisa ic ifade:

Openmart ve Orbital marketi bulur. Clay row'lari enrich eder. HubSpot pipeline'i tutar. Smartlead ve Instantly mesajlari gonderir. LeadAC neyin ise yaradigini ogrenir ve siradaki dogru aksiyonu soyler.

5. ICP arastirmasi

5.1 Primary ICP

Ilk ICP:

Restaurant-tech sirketleri: restoranlara QR menu, digital menu, ordering, reservation, payments, loyalty, guest CRM, restaurant website, marketing automation veya POS-adjacent digital stack satan B2B SaaS ekipleri.

Bu ICP'nin ozellikleri:

Alan	İdeal profil
Sirket tipi	Restaurant-tech / F&B SaaS / hospitality tech
Urun	QR menu, online ordering, reservation, payments, loyalty, guest CRM, marketing automation, restaurant website
Sirket buyuklugu	15-300 calisan

GTM ekip buyuklugu	2-30 BD/sales/market expansion user
CRM	HubSpot, Pipedrive veya Salesforce light
Sender	Smartlead, Instantly, Apollo sequencing, Gmail/Outlook manual
Veri kaynaklari	Google Maps, Apollo, Clay, spreadsheets, Openmart, local directories, manual research
Satis motion	Outbound + field visit + demo + referral
Ana aci	Dogru restoranlari bulmak, arastirmayi hizlandirmak, pitch'i operasyonel baglama gore secmek, rep bilgisini sistemde tutmak

5.2 FineDine-first persona

Persona 1: FineDine BD / SDR / market expansion rep

Gunluk is:

- Yeni bolge veya sub-niche listesi cikarir.
- Google Maps, Instagram, website, reviews, menu, reservation ve ordering akisini kontrol eder.
- Hangi restorana hangi angle ile gidilecegini anlamaya calisir.
- HubSpot'a not girer.
- Cold email, LinkedIn, WhatsApp, call veya field visit ile aksiyon alir.

Sorunlar:

- Arastirma satisin onune gecir.
- Restaurant tech stack manuel kontrol edilir.
- Chain ve independent restoranlar ayni gibi islenir.
- QR menu eksikligi her restoran icin dogru pain degildir.
- Hangi opener'in reply aldigi sistemde ogrenilmez.
- FineDine'in en iyi rep'inin bilgisi yazilima donusmez.

Basari kriterleri:

- Daha az research time.
- Daha dogru account prioritization.
- Daha yuksek reply/demo rate.
- Daha dogru package/offer mapping.
- HubSpot'ta daha iyi account context.
- New rep ramp suresinde azalma.

Persona 2: FineDine sales leadership

Sorulari:

- Hangi markete once girmeliyiz?
- Londra'da hangi restaurant segmenti FineDine icin en sicak?
- BD rep'leri neden farkli quality'de account seciyor?
- Hangi pitch acisi demo getiriyor?
- Chain hesaplarda enterprise pitch'i ne zaman dogru?
- Kazandigimiz ve kaybettigimiz deal'lerden ne ogrendik?

LeadAC'in cevabi:

- Segment ve geography bazli account intelligence.
- Outcome'a dayali playbook.
- Rep-ready account brief.
- HubSpot outcome sync.
- FineDine-specific learning layer.

Persona 3: FineDine product/strategy team

Sorulari:

- Restoranlar hangi digital module'lere gercekten ihtiyac duyuyor?
- QR menu tek basina mi satiliyor, yoksa ordering/reservation/payment/CRM bundle mi daha guclu?
- Chain restoranlarin istekleri independent restoranlardan nasil ayriliyor?
- Market expansion icin hangi vertical insights product roadmap'e girmeli?

LeadAC'in cevabi:

- Field sales ve outbound outcome'larindan product insight.
- Restaurant sub-niche ontology.
- Pain -> module mapping.
- Market-level signal dashboard.

5.3 Secondary ICP

FineDine pilotundan sonra ayni motion su sirketlere genisleyebilir:

- Toast benzeri POS/restaurant platformlari.
- Square for Restaurants benzeri payment/POS platformlari.
- OpenTable/SevenRooms benzeri reservation ve guest experience platformlari.
- Restaurant loyalty ve marketing automation platformlari.
- Delivery/ordering altyapisi satan SaaS'ler.
- Hospitality ve hotel F&B teknolojileri.

5.4 Disqualifiers

Bu MVP icin yanlis musteri:

- Sadece ucuz lead listesi isteyen ekip.
- Outcome tracking yapmayan ekip.
- CRM veya sender event'lerini paylamak istemeyen ekip.
- Restaurant vertical'inda repeatable motion'u olmayan ekip.
- "Al bizim yerimize tum satisi yapsin" beklentisinde olan ekip.
- FineDine gibi design partner calismasina feedback ayiramayan ekip.

6. FineDine design partner degerlendirmesi

6.1 FineDine bu proje icin neden dogru partner?

FineDine, LeadAC'in yeni pivotunu test etmek icin iyi design partner'dir:

- Restaurant-tech pazarinda gercek vertical context vardır.
- QR menu ile baslar ama ordering, reservation, payment, website, marketing ve guest CRM gibi genis digital stack'e uzanir.
- Local business buyer'a satar.
- BD ekibinin account research problemi somuttur.
- Mevcut FineDine beta cohort'u vardır.

6.2 FineDine icin proje ne ise yarar?

FineDine icin LeadAC pilotu su anlama gelir:

FineDine'in restaurant outbound motion'unu daha hizli, daha dogru ve ogrenebilen hale getiren intelligence pilotu.

Somut faydalar:

- Daha hizli market expansion.
- Daha dogru restoran prioritization.
- Chain vs independent ayrimi.
- Restaurant-specific digital stack pitch'i.
- HubSpot icinde zengin account context.
- BD rep ramp suresinin azalması.
- Basarili opener ve angle'larin sistemde kalması.
- Hangi sub-niche ve geography'nin daha iyi tepki verdigini gorme.
- FineDine product/strategy ekibine market insight saglama.

6.3 FineDine LeadAC'e ne kazandirir?

FineDine, LeadAC icin sadece beta kullanicisi degil, category proof'tur:

- Restaurant-tech ICP'si için gercek veri.
- Outcome-based learning loop için ilk closed-loop dataset.
- FineDine-specific vertical ontology.
- Product roadmap için net bug ve quality feedback'i.
- Satilabilir case study zemini.
- "Built with FineDine" anlatimi.

7. Urun vizyonu

7.1 LeadAC ne olacak?

LeadAC'in hedef hali:

Objective-driven outbound operating system for local-business GTM teams.

FineDine baglaminda:

FineDine'in hangi restoranlara, hangi digital stack angle'iyle, hangi sirada, hangi kanaldan gitmesi gerektigini ogrenerek soyleyen restaurant-tech intelligence sistemi.

7.2 Core objects

MVP'de sistemin temel objeleri:

Object	Anlam
Account	Restoran veya restoran grubu
Location	Tekil sube/lokasyon
Contact	Owner, GM, marketing manager, operations contact
Signal	Review, website, menu, booking, ordering, payment, social, location, chain, density, tech stack
Brief	Rep-ready account intelligence brief
Action	Call, email, field visit, enrich, suppress, sequence, demo prep
Outcome	Reply, bounce, unsubscribe, booked, no-show, opportunity, closed-won, closed-lost
Playbook	FineDine ve sub-niche bazli ogrenilmis pattern

7.3 Account intelligence brief

FineDine/restaurant-tech için ana artifact:

Account Intelligence Brief

Brief icermeli:

- Account overview
- Location/chain context
- Sub-niche classification
- FineDine fit summary
- Detected digital stack
- Missing or weak modules
- Review-derived operational pain
- Website/social/menu/reservation/ordering findings
- Confidence and source provenance
- Recommended next action
- Suggested pitch angle
- Suggested FineDine module/package
- Risk flags
- HubSpot sync status
- Last outcome and learning note

7.4 Playbook graph

FineDine için playbook graph örnekleri:

- `no_booking_provider + high_review_count + fine_dining -> reservation optimization angle`
- `qr_pdf_menu + premium_branding + high_instagram_activity -> branded digital menu angle`
- `chain_detected + multiple_locations -> central menu governance + analytics angle`
- `low_rating + service_wait_mentions + cafe -> order-ahead + queue reduction angle`
- `delivery_dependency + ghost_kitchen -> direct ordering + commission reduction angle`

Bu kurallar hardcoded master prompt olmamalı. İlk MVP'de seed rule olarak baslar; outcome geldikçe memory tarafından ağırlıklandırılır.

8. Project brief

8.1 Project mandate

LeadAC, FineDine ile restaurant-tech vertical'inde native entegrasyonlu bir operational intelligence pilotu baslatır. Pilotun amacı FineDine'in restaurant account selection, outreach prioritization, pitch angle selection ve sales learning loop süreçlerini iyileştirmektir.

8.2 Business case

Problem

FineDine ve benzeri restaurant-tech ekipleri binlerce restorana satis yapar, ancak mevcut GTM stack account context'i anlamaz:

- CRM deal durumunu bilir ama restoranin operasyonel ihtiyacini bilmez.
- Sender reply/bounce bilgisini bilir ama hangi signalin reply yarattigini bilmez.
- Enrichment tools data verir ama hangi field'in onemli oldugunu soylemez.
- Rep'ler pattern'leri kendi kafasinda ogrenir; sistem ogrenmez.

Opportunity

LeadAC, FineDine icin restaurant-specific operational intelligence layer olarak calisir:

- Daha az manuel research.
- Daha iyi account prioritization.
- Daha dogru pitch.
- Daha hizli rep ramp.
- Outcome-based playbook.
- HubSpot icinde daha guclu account context.

Expected return

Pilotun basarisi uc sekilde olcultur:

1. BD verimlilik: rep basina arastirma suresi azalir.
2. Pipeline quality: shortlisted account -> demo conversion artar.
3. Learning quality: her outcome sonraki account scoring ve pitch secimini etkiler.

8.3 Project product description

Urun:

LeadAC Restaurant-Tech Intelligence Pilot for FineDine

MVP ciktisi:

- Native entegrasyonlarla veri alan bir restaurant account intelligence sistemi.
- FineDine ICP ve offer context'iyle calisan account brief generator.
- HubSpot ve sender outcome'larini behavioral memory'ye yazan closed-loop learning layer.
- FineDine ekibinin kullanabilecegi activation workflow ve demo-ready project artifact.

8.4 Benefits management approach

Benefit	Measurement	Owner	Review timing
Research time azalması	Rep basina account research dakika	FineDine BD lead + LeadAC PM	Day 15, Day 30

Account prioritization kalitesi	FineDine tarafından "actionable" isaretlenen account orani	FineDine sales lead	Weekly
Outreach outcome ogrenimi	Reply/booked/no-show/closed outcome'larin playbook'a yazilma orani	LeadAC product	Weekly
Chain vs independent ayrimi	Yanlis pitch flag sayisi	FineDine reviewer + LeadAC QA	Weekly
HubSpot context degeri	HubSpot'ta sync edilen account field ve rep usage	LeadAC engineering	Day 30
Pilot case study readiness	FineDine'in public veya anonymized referans izni	Founder	Day 30-45

8.5 Quality criteria

MVP kabul edilebilir kalite icin:

- Her brief source provenance gostermeli.
- Her recommendation confidence ve reason icermeli.
- Chain accounts independent restaurant gibi pitch edilmemeli.
- Social-only, expired, parked, blocked websites acik flag'lenmeli.
- Review-derived pain'ler corpus'a grounded olmalı.
- Non-English review leakage FineDine UK/EN ICP'sinde filtrelenmeli veya isaretlenmeli.
- HubSpot outcome sync hatalari sessizce yutulmamali.
- Smartlead/Instantly eventleri account identity ile eslesmeli.

8.6 Product breakdown structure

1. Integration layer
 - a. HubSpot connector
 - b. Smartlead connector
 - c. Instantly connector
 - d. Clay webhook/input-output connector
 - e. Openmart connector/import
 - f. Orbital connector/import
 - g. Resquared connector/import

- h. Google Places + Apify enrichment
- 2. Intelligence layer
 - a. Account entity resolution
 - b. Restaurant sub-niche ontology
 - c. Signal extraction and confidence
 - d. Source conflict resolution
 - e. FineDine fit scoring
 - f. Next-best-action recommendation
- 3. Learning layer
 - a. Outcome ingestion
 - b. Behavioral memory
 - c. Playbook graph
 - d. FineDine feedback capture
- 4. User-facing layer
 - a. Account intelligence brief
 - b. Pilot dashboard
 - c. HubSpot sync summary
 - d. Activation meeting materials

8.7 Stage plan

Stage	Duration	Output	Decision gate
Stage 0: Alignment	3-5 days	FineDine data access, ICP, offer mapping, pilot scope signed	FineDine confirms design partner scope
Stage 1: Data and integration setup	1-2 weeks	HubSpot + sender + data source connections	50-100 accounts ingested with source provenance
Stage 2: Intelligence brief MVP	1-2 weeks	FineDine account brief, scoring, next action, pitch angle	FineDine reviews 30 briefs and marks quality
Stage 3: Closed-loop learning	2 weeks	Outcome sync, feedback capture,	First campaign outcomes

		playbook updates	affect scoring/pitch
Stage 4: Pilot review	1 week	Benefits report, case study decision, scale/no-scale recommendation	FineDine and LeadAC decide next market/vertical

8.8 Work packages

Work package	Description	Owner
WP1 FineDine ICP and offer mapping	FineDine packages, modules, target restaurant types, geography and disqualifiers	Founder + FineDine lead
WP2 Native integration setup	HubSpot, Smartlead/Instantly, Clay/Openmart/Orbital/Resquared where available, Google Places/Apify	Engineering
WP3 Restaurant ontology	Sub-niche, chain detection, module mapping, pain taxonomy	Product + AI
WP4 Account brief	Brief structure, source provenance, confidence, next action	Product + Engineering
WP5 Outcome graph	Event ingestion, identity mapping, behavioral memory, playbook update	Engineering + AI
WP6 FineDine activation	Meeting deck/script, pilot workflow, weekly review cadence	Founder + Product
WP7 QA and acceptance	Brief review, hallucination checks, chain/independent cases, source conflicts	QA + FineDine reviewer

8.9 Roles and responsibilities

Role	Responsibility
Executive sponsor	Approves pivot and pilot investment

LeadAC founder	Owns FineDine relationship, activation meeting, business case
Product owner	Owns project paper, MVP requirements, acceptance criteria
Engineering lead	Owns integration architecture, identity resolution, reliability
AI/core lead	Owns planner/tool graph/memory/playbook behavior
FineDine sponsor	Provides business priority, target markets, success criteria
FineDine BD reviewer	Reviews briefs, flags wrong pitches, gives corrected examples
FineDine ops/contact	Provides HubSpot/sender/data access and workflow context

8.10 Change control

MVP scope changes must be classified:

- Minor: copy, field label, brief layout, low-risk source addition.
- Moderate: new integration, new outcome type, new sub-niche logic.
- Major: autonomous sending, new CRM object model, pricing/package recommendation automation, production-wide rollout.

Major changes require founder + product + engineering approval.

8.11 Acceptance criteria

MVP accepted when:

- FineDine can provide a target objective, geography and segment.
- System ingests restaurant accounts from at least two upstream sources.
- HubSpot account/company/deal context sync works.
- Smartlead or Instantly event sync works.

- Each account has brief with source provenance and next action.
- At least 30 FineDine-reviewed briefs reach acceptable quality.
- At least one campaign/outcome cycle updates memory/playbook.
- FineDine can identify whether the system should scale to next geography or sub-niche.

9. Native integration plan

9.1 HubSpot

Why:

- FineDine'in CRM truth source'u olabilir.
- Company/account/deal lifecycle ve outcome'lar closed-loop learning için gerekir.

Data flow:

- LeadAC -> HubSpot: account intelligence fields, fit score, next action, pitch angle, source links, last audit date.
- HubSpot -> LeadAC: deal stage, owner, activity, outcome, closed-won/lost, no-show, disqualification reason.

MVP role:

- Account/company/deal sync.
- Outcome ingestion.
- HubSpot property mapping.

Risk:

- Custom object availability HubSpot planına bağlı olabilir.
- Association ve property mapping karmaşıklaşabilir.

Mitigation:

- İlk MVP'de standard Company/Deal properties tercih edilir; custom object opsiyonel tutulur.

9.2 Smartlead

Why:

- Reply, bounce, unsubscribe ve campaign eventleri outreach outcome graph için kritik.

Data flow:

- Smartlead -> LeadAC: lead replied, opened, bounced, unsubscribed, sent, campaign metadata.
- LeadAC -> Smartlead: selected leads, sequence fields, personalization variables.

MVP role:

- Campaign webhooks.
- Reply/bounce/unsubscribe mapping.

Risk:

- Email identity ile account identity eslesmesi hatali olabilir.

Mitigation:

- Email + domain + HubSpot company + LeadAC account ID mapping kullanilir.

9.3 Instantly

Why:

- Smartlead alternatifi sender olarak musterilerinde yaygin.

Data flow:

- Instantly -> LeadAC: reply_received, bounced, unsubscribed, sent, campaign events.
- LeadAC -> Instantly: campaign-ready contact rows and variables.

MVP role:

- Smartlead yoksa fallback sender integration.

Risk:

- API v1/v2 farklari ve scope yonetimi.

Mitigation:

- MVP'de API v2 ve webhook event type'leri baz alinir.

9.4 Clay

Why:

- GTM ekipleri enrichment workflow'larini Clay'de kuruyor.

Data flow:

- Clay -> LeadAC: enriched rows via webhook/export.
- LeadAC -> Clay: account list or fields for further enrichment where needed.

MVP role:

- Webhook/export based integration.

Risk:

- Clay traditional API sunmaz; enterprise API baska scope olabilir.

Mitigation:

- MVP'de webhook/CSV/Make/Zapier path supported olarak yazilir; native real-time API sonraki faz.

9.5 Openmart

Why:

- Local business data/API ve restaurant discovery rail.

Data flow:

- Openmart -> LeadAC: restaurant records, owner/contact, website, location, tech stack, ratings.
- LeadAC -> Openmart: no initial writeback required.

MVP role:

- Upstream account discovery.

Risk:

- Data freshness ve duplicate records.

Mitigation:

- Source provenance, freshness timestamp, entity resolution.

9.6 Orbital

Why:

- SMB account intelligence ve vertical signals kaynagi olabilir.

Data flow:

- Orbital -> LeadAC: SMB attributes, contacts, fit/intent signals, inbound/outbound context.
- LeadAC -> Orbital: not required in MVP.

MVP role:

- Import/API if available; otherwise CSV or shared account export.

Risk:

- Positioning overlap.

Mitigation:

- Orbital upstream data/intelligence rail olarak anlatilir; LeadAC post-enrichment action/learning layer olarak kalir.

9.7 Resquared

Why:

- Local business sales workflow ve data source olarak kullanılabilir.

Data flow:

- Resquared -> LeadAC: local business records and outreach context where available.

MVP role:

- Import-first or API if available.

Risk:

- API availability belirsiz olabilir.

Mitigation:

- MVP planında connector "available data export/API durumuna gore" tanımlanır.

9.8 Google Places/Maps + Apify

Why:

- Restaurant discovery, reviews, location, category, opening hours, social/website enrichment için ana kaynak.

Data flow:

- Google/Apify -> LeadAC: business identity, reviews, categories, rating, location, website, social, enrichment.

MVP role:

- Restaurant operational signal extraction.

Risk:

- Rate limits, stale data, review language, social-only URLs, false positives.

Mitigation:

- Audit versioning, source confidence, language filter, social-url gate, review grounding.

9.9 FineDine internal offer context

Why:

- FineDine'in hangi pain'e hangi module'u satacagini sistemin bilmesi gerekir.

Data flow:

- FineDine -> LeadAC: product modules, packages, positioning, disqualifiers, sales notes, corrected opener examples.
- LeadAC -> FineDine: recommended module/package/angle and reason.

MVP role:

- FineDine-specific offer ontology.

Risk:

- Offer context guncellenmezse pitch kalitesi duser.

Mitigation:

- Weekly offer/playbook review.

10. FineDine ilk aktivasyon gorusmesi

10.1 Gorusmenin amaci

FineDine'e "LeadAC size lead listesi verecek" demek yanlis olur. Gorusmenin amaci yeni kategoriye anlatmak ve FineDine'i design partner olarak projeye dahil etmektir.

Ana mesaj:

Bu proje FineDine'in restaurant outbound motion'unu ogrenebilen bir sisteme cevirme pilotudur. LeadAC size sadece daha fazla restoran listesi vermeyecek; hangi restorana neden, hangi sirayla, hangi angle ile gidilecegini ve hangi sonuclarin playbook'a donmesi gerektigini belirleyecek.

10.2 Gorusme akisi

Sure	Bolum	Anlatilacak konu
5 dk	Yeni kategori ve problem	Restaurant-tech satisinda problem veri yoklugu degil, karar ve ogrenme yoklugu
10 dk	MVP demo flow	Objective -> ingestion -> brief -> next action -> sender/CRM -> outcome -> playbook
10 dk	Entegrasyon ve data ihtiyaci	HubSpot, sender, account sources, FineDine offer context, feedback loop
10 dk	Pilot basari kriterleri	30 gunluk hedefler, quality review, account/action/outcome metrics
5 dk	Karar ve next steps	Access, owner, first geography, review cadence

10.3 FineDine'e anlatilacak "bu proje sizin ne isinize yarar?"

FineDine için:

- BD rep'leri daha az manuel research yapar.
- En iyi restoranlar once gorulur.
- Chain account'lar independent gibi pitch edilmez.
- QR menu, ordering, reservation, payment, loyalty, guest CRM angle'lari account'a gore secilir.
- HubSpot sadece pipeline degil, account intelligence tasir.
- Her reply/no-reply/booked/lost sonraki listeyi daha iyi hale getirir.
- FineDine yeni markete girerken sifirdan ogrenmek zorunda kalmaz.

10.4 FineDine'den istenecekler

- Hedef geography: ornegin London, Camden, Shoreditch, Manchester veya Istanbul.
- Hedef sub-niche: cafe, fine dining, sushi, hotel restaurant, QSR, ghost kitchen.
- HubSpot access veya export.
- Smartlead/Instantly campaign event access.
- FineDine package/module listesi.
- En iyi ve en kotu opener ornekleri.
- 30-50 account icin human quality review.
- Closed-won/lost veya booked/no-show feedback.

10.5 İlk 30 gun hedefi

30 gun sonunda FineDine su sorulara cevap alabilmeli:

- Hangi restaurant segmenti FineDine icin en sicak?
- Hangi signal demo acmaya en yakin?
- Hangi pitch angle'lari yanlis?
- Chain hesaplarda hangi enterprise angle daha iyi?
- HubSpot'ta hangi account context rep'ler tarafından kullaniliyor?
- LeadAC'in sonraki geography/sub-niche'e genisleme mantikli mi?

11. Risk register

Risk	Impact	Probability	Mitigation
Native integrations MVP'yi yavaslatir	High	Medium	Stage plan; once HubSpot + one sender + one data source minimum kabul kriteri

FineDine data access gecikir	High	Medium	CSV/export fallback; activation meetingde access checklist
LeadAC hala lead-gen gibi algılanır	High	Medium	Dokuman ve sunumda "lead listesi değil, operational intelligence" vurgusu
Orbital ile positioning overlap	Medium	High	"Post-enrichment learning/action layer" dili korunur
AI hallucination rep güvenini bozar	High	Medium	Source provenance, confidence, grounded review snippets
Chain accounts yanlış pitch edilir	High	Medium	Chain-aware ontology and QA set
HubSpot custom object complexity	Medium	Medium	Standard Company/Deal properties ile başla; custom object later
Outcome mapping hatalı olur	High	Medium	Email/domain/account ID matching and manual review queue
FineDine feedback yeterli gelmez	Medium	Medium	Weekly review cadence and named BD reviewer
MVP scope revenue automation'a kayar	High	Low	Acceptance criteria: operational intelligence + learning proof, autonomous sending yok

12. Başarı metrikleri ve karar kapıları

12.1 Pilot success metrics

Metric	Target
--------	--------

Accounts ingested	100+ restaurant accounts
Briefs reviewed by FineDine	30+
Acceptable brief quality	70%+ initial, 85%+ after iteration
Incorrect chain/independent pitch	<10% after QA
Source provenance coverage	90%+ core fields
Outcome events captured	1 full sender/CRM cycle
Playbook updates from outcomes	At least 5 validated pattern updates
FineDine scale decision	Yes/no decision by day 30-45

12.2 Decision gates

Gate	Question	Decision
Gate 1	FineDine confirms access and reviewer capacity?	Start pilot / pause
Gate 2	First 50 accounts produce usable briefs?	Continue / fix data layer
Gate 3	Sender + HubSpot outcomes map correctly?	Enable learning loop / hold
Gate 4	FineDine sees BD value?	Expand geography / stop
Gate 5	Case study or anonymized proof possible?	Public positioning / internal only

13. Team action plan

Product

- Convert lead dossier into restaurant-tech account intelligence brief.
- Define FineDine offer ontology.
- Define sub-niche ontology.
- Define source provenance and confidence model.
- Define next-best-action taxonomy.
- Create FineDine review workflow.

Engineering

- Prioritize HubSpot connector, one sender connector, one upstream data connector.
- Implement identity mapping: email, domain, company, location, account ID.
- Add outcome ingestion path.
- Add audit version/source freshness fields.
- Ensure multi-tenant workspace scope remains strict.

AI/Core

- Turn static chain into objective-planning MVP where possible.
- Expose worker registry as tool graph conceptually.
- Seed FineDine playbook memory with corrected examples.
- Add chain-aware and sub-niche-aware reasoning.
- Ensure review and opener claims are grounded.

Marketing

- Stop using "AI lead generation" as primary claim for this motion.
- Build FineDine/restaurant-tech narrative around "restaurant account intelligence" and "learning loop."
- Prepare activation deck and future case study language.

Sales/founder

- Run FineDine activation meeting.
- Secure data access and reviewer commitment.
- Align on first geography/sub-niche.
- Confirm success metrics and review cadence.

14. Sources

FineDine and restaurant-tech context

- FineDine official site:  <https://www.finedinemenu.com/es/home/>
- FineDine Help Center, solutions/cost/products:
<https://support.finedinemenu.com/en/articles/5898218-finedine-solutions-cost-products>
- Toast CRO sales model via SaaStr: <https://www.saastr.com/the-top-10-strategies-toasts-cro-uses-to-crush-quotas/>
- PAR Technology 2026 QSR Operational Index:  <https://partech.com/press-releases/par-technology-releases-2026-qsr-operational-index-report-highlighting-loyalty-digital-channels-and-revenue-trends-across-u-s/>
- DoorDash 2026 Restaurant Industry Trends:  <https://about.doordash.com/en-us/news/doordash-restaurant-industry-trends-report-2026>
- National Restaurant Association Technology Landscape Report:
https://go.restaurant.org/rs/078-ZLA-461/images/NatRestAssoc_TechLandscapeReport_2024.pdf

Tool/rakip kaynaklari

- Orbital: <https://www.withorbital.com/>
- Resquared: <https://www.re2.ai/>
- Resquared YC:  <https://www.ycombinator.com/companies/resquared>
- Resquared seed coverage:  <https://venturebeat.com/ai/exclusive-resquared-nabs-5m-to-take-on-leading-crms-with-b2b-local-sales-platform>
- Openmart: <https://www.openmart.com/industry/smb-tech>
- Openmart local business API: <https://www.openmart.com/products/local-business-data-api>
- Openmart YC:  <https://www.ycombinator.com/companies/openmart>
- Clay API guide: <https://university.clay.com/docs/using-clay-as-an-api>
- Pocus signals: <https://www.pocus.com/product/signals>
- Pocus funding: <https://www.pocus.com/blog/pocus-raises-funding-from-coatue-for-product-led-sales-platform>

- Common Room: <https://www.commonroom.io/>
- Common Room buyer intelligence: <https://www.commonroom.io/blog/intent-data-vs-buyer-intelligence/>
- HockeyStack Blueprint: <https://www.hockeystack.com/blog-posts/blueprint-the-brain-behind-your-revenue-agents>
- HockeyStack Series A: <https://www.hockeystack.com/blog-posts/hockeystack-raises-20m-in-series-a-led-by-bessemer-venture-partners>
- Sixtyfour: <https://www.sixtyfour.ai/>
- Sixtyfour YC:  <https://www.ycombinator.com/companies/sixtyfour>

Integration kaynaklari

- HubSpot CRM object APIs:  <https://developers.hubspot.com/docs/api-reference/crm-objects-v3/guide>
- Smartlead campaign webhooks: <https://api.smartlead.ai/api-reference/campaigns/get-webhooks>
- Smartlead webhook integration guide: <https://api.smartlead.ai/guides/webhook-integration>
- Instantly API V2: <https://help.instantly.ai/en/articles/10432807-api-v2>
- Instantly webhooks: <https://developer.instantly.ai/api/v2/webhook/def-36>

15. Final karar

LeadAC local SMB pazarından cikmamalıdır. Ancak local SMB datasını urunun kendisi olmaktan cikarmalıdır.

FineDine pilotu ile hedef:

Local restaurant data -> operational signal -> recommended action -> outcome -> learned playbook.

Bu dongu calirsarsa LeadAC'in yeni konumu savunulabilir hale gelir:

LeadAC, restaurant-tech ve local-business GTM ekipleri için operational intelligence layer'dir. Veri kaynaklarını degistirmez; onların ustüne karar, aksiyon ve öğrenme katmanı koyar.

İlk public anlatım FineDine üzerinden kurulmalıdır:

Built with FineDine to help restaurant-tech teams know which restaurants to target, what to say, and what their market is teaching them after every outcome.