

ZAYLO Platform Entity Relationship Diagram

Milestone 4 · Schema and Accounts · generated to match Laravel migrations

PK primary key · FK foreign key · UQ unique · IX indexed
All *_minor amounts are unsigned integer centavos.

users		
PK	id	bigint
UQ	email	varchar
	name	varchar
	email_verified_at	timestamp?
	password	varchar?
	phone	varchar?
	address	varchar?
IX	is_suspended	boolean
IX	status	enum
FK	approved_by → users.id	bigint?
	approved_at	timestamp?
	remember_token	varchar?
	google_id, avatar, auth_provider	varchar?
	date_of_birth	date?
	timestamps	

roles		
PK	id	bigint
UQ	name	varchar
	timestamps	

role_user		
PK	role_id → roles.id	bigint
FK		
PK	user_id → users.id	bigint
FK		
IX	user_id	

addresses		
PK	id	bigint
FK IX	user_id → users.id	
	label, recipient, phone	varchar
	line1	varchar
	line2	varchar?
	barangay, city, province	varchar
	postal_code	varchar?
	country_code	char(2)
IX	is_default	boolean
	PSGC code/name fields	varchar?
	timestamps	

sellers		
PK	id	
FK IX	user_id → users.id	
	name	varchar
UQ	slug	varchar
	description	text?
	logo_path, banner_path	varchar?
IX	status	enum
	rejection_reason	text?
	commission_bps	uint16=800
FK	pickup_address_id → addresses.id	bigint?
	timestamps	

logistics_providers		
PK	id	
FK IX	user_id → users.id	
	name	varchar
UQ	slug	varchar
IX	status	enum
	rejection_reason	text?
	contact_phone	varchar?
	timestamps	

riders		
PK	id	
UQ	user_id → users.id	
FK		
FK IX	logistics_provider_id → logistics_providers.id	
	vehicle_type, plate_no	varchar?
IX	is_active	boolean
	timestamps	

categories		
PK	id	
FK IX	parent_id → categories.id	bigint?
	name	varchar
UQ	slug	varchar
IX	position	uint
IX	is_active	boolean
	timestamps	

products		
PK	id	
FK IX	seller_id → sellers.id	
FK IX	category_id → categories.id	
	name	varchar
UQ	slug	varchar
	description	text?
	gender	enum?
	badge	varchar?
IX	is_active	boolean
	timestamps, deleted_at	

product_variants		
PK	id	
FK IX	product_id → products.id	
UQ	sku	varchar
	name	varchar
	options	json?
	price_minor	uint
	original_price_minor	uint?
IX	stock	uint
	low_stock_threshold	uint
	weight_grams	uint?
IX	is_active	boolean
	timestamps, deleted_at	

product_images		
PK	id	
FK IX	product_id → products.id	
	path	varchar
	alt_text	varchar?
IX	position	uint
	timestamps	

carts		
PK	id	
UQ	user_id → users.id	
FK		
	timestamps	

cart_items		
PK	id	
FK	cart_id → carts.id	
UQ		
FK	product_variant_id → product_variants.id	
UQ		
	quantity	uint
IX	selected	boolean
	timestamps	

orders		
PK	id	
FK IX	buyer_id → users.id	
UQ	reference	varchar
	total_minor	uint
	payment_method	enum
IX	payment_status	enum
	shipping_address	json snapshot
	note	text?
	voucher_code	varchar?
	shipping_discount_minor	uint
IX	created_at, updated_at	

seller_orders		
PK	id	
FK	order_id → orders.id	
UQ		
FK	seller_id → sellers.id	
UQ		
IX		
FK	logistics_provider_id → logistics_providers.id	bigint?
	subtotal_minor	uint
	shipping_fee_minor	uint
	commission_minor	uint
IX	status	enum
	delivered_at	timestamp?
	note	text?
	timestamps	

order_items	
PK	id
FK IX	seller_order_id → seller_orders.id
FK	product_id → products.id
FK	product_variant_id → product_variants.id
	product_name varchar snapshot
	variant_name varchar snapshot
	unit_price_minor uint snapshot
	quantity uint
	timestamps

payments	
PK	id
FK IX	order_id → orders.id
	method varchar
	amount_minor uint
IX	status enum
IX	provider_ref varchar?
	timestamps

shipments	
PK	id
UQ	seller_order_id → seller_orders.id
FK	
FK IX	logistics_provider_id → logistics_providers.id
FK IX	rider_id → riders.id bigint?
UQ	tracking_code varchar
IX	status enum
	fee_minor uint
	cod_amount_minor uint
	cod_collected boolean
	attempts uint8
	timestamps

delivery_events	
PK	id
FK	shipment_id → shipments.id
UQ	
IX	
UQ	status varchar
UQ	attempt uint8
FK	user_id → users.id
	note text?
	photo_path varchar?
IX	occurred_at timestamp
	timestamps

Cardinality map

users M:N roles through role_user
categories 1:N categories parent tree
users 1:1 carts
sellers 1:N seller_orders
riders 1:N shipments

users 1:N sellers
sellers 1:N products
carts 1:N cart_items
seller_orders 1:N order_items
shipments 1:N delivery_events

users 1:N addresses
categories 1:N products
users 1:N orders as buyer
orders 1:N payments

logistics_providers 1:N riders
products 1:N variants/images
orders 1:N seller_orders
seller_orders 1:1 shipments

Domain ERD. Laravel framework tables and auxiliary notification/voucher tables are intentionally outside the Milestone 4 domain boundary.