

How to Run the Project in UiPath Studio

Centralized Travel Price Comparison System • a UiPath Studio automation that shows the cheapest flight, the cheapest train, and the cheapest option overall.

1. What you need (before you start)

Windows PC	UiPath Studio is a Windows application.
UiPath Studio	Free Community Edition , version 2022.10 or newer. Install it and sign in with a free UiPath account.
Internet (once)	Needed the first time you open the project, so Studio can download the activity packages. After that, DEMO mode runs offline.
Microsoft Excel	Not required. The demo uses built-in sample data (no Excel needed).
Chrome + UiPath extension	Only for optional LIVE mode. Not needed for the normal DEMO demonstration.

2. Step 1 - Download the project

- On the GitHub page, click **Code** -> **Download ZIP** (or use `git clone`).
- If you cloned it, switch to the branch `claude/friendly-tesla-yab8zi`.
- Unzip it to a simple path such as `C:\UiPathProjects\CentralizedTravelPriceComparison`.
- Keep the folder as-is: `project.json` must stay next to `Main.xaml`.

3. Step 2 - Open it in UiPath Studio

A UiPath project is opened as a **whole folder**, not as a single file. You open `project.json` and Studio loads all the workflows together.

- Launch **UiPath Studio**.
- Click **Open** (or 'Open a Local Project').
- Browse to the project folder and select **project.json**.
- Wait for **Restore Dependencies** to finish (watch the status bar / Output panel).
- If a package version shows as unresolved: open **Manage Packages** -> **Project Dependencies**, install the latest of the three packages (listed below), and click **Save**.

Package	Used for
UiPath.System.Activities	Input Dialog, Message Box, Assign, If, For Each, Invoke Workflow File, Try Catch, Log Message
UiPath.Excel.Activities	Excel support (optional; the demo itself uses built-in sample data)
UiPath.UIAutomation.Activities	Included for optional LIVE browser automation you add in Studio (not needed for DEMO)

4. Step 3 - Run it

- In the **Project** panel, double-click **Main.xaml**.
- Click **Run** (top ribbon), or press **Ctrl+F5** to run without debugging.
- Five small input boxes appear one by one. **Just press OK on each** to use the defaults:

Source	Chennai	Travel date	a future date (auto-filled)
Destination	New Delhi	What to search	Both

Run mode	Demo		
----------	------	--	--

Tip: to prove it is interactive, type a different city (e.g. Mumbai) on one dialog instead of pressing OK - the route text in the results updates.

5. What you should see (three pop-ups, in order)

```

OUTPUT 1 of 3 : CHEAPEST FLIGHT
Airline : SpiceJet Flight : SG-401
18:40 -> 21:35 Duration 2h 55m Fare Rs. 4499

OUTPUT 2 of 3 : CHEAPEST TRAIN
Train : Grand Trunk Express (12615)
19:15 -> 06:50 Duration 35h 35m Fare Rs. 1985

OUTPUT 3 of 3 : CHEAPEST OVERALL
Cheaper mode : Train (Grand Trunk Express 12615)
Fare Rs. 1985 Saves Rs. 2514 vs the cheapest flight

```

After the run, open the **Output** folder to show `FlightResults.xlsx` and `TrainResults.xlsx` (all rows saved with headers).

6. DEMO mode vs LIVE mode

- **DEMO mode (default):** uses built-in sample fares (mirroring the Excel files). Works instantly and offline. The fares are clearly-labelled sample values, **not live prices**.
- **LIVE mode (optional):** a placeholder you complete in Studio - add Open Browser / Type Into / Click / Extract Table Data against the included local demo site. If it is not configured it automatically uses DEMO data, so the three outputs always appear. This project does **not** scrape MakeMyTrip (see `MAKEMYTRIP_NOTICE.md`).

7. If something looks wrong

Symptom	Fix
'Dependencies could not be resolved'	Connect to the internet and let Studio restore, or Manage Packages -> install the latest of the three packages.
A red error icon on an activity	Make sure all packages finished restoring, then click Save. If one property differs by package version, click the activity and re-select that property.
Workflow shows code / red boxes instead of a diagram	Activity packages are still restoring. Wait for restore to finish (needs internet once), then reopen Main.xaml from the Project panel.
Main flowchart boxes look stacked	Purely cosmetic - drag them apart or right-click the canvas -> Auto Arrange. Execution is unaffected.
The two Search*.xaml files show errors	DEMO mode does not use them. You may right-click each in the Project panel and Delete; DEMO still runs.

8. Please note

This project was authored as valid UiPath XAML and checked automatically (well-formed files, matching Invoke arguments, and verified comparison logic), but it was **not executed inside UiPath Studio during the build** because Studio runs only on Windows. Open it on a Windows PC with UiPath Studio to run it. If your Studio version flags a small activity-property difference, it is a quick fix in the designer, not a flaw in the workflow logic. The sample fares are demo data, not live prices.

More detail: [Documentation/SETUP.md](#) • [Documentation/DEMO_GUIDE.md](#) • [Documentation/MAKEMYTRIP_NOTICE.md](#)