

Work Description-- 《Lifted》 5.1 Surround Sound Design

This work was completed by a classmate and I, in which we were responsible for ADR, Foley and mixing parts; I did the music search and sound effects. We unified a starting point (Time code 01:00:00:00) of the initial project to facilitate our later project import and each division of labor is clearly defined.




The screenshots of the shooting script






Foley and ADR


In order to simulate the friction of a chair, we used different sizes and materials of chairs to find the most suitable sound




In order to simulate the push-rod on the operating table, we chose to take ceramic marble for mimicry after a lot of material selection




In terms of dialogue processing, we use high-quality recording equipment and technology to ensure clarity and realism. Through editing and processing, we eliminate excess noise and noise, making the dialogue cleaner and more natural.



On top of that, I did the grunting and screaming of the man, and during the mixing phase, we tweaked it and added some effects, like reverb, delay, to make sure it sounded like he was in a pit.




The first problem of single sample arises in both EFX and AMB editing. In the editing of EFX, this will lead to a sound to let a person tired, and too thin. In AMB editing, makes the ambient sound not realistic enough for people to emotionalize.




FX editing is accomplished by superimposing sounds with different textures, such as the sound of branches breaking and leaves rubbing when a man comes out of a tree. The method of layering environmental sound is to add a point sound source on the basis of the original, so that it sounds realistic and has the sense of substitution.

Next is the frequency bands of different sound signals are too similar. After we finished mimicking the pix headers, we found that each sound had a lot of high frequencies and a consistent pitch, which sounded boring.



I used Pitch II to tone it up so that it didn't sound boring because it was in the same tone. In addition, we used an equalizer to adjust it because it was too high and it sounded a little harsh.

The last one is the proportions of the parts in the mix: where we found that some parts were too loud or masked.



In order to solve the problem of unbalanced proportion of each part in the mixing. First I solo each part and look for the problem of inconsistent volume while listening. For example, in the EFX part, I adjusted each Fx to an appropriate size to ensure that no sound would suddenly be too loud when playing. Then I mixed all the sounds. I borrowed a sound mixing booth with good acoustic environment for surround sound mixing.