

Programación de Redes


Unidad III. Programación de Redes

2.6 Lab – raw NETCONF

Reyna Yazmin Ríos Martínez

Nº Control. 1222100500

Fecha: 01 / Dic / 2023



10.10.20.48 - PuTTY

```
ty>
<capability>urn:ietf:params:xml:ns:yang:smiv2:RFC1155-SMI?module=RFC1155-SMI/<cap
ability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:RFC1213-MIB?module=RFC1213-MIB/<ca
pability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:RFC1315-MIB?module=RFC1315-MIB/<ca
pability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:RMON-MIB?module=RMON-MIB&revisi
on=2000-05-11/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:RMON2-MIB?module=RMON2-MIB&revisi
on=1996-05-27/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:RSVP-MIB?module=RSVP-MIB&revisi
on=1998-08-25/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:SNMP-FRAMEWORK-MIB?module=SNMP-FRA
MEWORK-MIB&revision=2002-10-14/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:SNMP-PROXY-MIB?module=SNMP-PROXY-M
IB&revision=2002-10-14/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:SNMP-TARGET-MIB?module=SNMP-TARGET
-MIB&revision=1998-08-04/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:SNMPv2-MIB?module=SNMPv2-MIB&revisi
on=2002-10-16/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:SNMPv2-TC?module=SNMPv2-TC/<capabi
lity>
<capability>urn:ietf:params:xml:ns:yang:smiv2:SONET-MIB?module=SONET-MIB&revisi
on=2003-08-18/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:TCP-MIB?module=TCP-MIB&revisio
n=2005-02-18/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:TOKEN-RING-RMON-MIB?module=TOKEN-R
ING-RMON-MIB/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:TOKENRING-MIB?module=TOKENRING-MIB
&revision=1994-10-23/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:TUNNEL-MIB?module=TUNNEL-MIB&revisi
on=2005-05-16/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:UDP-MIB?module=UDP-MIB&revisio
n=2005-05-20/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:VPN-TC-STD-MIB?module=VPN-TC-STD-M
IB&revision=2005-11-15/<capability>
<capability>
  urn:ietf:params:netconf:capability:notification:1.1
</capability>
</capabilities>
</capability>
<session-id>21</session-id></hello>]]]]>]
```

21°C
Parc. soleado

DEVNET SANDBOX LABE

SANDBOX IOS XE On Cat8K MDT ZTP

WINDOW: INSTRUCTIONS COMMANDS

INSTRUCTIONS

IOS XE on Cat Latest Code Topology VPN

ONCE CONNECTED VIA SOFTWARE VPN THE DEVNET LAB'S DEVICES USING THE FOLLOWING:

Catalyst 8000v Credentials

host	port	username
10.10.20.48	22	developer
10.10.20.48	830	developer
10.10.20.48	443	developer

Note: The time to achieve guestshell after Catalyst 8000v serial interface is approx

Developer Box Credentials

host	port	username
10.10.20.50	22	developer
localhost	2222	developer

Persona 1

Reyna Yazmin Ríos Martínez
yazminrios2004@gmail.com

La sincronización está desactivada.

Activar la sincronización...

Administrar tu Cuenta de Google

Salir

Otros perfiles

- María Reyna
- Invitado
- Agregar

01:04 p. m.
01/12/2023

2.6 Lab - raw NETCONF - Word

Reyna Yazmin Ríos

Archivo Inicio Insertar Dibujar Diseño Disposición Referencias Correspondencia Revisar Vista Ayuda

10.10.20.48 - PuTTY

```
<capability>urn:ietf:params:xml:ns:yang:smiv2:TCP-MIB?module=TCP-MIB&revisio
n=2005-02-18/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:TOKEN-RING-RMON-MIB?module=TOKEN-R
ING-RMON-MIB/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:TOKENRING-MIB?module=TOKENRING-MIB
&revision=1994-10-23/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:TUNNEL-MIB?module=TUNNEL-MIB&revisi
on=2005-05-16/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:UDP-MIB?module=UDP-MIB&revisio
n=2005-05-20/<capability>
<capability>urn:ietf:params:xml:ns:yang:smiv2:VPN-TC-STD-MIB?module=VPN-TC-STD-M
IB&revision=2005-11-15/<capability>
<capability>
  urn:ietf:params:netconf:capability:notification:1.1
</capability>
</capabilities>
</capability>
<session-id>26</session-id></hello>]]]]><hello xmlns="urn:ietf:params:xml:ns:ne
tconf:base:1.0">
  <capabilities>
    <capability>urn:ietf:params:netconf:base:1.0</capability>
  </capabilities>
</hello>
]]]]>
```

Página 1 de 2 7 de 291 palabras

Accessibilidad: es necesario investigar

VPNC

Connected to devnetsandbox-usw1-reservation.cisco.com:20271.

devnetsandbox-usw1-reservatio Disconnect

00:15:34

01:16 p. m.
01/12/2023

