

PRAKTIKUM SISTEM OPERASI

MODUL 14
(SCRIPTING)



Oleh:

(Reyner Atira Prasetyo)

(2311104057)


PROGRAM STUDI S1 REKAYASA PERANGKAT LUNAK
DIREKTORAT KAMPUS PURWOKERTO
UNIVERSITAS TELKOM

2026

JURNAL 14

1. greetings.sh

Script ini akan menyapa user, menampilkan tanggal, dan menampilkan user yang sedang login menggunakan perintah date dan who.




```
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ touch greetings.sh
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ gedit greetings.sh

greetings.sh
~/2311104057/Reyner/shell-commands


1 #!/bin/bash
2
3 ## gunakan perintah USER untuk memunculkan user saat ini
4 echo "Hal $USER"
5
6 ## gunakan perintah date untuk memunculkan tanggal dan waktu sekarang
7 echo "Hari ini adalah $(date)"
8
9 ## gunakan perintah who untuk memunculkan user-user yang sedang login
10 echo "User yang sedang login saat ini adalah:"
11 who
```

Hasil run :

A screenshot of a Linux terminal window. The title bar shows 'Activities', 'Terminal', and the date 'Jun 12 16:56'. The terminal window has a dark purple background. The prompt is 'reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands'. The user has entered the command './greetings.sh'. The output of the script is displayed in green text: 'Hai reyner', 'Hari ini adalah Jun 12 Jun 2026 04:56:43 WIB', 'User yang sedang login saat ini adalah:', 'reyner tty2 2026-06-12 16:31 (tty2)', and the prompt returns to 'reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands\$'. On the left side of the terminal, there is a vertical dock with various application icons: a red and white icon, a blue and white icon, a yellow and black icon, a blue and white icon, an orange icon, a blue question mark icon, a terminal icon, a CD icon, and a green recycling icon. At the bottom left, there is a grid of dots representing the application menu.


2. `greeting_1.sh`

Script ini akan menyapa pengguna (pagi, siang, sore, malam) bergantung pada jam saat ini menggunakan format date +%k.



```
1 #!/bin/bash
2
3 ## buat beberapa variabel dengan menggunakan date format %k dan USER
4 jam=$(date +%k)
5 user=$USER
6
7 ## panggil variabel date
8 echo "Sekarang jam $jam"
9
10 ## buat pengondisian sesuai soal
11 if [ $jam -ge 5 ] && [ $jam -le 10 ]; then
12     echo "Selamat pagi $user"
13 elif [ $jam -ge 11 ] && [ $jam -le 15 ]; then
14     echo "Selamat siang $user"
15 elif [ $jam -ge 16 ] && [ $jam -le 19 ]; then
16     echo "Selamat sore $user"
17 else
18     echo "Selamat malam $user"
19 fi
```

Hasil run :




The image shows a terminal window titled "Terminal" with the date and time "Jun 12 16:58". The prompt is "reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands". The user enters the command "chmod +x greetings_1.sh". The prompt changes to "reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands\$". The user enters the command ". /greetings_1.sh". The output is "Sekarang jam 16" and "Selamat sore reyner". The prompt returns to "reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands\$".

```
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ chmod +x greetings_1.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ . /greetings_1.sh
Sekarang jam 16
Selamat sore reyner
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$
```

3. countdown.sh

Script ini akan melakukan hitung mundur (countdown) dari angka 10 hingga 1 lalu mencetak tulisan "GO!".




The screenshot shows a terminal window with the following content:

```
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ touch countdown.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ gedit countdown.sh
```

The editor window shows the following script content:

```
1#!/bin/bash
2
3## buat variable counter = 10
4counter=10
5
6## buat perulangan while dengan mengurangi counter
7while [ $counter -gt 0 ]; do
8    echo $counter
9    ((counter--))
10done
11
12## buat string sesuai soal
13echo "GO!"
```

Hasil Run :




The screenshot shows a terminal window titled "reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands". The terminal output is as follows:

```
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ chmod +x countdown.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ ./countdown.sh
10
9
8
7
6
5
4
3
2
1
GO!
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$
```

The terminal window has a dark purple background. On the left side, there is a vertical dock with various application icons, including a web browser, a file manager, and a terminal. The top of the window shows the system clock as "Jun 12 17:01".

4. countdown_1.sh
Script ini mirip dengan sebelumnya, namun nilai awal hitung mundur diambil dari input yang diketikkan pengguna.




The screenshot shows a Linux desktop environment with a terminal window and a text editor window. The terminal window displays the following commands and output:

```
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ touch countdown_1.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ gedit countdown_1.sh
```

The text editor window, titled 'countdown_1.sh', contains the following shell script code:

```
1 #!/bin/bash
2
3 ## buat masukkan dari user berupa integer
4 echo "Masukkan angka:"
5 read input_user
6 echo "Mulai countdown!"
7
8 ## buat perulangan while dengan mengurangi integer masukan user
9 while [ $input_user -gt 0 ]; do
10     echo $input_user
11     ((input_user--))
12 done
13
14 ## buat string sesuai soal
15 echo "GO!"
```

Hasil Run :




The screenshot shows a terminal window titled "Terminal" with the date and time "Jun 12 17:02". The user is logged in as "reyner" on a machine named "reyner-VirtualBox". The current directory is "~/2311104057/Reyner/shell-commands". The terminal shows the following commands and output:

```
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ touch countdown_1.sh
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ gedit countdown_1.sh
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ chmod +x countdown_1.sh
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ ./countdown_1.sh
Masukkan angka:
13
Mulai countdown!
13
12
11
10
9
8
7
6
5
4
3
2
1
GO!
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$
```

The terminal output shows a countdown from 13 to 1, followed by "GO!". The user is prompted to enter a number, and the script starts the countdown.

5. countdown_2.sh

Script ini akan melakukan countdown berdasarkan argumen/parameter yang dimasukkan saat eksekusi (contoh: `./countdown_2.sh 4`). Jika tidak ada parameter, script akan memunculkan petunjuk penggunaan. Variabel `$#` digunakan untuk mendeteksi jumlah argumen.



The screenshot shows a terminal window with the following commands and output:


```
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ touch countdown_2.sh
reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands$ gedit countdown_2.sh
```

The editor window displays the following script content:

```
1 #!/bin/bash
2
3 ## buat variabel parameter sejumlah 1
4 param=$1
5
6 ## jika parameter berjumlah 1 maka lakukan perulangan dengan mengurangi masukan dari parameter
7 if [ $# -eq 1 ]; then
8     while [ $param -gt 0 ]; do
9         echo $param
10        ((param--))
11    done
12    echo "GO!"
13 ## jika parameter tidak berjumlah 1 maka print string cara menjalankan script berparameter
14 else
15     echo "penggunaan: countdown_2.sh initial_value"
16 fi
```

The status bar at the bottom of the editor window indicates: "Saving file "/home/reyner/2311104057/Reyner/shell-commands/cou... sh Tab Width: 8 Ln 16, Col 3 INS".

Hasil Run :




The screenshot shows a terminal window titled "reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands". The terminal output is as follows:

```
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ chmod +x countdown_2.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ ./countdown_2.sh
penggunaan: countdown_2.sh initial_value
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ ./countdown_2.sh 11
11
10
9
8
7
6
5
4
3
2
1
GO!
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$
```

The terminal window has a dark purple background. On the left side, there is a vertical dock with various application icons, including a web browser, a file manager, and a terminal. The top of the window shows the system date and time as "Jun 12 17:04".

6. list_direktori.sh


Script terakhir ini akan menampilkan semua file yang ada di dalam direktori saat ini menggunakan iterasi for in dengan parameter *.



Activities Terminal Jun 12 17:05

reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands

```
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ touch list_direktori.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ gedit list_direktori.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ chmod +x list_direktori.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$ ./list_direktori.sh
countdown_1.sh
countdown_2.sh
countdown.sh
greetings_1.sh
greetings.sh
list_direktori.sh
reyner@reyner-VirtualBox:~/2311104057/Reyner/shell-commands$
```

The image shows a Linux desktop environment. On the left is a vertical sidebar with various application icons: a terminal, a file manager, a web browser, a mail client, a calendar, a music player, a video player, and a system monitor. The main area is a terminal window titled 'reyner@reyner-VirtualBox: ~/2311104057/Reyner/shell-commands'. The terminal shows a series of commands being executed: 'touch list_direktori.sh', 'gedit list_direktori.sh', 'chmod +x list_direktori.sh', and './list_direktori.sh'. The output of the last command lists several shell scripts: 'countdown_1.sh', 'countdown_2.sh', 'countdown.sh', 'greetings_1.sh', 'greetings.sh', and 'list_direktori.sh'. The terminal window has a dark background and a light-colored text. The desktop background is a solid dark color.