

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

Zenith 12X Eazy Shot Vending & Coffee Destainer (057800)

Revision

Revision date 2015-02-03

1.1. Product identifier

Product name Zenith 12X Eazy Shot Vending & Coffee Destainer (057800)

Product code RED

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

1.3. Details of the supplier of the safety data sheet

Company Zenith Hygiene Group plc

Address A1M Business Centre

Dixons Hill Road Welham Green Herts

AL9 7JE United Kingdom

 Web
 www.zhgplc.com

 Telephone
 01707 270260

Email helpdesk@zhgplc.com

1.4. Emergency telephone number

Emergency telephone 028 9267 3331

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - Xi; R38-41 R52 67/548/EEC Symbols: Xi: Irritant.

Main hazards Irritating to skin. Risk of serious damage to eyes. Harmful to aquatic organisms

2.1.2. Classification - EC Skin Corr. 1A: H314; Aquatic Chronic 3: H412;

2.2. Label elements

1272/2008

Hazard pictograms



Signal Word Dan

Hazard Statement Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statement: P273 - Avoid release to the environment.

Prevention P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Revision date 2015-02-03

2.2. Label elements

Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
Response	P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.	
	Rinse skin with water/shower.	
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
	P310 - Immediately call a POISON CENTER or doctor/physician.	
	P363 - Wash contaminated clothing before reuse.	
Precautionary Statement:	P501 - Dispose of contents/container to a licensed hazardous-waste disposal contractor or	
Disposal	collection site except for empty clean containers which can be disposed of as non-hazardous	
	waste.	
Further information		

Contains: disodium metasilcate. &. Sodium hydroxide.

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification
				Number	(%w/w)	
Disodium metasilicate	014-010-00-8	6834-92-0	229-912-9	01-2119449811-37	1 - 10%	C; R34 Xi; R37
Sodium hypochlorite, solution%	017-011-00-1	7681-52-9	231-668-3	01-2119488154-34	1 - 10%	C; R34 R31 N; R50
Cl active						
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0.5 - 1%	C; R35

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification
				Number	(%w/w)	
Disodium metasilicate	014-010-00-8	6834-92-0	229-912-9	01-2119449811-37	1 - 10%	Skin Corr. 1B: H314; STOT
						SE 3: H335;
Sodium hypochlorite, solution%	017-011-00-1	7681-52-9	231-668-3	01-2119488154-34	1 - 10%	Skin Corr. 1B: H314; Aquatic
CI active						Acute 1: H400;
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0.5 - 1%	Skin Corr. 1A: H314;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Inhalation of vapour may cause shortness of breath. Move the exposed person to fresh air. Seek medical attention.
Eye contact	Causes burns. Causes severe inflammation and may damage the cornea. Seek medical attention.
Skin contact	Causes burns. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion causes burns to the respiratory tract. DO NOT INDUCE VOMITING. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritant, severe respiratory.
Eye contact	Causes severe burns.
Skin contact	Causes severe burns.
Ingestion	Causes severe burns.

4.3. Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1. Extinguishing media

6 Revision date 2015-02-03

5.1. Extinguishing media					
	Carbon oxides.				
5.2. Special hazards arising from the subs	5.2. Special hazards arising from the substance or mixture				
	Corrosive. Burning produces irritating, toxic and obnoxious fumes.				
5.3. Advice for firefighters					
	Wear suitable respiratory equipment when necessary.				
SECTION 6: Accidental release meas	ures				
6.1. Personal precautions, protective equi	pment and emergency procedures				
	Ensure adequate ventilation of the working area. Evacuate personne suitable protective equipment.	el to a safe area. Wear			
6.2. Environmental precautions					
	Do not allow product to enter drains. Prevent further spillage if safe.				
6.3. Methods and material for containmen	t and cleaning up				
	Absorb with inert, absorbent material. Transfer to suitable, labelled c spillage area thoroughly with plenty of water.	containers for disposal. Clean			
6.4. Reference to other sections					
	For personal protective equipment see subsection 8.2. For disposal 13.	considerations see section			
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
	Avoid contact with eyes and skin. Ensure adequate ventilation of the	working area.			
7.2. Conditions for safe storage, including	any incompatibilities				
	Keep in a cool, dry, well ventilated area. Keep containers tightly clos	ed.			
7.3. Specific end use(s)					
	No specific advice for end use available.				
SECTION 8: Exposure controls/personal protection					
8.1. Control parameters					
8.1.1. Exposure Limit Values	8.1.1. Exposure Limit Values				
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -			
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2			

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Wash hands after handling the product.

8.2.1. Appropriate

engineering controls

8.2.2. Individual protection

measures

Eye / face protection

Ensure adequate ventilation of the working area.

Wear chemical protective clothing.

Safety glasses.

Revision date 2015-02-03

8.2. Exposure	controls
---------------	----------

Skin protection - Handprotection	Chemical resistant gloves (PVC).
Respiratory protection	Not normally required. Do not breathe gas/fumes/vapour/spray.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

]
State	Liquid
Colour	Colourless
Odour	Chlorine
pH	> 11.5
Melting point	No data available
Freezing Point	No data available
Boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability limits	No data available
Vapour Flammability	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive	No data available
Oxidising	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	1.09 g/cm³

SECTION 10: Stability and reactivity

10.1. Reactivity

	No reactivity hazards known under normal storage and use conditions.		
10.2. Chemical stability	10.2. Chemical stability		
	Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	Acids. Amines.		
10.4. Conditions to avoid			
	Heat. Avoid contact with: Acids.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation	Causes burns.
Germ cell mutagenicity	No mutagenic effects reported.
Carcinogenicity	No carcinogenic effects reported.
Reproductive toxicity	No observed effect level.

11.1.4. Toxicological Information

Revision 6
Revision date 2015-02-03

11.1.4. Toxicological Information

Disodium metasilicate	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA
	Oral Rat LD50: 847 mg/kg	Oral Mouse LD50: NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA
Sodium hydroxide	Inhalation Rat LC50/15min: NDA	Dermal Rat LD50: NDA
	Oral Rat LD50: NDA	Oral Mouse LD50: NDA
	Dermal Rabbit LD50: NDA	Dermal Guinea Pig LD50: NDA
Sodium hypochlorite,	Inhalation Rat LC50/15min: >10.5	Dermal Rat LD50: NDA
solution% Cl active		
	Oral Rat LD50: NDA	Oral Mouse LD50: 2900-3400
	Dermal Rabbit LD50: >2000	Dermal Guinea Pig LD50: NDA

SECTION 12: Ecological information

12.1. Toxicity

Disodium metasilicate	Algae EC50/72h: NDA	Daphnia LC50/48h: NDA
	Guppy LC50/96h: NDA	
Sodium hydroxide	Fish LC50/96h: 125.0000 mg/l	Green Algae EC50/48h: 22mg/l (15min)
	Daphnia LC50/24h: 76	
Sodium hypochlorite,	Fish LC50/96h: 0.62 mg/l	Green Algae EC50/48h: 28 (24 hours)
solution% Cl active		
	Daphnia LC50/96h: 2.1	

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential

No data is available on this product.

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6. Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

Disposal of packaging

Dispose of in compliance with all local and national regulations. Empty containers can be cleaned with water.

Further information

European Waste Catalogue:. 20 01 15 alkalines.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1719

Revision 6

Revision date 2015-02-03

14.2. UN proper shipping name		
	CAUSTIC ALKALI LIQUID, N.O.S. ((SODIUM HYDROXIDE, HYPOCHLORITE))	
14.3. Transport hazard class(es)		
ADR/RID	8	
Subsidiary risk	1.	
IMDG	8	
Subsidiary risk		
IATA	8	
Subsidiary risk		
14.4. Packing group	<u> </u>	
Packing group		
14.5. Environmental hazards	T	
Environmental hazards	No	
Marine pollutant	No	
ADR/RID		
Hazard ID	80	
Tunnel Category	(E)	
IMDG		
EmS Code	F-A S-B	
IATA		
Packing Instruction (Cargo)	856	
Maximum quantity	60 L	
Packing Instruction	852	
(Passenger)		
Maximum quantity	5L	
OFOTION 45 D. L		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental req	gulations/legislation specific for the substance or mixture	
	Ingredients according to EC Detergent regulations shown in section 16 if applicable.	
15.2. Chemical safety assessment		
	A chemical safety assessment has not been carried out on the mixture.	
Further information		
	Contact with acids liberates toxic gas.	
	Classified as H314 due to pH of concentrated product being >11.5.	
SECTION 16: Other information		
Other information		
Revision	This document differs from the previous version in the following areas:.	
	2 - 2.1.2. Classification - EC 1272/2008. 2 - Precautionary Statement: Prevention.	
	2 - Precautionary Statement: Response.	
	2 - Precautionary Statement: Storage.	
	2 - Precautionary Statement: Disposal.	
	2 - Further information.	
	9 - 9.1. Information on basic physical and chemical properties (PH).	
	14 - ADR/RID. 14 - IMDG.	
	14 - IATA. 15 - Further information.	
Acronyms	14 - IATA.	

Revision 6 Revision date 2015-02-03

Other information		
	LD: Lethal dose.	
	NDA - No data available.	
	NOAEC: No observed adverse effect concentration.	
	NOAEL: No observed adverse effect level.	
	NOEC: No observed effect concentration.	
	NOEL: No observed effect level.	
	PBT: Persistent, bioaccumulative and toxic.	
	SVHC. Substance of very high concern.	
	vPvB. Very persistent and very bioaccumulative.	
	*R01 - Polymer REACH number not available.	
Text of risk phrases in	R31 - Contact with acids liberates toxic gas.	
Section 3	R34 - Causes burns.	
	R35 - Causes severe burns.	
	R37 - Irritating to respiratory system.	
	R50 - Very toxic to aquatic organisms.	
Text of Hazard Statements in	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.	
Section 3	STOT SE 3: H335 - May cause respiratory irritation.	
	EUH031 - Contact with acids liberates toxic gas.	
	Aquatic Acute 1: H400 - Very toxic to aquatic life.	
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.	
Labelling for contents	phosphates 0% - < 5%	
	chlorine-based bleaching agents 0% - < 5%	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,	
	storage and handling of the product. This information is correct to the best of our knowledge and	
	belief at the date of publication however no guarantee is made to its accuracy. This information	
	relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	