Explain linear regression with more details and give me sample code for the cases we have several features

Linear regression is a statistical method used to model the relationship between a dependent variable and one or more independent variables. It assumes that there is a linear relationship between the dependent variable and the independent variables. The goal of linear regression is to find the line of best fit that minimizes the sum of the squared errors between the predicted and actual values.

In the case of multiple independent variables, the linear regression model is called multiple linear regression. The equation for multiple linear regression is:

```
y = b0 + b1x1 + b2x2 + ... + bnxn
```

where y is the dependent variable, x1, x2, ..., xn are the independent variables, and b0, b1, b2, ..., bn are the coefficients of the independent variables.

To implement multiple linear regression in Python, we can use the scikit-learn library. Here's an example code:

```
python
from sklearn.linear_model import LinearRegression
import pandas as pd

# Load data
data = pd.read_csv('data.csv')

# Split data into X (independent variables) and y (dependent variable)
X = data[['feature1', 'feature2', 'feature3']]
y = data['target']

# Create linear regression model
model = LinearRegression()

# Fit model to data
model.fit(X, y)
```

```
# Predict new values
new_data = pd.DataFrame({'feature1': [1, 2], 'feature2': [3, 4], 'feature3': [5, 6]})
predictions = model.predict(new_data)
print(predictions)
```

In this example, we first load the data from a CSV file and split it into X (the independent variables) and y (the dependent variable). We then create a LinearRegression object and fit it to the data using the fit() method. Finally, we use the predict() method to make predictions on new data.

If there are hyperparameter in previous example please name them and give me the sample code to implement gridsearch technique.

There are no hyperparameters in the previous example, but we can add regularization to the linear regression model using the Ridge or Lasso algorithms. In this case, we can use grid search to find the best combination of hyperparameters for the model.

Here's an example code for implementing grid search with Ridge regression:

```
python
from sklearn.linear_model import Ridge
from sklearn.model_selection import GridSearchCV
import pandas as pd

# Load data
data = pd.read_csv('data.csv')

# Split data into X (independent variables) and y (dependent variable)
X = data[['feature1', 'feature2', 'feature3']]
y = data['target']
```

```
# Create Ridge regression model
model = Ridge()

# Define hyperparameters to search over
params = {'alpha': [0.1, 1, 10]}

# Create grid search object
grid = GridSearchCV(model, params, cv=5)

# Fit grid search to data
grid.fit(X, y)

# Print best hyperparameters and score
print(grid.best_params_)
print(grid.best_score_)
```

In this example, we first load the data from a CSV file and split it into X (the independent variables) and y (the dependent variable). We then create a Ridge regression object and define the hyperparameters to search over using a dictionary. We create a GridSearchCV object and fit it to the data using the fit() method. Finally, we print the best hyperparameters and score found by the grid search.

Give me sample code for lasso case by using gridsearch

Sure, here's an example code for implementing grid search with Lasso regression:

```
python
from sklearn.linear_model import Lasso
from sklearn.model_selection import GridSearchCV
import pandas as pd

# Load data
data = pd.read_csv('data.csv')

# Split data into X (independent variables) and y (dependent variable)
```

```
X = data[['feature1', 'feature2', 'feature3']]
y = data['target']

# Create Lasso regression model
model = Lasso()

# Define hyperparameters to search over
params = {'alpha': [0.1, 1, 10]}

# Create grid search object
grid = GridSearchCV(model, params, cv=5)

# Fit grid search to data
grid.fit(X, y)

# Print best hyperparameters and score
print(grid.best_params_)
print(grid.best_score )
```

In this example, we first load the data from a CSV file and split it into X (the independent variables) and y (the dependent variable). We then create a Lasso regression object and define the hyperparameters to search over using a dictionary. We create a GridSearchCV object and fit it to the data using the fit() method. Finally, we print the best hyperparameters and score found by the grid search.

Give me sample code for combination of lasso and ridge by using gridsearch

Sure, here's an example code for implementing grid search with Lasso and Ridge regression:

```
python
from sklearn.linear_model import Lasso, Ridge
from sklearn.model_selection import GridSearchCV
import pandas as pd
```

```
# Load data
data = pd.read csv('data.csv')
# Split data into X (independent variables) and y (dependent variable)
X = data[['feature1', 'feature2', 'feature3']]
y = data['target']
# Create Lasso and Ridge regression models
lasso = Lasso()
ridge = Ridge()
# Define hyperparameters to search over
params = \{'alpha': [0.1, 1, 10]\}
# Create grid search object for Lasso
grid lasso = GridSearchCV(lasso, params, cv=5)
# Create grid search object for Ridge
grid ridge = GridSearchCV(ridge, params, cv=5)
# Fit grid search to data for Lasso
grid lasso.fit(X, y)
# Fit grid search to data for Ridge
grid ridge.fit(X, y)
# Print best hyperparameters and score for Lasso
print("Lasso:")
print(grid lasso.best params )
print(grid lasso.best score )
# Print best hyperparameters and score for Ridge
print("Ridge:")
print(grid ridge.best params )
print(grid ridge.best score )
```

In this example, we first load the data from a CSV file and split it into X (the independent variables) and y (the dependent variable). We then create Lasso and

Ridge regression objects and define the hyperparameters to search over using a dictionary. We create GridSearchCV objects for both Lasso and Ridge and fit them to the data using the fit() method. Finally, we print the best hyperparameters and score found by the grid search for both Lasso and Ridge.