

The next code will be directly imported from a file

```
1 """
2 Classification ORL faces dataset using multilayer perceptron. In
3 this program,
4 i first divided the data into train and test parts and started
5 training on the
6 train data. After that, i test the network using test data and show
7 the results.
8 """
9
10 import numpy as np
11 import torch
12 import os
13 import glob
14 import cv2
15 from sklearn.model_selection import train_test_split
16 from util import to_categorical, calculate_hog
17
18 def load_image_from_folder(PATH):
19     labels = []
20     folders = []
21     for it in os.scandir(PATH):
22         if it.is_dir():
23             path = it.path
24             folders.append(path)
25             labels.append(int(path.split('s')[-1]) - 1)
26
27     files_train = []
28     files_test = []
29     for folder in folders:
30         files = []
31         files.extend(glob.glob(folder+'/*.pgm'))
32         paths_train, paths_test, _, _ = train_test_split(
33             files, np.zeros(np.array(files).shape), test_size=0.4)
34         files_train.append(paths_train)
35         files_test.append(paths_test)
36
37     return labels, files_train, files_test
38
39 def main():
40     X_train, X_test, Y_train, Y_test = generate_data()
41
42     model = Net()
43     optimizer = torch.optim.SGD(model.parameters(), lr=0.1)
44     loss_func = torch.nn.MSELoss()
45
46     train(torch.tensor(X_train), torch.tensor(Y_train), torch.
47           tensor(X_test), torch.tensor(Y_test), model, optimizer,
48           loss_func, epochs=500)
49     test(torch.tensor(X_test), torch.tensor(Y_test), model)
50
51 if __name__ == '__main__':
52     main()
```