


Nama : Reza Fahlevi

NIM : 181011400928


LAPORAN UJIKOM SESI 2

Templating Laravel 8 dengan AdminLTE

1. Buka project yang sudah dibuat kemudian buat folder assets di dalam folder public, lalu copy folder **bower_components** dan **dist** yang ada pada template AdminLTE dan paste di dalam folder assets.



2. Pada folder **resources/view**, buat folder layouts kemudian buat file baru dengan nama **master.blade.php**. Buka file blank.php yang ada pada folder **pages/examples** di template AdminLTE, kemudian copy semua isinya dan paste ke dalam file yang baru saja kita buat



3. Sesuaikan path arahkan ke folder assets dengan mereplace seperti ini

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>AdminLTE 3 | Blank Page</title>

  <!-- Google Font: Source Sans Pro -->
  <link rel="stylesheet" href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700&display=fallback">
  <!-- Font Awesome -->
  <link rel="stylesheet" href="../../plugins/fontawesome-free/css/all.min.css">
  <!-- Theme style -->
  <link rel="stylesheet" href="../../dist/css/adminlte.min.css">
</head>
<body class="hold-transition sidebar-mini">
  <!-- Site wrapper -->
  <div class="wrapper">
    <!-- Navbar -->
    <nav class="main-header navbar navbar-expand navbar-white navbar-light">
      <!-- Left navbar links -->
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" data-widget="pushmenu" href="#" role="button"><i class="fas fa-bars"></i></a>
        </li>
        <li class="nav-item d-none d-sm-inline-block">
          <a href="../../index3.html" class="nav-link">Home</a>
        </li>
        <li class="nav-item d-none d-sm-inline-block">
          <a href="#" class="nav-link">Contact</a>
        </li>
      </ul>


      <!-- SEARCH FORM -->
      <form class="form-inline ml-3">
        <div class="input-group input-group-sm">
```

4. Buat folder **partials** di dalam folder layouts, kemudia pisahkan per section dan include file tersebut ke **master.blade.php** sehingga menjadi seperti ini

```
EXPLORER
... home.blade.php master.blade.php X web.php blank.html
LSP26
> app
> bootstrap
> config
> database
> public
> resources
  > css
  > js
  > lang
  > views
    > layouts
      > partials
        _asidecontrol.blade.php
        _footer.blade.php
        _header.blade.php
        _navbar.blade.php
        _script.blade.php
        _sidebar.blade.php
        master.blade.php
    > pages
      welcome.blade.php
    > routes
      api.php
      channels.php
      console.php
      web.php
    > storage
    > tests
    > vendor
    .editorconfig
  > OUTLINE
  > TIMELINE

resources > views > layouts > master.blade.php > html > body.hold-transition.skin-blue.sidebar-mini
1 <!DOCTYPE html>
2 <html>
3 @include('layouts.partials._header')
4 <body class="hold-transition skin-blue sidebar-mini">
5   <!-- Site wrapper -->
6   <div class="wrapper">
7     <header class="main-header">
8       <!-- Logo -->
9       <a href="assets/index2.html" class="logo">
10         <!-- mini logo for sidebar mini 50x50 pixels -->
11         <span class="logo-mini"><b>A</b></span>
12         <!-- logo for regular state and mobile devices -->
13         <span class="logo-lg"><b>Admin</b></span>
14       </a>
15       <!-- Header Navbar: style can be found in header.less -->
16       @include('layouts.partials._navbar')
17     </header>
18     <!-- Left side column, contains the sidebar -->
19     @include('layouts.partials._sidebar')
20     <!-- Content Wrapper. Contains page content -->
21     <div class="content-wrapper">...
22   </div>
23   <!-- /.content-wrapper -->
24   @include('layouts.partials._footer')
25   <!-- Control Sidebar -->
26   @include('layouts.partials._asidecontrol')
27   <!-- /.control-sidebar -->
28   <!-- Add the sidebar's background. This div must be placed
29   immediately after the control sidebar -->
30   <div class="control-sidebar-bg"></div>
31 </div>
32 <!-- ./wrapper -->
33 @include('layouts.partials._script')
34 </body>
35 </html>
```

5. Di dalam folder **views**, buat folder **pages** kemudian buat file baru dengan nama **home.blade.php** dengan isi seperti ini




The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows the following structure:

- resources
 - views
 - pages
 - home.blade.php (selected)
 - welcome.blade.php
 - routes
 - api.php
 - channels.php
 - console.php
 - web.php
 - storage

The code editor shows the content of **home.blade.php**:

```
1 @extends('layouts.master')
2
3 @section('content')
4 <!-- Default box -->
5 <div class="box">
6     <div class="box-header with-border">
7         <h3 class="box-title">Title</h3>
8     </div>
9     <div class="box-tools pull-right">
10         <button type="button" class="btn btn-box-tool" data-widget="collapse" data-toggle="tooltip" title="Collapse">
11             <i class="fa fa-minus"></i></button>
12         <button type="button" class="btn btn-box-tool" data-widget="remove" data-toggle="tooltip" title="Remove">
13             <i class="fa fa-times"></i></button>
14     </div>
15     <div class="box-body">
16         Start creating your amazing application!
17     </div>
18     <!-- /.box-body -->
19     <div class="box-footer">
20         Footer
21     </div>
22 </div>
23 <!-- /.box-footer -->
24 </div>
25 <!-- /.box -->
26 @endsection
```

6. Ubah **web.php** yang ada pada folder **routes** menjadi seperti berikut:



The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows the following structure:

- routes
 - api.php
 - channels.php
 - console.php
 - web.php (selected)
- storage
- tests
- vendor
- .editorconfig
- .env
- .env.example
- .gitattributes
- .gitignore
- .styleci.yml
- artisan

The code editor shows the content of **web.php**:

```
8 |-----
9 |
10 | Here is where you can register web routes for your application. These
11 | routes are loaded by the RouteServiceProvider within a group which
12 | contains the "web" middleware group. Now create something great!
13 |
14 | */
15 |
16 Route::get('/', function () {
17     return view('pages.home');
18 });
19
```

7. Buka browser dan refresh project, jika semuanya normal template siap untuk lanjut dikembangkan

