Certificate of Analysis

ILS Laboratories
8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

CJC-1295 / Ipamorelin - 5x5mg

Tested for: Sobe
200 Hypoluxo Road, Palm Beach County, FL 33462

PASS

Scan to verify authenticity at ils-lab.com
Access Code: 5S3LERSN

COA #:	**COA-2026-954949**	Analysis Date:	**08/05/2026**
Lot Number:	**062026**	Appearance:	**Good**
Labeled Content:	**5x5mg**	Volume:	**3mL**
Sample Matrix:	**Lyophilized**	Date Received:	**2026-08-05**

Method: **Full QC Panel**

Identity	Peptide Purity
CJC-1295 / Ipamorelin	**99.50%**




CJC-1295 / Ipamorelin 5x5mg - 062026

Full QC Panel

Analyte	Specification	Result	Unit	Status
Blend Peptide Purity (HPLC)	>= 95.0%%	**99.50%**	%	PASS
Net Blend Peptide Content	Report Only	**10.45**	mg	N/A
-- CJC-1295		*5.12*	*mg*	
-- Ipamorelin		*5.33*	*mg*	
Identity (HPLC-RTM)	CJC-1295 + IPAMORELIN	**Confirmed**	-	PASS
Identity	Ipamorelin; CJC-1295	**Confirmed**	ppm	PASS

HPLC Chromatogram



CJC-1295 / Ipamorelin 5x5mg - 062026: UV Chromatogram

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	6.5 ppm	FAIL
Cadmium (Cd)	NMT 0.5 ppm	*Not Detected*	PASS
Chromium (Cr)	NMT 10 ppm	*Not Detected*	PASS
Mercury (Hg)	NMT 1.5 ppm	*Not Detected*	PASS
Lead (Pb)	NMT 1 ppm	*Not Detected*	PASS

Dr. Greg Kalyuzhny
Lab Director
8/5/2026

COA #: **COA-2026-954949**
Access Code: **5S3LERSN**
Verify: portal.ils-lab.com/verify/eYOn9KFQIakiIEUI
Issued: 8/5/2026

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	**No Growth**	**PASS**

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	**NMT 0.05 EU/mL**	**Reported**

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 08/05/2026. Methods: Full QC Panel.
2. The sample was confirmed to be CJC-1295 / Ipamorelin by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (CJC-1295, Ipamorelin). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.

Dr. Greg Kalyuzhny
Lab Director
8/5/2026

COA #: **COA-2026-954949**
Access Code: **5S3LERSN**
Verify: portal.ils-lab.com/verify/eYOn9KFQIakiIEUI
Issued: 8/5/2026

ILS Laboratories | 8222 Vickers St, Suite 106, San Diego, CA 92111 | (619) 329-3999 | ils-lab.com
ISO/IEC 17025 Accredited | This certificate relates only to the items tested. Results shall not be reproduced except in full without written approval.