

AFTERLIFE

USER GUIDE

private freelancer terminal · tor hidden service

AFTERLIFE is a private, anonymous freelancer platform accessible exclusively through the Tor network. This guide covers everything you need to connect, find work, post contracts, use the community forum, communicate securely, and manage your reputation on the platform.

ACCESS · Tor hidden service (.onion address)

PROTOCOL · Newline-delimited JSON over TCP

PRIVACY · No accounts linked to real identity

TRANSPORT · All traffic routed through proxychains + Tor

```
AFTERLIFE
private freelancer terminal

[ AUTH // SESSION GATE ]
available actions: login, register, quit

auth@gateway> login
nickname> afterlife
password> █
```

The AFTERLIFE authentication gateway.

[TABLE OF CONTENTS]

1. Getting Started – Connecting, registering, logging in
2. The Job Board – Browsing and filtering contracts
3. Contract Details – Reading a contract, accepting work
4. Posting a Contract – Creating public and private jobs
5. Private Contracts – Token system and locked descriptions
6. Managing Your Contracts – Worker selection, status lifecycle
7. Private Messages – Encrypted chat between users
8. The Community Forum – Threads, comments, and search
9. Reputation System – Ratings, trust, and community standing
10. Block List – Filtering unwanted interactions
11. Admin & Moderation – Banning, wiping, and deleting content
12. Command Reference – Full list of all available commands

[1] GETTING STARTED

AFTERLIFE is only accessible through the Tor network. You will need Tor running on your machine and proxychains configured to route traffic through it. Your operator will provide you with the current .onion address.

1.1 Prerequisites

REQUIREMENT	DETAIL
Tor	Running locally (sudo systemctl start tor)
proxychains	Configured to use 127.0.0.1:9050
Python 3	Version 3.10 or newer
client.py	The AFTERLIFE terminal client script
.onion addr	Provided by the platform operator

1.2 Launching the Client

Open a terminal and run the following command, replacing the address with the one provided to you:

```
proxychains python3 client.py --host <your.onion> --port 2077
```

NOTE The connection may take 30 seconds to two minutes on a first attempt. Tor routing and hidden-service descriptor lookup introduce latency – this is normal. A warm restart is faster.

```

      AFTERLIFE
    private freelancer terminal

[ NODE LINK // TOR HIDDEN SERVICE ]
traffic routed through the onion network

> initializing terminal shell...
> routing through tor network...
> establishing hidden service uplink...
.....
uplink host [vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion]>
uplink port [2077]> █
```

Fig 1. – Node link. Enter the .onion host and port.

1.3 Registering an Account

At the authentication gateway, type register to create a new account. You will be prompted for a nickname and a password.

FIELD	RULE
Nickname	3–12 characters. Letters, digits, and underscore only.
Password	8–64 characters.
Identity	No email, phone, or real name required.

WARN Your nickname is your permanent identity on the platform. It cannot be changed.


1.4 Logging In

Choose login and enter your nickname and password. A session token is issued automatically and attached to every subsequent request. Only one active session is allowed per account – logging in from a second location invalidates the first.

NOTE Every action except connecting, registering, and logging in requires an authenticated session. There is no anonymous browsing anywhere on the platform.

1.5 The Main Menu

After logging in you reach the operator console. The available commands are listed across the top; admin accounts also see ban and wipe.



```
AFTERLIFE
private freelancer terminal

[ MAIN GRID // OPERATOR CONSOLE ]

Operator      : afterlife [admin]
commands: open jobs, done jobs, cancelled jobs, create job, job details, my authored jobs, my accepted, profile, rate, blocks, chats, forum, ban, wipe, logout
, quit
.....
afterlife@node> █
```

Fig 2. – Main menu (admin view). Member accounts do not see ban or wipe.

[2] THE JOB BOARD

The job board lists active contracts on the platform. You can filter by status and browse contracts from all users who have not blocked you.

2.1 Browsing Contracts

From the main menu, choose open jobs to see all currently open contracts. Each listing shows the contract ID, title, reward, status, acceptance count, author, and minimum reputation required.

```
AFTERLIFE
private freelancer terminal

[ JOB BOARD // OPEN CONTRACTS ]

[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
[ CONTRACT #0002 ]
Private Example
Reward      : 100
Min rep     : 0
Status      : ● OPEN
Accepts     : 0
Author      : afterlife

[ CONTRACT #0001 ]
Example Job
Reward      : 100
Min rep     : 0
Status      : ● OPEN
Accepts     : 0
Author      : afterlife

[ press enter to continue ]
```

Fig 3. – Job board showing two open contracts.

2.2 Contract Status Values

STATUS	MEANING	NOTES
OPEN	Contract is accepting workers	Listed under open jobs
DONE	Contract has been completed	Worker was selected and marked done
CANCELLED	Cancelled by the author	No longer accepting workers

2.3 Minimum Reputation Requirement

Some contracts require a minimum reputation score to accept. If your score is below the threshold, the contract is still visible but you cannot apply. The Min rep field shows the requirement; your own score is shown in the detail view.

NOTE Reputation can be negative. A contract with Min rep -5 is accessible to users with a score of -5 or higher.

[3] CONTRACT DETAILS

Opening a contract shows its full details, including the decrypted description (if you have access), the worker pool, and context-sensitive action commands.

3.1 Viewing a Contract

From the main menu, choose job details and enter the contract ID. The detail view refreshes live after each action you take.

```
AFTERLIFE
private freelancer terminal

[ CONTRACT DETAILS // LIVE VIEW ]

[ CONTRACT #0001 // SECURE VIEW ]

Example Job
.....
Reward      : 100
Min rep     : 0
Status      : ● OPEN
Author      : afterlife
Private     : no
Accepts     : 0
Your reputation: +1

[ DESCRIPTION // DECRYPTED ]
This is a example.

[ ACCEPTED WORKERS ]
[2] dummy rep=1

commands: back, select worker, done, cancelled, reopen, delete
contract@view> █
```

Fig 4. – Contract detail view. The description is decrypted and the worker pool is shown.

3.2 Accepting a Contract

If the contract is open, you meet the reputation requirement, and you are not the author, an accept command appears. Type accept to apply. A private chat is automatically created with the author and a system message confirms the event.

3.3 Withdrawing Your Application

If you change your mind before being selected, type withdraw from the detail view. You cannot withdraw after the author has selected you as the worker.

[4] POSTING A CONTRACT

Any authenticated user can post a contract. From the main menu, choose create job. You will be prompted for the following fields.

FIELD	DESCRIPTION
title	Short name for the contract. 1-32 characters.
description	Full details of the work. 1-256 characters.
reward	Numeric payment value. 1-99,999,999.
min reputation	Minimum score required to accept. Can be negative.
private?	Whether the description is token-locked (yes/no).

WARN Forbidden characters in all text fields: single quote, double quote, backslash, forward slash, percent sign, plus sign.

4.1 Creating a Public Contract

A public contract is visible to all users who meet the reputation requirement. Its description is readable by anyone who opens the contract details.

```

AFTERLIFE
private freelancer terminal

[ CREATE CONTRACT // BROADCAST ]

forbidden characters in text fields: ' " \ / % +
.....
title> Example Job
description> This is a example.
reward> 100
minimum reputation [can be negative]> 0
private contract? [yes/no]> no
[proxchains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
.....
[ OK ] Job created.
Contract      : 1

[ press enter to continue ]
```


Fig 5. – Creating a public contract. The new contract is assigned ID 1.

[5] PRIVATE CONTRACTS

Private contracts let you restrict who can read the job description and apply. When you mark a contract private, the system generates a one-time private token that you must distribute manually to your intended workers.

5.1 Creating a Private Contract

Set `private?` to `yes` when creating a job. After creation, the platform displays a private token – a short random string. Copy and store it immediately; it is not shown again.



```
AFTERLIFE
private freelancer terminal

[ CREATE CONTRACT // BROADCAST ]

forbidden characters in text fields: ' " \ / % +
.....
title> Private Example
description> Private job example.
reward> 100
minimum reputation [can be negative]> 0
private contract? [yes/no]> yes
[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
.....
[ OK ] Job created.
Contract      : 2
[ PRIVATE TOKEN // STORE SECURELY ]
4om_ShrWsw8N4X93nyMArA

[ press enter to continue ] █
```

Fig 6. – A private contract. The private token is displayed only once.

WARN Store the token securely. If you lose it there is no way to recover it – you would need to delete and re-post the contract.

5.2 How the Token System Works

The private token acts as both an unlock key and an acceptance credential.

CAPABILITY	ACTION	NOTES
Unlock	Read the full description	Enter the token when viewing details
Accept	Apply for the contract	Token required to submit

Workers without the token see the contract on the board with a `DESCRIPTION LOCKED` notice and cannot apply. To unlock, open the contract details and enter the token when prompted; the description is then decrypted and the accept action becomes available.

[6] MANAGING YOUR CONTRACTS

As a contract author you control its lifecycle. The commands `select worker`, `done`, `cancelled`, and `reopen` appear only when you are the author (or an admin).

6.1 Contract Lifecycle

COMMAND	ACTION	NOTES
<code>open</code>	Live and accepting workers	Default status on creation
<code>select worker</code>	Assign one accepted worker	Worker ID from the pool
<code>done</code>	Mark the contract completed	Requires a selected worker first
<code>cancelled</code>	Cancel the contract	Workers are not removed from pool
<code>reopen</code>	Return a cancelled job to open	Cannot reopen a done contract

TIP Done is a terminal state – a completed contract cannot be reopened or cancelled. The selected worker automatically receives +1 reputation.

6.2 Your Authored and Accepted Contracts

Choose `my authored jobs` to see all contracts you have posted, regardless of status. Choose `my accepted` to see contracts you have applied to.

[7] PRIVATE MESSAGES

All messages between users are encrypted at rest using Fernet symmetric encryption. The platform stores only ciphertext – messages cannot be read by anyone without the server master key.

7.1 How Chats Are Created

A chat between two users is created automatically when a worker accepts a contract, with a system message confirming the event. You can also start a chat manually from the chats menu with the open command and a nickname – no job is required.

```
AFTERLIFE
private freelancer terminal

[ PRIVATE MESSAGES // ENCRYPTED ]

[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
[ CHAT #0001 ] dummy
Updated      : 2026-06-17 19:24
Unread      : 1
dummy accepted your job Example Job

commands: view, send, back
(view takes a chat id from the list, or a nickname to open/start a chat)
chat@node> █
```

Fig 7. – Chat inbox showing one unread conversation.

7.2 Chat Commands

COMMAND	ACTION	NOTES
open	Start/ensure a chat with a nickname	No job acceptance needed
view	Read a conversation by chat ID	Lists all messages and marks them read
send	Send a message to a chat	Prompts for chat ID and text
back	Return to the main menu	

NOTE Opening a conversation with view lists the entire history and marks every message read in one step.



Fig 8. – Chat view. System messages are shown in yellow; user messages show sender and time.

7.3 Message Rules

RULE	VALUE
Max length	128 characters per message
Character set	Letters, digits, spaces, common punctuation
Rate limit	10 messages per 30 seconds per session
Encryption	All bodies encrypted at rest with Fernet
Blocked users	No messages to/from users in a block relation

[8] THE COMMUNITY FORUM

The forum is a simplified, MyBB-style community board – a single flat board of text threads with comments. Reach it from the main menu with the forum command. Thread titles, bodies, and comments are encrypted at rest exactly like job and chat content.

8.1 Browsing Threads

The forum board lists every thread with its ID, title, author, reply count, and last activity, ordered by most recent activity. Available commands are view, create, search, and back.

```
AFTERLIFE
private freelancer terminal

[ FORUM // COMMUNITY BOARD ]
text-only threads – no emoji, no images

[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
[ THREAD #0002 ] Hello World
Author      : dummy
Replies     : 0
Last activity : 2026-06-17 19:23

[ THREAD #0001 ] Example Thread
Author      : afterlife
Replies     : 0
Last activity : 2026-06-17 19:22

commands: view, create, search, back
forum@node> █
```

Fig 9. – Forum board listing two threads.

8.2 Creating a Thread

Choose create, then enter a title and a body. Bodies may span multiple lines: type your text and finish with a single '.' on its own line, or type '/cancel' to abort.

```
AFTERLIFE
private freelancer terminal

[ FORUM // NEW THREAD ]

forbidden characters in text: ' " \ / % +
.....
title> Example Thread
body>
  (type your text; finish with a single '.' on a line, or '/cancel' to abort)
  This is a forum thread. Discuss something.
  .
[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
.....
[ OK ] Thread created.
Thread      : 1

[ press enter to continue ] █
```

Fig 10. – Creating a new thread.

8.3 Viewing a Thread and Commenting

Choose view and enter a thread ID to read the opening post and all replies. From the thread view, type comment to add a reply. Admins additionally see delete thread and delete comment.

```
AFTERLIFE
private freelancer terminal

[ FORUM // THREAD VIEW ]

[ THREAD #0001 ]

Example Thread
Author       : afterlife
Posted      : 2026-06-17 19:22
.....
This is a forum thread. Discuss something.

[ REPLIES // 1 ]
#0001 2026-06-17 19:24 dummy
This is a comment
.....

commands: back, comment, delete thread, delete comment
thread@view> 
```

Fig 11. – Thread view with the opening post and one reply.

8.4 Searching

Choose search and enter a keyword. The search matches thread titles and bodies (case-insensitive substring) and returns up to 50 results.

8.5 Forum Rules

RULE	VALUE
Thread title	1-100 characters, single line
Thread body	1-2096 characters, multi-line
Comment	1-1000 characters
Text only	ASCII text; no emoji, no images; same forbidden chars
Reputation gate	Reputation -10 or below cannot post or comment
Isolation	Threads/replies from blocked users are hidden

NOTE You can always read and search the forum, but posting and commenting require a reputation above -10. Banned users cannot post at all.

[9] REPUTATION SYSTEM


Reputation is a numerical score attached to each user reflecting their standing. It starts at 0 and changes based on ratings from other users and contract completions.

9.1 How Reputation Changes

CHANGE	TRIGGER	NOTES
+1	Contract completed	Automatic when author marks a contract done
+1	Positive rating	Another user rates you positively
-1	Negative rating	Another user rates you negatively

9.2 Rating Another User

From the main menu, choose rate. Enter the target's nickname, then choose positive or negative.



```
AFTERLIFE
private freelancer terminal

[ REPUTATION // RATE USER ]

nickname> dummy
rating [positive/negative]> positive
[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
[ OK ] Rating set to positive.

[ press enter to continue ]
```

Fig 12. – Rating a user positively.

9.3 Rating Rules

RULE	DETAIL
Cooldown	You can change a given rating once every 24 hours
Self-rating	You cannot rate yourself
Blocked users	You cannot rate users in a block relation with you
Banned users	Banned users cannot be rated
Min rep capped	A job's min reputation cannot exceed the author's own

NOTE Moderators are alerted automatically when a single user receives more than five negative ratings within 24 hours, to detect coordinated brigading.

[10] BLOCK LIST

Blocking a user filters them from your experience across the entire platform. Blocks are bidirectional – both parties are affected.

10.1 What Blocking Does

AREA	EFFECT
Job board	Their contracts are hidden from your board
Messages	You cannot send or receive messages with them
Contracts	You cannot accept each other's contracts
Forum	Their threads and replies are hidden from you
Ratings	You cannot rate each other
History	Existing messages and ratings are not deleted

10.2 Blocking and Unblocking

From the main menu, choose blocks. Use block and unblock with a target nickname. Admin accounts cannot be blocked.

[11] ADMIN & MODERATION

Admin accounts have moderation powers. These commands appear only for admins and every moderation action is recorded in the server audit log with the actor, the target, and any affected thread, comment, or job IDs.

11.1 Banning a User

From the main menu, choose ban and confirm. A ban is permanent: the user is removed from all worker pools, any open-job selections pointing at them are cleared, and their active sessions are terminated. Their existing content remains.

```
AFTERLIFE
private freelancer terminal

[ ADMIN BAN // PERMANENT ACTION ]

nickname to ban> dummy
ban dummy permanently? [yes/no]> yes
[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
[ OK ] User banned permanently.

[ press enter to continue ] █
```

Fig 13. – Banning a user permanently.

11.2 Wiping a User

Choose wipe for a heavier action. A wipe bans the account and deletes all of its jobs, threads, and comments, while preserving the account row itself and existing chats. The confirmation reports how many items were removed.

```
AFTERLIFE
private freelancer terminal

[ ADMIN WIPE // PURGE CONTENT ]

wipe = ban the account AND delete all of its jobs, threads, and comments.
the account row itself and existing chats are preserved.
.....
nickname to wipe> dummy
wipe dummy (ban + delete all their jobs/threads/comments)? [yes/no]> yes
[proxychains] Strict chain ... 127.0.0.1:9050 ... vezskjyn3ot67igko2w3hsrty6jidww4v64soryakhwd72br6iwoj5qd.onion:2077 ... OK
[ OK ] User wiped and banned. Removed jobs=0 threads=1 comments=1.

[ press enter to continue ] █
```

Fig 14. – Wiping a user. The summary shows removed jobs, threads, and comments.

11.3 Deleting Content

COMMAND	WHERE	NOTES
delete	Contract detail view	Permanently deletes a contract
delete thread	Forum thread view	Removes the thread and its comments
delete comment	Forum thread view	Removes a single comment by ID

NOTE Admin accounts cannot be banned or wiped, and cannot be blocked by other users.

[12] COMMAND REFERENCE

A complete reference of the commands available at each menu prompt.

AUTH GATEWAY (auth@gateway>)

COMMAND	ACTION	NOTES
login	Log in with nickname and password	
register	Create a new account	Nickname 3-12, password 8-64
quit	Exit the client	Also: exit

MAIN MENU (afterlife@node>)

COMMAND	ACTION	NOTES
open jobs	Browse open contracts	Also: open
done jobs	Browse completed contracts	Also: done
cancelled jobs	Browse cancelled contracts	Also: cancelled
create job	Post a new contract	Also: create
job details	View a contract by ID	Also: details
my authored jobs	Contracts you posted	Also: my jobs
my accepted	Contracts you applied to	Also: accepted
profile	Your identity and reputation	
rate	Rate another user	
blocks	Manage your block list	
chats	Private encrypted messages	
forum	Community board	
ban	Ban a user	Admin only
wipe	Ban and purge a user's content	Admin only
logout	End session, return to auth	
quit	Exit the client	Also: exit

CONTRACT DETAIL VIEW (contract@view>)

COMMAND	ACTION	NOTES
back	Return to previous screen	
accept	Apply for the contract	Visible when eligible
withdraw	Withdraw your application	Visible if you applied
select worker	Choose a worker from the pool	Author/admin only

COMMAND	ACTION	NOTES
done	Mark contract completed	Author/admin, needs a worker
cancelled	Cancel the contract	Author/admin only
reopen	Re-open a cancelled contract	Author/admin only
delete	Permanently delete the contract	Admin only

CHAT MENU (chat@node>)

COMMAND	ACTION	NOTES
open	Start/ensure a chat by nickname	Returns the chat ID
view	Read a conversation by chat ID	Marks messages read
send	Send a message	Prompts for chat ID and text
back	Return to main menu	

FORUM MENU (forum@node>)

COMMAND	ACTION	NOTES
view	Open a thread by ID	Shows opening post and replies
create	Start a new thread	Title + multi-line body
search	Search threads by keyword	Matches titles and bodies
back	Return to main menu	

THREAD VIEW (thread@view>)

COMMAND	ACTION	NOTES
comment	Reply to the thread	Requires reputation above -10
delete thread	Delete the whole thread	Admin only
delete comment	Delete a comment by ID	Admin only
back	Return to the forum board	

BLOCKS MENU (blocks@node>)

COMMAND	ACTION	NOTES
block	Block a user by nickname	
unblock	Remove a block	
back	Return to main menu	

OPSEC For operational security: never share your session token, private tokens, or .onion address on clearnet channels. Always connect through Tor. Never reuse passwords from other services.

