



SYNERGY TELECOM PVT LTD

(VHF/UHF Two Way Radio Antena)



01



02



03



04



05



06



07



08



09



10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-378G	400-520MHz	2.15dBi	SMA-Female	80mm
02	SD-V85	VHF/UHF/868MHz	8dBi	TNC	150mm
03	SD-M800	400-868MHz	2.5dBi	TNC	165mm
04	SD-GP300V	136-174MHz	1.8dBi	MOTO/MX/PL	110mm
05	SD-GP300U	400-520MHz	2.15dBi	MOTO/MX/PL	90mm
06	SD-TK2107S	400-520MHz	2.15dBi	SMA-Male	160mm
07	SD-SC278	136-174MHz	1.8dBi	TNC	150mm
08	SD-TK3207	400-520MHz	1.8dBi	SMA-Female	130mm
09	SD-VX160S	400-520MHz	2.15dBi	SMA-Male	90mm
10	SD-TK2107S	400-520MHz	2.15dBi	SMA-Male	160mm

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



01



02



03



04



05



06



07



08



09




10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-GP3688U	400-520MHz	2.15dBi	MOTO/MX/PL	170mm
02	SD-GP3688V	136-174MHz	1.8dBi	MOTO/MX/PL	170mm
03	SD-TK3107	400-520MHz	2.15dBi	SMA-Female	160mm
04	SD-TK2217	136-174MHz	1.8dBi	SMA-Female	170mm
05	SD-SC66/88	VHF or 66-88MHz	1.8dBi	SMA-Male	213mm
06	SD-TK2207	136-174MHz	1.8dBi	SMA-Female	110mm
07	SD-F21	400-520MHz	2.15dBi	I-COM	160mm
08	SD-TK3217	400-520MHz	2.15dBi	SMA-Female	170mm
09	SD-F11	136-174MHz	1.8dBi	I-COM	160mm
10	SD-V8	136-174MHz	1.8dBi	BNC	150mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(VHF/UHF Two Way Radio Antena)



01



02



03



04



05



06



07



08



09



10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-RH771-N	27MHz	3.52dBi	BNC/TNC	540mm
02	SD-SRH519	144/430MHz	2.5/3.5dBi	SMA-Male	358mm
03	SD-SRH771S	144/430MHz	2.5/3.5dBi	BNC	380mm
04	SD-CS3	CB,VHF,UHF,V/U, 800/900MHz,WIFI,4G,5.8GHz	3.5/5.5dBi	BNC/SMA/TNC	315mm
05	SD-CS2	144/430MHz	3.5dBi	SMA-Female	330mm
06	SD-CS1	144/430MHz	3.5/5.5dBi	SMA Female	460mm
07	SD-SRH805S	144/430MHz	1.8/2.15dBi	SMA	50mm
08	SD-SRJF10	144/430MHz	1.8/2.15dBi	SMA-Male	70mm
09	SD-SD006	GSM/4G/LTE	2.5dBi	SMA-Male	60mm
10	SD-SD008	144/430MHz	1.8/2.5dBi	SMA-Female	163mm

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



01



02



03



04



05



06



07



08



09



10



11



12

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-RH775B	144/430MHz	2.15dBi	SMA-Male	110/410mm
02	SD-RH775S	144/430MHz	2.15dBi	SMA-Female	110/410mm
03	SD-RH771	144/430MHz	2.5/3.5dBi	BNC/TNC/SMA	380mm
04	SD-SCBXZ	144/430MHz	2.5dBi	TNC	170/450mm
05	SD-NH331	20-1000MHz	2.0dBi	BNC	190/1050mm
06	SD-RH770	144/430MHz	3.5/5.5dBi	BNC	215/920mm
07	SD-SCFPLG10	136-174MHz	3.5dBi	BNC	190/1150mm
08	SD-SCFPLG7	136-174MHz	2.5dBi	SMA-Female	170/600mm
09	SD-SCBDZ	136-174MHz	3.5dBi	BNC	220/1100mm
10	SD-SCHZT	136-174MHz	3.5dBi	BNC	200/900mm
11	SD-AL800	144/430MHz	3.2/5.6dBi	BNC	220/850mm
12	SD-669CR	136-174MHz	2.0dBi	SMA-Female	200mm

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(VHF/UHF Two Way Radio Antena)



01



02



03



04




05



06



07



08

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-FME66	64-74MHz	2.52dBi	FME connector	480mm
02	SD-VX150	136-174MHz	1.8dBi	SMA-Male	170mm
03	SD-SC14	400-520MHz	2.15dBi	SMA-Female	150mm
04	SD-MTP3150	380-430MHz GPS	1.8dBi	Suitable for MOTOROLA Tetra Radio MTH800 MTP85	55mm
05	SD-TPA-AN011	400-520MHz	2.15dBi	Tait (SMA)	160mm
06	SD-XPR3500	136-174MHz	1.8dBi	MOTO/MX/PL	150mm
07	SD-HT2000	136-174MHz	1.8dBi	MOTO/MX/PL	190mm
08	SD-GTH	136-174MHz	1.8dBi	BNC	160mm

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(WIFI/2.4G/5.8G Antena)



01

02

03

04

05

06

07

08

09



10



11



12



13



14



15

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SDW20	698-2700MHz	6dBi	SMA/M or RP SMA/M	200mm
02	SDW16	2.4GHz/5GHz	7dBi	SMA	160mm
03	SDW15	2400-2500MHz	2.5dBi	SMA connector	150mm
04	SDW17	2400-2500MHz	3.5dBi	SMA connector	170mm
05	SDW21	2400-2500MHz	5.5dBi	SMA connector	210mm
06	SDW38	2400-2500MHz	9dBi	SMA connector	380mm
07	SDW38B	2400-2500MHz	9dBi	SMA connector	380mm
08	SDW40	2400-2500MHz	12dBi	SMA connector	400mm
09	SDMI01	2.4GHz/5GHz	6/8dBi	N-Female*4	750mm
10	SDW2.5A	2400-2500MHz	1.0dBi	SMA connector	25mm
11	SDW2.5	2400-2500MHz	1.0dBi	SMA connector	25mm
12	SDW5XLJ	2400-2500MHz	1.5dBi	SMA connector	50mm
13	SDW5	2400-2500MHz	1.5dBi	SMA connector	50mm
14	SDW11	2400-2500MHz	2.5dBi	SMA connector	110mm
15	SDW15-D	2.4 / 5G	7.0dBi	SMA	150mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(CB Mobile Antena)



(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-AT1200	26-28MHz	4dBi	UHF/PL259	1200mm
02	SD-T3	27MHz	2dBi	UHF/PL259	740mm
03	SD-ALAN9	26-28MHz	4dBi	UHF/PL259	1500mm
04	SD-SUPER9	26-28MHz	4dBi	UHF/PL259	1400mm
05	SD-SNAKE27	26-28MHz	2dBi	UHF/PL259	1125mm
06	SD-147	27MHz or 136-174MHz	4dBi	UHF/PL259	>1200mm
07	SD-ML145	26-28MHz	4dBi	UHF/PL259	1400mm
08	SD-P-600	27MHz	3.5dBi	PL259	1250mm
09	SD-TURBO1000	26-28MHz	3.0dBi	PL259	1150mm
10	SD-MICRO 30 MAG	26-28MHz	2.5dBi	PL259	310mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-T3-N130	27MHz	2.0dBi	UHF/PL259	710mm
02	SD-27D-95	27MHz	2.5dBi	PL259	700mm
03	SD-27M-95	27MHz	2.5dBi	PL259	750mm
04	SD-R27S	27MHz	2.0dBi	BNC/SMA Male	250mm
05	SD-N60	26-55MHz	2.5dBi	PL259	1410mm
06	SD-CB82 MAG	27MHz	2.5dBi	UHF/PL259	740±10mm
07	SD-T3MAG125	27MHz	2.0dBi	UHF/PL259	740±10mm
08	MINI SNAKE 27 MAG	27MHz	2.15dBi	SMA-Female	650mm
09	SD-CB-2F/3F	27MHz	3.5dBi	M10	2feet/3feet
10	SD-CB-2F/3F	27MHz	3.5dBi	M10	2feet/3feet

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



(Mobile Antena)



(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD90VU	144/430MHz	2.5 / 3.5dBi	SMA.etc	490mm
02	NL-R2	144/430MHz	2.5 / 3.0dBi	PL259	385mm
03	SD90V	136-174MHz	3.5dBi	SMA.etc	550mm
04	SD30VU	144/430MHz	2.5 / 3.5dBi	PL259.etc	500mm
05	SDMR77S	144/430MHz	2.5 / 3.5dBi	PL259.etc	495mm
06	SDD11-433M	433/868/WIFI	2.5dBi	SMA/RP SMA	110mm
07	SD433M	433 or 868MHz	5dBi	SMA.etc	170mm
08	SD90GSM7	900/1800MHz	7.5dBi	SMA.etc	370mm
09	SD90GSM	800-1900MHz	5.5dBi	SMA.etc	320mm
10	SD90-RH771	144/430MHz	3.5dBi	SMA.etc	390mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-MIR	450-520MHz	3dBi	PL259	275mm
02	M150-GSA	136-174MHz	3dBi	PL259	520mm
03	M150	136-174MHz	3dBi	PL259	520mm
04	PO150	136-174MHz	3.5dBi	PL259	1100mm
05	MC200	340-520MHz	3.4dBi	PL259	570mm
06	MC101	134-174MHz	3.4dBi	PL259	1420mm
07	SD-JSD4	144/430MHz	2.5 / 3.5dBi	PL259	500mm
08	SD-R2	144/430MHz	2.15 / 2.5dBi	PL259	385mm
09	SD-MC101J	134-174MHz	3.4dBi	PL259	1420mm
10	SDS136F	136-174MHz	5.5dBi	PL259	1490mm

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Mobile Antena)



(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-MC200S	136-174MHz	3.4dBi	PL259	1410mm
02	SD-438V	136-174MHz	3.4dBi	PL259	1350mm
03	SD-438VU	144/430MHz	3.0 /5.5dBi	PL259	800mm
04	SD-HF-1	7-50MHz	3.5dBi	PL259	1300mm
05	SD-HF-3	3-50MHz	3.5dBi	PL259	1300mm


WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN




SYNERGY TELECOM PVT LTD



01



02



03



04



05



06



07

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-770R	144/430MHz	2.15 /5.5dBi	PL259	960mm
02	SD-770S	144/430MHz	3.0 /3.5dBi	PL259	500mm
03	NL-770H-MAG	144/430MHz	3.0/5.5dBi	PL259	1020mm
04	SDXGP-B60	144/430MHz or 4G	3dBi	NMO	90mm
05	SDXGP-W60	144/430MHz or 4G	3dBi	NMO	90mm
06	SDXGP-Y60	144/430MHz or 4G	3dBi	NMO	90mm
07	SDXGP-R60	144/430MHz or 4G	3dBi	NMO	90mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Mobile Antenna w. Heavy Duty Spring)



01

02

03

04

05

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SD-4780BSD	477MHz	6.5dBi	SMA / FME	1070mm
02	SD-4755B0.6	698-2700MHz	6.5dBi	SMA / FME	730mm
03	SD-4755S0.6	698-2700MHz	6.5dBi	SMA / FME	730mm
04	SD-ER450	477MHz	6.0dBi	SMA / FME	810mm
05	SD-ER450B	477MHz	6.0dBi	SMA / FME	810mm


WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



06

07

08

09

10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
06	ER450-GSM	900/1800MHz	5.5dBi	SMA-Male	600mm
07	SD4760-B	477MHz or 4G	6.5dBi	FME/F or SMA/M	1065mm
08	SD4780-BBS	477MHz	6.5dBi	FME/F or SMA/M	1075mm
09	SD4780-WBS	477MHz	6.5dBi	FME/F or SMA/M	1075mm
10	SD4760-W	477MHz	6.5dBi	FME/F or SMA/M	1065mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Magnet Base for Mobile Antenna)



01



02



03



04



05



06



07



08



09

(No)	(Model)	(Mounting)	(Description)
01	SD150M	Magnetic	Dia. 150mm / M8
02	SD150	Magnetic	Dia. 150mm / SO239
03	SD60NMO	Magnetic	Dia. 60mm / NMO
04	SD90B-DW	Magnetic	Dia. 90mm / Counterpoise
05	SDT3M	Magnetic	Dia. 95mm / Adjust
06	SD90	Magnetic	Dia. 90mm / SO239
07	SD120SIRIO	Magnetic	Dia. 120mm / SO239
08	SD110	Magnetic	Dia. 110mm / SO239
09	SD90SMA	Magnetic	Dia. 90W. SMA-Female

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



10



11



12



13



14



15



16



17



18

(No)	(Model)	(Mounting)	(Description)
10	SD390SL16-K	Magnetic	Dia.90mmX3
11	SD170	Magnetic	Dia.170mm
12	SD150A	Magnetic	Dia.150 Adjust
13	SD110N	Magnetic	Dia.170W.N-Male
14	SD120A SIRIO	Magnetic	Dia.120 Adjust
15	SD390	Magnetic	Dia.90mmX3
16	SD90BK	Magnetic	Dia.90mm bracket
17	SD150NMO-DW	Magnetic	Dia.150mm/counterpoise
18	SD-NEW-3-CABLE		SO239 CABLE

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Bracket Mobile for Mobile Antenna)



01



02



03



04



05



06



07



08



09

(No)	(Model)	(Mounting)	(Description)
01	SD-T3 base	Trunk	Hole Dia.12.5mm
02	SD400B	Trunk	Tilt Angle Adjust
03	SD400S	Trunk	Tilt Angle Adjust
04	SDBK	Trunk	Tilt Angle Adjust
05	SDK33S	Trunk	Tilt Angle Adjust
06	SDEM90	Trunk	Tilt Angle Adjust
07	SD402B	Trunk	3-axis.adjust
08	SD402S	Trunk	3-axis.adjust
09	SD90BK	Magnetic	Dia.90mm bracket

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349


EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



10



11



12



13



14



15



16



17



18

(No)	(Model)	(Mounting)	(Description)
10	SDKYD	Trunk	Tilt Angle Adjust
11	SD401	Trunk	Tilt Angle Adjust
12	SDEM80	Trunk	Tilt Angle Adjust
13	SD-K66	Bracket	Stainless steel, guard against theft
14	SD-K77	Bracket	Easy installed by hand
15	SD407	Trunk	
16	SD-NM-LB	NMO	Adapter with 3/8" Hole bracket
17	SD-SK412	Bracket	2-axis adjustable, compact&heavy duty type
18	SD-EM81	Bracket	2-axis adjustable, compact&heavy duty type

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Magnet Base w. NMO Connector)



(No)	(Model)	(Mounting)	(Description)
01	SD-NMXGP1	NMO	144/430MHz or 4G 39.5×90mm
02	SD-YC2	NMO	144/430MHz or 4G 39.5×90mm
03	SD-NMO-NF	NMO	NMO 3/4"to N-female
04	SD-NM-LB	NMO	Adapter with 3/8" Hole bracket
05	SD-NM150	NMO	Dia:150mm
06	SD-NM90	NMO	Dia: 90mm
07	SD-NM120	NMO	Dia:120mm
08	SD-NM390	NMO	3 point magmount
09	SD-NC1-3/4	NMO	NMO 3/4" with cable
10	11SD-NC1-3/8	NMO	NMO 3/8" with cable
11	SD-NC2	NMO	with 4m RG58 cable
12	SD-NC1-Alloyed	NMO	Alloyed 3/4" with cable

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Mobile Antenna w. NMO connector)



01

02

03

04

05

06

07

(No)	(Model)	(Frequency)	(Gain)	(Mounting)	(Length)
01	SD-N27	27/50/70MHz	2.5dBi	NMO	500mm
02	SD-N1	136-940MHz	2.5dBi	NMO	490mm
03	SD-N1-1	136-174MHz	2.5dBi	NMO	550mm
04	SD-N3	400-520MHz	5.5dBi	NMO	890mm
05	SD-N2	136-174MHz	3.5dBi	NMO	500mm or 1310mm
06	SD-N2-V	136-174MHz	3.0dBi	NMO	500mm or 1310mm
07	SD-N4	136-174MHz	3.5dBi	NMO	1360mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Marine Antenna)



01

02

03

04

05

06

07



08



09



10



11

(No)	(Model)	(Frequency)	(Gain)	(Length)
01	SD-MRF0.6	700-2700MHz	6-10dBi	600mm
02	SD-MRS3	156-163MHz	3.5dBi	1200mm
03	SD-MRS136	136-174MHz	3.5dBi	1100mm
04	SD-MRF27IN0X	24.5-29.5MHz	3.0dBi	1120mm
05	SD-MRS140/176	156-163MHz	6.5dBi	990mm
06	SD-MRF120C	156-163MHz	4.0dBi	1200mm
07	SD-MRF1.25V	159MHz	3.5dBi	1250mm
08	SD-MRF003	1575 ± 5MHz	>28dBi	96×96×127mm
09	SD-MRF001			Abs 4-way Ratchet Marine mount with Standard 1" -14 male threads
10	SD-MRF002			Gasting Heavy Duty 4-way Ratchet Marine mount with Standard 1"-14 male threads and stainless steel material with mirror housing
11	SD-MRF021	156-163MHz	3.0dBi	220mm


WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



(No)	(Model)	(Frequency)	(Gain)	(Length)
01	SD-MRF6	156-163MHz	3.5dBi	1000mm
02	SD-MRF105V	156-163MHz	3.5dBi	1050mm
03	SD-MRF110V	156-163MHz	4.0dBi	1100mm
04	SD-MRF130V	156-163MHz	3.0dBi	1300mm
05	SD5208N	156-163MHz	6.5dBi	1535mm
06	SD-MRF170V	156-163MHz	4.5dBi	1700mm
07	SD-MRF240C	156-163MHz	6.5dBi	2400mm
08	SD-MRF240V	156-163MHz	6.5dBi	2400mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(V/UHF Fixed Station Antenna)



(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SDBF0.6-L	V/UHF/WIFI/4G	8dBi	N-Female	600mm
02	SDBF130VF	VHF or UHF	3.5dBi	UHF-Female / N-Female	1300mm
03	SDX30	144/430MHz	3.5 / 5.5dBi	UHF-Female / N-Female	1300mm
04	SDX50	144/430MHz	4.5 / 7.2dBi	UHF-Female / N-Female	1700mm
05	SDBC100	134-174MHz	4.5dBi	UHF-Female / N-Female	1700mm
06	SDBC200	430-490MHz	6.5dBi	UHF-Female / N-Female	1700mm


WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



(No)	(Model)	(Frequency)	(Gain)	(Description)	(Length)
07	SDBF250VF	VHF or UHF	6.5 or 8.5dB	UHF-F VHF or UHF full band	2500mm
08	SDX250	VHF or UHF	6.5 or 8.5dB	UHF-F 5MHz / 10 MHz	2500mm
09	SDBF170GS	GSM or 1090MHz	12dBi	N-Female	1700mm
10	SD-X5000	144-430-1200MHz	4.5/8.3/11.7dBi	UHF-F three section	1600mm
11	SDF22	144-174MHz	6.7dBi	UHF-F two section	3200mm
12	SDBA27	66-88MHz	5.5dBi	aluminium alloy	3200mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(V/UHF Fixed Station Antenna)



(No)	(Model)	(Frequency)	(Gain)	(Description)	(Length)
01	SDX510M	144/430MHz	8.4/11.7dBi	UHF-F three section	5200mm
02	SD-F23	144-174MHz	4.5dBi	UHF-F three section	4500mm
03	SD-V2000	50-144-430MHz	2.5/6.2/8.4dBi	UHF-F three section	2350mm
04	SDBF4.0U	400-470MHz	10.5dBi	two section 10MHz width	4000mm
05	SDBF4.0V	136-174MHz	8.5dBi	UHF-F bandwidth 5MHz	4000mm


WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



06

07

08

09

10

(No)	(Model)	(Frequency)	(Gain)	(Description)	(Length)
06	SDBF220V	136-174MHz	6.5dBi	UHF-F bandwidth 5MHz	2200mm
07	SDBF220U	400-470MHz	8.5dBi	UHF-F bandwidth 5MHz	2200mm
08	BC101	144-174MHz	3.5dBi	UHF-F 5/8wave GP	1500mm
09	CP-22E	144-174MHz	6.5dBi	2×5/8wave adjustable	2700mm
10	SDF23H	144-174MHz	8.7dBi	UHF/N-F three section	5200mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(V/UHF Fixed Station Antenna)



(No)	(Model)	(Frequency)	(Gain)	(Description)	(Length)
01	SD-VX4000	144/430/1200MHz	2.6/5.8/9.2dBi	N-Female	1400mm
(No)	(Model)	(Frequency)	(Gain)	(Description)	(Length)
03	SDBC100S	115-174MHz	4.5dBi	UHF-Female / N-Female	1700mm
04	SD-X50D	144/430MHz	4.5/7.2dBi	UHF-Female / N-Female	1700mm
05	SD-BF250VF	VHF or UHF	6.5 or 8.5dBi	UHF-F VHF or UHF full band	2500mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



01



02



03



TL-2



TL-4



TL-1



TL-3

(No)	(Model)	(Frequency)	(Gain)	(Description)	(Length)
01	SDD130	25-1300MHz	3.5dBi	50/144/430/904/1200MHz	1700mm
02	SDBZL	136-174MHz or 400-470MHz	10/15dBi	4 dipole antennas	6M(VHF), 2.2M(UHF)
03	SDBA4	136-174MHz or 400-470MHz	10/15dBi	4 dipole antennas	6M(VHF), 2.2M(UHF)

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(GPS Antenna)



01



02



03



04



05



06



07



08



09

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Max. power)
01	SD-GPS005	1575.42MHz	28dBi±3dBi	TNC/BNC/SMA/MCX	5W
02	SD-GPS002-WO	1575.42MHz±3MHz	28dBi±3dBi	SMA/SMB/MCX/BNC	5W
03	SD-GPS004	1575.42MHz	28dBi	SMA-Male	5W
04	SD-GPS005-MAG	1575.42MHz	28dBi±3dBi	TNC/BNC/SMA/MCX	5W
05	SD-GPS003	GSM / GPS	28dBi	Two SMA-Male	5W
06	SD-GPS003-3	GSM / GPS / 4G	28dBi	Three SMA-Male	5W
07	SD-GPS001	1575.42MHz	28dBi	SMA-Male	5W
08	SD-GPS002	1575.42MHz	28dBi	SMA-Male	5W
09	TLGPSM2	1575.42MHz/4G	28dBi/3dBi	FAKRA-C	5W

WZ-47, BASEMENT, BUDDHELLA VILLAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(4G/5G Antenna)



01



02



03



04



05



06



07



08



09



10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Description)
01	SDBF25/4G	698-2700MHz	12dBi	N-Female	Full band , High gain
02	SDBF25/4G-SS	698-2700MHz	12dBi	N-Female	Full band , High gain
03	SDBF25/4G-MAG	698-2700MHz	12dBi	N-Female	with magnetic base
04	SDBF25/4G-SS-S	698-2700MHz	12dBi	N-Female	with spring base
05	SDXGP-B	698-2700MHz	3dBi	NMO	Popular Type with 90mm magnetic base
06	SDSYNM90-4G	698-2700MHz	3dBi	NMO	New Fashion Design with 90mm magnetic base
07	SDXGP-VU	698-2700MHz	3.5dBi	NMO	Popular Type with 60mm magnetic base
08	SDSY-4G	698-2700MHz	4.5dBi	NMO or N female	New Fashion Design
09	SDMIMO6	600-6000MHz	6.5dBi	4*SMA-Male	4-7port optional
10	SDYL2/4G-2	698-2700MHz	12dBi	N-Female	N-Female with Cable of 200mm length

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(4G/5G Antenna)



01



02



03



04



05



06



07



08



09




10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	TLBF60/4G	698-2700MHz	6.5dBi	N-Female	600mm
02	TLBF60SS	698-2700MHz	6.5dBi	FME	730mm
03	TLBF60SB	600-6000MHz	6.5dBi	FME	850mm
04	TLBF60EJG	698-2700MHz	6.5dBi	N-Male	850mm
05	TLBF60-MAG39	698-2700MHz	6.5dBi	N-Male	600mm
06	TL45-7D/4G	698-2700MHz	7.5dBi	SMA-Male/BNC/TNC	300mm
07	TLGP01	600-6000MHz	4.5dBi	SMA-Male	550mm glass patch
08	TLBF23/4G	698-2700MHz	4.5dBi	N-Male	230mm
09	TLBF0.3-4G	698-2700MHz	3dBi	N Male	300mm
10	TLBF80/5G	600-6000MHz	7.5dBi	SMA-Male	850mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



01



02



03



04



05



06




07



08



09



10




11

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SDD21/4G	698-2700MHz	5.5dBi	TNC/BNC/SMA	210mm
02	SDD28C/4G	698-2700MHz	7.5dBi	TNC/BNC/SMA	280mm
03	SDD28/4G	698-2700MHz	5.5dBi	TNC/BNC/SMA	280mm
04	SDD11/4G	698-2700MHz	2.5dBi	SMA-Male/RP-SMA-Male	110mm
05	SDD2.5A/4G	698-2700MHz	1.0dBi	SMA-Male/RP-SMA-Male	25mm
06	SDD2.5D/4G	698-2700MHz	1.0dBi	SMA connector	25mm
07	SDXLJ/4G	698-2700MHz	2.5dBi	SMA connector	50mm
08	SDD5/4G	698-2700MHz	2.5dBi	SMA connector	50mm
09	SDJSD6	698-2700MHz	2.5dBi	SMA Female	110mm
10	SDWM4/4G	698-2700MHz	14dBi	N-Female	210x180x44mm
11	SDXD3/4G	698-2700MHz	3.5dBi	N-Female	167x100mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



(LoRa Antenna)



01



02



03



04



05



06



07



08



09



10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SDBF60	433 or 868MHz	6.5dBi	N-Female	600mm
02	SD90-GSM-7	900 / 1800MHz	7dBi	SMA	370mm
03	SD90-GSM-5	900 / 1800MHz	5dBi	SMA	320mm
04	SD868T	433 or 868MHz	5.5dBi	SMA	170mm
05	SDXP5	868MHz or GSM	3.5dBi	SMA-Male	50mm
06	SDVX160S	433 or 868MHz	2.5dBi	SMA-Male	90mm
07	SD3688B	433 or 868MHz	2.5dBi	SMA/BNC/TNC	90mm
08	SD669CB	433 or 868MHz	2.5dBi	SMA/BNC/TNC	170mm
09	SD868	433 or 868MHz	3.5dBi	SMA	120mm
10	SD868L	433 or 868MHz	3.0dBi	TNC	225mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



01



02



03



04



05



06




07



08



09



10

(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SDVX160L	433 or 868MHz	2.5dBi	SMA-Male	165mm
02	SDD21	433 or 868MHz	5.5dBi	SMA-Male	210mm
03	SDD11	433 or 868MHz	2.5dBi	SMA	110mm
04	SD868MB93	433 / 868MHz	5.5dBi	SMA	113mm
05	SD868MD11	433 / 868MHz	5.5dBi	SMA	113mm
06	SD433/868M	433 or 868MHz	5.5dBi	SMA	170mm
07	SDT4	433 or 868MHz	3.5dBi	SMA	15*19mm
08	SD433ALAN	433 or 868MHz	3.5dBi	SMA	175mm
09	SD669C	433 or 868MHz	3.5dBi	SMA	80mm
10	SDBF250	433 or 868MHz	10.5dBi	N-Female	2500mm

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018


PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Yagi Antenna)




(No)	(Model)	(Frequency)	(Gain)	(Connector)	(Length)
01	SDYV1	136-174MHz	2.15dBi	1	
02	LYV1(BLACK)	136-174MHz	2.15dBi	1	
03	SDY400B/3	400-470MHz	7dBi	3	
04	SDY88/108F	88-108MHz	2.15dBi	1	Full band type
05	SDY900B/4	890-960MHz	8dBi	4	Aluminium Alloy weld
06	SDY145/435	144/430MHz	9.5/11.5dBi	5	Sliver


WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018
PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349
EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN




SYNERGY TELECOM PVT LTD




01




02




03



04



05



06

(No)	(Model)	(Frequency)	(Gain)	(Element)	(Note)
01	SDY400B/7	400-470MHz	10dBi	7	Aluminium Alloy weld
02	SDY860/960B-12	400-470MHz	13dBi	12	Aluminium Alloy weld
03	SDY900B/7	890-960MHz	10dBi	7	Aluminium Alloy weld
04	SDY400G/6	406-430MHz	10dBi	6	Aluminium Alloy weld
05	SDY400B/10	763-860MHz	8dBi	10	Aluminium Alloy weld
06	SDY400G/3	400-470MHz	7dBi	3	

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018





PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Yagi Antenna)



(No)	(Model)	(Frequency)	(Gain)	(Element)	(Note)
01	SDYV3	136-174MHz	7dBi	3	Sliver 5MHz
02	SDYV5	136-174MHz	9dBi	5	Center Fre 5MHz
03	SDY88/108A	88-108MHz	2.15dBi	1	Tunable type
04	SDY220-235	220-235MHz	12dBi	10	
05	SDYV5B	136-174MHz	9dBi	5	Black 5MHz
06	SDY450B/5	430-470MHz	9dBi	5	Aluminium Alloy screwed

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Connectors)



SMA-Male/UHF-Female



RP-SMA-Male



RP-SMA-Female



SMA-Male/BNC-Male



SMA-Male/BNC-Female



SMA-Male/N-Female



SMA-Male/N-Male



SMA-Male/UHF-Male



SMA-Male/TNC-Female



SMA-Male/TNC-Male



SMA-Female/UHF-Female



SMA-Female/UHF-male



SMA-Female/TNC-Male



UHF-Male/N-Male



N-Female/UHF-Male



SMA-Male



SMA-Male/BNC-Female



SMA-F(pcb2)



SMA-Male



SMA-F(pcb1)

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Connectors)



SMA-Male(right angle)



SMA-Female



SMA-Male(right angle)pcb2



SMA-Female/BNC-Male



UHF-Male1



UHF-Male2



UHF-Male



FME-Male/SMA-Male



SMA-Male(right angle)pcb1



UHF-Female1



BNC-Male



BNC-Female1



BNC-Female2



TNC-Male



TNC-Female1



N-Male1



N-Female1



MINI UHF-M/UHF-Femlae



BNC-Male/UHF-Female




BNC-Female

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



TNC-Male/N-Female



TNC-Female2



N-Male/TNC-Female



N-Male / N-Male



N-Male/N-Female



N-Male/FME-Male



N-Male/FME-Female



N-Male/MCX-Male



N-Male/F-Female



UHF-Female(pcb)



UHF-Female to UHF-Female



UHF-Female/UHF-Male



BNC-M/RP-SMA-M



N-Male2



N-Female2



N-Female4



N-Female



N-Female/FME-Female



FME-Female



N-Female3

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD

(Connectors)



MINI UHF-Male



MINI UHF-Female



TS9



CRC9



N-Female/FME-Male



FME-Male



FME-Female/SMA-Male



MCX(right angle)



MCX-Male(pcb)



MCX-Male/SMA-Male



MCX-Female(pcb)



MCX-Female



MMCX



MMCX(right angle)



BNC-Male



F-Male



FME-Female



MCX



MMCX



SMA-Male

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN



SYNERGY TELECOM PVT LTD



N-Female



N-Male



SO239



TNC-Male



PL259/UHF



UFL-2



UFL



PL259 Reduced



RG174

RG58A/U

RG58U

LMR200

LMR400

RG178

RG316

RG213

RG8

(Type)	(Center conductor)	Nominal	Shield cover	Attenuation db/100ft					TEMP SP
				100MHz	400MHz	900MHz	2.4GHz	5.8GHz	
RG174	SOLID	0.110	100% Foil	8.6	15.8	22.8	39.8	64.1	-40+185C
RG58A/U	STRANDED	0.195	96%	4.9	11.5	21.0	—	—	-40+80C
RG58U	SOLID	0.195	95%	4.5	10	14	—	—	-40+80C
LMR200	SOLID .044	0.195	80% Braid 100% Felt	3.2	6	9.9	16.9	26.4	-40+85C
LMR400	Bare Copper	10.29mm	100% foil 80% Braiding	1.2	2.5	3.9	6.8	10.8	-40+85C
RG178	Solid	1.8mm	100% foil	9.9	19.7	29.9	43.8	72.6	-40+85C
RG316	SIRANGED SILVER COATED	0.098	95%	8.3	17.5	27.3	39.8	64.1	-40+200C
RG213	Bare Copper	10.29mm	100% foil 80% Braiding	3.2	6.1	10.2	16.8	27.1	-40+85C
RG8	SOLID	0.405	88% Braid 100% Foil	1.4	2.6	4.2	7.5	12	-40+80C

WZ-47, BASEMENT, BUDDHELLA VILAGE VIKAS PURI NEW DELHI - 110018

PH:- 011-28533349, MOB:- 91-7217885948, FAX:- 011-28533349

EMAIL:- INFO@SYNERGYTPL.COM, WEBSITE:- WWW.RFCONNECTOR.IN