

Portable Drone Detector with 5km range suitcase with full bands detector and Drone ID and Remote ID



Detection Frequency	70MHz-6GHz (Focus on 400MHz,850MHz,900MHz, 1.4GHz, 2.4GHz, 5.2GHz, 5.8GHz)
Detection Range	≥5 kilometers (There will be certain differences according to different environments and aircraft models)
Drone Location	With Drone ID and Drone Remote ID function
Size	Length * Width * Height: 50mm * 420mm * 220mm
Working time	Approximately 6 hours (external power supply available)
Working Temperature	-20°C~65°C



Introduction

The portable drone detector comes in a convenient suitcase form, making it highly mobile for on-the-go anti-drone needs. With a 5km detection range, it can effectively detect drones in its vicinity. The portable drone detection and positioning device is a suitcase - shaped, integrated hardware-software portable drone monitoring equipment. Through in depth analysis and data mining of drone signals, a single unit can achieve real-time detection of multi-dimensional information of drones within the detection range, including serial numbers (SN) , models, positions, speeds, heights, altitudes, take-off points, return points, flight paths, and the positions of drone operators. It can be used standalone or connected to a network. It can be deployed in seconds, is mobile and flexible, and features touch - screen operation, making it simple and easy to use.

- **Portable Design:** It comes in a suitcase form, making it highly portable and easy to carry around, which is very suitable for various scenarios that require on - site monitoring.
- **Comprehensive Information Detection:** By analyzing drone signals, a single unit can detect a wide range of multi - dimensional information about drones in real - time, providing detailed data support for anti - drone operations.

- Flexible Deployment and User Friendly: It can be used either alone or connected to a network. The second - level deployment feature allows for quick setup, and the touch - screen operation makes it accessible even for non - professional users.

Basic

Function	Descriptions
UAV detection Bands	70MHz-6GHz (Focus on 400MHz,850MHz,900MHz, 1.4GHz, 2.4GHz, 5.2GHz, 5.8GHz)
Detecting models	Over 300 types, supporting mains brands such as DJI and AUTEL, as well as FPV, DIY drones, WiFi drones, and more.
Detection Qty	≥20 drones (simultaneously)
Detection Rate	Detection rate: ≥99.99 %s
Drones Location	For UAVs with Remote ID and DJI Drone ID, can detect drones serial numbers (SN) , models, positions, speeds, heights, altitudes, take-off points, return points,
White and Blacklist	Accurate identification of target, in-depth analysis of Drones signal, the identification of Finger ID, and the black and whitelist to distinguish.(only for Drone ID or Remote ID)
Detection Range	5 km (There will be certain differences according to different environments and aircraft models)
Size	Length * Width * Height: 50mm * 420mm * 220mm
Working time	Approximately 6 hours (without external power supply available)

Product Specifications

Portable UAV Pilot Detection and Positioning Device

This portable device is designed for the detection, identification, and precise positioning of drones and their pilots. It receives the UAV' s radio signals and can directly decode information such as the drone' s model, serial number, as well as the exact GPS coordinates of the aircraft, the pilot, and the return point.

Key features include:

Compact size, lightweight, rugged and durable; easy to carry; shock-resistant and drop-proof

Low false alarm rate, wide recognition of UAV models

Capable of locating the aircraft position, pilot position, and return point of mainstream DJI drones.

Able to detect and locate most UAVs that do not actively emit electromagnetic signals (e.g., Autel, Hubsan, Hover, Feimi, FPV drones) via passive detection, offering high concealment and minimizing exposure risks.

Equipped with a rugged tablet that is water, dust, and shock resistant

Operating temperature: -20°C to +55°C

Long battery life with a high-quality built-in battery, providing extended standby time

Long detection range: effective detection distance reaches 7–10 km (actual range may vary depending on environment and UAV model)

Maximum Detection Range

More than 5 km



DJI OcuSync Series	Phantom 4 Pro V2.0
(Supports pilot	MINI2,
positioning, drone	Mini 2 SE
positioning,	Mini 3
return-to-home point	Mini 3 Pro
positioning, altitude,	Mini 4 Pro
elevation, speed, unique	Mavic Pro
serial number, drone	Mavic 2
model, unique identifier,	Mavic 2 Enterprise
spectrum fingerprint ID,	Mavic 3
frequency, and signal	Mavic 3E
quality)	Mavic 3 classic
	Mavic 3T
	Mavic 4 Pro
	Matrice 3TD
	Air 2
	Air 2S
	Air 3
	M300 RTK
	M350 RTK
	M30
	Avata



	FPV Inspire 3 and others Matrice 400 Matrice 350 RTK Matrice 4 Series Mavic 3 Enterprise Series Mavic 3 Multispectral Matrice M30 Series DJI FlyCart 30
DJI Wi-Fi Video Transmission Series (Supports detection of MAC address and SSID, frequency, bandwidth, and signal strength)	Spark Phantom 3 Series Mini, Mini SE, Air, and others
Autel Full Series (Supports detection, spectrum fingerprint ID, frequency, bandwidth, and signal strength)	EVO Lite Enterprise Series Autel Alpha EVO Max Series EVO Max 4N EVO II Enterprise V3 EVO II Dual 640T V3 EVO II RTK Series V3 EVO II Pro V3 EVO Lite Series EVO Nano Series EVO II Pro V3



Other LightBridge Video Transmission Series (Supports detection, frequency, bandwidth, and signal strength)	Autel EVO II V2 Feimi Yuneec H850 RTK, H520E Hubsan Zino Mini Black Hawk 1, and others
Wi-Fi Video Transmission Enhanced Wi-Fi Video Transmission (Supports detection of MAC address and SSID, frequency, bandwidth, and signal strength)	Tello Parrot (France) Xiaomi SJRC F11 PowerEgg (PowerVision) FPV Drones with OpenIPC 5.8G Digital Video Transmission, and others
Analog Video Transmission & Remote Controllers (Supports detection, frequency, bandwidth, and signal strength)	3.3G, 5.8G FPV Analog Video Transmission, etc. Radiomaster 915MHz ELRS Remote Controller
Detection Antenna	2.4G, 3.3G, 5.8G, 915MHz
Discover time	Within 10 seconds
Positioning accuracy	Within 10 meters



GUI graphical interface	Radar Azimuth Diagram Spectrum Diagram
GUI map display	Offline Maps Online Maps Satellite Maps
GUI information presentation	Unique Serial Number Drone Type Drone Latitude & Longitude Pilot Latitude & Longitude Return-to-Home Point Latitude & Longitude Altitude Elevation Northward Speed Eastward Speed Drone Distance Pilot Distance Drone Azimuth Pilot Azimuth Frequency Signal Strength
GPS Positioning	Support
Data transmission	Gigabit network port