

Install R package ctrdata

Ralf Herold

2025-02-15

Install package ctrdata on an R system

The R Project website (<https://www.r-project.org/>) provides installers for the R system. It can be used with software products and graphical user interfaces such as R Studio, or Microsoft R Open, or from Visual Studio Code.

General information on the `ctrdata` package is available here: <https://rfhb.github.io/ctrdata/>.

In R, execute:

```
install.packages("ctrdata")
```

For using the development version of package `ctrdata`, install from GitHub:

```
# install package under development
install.packages(c("remotes"))
remotes::install_github("rfhb/ctrdata", dependencies = TRUE, build_vignettes = TRUE)
```

Either of the above should install package `ctrdata` into the user's library.

Databases to use

At this time, a PostgreSQL, DuckDB, an SQLite or a MongoDB (local or remote) database can be used with the package `ctrdata`. A full SQLite database is provided in the R package `RSQLite`. Suggested installation instructions for PostgreSQL are [here](#) and for a local MongoDB server are [here](#); a remote MongoDB database server is accessible [here](#). See [here](#) for a speed comparison of the databases; recommended: DuckDB, PostgreSQL or MongoDB local server.

Purpose	Function call
Create SQLite database connection	<pre>dbc <- nodbi::src_sqlite(dbname = "name_of_my_database", collection = "name_of_my_collection")</pre>
Create MongoDB database connection	<pre>dbc <- nodbi::src_mongo(db = "name_of_my_database", collection = "name_of_my_collection")</pre>
Create PostgreSQL database connection	<pre>dbc <- nodbi::src_postgres(dbname = "name_of_my_database"); dbc[["collection"]] <- "name_of_my_collection"</pre>

Purpose	Function call
Create DuckDB database connection	<code>dbc <- nodbi::src_duckdb(dbname = "name_of_my_database", collection = "name_of_my_collection")</code>
Use connection with <code>ctrdata</code> functions	<code>ctrdata::{ctrLoadQueryIntoDb, dbQueryHistory, dbFindIdsUniqueTrials, dbFindFields, dbGetFieldsIntoDf}(con = dbc, ...)</code>

Attach package `ctrdata`

After completing the installation, attach the package from the user's library. This will also check the availability of the additional installation requirements as mentioned above:

```
library(ctrdata)
```

Remember to respect the registers' terms and conditions (see `ctrOpenSearchPagesInBrowser(copyright = TRUE)`). Please cite this package in any publication as follows: Ralf Herold (2025). `ctrdata`: Retrieve and Analyze Clinical Trials in Public Registers. R package version 1.20.0. <https://cran.r-project.org/package=ctrdata>