

 FullstackAcademy / jpfp-requirements Private

The requirements for JPFP.

☆ 0 stars 🍴 12 forks

☆ Star

👁 Watch ▾

<> Code

! Issues

🔗 Pull requests

▶ Actions

📁 Projects

📖 Wiki

🛡 Security

🔗 main ▾

...



ThompsonHarris formating ...

6 days ago

🕒 4

[View code](#)

README.md

JPFP

Requirements

The requirements below are broken into separate **tiers**, which model the way we **recommend you approach the project**. That is, we recommend you complete (or complete the majority of) the requirements in Tier 1 before moving on to Tier 2, and so on. Of course, if you get stuck on a particular feature, we recommend moving on and trying another feature - don't sacrifice the good for the perfect!

[See some wireframes here!](#)

Optional Boilerplates to start! 🌶

- [Spicy](#)
- [Medium](#)
- [Mild](#)

Tiers

Tier 1: All Campuses and Students (20/61)

► Details

Tier 2: Single Student and Single Campus (12/61)

► Details

Tier 3: Adding a Campus and Adding a Student (10/61)

► Details

Tier 4: Removing a Campus and Removing a Student (8/61)

▼ Details

Frontend

🔪 In the all-campus view, include an `X` button next to each campus

- Clicking the `X` button should:

🔪 Make an AJAX request that causes that campus to be removed from database

🔪 Remove the campus from the list of campuses without needing to refresh the page

🔪 In the all-students view, include an `X` button next to each student

- Clicking the `X` button should:

🔪 Make an AJAX request that causes that student to be removed from database

🔪 Remove the student from the list of students without needing to refresh the page

Backend

🔪 Write a route to remove a campus (based on its id)

🔪 Write a route to remove a student (based on their id)

Congrats! You have completed your fourth vertical slice! Make sure to `commit -m "Feature: Remove Campus and Student"` before moving on (see RUBRIC.md - points are awarded/deducted for a proper git workflow)!

Tier 5: Updating a Campus and Updating a Student (11/61)

▼ Details

Frontend

- ☒ Write a component to display a form updating *at least* a campus's name and address
- ☒ Display this component as part of the single-campus view, alongside the single campus
 - Submitting the form with valid data should:
 - ☒ Make an AJAX request that causes that campus to be updated in the database
 - ☒ Update the campus in the current view without needing to refresh the page
- ☐ In the single-campus view, display an `Unregister` button next to each of its students, which removes the student from the campus (in the database as well as this view); hint: the student is still in the database but is no longer associated with the campus
- ☒ Write a component to display a form updating *at least* a student's first and last names, and email
- ☒ Display this component as part of the single-student view, alongside the single student
 - Submitting the form with valid data should:
 - ☒ Make an AJAX request that causes that student to be updated in the database
 - ☒ Update the student in the current view without needing to refresh the page

Backend

- ☒ Write a route to update an existing campus
- ☒ Write a route to update an existing student

Bonus Tier: Finishing Touches (15 EC)

▼ Details

Testing

- Write the following tests, each marked with a `***` in the tests directory

- ☐ React (AllCampuses): renders "No Campuses" if passed an empty array of campuses
- ☐ React (AllStudents): renders "No Students" if passed an empty array of students
- ☐ Redux (campuses): returns the initial state by default
- ☐ Redux (students): returns the initial state by default
- ☐ Express: GET /api/students responds with all students
- ☐ Sequelize (Campus): requires name and address
- ☐ Sequelize (Student): email must be a valid email
- ☐ Navigation: navbar to navigate to home, campuses, students

Finishing Touches

- ☐ If a user attempts to add a new student or campus without a required field, a helpful message should be displayed
- ☐ If a user attempts to access a page that doesn't exist (ex. /potato), a helpful "not found" message should be displayed
- ☐ If a user attempts to view a student/campus that doesn't exist, a helpful message should be displayed
- ☐ Whenever a component needs to wait for data to load from the server, a "loading" message should be displayed until the data is available
- ☐ Overall, the app is spectacularly styled and visually stunning

Ordering

- ☐ Create option for students to be ordered based on lastName on all-students view
- ☐ Create option for students to be ordered based on GPA on all-students view
- ☐ Create option for campuses to be ordered based on number of enrolled students on all-campus view

Filtering

- ☐ Create a filter on all-students view to only show students who are not registered to a campus
- ☐ Create a filter on the all-campus view to only show campuses that do not have any registered students

Seeding & Pagination

- ☐ Seed 100+ students and 100+ campuses
- ☐ Implement *front-end* pagination for the all-students view (e.g. /students?page=1 renders the first ten students, and /students?page=2 renders students 11-20)

- ☐ Implement *front-end* pagination for the all-campus view (e.g. `/campuses?page=1` renders the first ten campuses, and `/campuses?page=2` renders campuses 11-20)
- ☐ Implement *back-end* pagination for students (e.g. `/api/students?page=1` returns the first ten students' data, and `/api/students?page=2` returns students 11-20)
- ☐ Implement *back-end* pagination for campuses (e.g. `/api/campuses?page=1` returns the first ten campuses' data, and `/api/campuses?page=2` returns campuses 11-20)

Releases

No releases published

Packages

No packages published

Contributors 2



leafoflegend Eliot Szwajkowski



ThompsonHarris Thompson Harris