References

F. Andrews. *playwith: A GUI for interactive plots using GTK+*, 2007. URL `http://playwith.googlecode.com/`. R package version 0.8.28.

A. Azzalini and A. W. Bowman. A look at some data on the Old Faithful Geyser. *Applied Statistics*, 39:357–365, 1990.

M. S. Bartlett. The square root transformation in analysis of variance. *Supplement to the Journal of the Royal Statistical Society*, 3(1):68–78, 1936.

R. A. Becker, A. R. Wilks, R. Brownrigg, and T. P. Minka. *maps: Draw Geographical Maps*, 2007. R package version 2.0-39.

G. E. P. Box and D. R. Cox. An analysis of transformations. *Journal of the Royal Statistical Society. Series B (Methodological)*, 26(2):211–252, 1964.

R. R. Brinkman, M. Gasparetto, S. J. J. Lee, A. J. Ribickas, J. Perkins, W. Janssen, R. Smiley, and C. Smith. High-content flow cytometry and temporal data analysis for defining a cellular signature of graft-versus-host disease. *BBMT*, 13(6):691–700, 2007.

S. M. Bruntz, W. S. Cleveland, B. Kleiner, and J. L. Warner. The dependence of ambient ozone on solar radiation, temperature, and mixing height. *Symposium on Atmospheric Diffusion and Air Pollution*, pages 125–128, 1974.

D. Carr, N. Lewin-Koh, and M. Maechler. *hexbin: Hexagonal Binning Routines*, 2006. R package version 1.12.0.

D. B. Carr, R. J. Littlefield, W. L. Nicholson, and J. S. Littlefield. Scatterplot matrix techniques for large N. *Journal of the American Statistical Association*, 82(398):424–436, 1987.

J. M. Chambers. *Programming with Data: A Guide to the S Language*. Springer, New York, 1998.

R. B. Cleveland, W. S. Cleveland, J. E. McRae, and I. Terpenning. STL: A seasonal-trend decomposition procedure based on loess. *Journal of Official Statistics*, 6:3–33, 1990.

W. S. Cleveland. *The Elements of Graphing Data*. Wadsworth, Monterey, California, 1985.

W. S. Cleveland, editor. *The Collected Works of John W. Tukey, Volume V: Graphics 1965–1985*. Wadsworth & Brooks/Cole Advanced Books & Software, Monterey, CA, 1988.

W. S. Cleveland. *Visualizing Data*. Hobart Press, Summit, New Jersey, 1993.

W. S. Cleveland and S. J. Devlin. Locally weighted regression: An approach to regression analysis by local fitting. *Journal of the American Statistical Association*, 83:596–610, 1988.

W. S. Cleveland and E. Grosse. Computational methods for local regression. *Statistics and Computing*, 1:47–62, 1991.

W. S. Cleveland, M. E. McGill, and R. McGill. The shape parameter of a two-variable graph. *Journal of the American Statistical Association*, 83: 289–300, 1988.

P. Dalgaard. *Introductory Statistics with R*. Springer, New York, 2002. URL `http://www.biostat.ku.dk/~pd/ISwR.html`. ISBN 0-387-95475-9.

T. Duong, B. Ellis, R. Gentleman, F. Hahne, N. Le Meur, and D. Sarkar. *flowViz: Visualization for flow cytometry*, 2007. R package version 1.3.0.

R. A. Fisher. *The Design of Experiments*. Hafner, New York, ninth edition, 1971.

M. Friendly. *Visualizing Categorical Data*. SAS Institute, Carey, NC, 2000. ISBN 1-58025-660-0.

M. Friendly. Corrgrams: Exploratory displays for correlation matrices. *The American Statistician*, 56(4):316–324, 2002.

R. C. Gentleman, V. J. Carey, D. M. Bates, B. Bolstad, M. Dettling, S. Dudoit, B. Ellis, L. Gautier, Y. Ge, J. Gentry, et al. Bioconductor: Open software development for computational biology and bioinformatics. *Genome Biology*, 5:R80, 2004. URL `http://genomebiology.com/2004/5/10/R80`.

W. Härdle. *Smoothing Techniques: With Implementation in S*. Springer, New York, 1990.

M. Harrower and C. A. Brewer. Colorbrewer.org: An online tool for selecting colour schemes for maps. *Cartographic Journal*, 40(1):27–37, 2003.

H. V. Henderson and P. F. Velleman. Building multiple regression models interactively. *Biometrics*, 37:391–411, 1981.

J. L. Hintze and R. D. Nelson. Violin plots: A box plot-density trace synergism. *The American Statistician*, 52:181–184, 1998.

R. Ihaka. Colour for presentation graphics. *Proceedings of DSC*, 2003. URL `http://www.ci.tuwien.ac.at/Conferences/DSC-2003/Proceedings/Ihaka.pdf`.

A. Inselberg. The plane with parallel coordinates. *The Visual Computer*, 1 (4):69–91, 1985.

W. B. Joyner and D. M. Boore. Peak horizontal acceleration and velocity from strong-motion records including records from the 1979 Imperial Valley, California, earthquake. *Bulletin of the Seismological Society of America*, 71 (6):2011–2038, 1981.

C. Kooperberg. *logspline: Logspline density estimation routines*, 2007. R package version 2.0.4.

C. Loader. *Local Regression and Likelihood*. Springer, New York, 1999.

R. Lock. 1993 New car data. *Journal of Statistics Education*, 1(1):7–7, 1993.

D. McIlroy, R. Brownrigg, and T. P. Minka. *mapproj: Map Projections*, 2005. R package version 1.1-7.1.

L. Molyneaux, S. K. Gilliam, and L. C. Florant. Differences in Virginia death rates by color, sex, age and rural or urban residence. *American Sociological Review*, 12(5):525–535, 1947.

D. Murdoch, E. D. Chow, and J. M. F. Celayeta. *ellipse: Functions for drawing ellipses and ellipse-like confidence regions*, 2007. R package version 0.3-5.

P. Murrell. *R Graphics*. Chapman & Hall/CRC, Boca Raton, FL, 2005. URL `http://www.stat.auckland.ac.nz/~paul/RGraphics/rgraphics.html`. ISBN 1-584-88486-X.

P. Murrell and R. Ihaka. An approach to providing mathematical annotation in plots. *Journal of Computational and Graphical Statistics*, 9(3):582–599, 2000.

R. B. Nelsen. *An Introduction to Copulas*. Springer, New York, 1999.

E. Neuwirth. *RColorBrewer: ColorBrewer palettes*, 2007. R package version 1.0-1.

R Development Core Team. *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria, 2007. URL `http://www.R-project.org`. ISBN 3-900051-07-0.

J. Rasbash, F. Steele, W. Browne, and B. Prosser. *A User's Guide to MLwiN*. Institute of Education, University of London, 2000.

P. S. Reynolds. Time-series analyses of beaver body temperatures. In N. Lange, L. Ryan, L. Billard, D. Brillinger, L. Conquest, and J. Greenhouse, editors, *Case Studies in Biometry*, pages 211–228. Wiley-Interscience, 1994.

D. A. Rizzieri, L. P. Koh, G. D. Long, C. Gasparetto, K. M. Sullivan, M. Horwitz, J. Chute, C. Smith, J. Z. Gong, A. Lagoo, et al. Partially matched, nonmyeloablative allogeneic transplantation: Clinical outcomes and immune reconstitution. *Journal of Clinical Oncology*, 25(6), 2007.

D. W. Scott. Averaged shifted histograms: Effective nonparametric density estimators in several dimensions. *The Annals of Statistics*, 13:1024–1040, 1985.

C. J. Stone, M. H. Hansen, C. Kooperberg, and Y. K. Truong. Polynomial splines and their tensor products in extended linear modeling: 1994 Wald memorial lecture. *The Annals of Statistics*, 25(4):1371–1470, 1997.

D. F. Swayne, D. Temple Lang, A. Buja, and D. Cook. GGobi: Evolving from XGobi into an extensible framework for interactive data visualization. *Computational Statistics & Data Analysis*, 43(4):423–444, 2003.

E. R. Tufte. *The Visual Display of Quantitative Information*. Graphics Press, Cheshire, Connecticut, second edition, 2001.

J. W. Tukey. *Exploratory Data Analysis*. Addison-Wesley, Menlo Park, CA, 1977.

W. N. Venables and B. D. Ripley. *Modern Applied Statistics with S*. Springer, New York, fourth edition, 2002. URL `http://www.stats.ox.ac.uk/pub/MASS4`. ISBN 0-387-95457-0.

E. J. Wegman. Hyperdimensional data analysis using parallel coordinates. *Journal of the American Statistical Association*, 85:664–675, 1990.

L. Wilkinson. *The Grammar of Graphics*. Springer, New York, 1999.

J. Yan and I. Kojadinovic. *copula: Multivariate Dependence with Copula*, 2007. R package version 0.5-8.

F. Yates. Complex experiments. *Journal of the Royal Statistical Society (Supplement)*, 2:181–247, 1935.

Index

`.First()`, 131

`abbreviate()`, 137
annotation, 1, 26, 151
  axis, *see* axis annotation
  mathematical, *see* mathematical annotation
Arguments
  `...`, 31–33, 216, 232, 233, 241, 253
  `abbreviate`, 137
  `alpha`, 52
  `as.table`, 20, 119, 131
  `aspect`, 19, 24, 41, 68, 92, 105, 131, 141, 143, 184, 245
  `auto.key`, 5, 26, 27, 61, 126, 152, 158, 159, 176, 199
  `axis`, 144
  `axis.components`, 130
  `between`, 24, 85, 130, 131
  `border`, 32, 33
  `box.ratio`, 183
  `bw`, 36
  `cex`, 129
  `clip`, 129
  `coef`, 47
  `col`, 80
  `col.regions`, 240, 241
  `color`, 121
  `colorkey`, 152, 155, 156
  `column`, 217
  `common.scale`, 88
  `data`, 3, 5, 14, 41, 73, 86, 165, 166, 170, 173, 232, 247, 250
  `default.scales`, 138, 139
  `device`, 121
  `distance`, 93
  `distribute.type`, 80, 81
  `do.out`, 47
  `drape`, 155
  `draw`, 75
  `draw.key`, 26
  `drop.unused.levels`, 176
  `echo`, 7
  `f.value`, 41
  `fill`, 243
  `fontsize`, 129
  `fun`, 199
  `grid.pars`, 129
  `groups`, 5, 24, 57, 73, 75, 77, 79, 80, 86, 96, 156, 159, 165, 166, 168, 176, 199, 253
  `highlight`, 221
  `horizontal`, 52, 75, 77, 182
  `index.cond`, 63, 193, 206
  `jitter.data`, 52, 199
  `kern`, 36
  `key`, 26, 75, 129, 130, 152–154, 156, 157, 160
  `labels`, 220
  `layout`, 20, 21, 24, 206
  `layout.heights`, 129, 130
  `layout.widths`, 129, 130
  `legend`, 161, 162
  `levels`, 187
  `lines`, 157
  `lty`, 80
  `main`, 26, 129, 151

more, 203, 204
name, 125
new, 121
newpage, 203, 204
outer, 102, 168
overlap, 178
packet.panel, 203
page, 26, 131, 162, 218
panel, 30, 31, 110, 130
panel.3d.cloud, 110, 241
panel.3d.wireframe, 110, 241
panel.aspect, 92
panel.groups, 231
panel.height, 203
panel.width, 203
panel.xyplot, 75
par.settings, 125, 126, 203
par.strip.text, 197
pch, 94
perspective, 93
plot.args, 203
plot.points, 4, 36
points, 157
position, 203, 204
prefix, 217
prepanel, 63, 134, 141
pscales, 85, 86, 139
R.mat, 93
rectangles, 157
ref, 4
relation, 129, 130, 190
retain, 122
row, 217
scales, 29, 63, 94, 111, 134–136, 138–142, 144, 146, 150, 155
screen, 93
shrink, 109
skip, 24
space, 159
split, 203, 204
stack, 59
strip, 28, 130, 131, 193, 196
strip.left, 28, 193, 197
style, 196
sub, 26, 130, 151
subscripts, 71, 73, 159, 168, 216, 219, 220, 232
subset, 5, 44, 159, 165, 166, 173, 176, 232, 253
superpanel, 86
text, 157
theme, 121, 122, 125, 131
Titanic, 29
type, 39, 57, 63, 75, 77–81, 85, 96, 146, 199, 230
value, 125
varnames, 86
varwidth, 47
x, 3, 232, 247, 250
xlab, 26, 130, 140, 151
xlim, 29, 92, 141
xscale.components, 144, 146, 147
y, 232
ylab, 26, 140, 151
ylim, 29, 92, 141
yscale.components, 144, 146
zlab, 140, 151
zlim, 92, 94
zoom, 94
argument passing, 33, 73, 199, 232, 252
arranging plots, 7, 179, 203
arrows(), 230
as.data.frame.table(), 55, 100
asinh(), 83
aspect ratio, 19, 28, 42, 57, 68, 92, 99, 143, 144, 184, 245, 249
attach(), 14
averaged shifted histogram, 39
axis(), 211, 215
axis.default(), 135, 149
axis annotation, 2, 28, 81, 94, 133, 135, 173
  logarithmic, 144
  three-dimensional, 139
axis breaks, 183
axis function, 135
axTicks(), 147

banking, 19, 42, 143–145, 184, 249
banking(), 143
bar charts, 29, 31, 57, 167
  three-dimensional, 109
barchart(), 9, 30, 31, 33, 52, 55, 59, 63, 65, 182, 202, 248, 253
bounding box (3-D), 92
box(), 211
box-and-whisker plots, 47, 179, 182, 237
boxcox(), 42

`boxplot()`, 215
`bwplot()`, 9, 46, 47, 52, 182, 183

categorical data, xi, 65
choropleth maps, *see* maps
Classes
  POSIXct, 137
  dendrogram, 161
  expression, 26
  factor, 63
  flowSet, 250
  formula, 3, 13, 14, 248, 250
  matrix, 56, 107
  shingle, 202
  stl, 248, 250
  table, 55, 59
  trellis, 6, 7, 15, 16, 18–20, 31, 33, 95, 133, 140, 158, 179, 201–204, 206, 208, 209, 211, 215–217, 221, 232
  ts, 187
classes, *see* object-oriented features
clipping, 129, 141, 231
`cloud()`, 9, 28, 91, 92, 96, 102, 109, 110, 126, 133, 139, 151, 241, 244
coercion, 52, 182
color, ix, 113, 120
conditioning variable, 3, 14
continuous random variables, 35
contour plots, 98, 241
`contourplot()`, 9, 91, 99, 105, 107
`coplot()`, 210
correlation matrices, 105, 238
corrgrams, 238
CRAN, x
cumulative distribution function, 35
`current.column()`, 96, 231
`current.panel.limits()`, 231
`current.row()`, 96, 231
`curve()`, 230
customizations, *see* settings
  persistent, 131
`cut()`, 15, 67, 69, 71
cut-and-stack plots, 143, 184, 248
`cutAndStack()`, 248

data
  large, *see* large data
  managing, 14, 98, 165, 249
`data()`, 2

Datasets
  `ancestry`, 243
  `barley`, 52, 53
  `beavers`, 172
  `biocAccess`, 143, 211, 248
  `Car93`, 157
  `Cars93`, 108, 161
  `Chem97`, 5, 35, 37, 40, 47, 53, 63, 100, 108, 110, 165
  `Earthquake`, 78, 144
  `environmental`, 100
  `faithful`, 36
  `Gcsemv`, 169
  `GvHD`, 250, 251
  `gvhd10`, 37, 49, 83, 88, 90
  `mtcars`, 86–89
  `Oats`, 17, 19, 20, 27
  `postdoc`, 59, 61
  `quakes`, 50, 51, 67, 71, 91, 177
  `SeatacWeather`, 79
  `state.region`, 85, 161
  `state.x77`, 207
  `Titanic`, 166, 173
  `USAge.df`, 114, 174
  `USArrests`, 84, 85, 161
  `USCancerRates`, 193, 246
  `VADeaths`, 55, 56, 122, 254
  `volcano`, 99, 100, 105, 107
data rectangle, 28, 92, 134
`dcopula()`, 110
`dendrogramGrob()`, 161, 162
dendrograms, 108, 161
`density()`, 36, 37, 235
`densityplot()`, 4, 7, 9, 35, 36, 232, 235, 250, 251
density function, 35
density plots, 4, 24, 35, 235, 249
`dev.print()`, 120
devices, *see* graphics devices
`dimnames()`, 202, 211
discrete distributions, 53
discrete random variables, 63
distribution function, *see* cumulative distribution function
`dnorm()`, 35
`do.call()`, 221
`dotplot()`, 9, 13, 52, 55–57, 77, 193, 248
dot plots, 55, 122, 184, 187, 203, 223

downViewport(), 217
draw.colorkey(), 75, 152, 154–156
draw.key(), 26, 152, 156, 161, 218
dropping unused levels, 159, 176
dynamic manipulation, 95

ecdfplot(), 44
empirical CDF, 44
equal.count(), 16, 71, 178, 184
eval.parent(), 252
expand.grid(), 102
expression(), 26, 200
expressions, *see* mathematical annotation

factor(), 187
factors, 15
false color level plots, *see* level plots
for(), 7
formula interface, 3, 13, 54, 166, 170
fractions(), 146

generic functions, *see* object-oriented features
getOption(), 131
GGobi, xi
glm(), 165, 173
graphical parameters, 1, 119, 123
  specifying, 123
graphical primitives, 229
graphics devices, 120
Grid graphical objects, *see* grob
Grid graphics, *see* Packages, grid
grid.circle(), 239
grid.edit(), 215
grid.locator(), 216, 217, 219
grid.points(), 230
grid.polygon(), 239
grid.text(), 230
grob, 26, 151, 152, 154, 155, 161, 162, 215
grouping, *see* superposition

hclust(), 108, 161
heatmap(), 163
heatmaps, 161
hexagonal binning, 83, 251
hexbinplot(), 83, 251, 252
high-level functions, 1, 9
histogram(), 3, 4, 7, 9, 30, 39, 248
histograms, 2, 39
hypocycloid, 232, 233
hypotrochoid, 232

identify(), 216
indexing, 71, 173, 206
interaction, 86, 211, 216

jittering, 36, 52, 142, 177, 199

kernel density estimate, 36
key, *see* legends

labels, 26, 151
large data, 37, 49, 82, 88, 249
lattice.getOption(), 131
lattice.options(), 131, 141
layout, 15, 16, 20, 47, *see* arranging plots
legends, 26, 75, 148, 152
level plots, 98, 113, 161, 238
level.colors(), 73, 239, 241
levelplot(), 9, 91, 99, 105, 107, 108, 111, 155, 156, 163, 240, 241, 248
levels(), 140
library(), 2, 131
lines(), 215, 230
lm(), 165, 173
locator(), 216
log(), 83
log-spline density estimate, 235
logarithm, *see* transformations
long format, 166
ltransform3dMatrix(), 93
ltransform3dto3d(), 241

make.groups(), 170–172
map(), 243, 246
mapplot(), 245, 246, 251
maps, 98, 242
match.call(), 252
mathematical annotation, 26, 137, 146, 151, 200
mean–difference plots, 208
methods, *see* object-oriented features
  new, *see* new methods
multipanel conditioning, 2, 3, 14

native coordinate system, 134

new displays, 251
new methods, 247
nonstandard evaluation, 165, 252

object-oriented features, 6, 13, 33, 56, 179, 201, 247
OpenGL, xi
options(), 131
orthogonal projection, 93

Packages
  coda, 248
  colorspace, 120
  copula, x, 110
  ellipse, x, 238
  flowCore, x
  flowViz, x, 250
  ggplot, xi
  ggplot2, xi
  grid, x, xi, 26, 127, 129, 151, 152, 162, 203, 206, 215–217, 219, 229–231, 239, 252
  gridBase, x, 252, 254
  hexbin, x, 83, 251, 252
  Hmisc, 247
  lattice, 242, 248, 250
  latticeExtra, x, 37, 44, 53, 59, 79, 109, 114, 143, 161, 174, 193, 210, 224, 242, 243, 246, 248, 251
  locfit, x, 78, 80, 100
  logspline, x, 235
  mapproj, x, 246
  maps, x, 242
  MASS, x, 42, 99, 146
  MEMSS, x, 77
  mlmRev, x, 2, 169
  nlme, 247
  playwith, xi, 215
  RColorBrewer, x, 120, 243
  rggobi, xi, 242
  rgl, xi, 95, 242
  vcd, xi, 65
  zoo, 248
packages (installing), x
packet, 15, 28, 73, 95, 133
packet order, 18, 203
packet.number(), 216, 221, 231
packet.panel.default(), 203
panel, 2
panel function, 4, 30, 229, 252
  three-dimensional, 96
panel order, 18, 203
panel.3dbars(), 109
panel.3dscatter(), 241
panel.3dwire(), 241
panel.abline(), 230
panel.arrows(), 230
panel.average(), 75, 199, 231
panel.axis(), 149
panel.barchart(), 31–33, 128
panel.bwplot(), 47, 49, 126, 183, 231
panel.cloud(), 110, 128
panel.curve(), 230
panel.densityplot(), 36, 128, 232
panel.dotplot(), 126
panel.fill(), 230
panel.grid(), 32, 75, 129, 230
panel.histogram(), 128
panel.identify(), 216, 219, 220
panel.identify.qqmath(), 219, 221
panel.levelplot(), 109, 128, 155
panel.lines(), 230
panel.link.splom(), 219, 221
panel.lmline(), 75, 136, 230
panel.locfit(), 80
panel.loess(), 75, 230
panel.mathdensity(), 230
panel.number(), 81, 208, 231
panel.pairs(), 86, 139
panel.parallel(), 88
panel.points(), 230
panel.polygon(), 230, 243, 245
panel.qqmathline(), 221, 230
panel.rect(), 230
panel.rug(), 169, 230
panel.segments(), 230
panel.splom(), 67, 84
panel.stripplot(), 52, 199
panel.superpose(), 75, 80, 231
panel.text(), 129, 230
panel.violin(), 49, 231
panel.wireframe(), 128, 155
panel.xyplot(), 67, 75, 77, 78, 80, 83, 84, 128, 199, 231
parallel(), 9, 54, 67, 88
parallel coordinates plots, 87
pdf(), 121, 122, 132
persp(), 93

perspective projection, 93
pie(), 254
pie charts, 57, 252
piechart(), 253
plot(), 7, 179, 202–204, 206, 215, 248
plot types, 75
plotting
  automatic, 6
  suppression of, 7
png(), 121
pnorm(), 35
points(), 230
polygon(), 230, 243
postscript(), 122, 132
predict(), 102
prepanel.lmline(), 144
prepanel.loess(), 144, 146
prepanel.qqmathline(), 144
prepanel function, 28, 133, 134, 140, 142
pretty(), 149
primary variable, 4, 14, 168
print(), 6, 7, 202, 203, 215
probability mass function, 53
projection, 91, 241, 244
prop.table(), 59

qnorm(), 35
qq(), 9, 44, 47, 54, 208
qqmath(), 9, 40, 41, 54, 144, 208, 221, 230, 248
quantile function, 35
quantile plots, 40, 43, 170, 171, 181, 196, 218
  two-sample, 44, 208

range(), 140
rect(), 230
reorder(), 63, 187, 190
reordering, 61, 108, 187
require(), 131
reshape(), 168
reshaping, 166
residuals (visualizing), 52, 198, 248
resizePanels(), 193, 206, 224
rootogram(), 53
roulettes, 233
Rows(), 156, 157
rug(), 230

S-PLUS, vii, x, 153, 230
S3, 201, 248, 249
S4, 201, 247, 249, 250
scales, 2, 28, 133, 183, 193
  combining, 28
scatter-plot matrices, 84, 100, 221
scatter plots, 16, 67, 82, 144, 157, 160, 169, 173, 177, 193, 219
  three-dimensional, 91
seekViewport(), 217
segments(), 230
settings
  graphical, 27, 119, 158
  non-graphical, 131
shingle(), 178, 184
shingles, 15, 71, 177
show.settings(), 128, 129
simpleKey(), 157, 158
simpleTheme(), 126
source(), 7
Spirograph, 232
splom(), 9, 28, 54, 67, 77, 84–86, 88, 133, 139, 221
spread–location plots, 52
square root transformation, 83, 108, 181, 251
stacked bar charts, 59
stereo viewing, 95
stl(), 248
str(), 123, 202
strip plots, 50
strip.custom(), 181, 197
strip.default(), 126, 196, 197
stripplot(), 9, 52, 77, 182, 199
strips, 2, 28, 181, 193, 210
subset(), 159
subsetting, *see* indexing
summary(), 202, 204
superpanel function, 85
superposition, 5, 24, 79, 156
surfaces, 98, 241
  mathematical, 110
  parameterized, 111

table(), 55, 248
tables, 55, 98
terrain.colors(), 115
text(), 230
textGrob(), 151

themes, 120
three-dimensional
  plots, 91
  projection, *see* projection
tick marks, 135, 138
  major, 146
  minor, 146
time-series plots, 143, 148, 174, 175, 184, 248
`tmd()`, 208
traditional graphics, 1, 6, 120, 211, 215, 230, 252
transformations
  Box–Cox, 42, 165
  logarithm, 78, 144, 190
  power, 42
transparency, 52, 82, 90, 138
*"trellis"*objects as arrays, 16, 20, 95, 203, 206, 211
Trellis formula, *see* formula interface
Trellis graphics, x, 1
  documentation, x
`trellis.currentLayout()`, 224, 231
`trellis.device()`, 121, 122, 125, 131
`trellis.focus()`, 216, 217, 219–221
`trellis.last.object()`, 206, 221
`trellis.panelArgs()`, 221
`trellis.par.get()`, 122, 125, 157
`trellis.par.set()`, 121, 122, 125, 203
`trellis.unfocus()`, 217, 221
`trellis.vpname()`, 216, 217
Tukey mean–difference plots, *see* mean–difference plots

units (grid), 206
univariate distributions, 35, 63
`update()`, 20, 31, 33, 206
`useOuterStrips()`, 210, 211

variance stabilizing transformation, 181
`viewport()`, 219
viewports, 216
violin plots, 47, 49

`which.packet()`, 216, 232
`while()`, 7, 219
wide format, 166
`wireframe()`, 9, 91, 99, 105, 107, 109, 110, 113, 126, 139, 151, 155, 156, 241, 242, 248
wireframe plots, 98, 241
`with()`, 14, 161

`xscale.components.default()`, 146
`xtabs()`, 2, 55, 63, 248
`xyplot()`, 9, 16, 27, 63, 67, 69, 73, 75, 77, 80, 157, 183, 201, 208, 219, 232, 247–250