## The "InclusionZoneGrid" Class

Jeffrey H. Gove\*
Research Forester
USDA Forest Service
Northern Research Station
271 Mast Road
Durham, New Hampshire 03824 USA
e-mail: jgove@fs.fed.us or e-mail: jhgove@unh.edu

Wednesday  $20^{\text{th}}$  April, 2011  $_{11:56\text{am}}$ 

Contents			7.2 Object Construction and Plotting	14
			8 Example: The "pointRelascopeIZ" Class	17
1	Introduction	1	9 Example: The "perpendicularDistanceIZ"	,
	The "InclusionZoneGrid" Class	$2^{-}$	Class	18
_	2.1 Class slots	2	10 Example: The "omnibusPDSIZ" Class	20
3	Example: The "standUpIZ" Class	3	11 Example: The "distanceLimitedMCIZ'	,
	On Design Motivation	5	Class	<b>22</b>
	Example: The "sausageIZ" Class	7	12 Example: The "distanceLimitedPDSIZ"	,
	Example: The "chainSawIZ" Class	7	Class	<b>23</b>
Ŭ	6.1 Snapping to the grid	10	13 Example: The "omnibusDLPDSIZ" Class	<b>26</b>
7	The "csFullInclusionZoneGrid" Class	12	14 Using plot3D	<b>28</b>
•	7.1 Class slats	1.4	Bibliography	28

### 1 Introduction

When we think about building a sampling surface piece by piece from the inclusion zones of individual "Stem" objects, we assign the appropriate attribute value to each grid cell within the inclusion zone for an object, with zero values elsewhere, and then algebraically add this grid layer to the overall "Tract" grid. Thus, we "heap up" the inclusion zone density of the grid cells within the tract, which in the end is a discrete estimate of the sampling surface.

This class allows us to do the geometry associated with the individual "InclusionZone" objects for each "Stem" object in the population. Recall that an "InclusionZone" object has both an

<sup>\*</sup>Phone: (603) 868-7667; Fax: (603) 868-7604.

"ArealSampling" and "Stem" subclass as slots in its definition. For example, an object of subclass "standUpIZ" would have both a "circularPlot" class object and a "downLog" object making up the overall bounding box. There are methods for the "InclusionZoneGrid" class objects that work with each type of "InclusionZone" object. In general, the methods are all of the name <code>izGrid</code>, whose signature objects initiate the appropriate method.

In the following, we show some general constructs of the class with respect to individual subclasses of "InclusionZone" objects they are based on. Graphics play a big role in getting the idea, and each class is a little different, so several illustrations are presented. Whether a surface within an inclusion zone is constant or variable height depends on the sampling method. For example, what we term "canonical" perpendicular distance sampling (PDS) has constant height surfaces, while "omnibus" PDS has surfaces of varying height. In addition, the somewhat odd, but interesting "full chainsaw" method where the entire sausage-based inclusion zone is filled with variable-height individual chainsaw estimates is also shown.

### 2 The "InclusionZoneGrid" Class

The base class is defined with the slots...

R> showClass('InclusionZoneGrid')

Class "InclusionZoneGrid" [package "sampSurf"]

Slots:

Name: description iz grid data bbox Class: character InclusionZone RasterLayer data.frame matrix

Known Subclasses: "csFullInclusionZoneGrid"

#### 2.1 Class slots

- description: Some descriptive text about this class.
- iz: An object of one of the "InclusionZone" subclasses.
- grid: A "RasterLayer" object.
- data: A data frame holding the values for each of the per unit area estimates available in the "InclusionZone" object in the columns, with rows for grid cells.

• bbox: The overall bounding box for the object, which includes the inclusion zone and the "Stem" subclass object plus the grid. Sometimes the inclusion zone itself includes the stem, but other times it does not.

I made a decision when designing this class to go with the slots above. A possible problem with this design is the very real possiblity of people misunderstanding the class structure. This is because the grid object has values of just zero and NA. In other words, it does not store the per unit area estimates within the cells of the grid. These are stored in the data slot of the object and can be swapped into the grid slot object with a simple command...

```
R> x@grid = setValues(x@grid, x@data[,estimate])
```

where x is the "InclusionZoneGrid" object. Unfortunately, again this may cause problems with misunderstanding, down the line as it is going to have to be done whenever one wants an underlying grid with real per unit area values. An alternative to this would have been (and still could be) to use a "RasterStack" or "RasterBrick" class for the grid slot. This would obviate the need for the data slot. But it also has drawbacks, because these objects seem to be designed more for map layers that are algebraically related. I did not want people unwittingly summing layers within this object, for example, and thereby adding things like number of stems and cubic volume. I may reconsider this, however, as the latter approach does have its benefits (even though is takes more storage). Another potential drawback of the latter is that there seems to be no way to name the "layers" within a brick or stack, they simply get assigned numbers, so we'd again have to keep track of this with program code.

When plotting the object, the above substitution gets made automatically, one simply has to specify the desired attribute to plot in the estimate argument to the plot method. For example, to plot the coverage area surface, specify estimate = 'coverageArea' in the plot command. The default is to plot the surface for volume.

## 3 Example: The "standUpIZ" Class

Refer to the "InclusionZoneClass" vignette for more information on this class.

Here we demonstrate the construction of an "InclusionZoneGrid" object from an object of class "standUpIZ".

a 1-hectare tract Measurement units = metric Area in square meters = 10000 (1 hectares) class : bufferedTract : 200, 200, 1 (nrow, ncol, nlayers) dimensions resolution : 0.5, 0.5 (x, y)extent : 0, 100, 0, 100 (xmin, xmax, ymin, ymax) projection : NA values : in memory min value : 0 max value : 0 Buffer width = 10 R> dlogs = downLogs(1, container=btr@bufferRect, buttDiam=c(30,40), logLen=c(6,10), topDiams=c(0,0.5), solidTypes=c(2,4), + vol2wgt=20.1, wgt2carbon=0.5) R> sup = standUpIZ(dlogs@logs\$log.1, 3) R> izgSU = izGrid(sup, btr)

Here we have created a 200 by 200 cell raster grid in the form of a "Tract" object, having resolution of 0.5 meters, yielding spatial extents of  $100 \times 100$  meters, (i.e., a 1 hectare tract), with origin at (0,0) meters. Then we create a buffered tract object with a 10-meter buffer, and drew a single random "downLog" object within the tract, which we used to create an object of class "standUpIZ" with a 3 meter radius for the circular plot. Finally, using the "standUpIZ" object and the underlying buffered tract grid, we create the "InclusionZoneGrid" object that will be aligned to the tract grid.

Now, in the following example we plot this object...

```
R> plot(izgSU)
```

There are two ways to generate the object which depend on how one wants the underlying grid developed. The argument wholeIZ determines how this is done, and defaults to TRUE. We can see in Figure 1 that the underlying grid covers the entire inclusion zone plus the down log object. If we wanted to just cover the inclusion zone only, with a minimal bounding grid we would do the following (Figure 2)...

```
R> izmbgSU = izGrid(sup, btr, wholeIZ=FALSE)
R> plot(izmbgSU, gridCenters=TRUE)
```




Figure 1: An "InclusionZoneGrid" object based on a "standUpIZ" object.

# 4 On Design Motivation

Having now seen that we can make the grid object cover more than just the inclusion zone if applicable (i.e., the stem lies partially outside it), we can delve a little more into the motivation for this class. First, it is entirely possible to do approach the sampling surface construction in a more brute-force manner in one of at least two ways...

#### 1. Brute-force method 1...

- Make an exact duplicate of the tract and assign zeros to all its values.
- Then overlay the inclusion zone onto this to get a mask.
- Assign the per acre values to the cells within the masked inclusion zone and zero outside.
- Algebraically add this layer to the base tract and repeat for all stems.

### 2. Brute-force method 2...




Figure 2: A "InclusionZoneGrid" object based on a "standUpIZ" object where only the actual inclusion zone is covered by the bounding grid, and grid cell centers are plotted as an option.

- Use the rasterize function within "raster" with overlap='sum' on the "InclusionZone" objects to sum them into the base tract grid.
- Repeat for all stems.

The problem with each of these approaches, even though they work, is the time it takes to implement them. In each case they are working on the entire tract and take significantly more time to do the accumulation than overlaying onto the smaller grid within the "InclusionZoneGrid" class. This is compounded if the tract is large, or the resolution is small, which we want usually for better estimates. This, along with the thought that perhaps the following approach is simpler to understand because one can see the individual surface components graphically, is why I elected to go this route.

In slightly more detail, the steps in accumulating the surface under the "InclusionZoneGrid" scheme are. . .

- 1. Create an "InclusionZoneGrid" object.
- 2. Expand its grid to the extent of the tract.
- 3. Add this expanded grid to the tract surface.
- 4. Repeat for all stems.

Conceptually it is similar to the other approaches except that the actual overlay is done on a minimal bounding grid for the object, and therefore is much faster. Expanding the grid mask in the "InclusionZoneGrid" object takes little effort, and adding it is the same in all steps.

## 5 Example: The "sausageIZ" Class

Using the same grid and tree as above for an example with sausage sampling, we have...

```
R> saus = sausageIZ(dlogs@logs$log.1, 3)
R> izgSAUS = izGrid(saus, btr, wholeIZ=FALSE)
R> plot(izgSAUS)
```

Notice in Figure 3 that whether we specify using the whole inclusion zone or not is immaterial for sausage sampling, because the entire log is always included within the zone. Also note that the minimal bounding grid is always calculated to include the entire zone, even if there is an extra cell padding all around. This is trivial and is necessary for making sure all cells within the zone get assigned the correct value.

## 6 Example: The "chainSawIZ" Class

Here are a couple similar examples for the "chainSawIZ" class. Gove and Van Deusen (2011) discuss how the inclusion zone is really just a point, the center point of the circular plot that intersects the downed log, rather than the plot itself. Therefore, under this method, we assign the sampling surface value to only that one grid cell that contains the circular plot center point.




Figure 3: A "InclusionZoneGrid" object based on a "sausageIZ" object showing that the stem and inclusion zone are covered by the bounding grid.

Per uni	t area e	estimates	s in the	e data slot	(for cells ins	side IZ o	only)
	volume	Density	Length	${\tt surfaceArea}$	${\tt coverageArea}$	${\tt biomass}$	carbon
Min.	68.06	353.7	1911	1424	453.2	1368	684
1st Qu.	68.06	353.7	1911	1424	453.2	1368	684
Median	68.06	353.7	1911	1424	453.2	1368	684
Mean	68.06	353.7	1911	1424	453.2	1368	684
3rd Qu.	68.06	353.7	1911	1424	453.2	1368	684
Max.	68.06	353.7	1911	1424	453.2	1368	684

```
Encapulating bounding box...
min max
x 47.785021 54.311248
y 16.620067 23.241805
```

R> plot(izgCSaw, gridCenters=TRUE)

Figure 4 shows the concept for a given circular plot location showing volume in cubic meters per hectare. This clearly shows that only one grid cell gets assigned a value. Note in the above that there is only a single grid cell in the object comprising the "InclusionZoneGrid".

We can also show the minimal bounding grid that includes the whole circular plot plus the log, as we have done in previous examples. Figure 5 presents this graphically.

As with the other figures, the overall minimal bounding grid in Figure 5 has all grid cells other than the one at the center of the circular plot set to zero. Therefore, doing any subsequent map algebra will have no effect on the sampling surface using this enlarged grid. Showing this minimal bounding grid is more an effort to help illustrate the underlying concepts.

It is especially important to recognize that the center point of the circular plot does not necessarily lie at the center of any given grid cell. Depending upon the cell resolution used, this can make the placement of this respective cell look "off-center" with respect to the circular plot's perimeter itself. It is only true that the center point falls somewhere within the inclusion zone grid cell, which could even be right on the edge. This is shown in Figure 5 where we use a white cross for the circular plot center, and is demonstrated below in terms of actual coordinates...




Figure 4: A "InclusionZoneGrid" object based on a "chainSawIZ" object showing that the inclusion zone is only a single point, and therefore is assigned to just one grid cell.

```
R> cpt = perimeter(csaw, whatSense='point') #circular plot centerpoint
R> cn = cellFromXY(izgCSaw@grid, cpt) #cell number for plot center point
R> xy = xyFromCell(izgCSaw@grid, cn) #cell center point
R> rbind(coordinates(cpt), xy)
```

```
x y [1,] 51.311248 19.619689 [2,] 51.250000 19.750000
```

### 6.1 Snapping to the grid

As another example, suppose we wanted to develop a figure that shows essentially the same depiction as in Figure 5, but also including the overall sausage inclusion zone, and the plot center exactly




Figure 5: A "InclusionZoneGrid" object based on a "chainSawIZ" object showing the minimal bounding grid for the entire inclusion zone object; this also illustrates that the inclusion zone is only a single point, since only one grid cell is non-zero valued in terms of number of stems per unit area estimate.

aligned to a grid cell center. First we would make a "Tract" object that just holds the sausage inclusion zone object, the log, and the chainsaw inclusion zone object (complete with plot radius as in Figure 5). We can use the above steps to advantage to snap the plot centerpoint to the grid as follows...

```
6.75 4.25
```

```
R> izCS = chainSawIZ(dl, plotRadius = 2, plotCenter = cpt) #cell-based chainsaw iz
R> izgCS = izGrid(izCS, tra2) #and chainsaw iz grid object
R> hiz = heapIZ(izgCS, tra2) #heap it into the tract object
R> izSaus = sausageIZ(dl, plotRadius=2) #overall sausage inclusion zone
```

We use the heapIZ method in the above to "heap" the "InclusionZoneGrid" object for the single grid cell corresponding to the chainsaw method at that point, onto the tract. The rest of the idea behind this should be fairly standard and is covered in more detail in the vignettes for the respective objects.

To plot this object, we need to basically build it up from scratch, the result is shown in Figure 6...

### 7 The "csFullInclusionZoneGrid" Class

Gove and Van Deusen (2011) describe a certain protocol for the chainsaw method that leads directly to the sausage method. They also show by simulation how the chainsaw method is biased for whole-log attributes, because the full inclusion zone for the log is the sausage zone under this particular protocol. To show this, every grid point within the sausage inclusion zone has to be estimated individually with its midpoint acting as the center of the circular plot, and then applying the chainsaw method to that plot. Again, this is repeated for every grid cell within the sausage inclusion zone.

This necessitates a new class, actually a subclass of "InclusionZoneGrid" with one extra slot, and some more validity checking, as well as a new constructor for the objects. The extra slot is just used to store the result of *each* "chainSawIZ" object applied to each of the internal inclusion zone grid cells.

The class is defined with the slots...

```
R> showClass('csFullInclusionZoneGrid')
```




Figure 6: A built-up plot showing not only the "InclusionZoneGrid" object for one cell of the chainsaw method, but also the sausage object inclusion zone as would be determined by protocol 1 of Gove and Van Deusen (2011).

Class "csFullInclusionZoneGrid" [package "sampSurf"]

#### Slots:

Name: chiz description iz grid data Class: list character InclusionZone RasterLayer data.frame

Name: bbox Class: matrix

Extends: "InclusionZoneGrid"

#### 7.1 Class slots

• chiz: This is a list object containing NAs for cells outside the inclusion zone, but containing the full set of "InclusionZoneGrid" objects corresponding to each grid cell within the inclusion zone. As mentioned above, the grid cell center is used as the center point of the circular plot that defines the chainsaw intersection with the log.

The nice thing about the subclass extension for this new object is that only one slot was added; therefore, all of the functions that work on "InclusionZoneGrid" objects will also work on objects of this new class "csFullInclusionZoneGrid". These include the print, show, summary, and plot routines.

In addition, because each of the componets of the list in chiz is of class "InclusionZoneGrid" (or NA), we can apply any of the methods for that class on the individual slots. For example, we can plot them as in Figure 4, and look at how the chainsaw method works as we step from one cell to the next, showing the intersections of the circular plots with the log.

### 7.2 Object Construction and Plotting

Now, object construction takes quite a while because it has to compute the chainsaw intersections, etc., for each internal sausage grid cell. So here we use an existing object to demonstrate the idea. In the following, we show how to make an object of class "csFullInclusionZoneGrid" using its constructor, but do not evaluate it (we use the existing object instead); the steps leading to its creation are also shown...

where buffTr is essentially the same as btr used in the previous examples.

```
R> btLog.izgFCS

Object of class: csFullInclusionZoneGrid
```

#### Full chainSaw-sausage inclusion zone grid object

\_\_\_\_\_

InclusionZone class: sausageIZ
 units of measurement: metric

Grid class: RasterLayer
Number of grid cells = 375

Cell dimensions: (nrows=15, ncol=25)

\*\*Note: data slot values get swapped with zero-valued grid cells as necessary.

Per unit area estimates in the data slot (for cells inside IZ only)...

	volume	Density	Length	${\tt surfaceArea}$	coverageArea	biomass	carbon
Min.	0.02701	353.7	2.397	1.758	0.2131	0.5888	0.2944
1st Qu.	27.42000	353.7	498.400	459.900	146.0000	597.7000	298.8000
Median	77.31000	353.7	926.600	929.600	295.9000	1685.0000	842.7000
Mean	85.24000	353.7	942.400	972.500	309.1000	1858.0000	929.2000
3rd Qu.	143.30000	353.7	1387.000	1475.000	469.5000	3124.0000	1562.0000
Max.	186.50000	353.7	1935.000	2120.000	673.7000	4065.0000	2033.0000

```
Encapulating bounding box...
min max
x 61.0 73.5
y 61.5 69.0
```

One thing to note in particular, is that in the printed summary of the object above, the summary statistics vary here because the grid cells are composed of individual chainsaw estimates; this is not true for methods where the cells internal to the inclusion zone only take a single constant value (e.g., stand-up, sausage, point relascope, etc.).

And plotting the object is as usual...

```
R> plot(btLog.izgFCS, gridCenters=TRUE, showNeedle=TRUE)
```

As mentioned above, because the chiz slot contains a list of "InclusionZoneGrid" objects, for each grid cell within the inclusion zone, or NA for grid cells outside the zone, we can step through the internal cells one at a time, looking at summaries or plotting them. One way to do this would be the following...




Figure 7: A "csFullInclusionZoneGrid" object based on a "sausageIZ" object.

```
R> cdx = ifelse(is.na(btLog.izgFCS@chiz), FALSE, TRUE)
R> csl = btLog.izgFCS@chiz[cdx]
R> length(csl)
```

[1] 245

R> sapply(csl[1:4], class)

```
izgCS.34 izgCS.35 izgCS.36 izgCS.37 "InclusionZoneGrid" "InclusionZoneGrid" "InclusionZoneGrid" "InclusionZoneGrid"
```

Again, we could then plot the slivers we are interested in, stepping through to see how the chainsaw method slices the log up for each individual grid cell.

### 8 Example: The "pointRelascopeIZ" Class

Here we present an example for the point relascope sampling method (Gove et al. 1999, Gove et al. 2001)...

```
R> (angle = .StemEnv$rad2Deg(2*atan(1/2)))
[1] 53.130102
R> prs.as = pointRelascope(angle, units='metric')
R> prs.iz = pointRelascopeIZ(dlogs@logs$log.1, prs=prs.as)
R> (izgPRS = izGrid(prs.iz, btr))
Object of class: InclusionZoneGrid
           -----
pointRelascopeIZ inclusion zone grid object
_____
InclusionZone class: pointRelascopeIZ
 units of measurement: metric
Grid class: RasterLayer
Number of grid cells = 729
Cell dimensions: (nrows=27, ncol=27)
Grid cell values**...
 gridValues Freq
1
          0 426
            303
2
       <NA>
**Note: data slot values get swapped with zero-valued grid cells as necessary.
Per unit area estimates in the data slot (for cells inside IZ only)...
       volume Density Length surfaceArea coverageArea biomass carbon
Min.
         33.8
               94.51 670.1
                                 495.3
                                            157.6
                                                    679.3 339.7
1st Qu.
         33.8
               94.51 670.1
                                 495.3
                                            157.6
                                                    679.3
                                                          339.7
               94.51 670.1
Median
         33.8
                                 495.3
                                            157.6
                                                    679.3 339.7
Mean
         33.8
               94.51 670.1
                                 495.3
                                            157.6
                                                    679.3 339.7
         33.8
               94.51 670.1
                                            157.6
                                                    679.3 339.7
3rd Qu.
                                 495.3
Max.
         33.8
             94.51 670.1
                                 495.3
                                            157.6 679.3 339.7
```

Encapulating bounding box...

min max

x 43.5 57.0

y 14.0 27.5

R> plot(izgPRS)




Figure 8: A "InclusionZoneGrid" object based on a "pointRelascopeIZ" object showing that the stem and inclusion zone are covered by the bounding grid.

# 9 Example: The "perpendicular Distance IZ" Class

Here we present an example for the perpendicular distance sampling method (Williams and Gove 2003, Williams et al. 2005, Ducey et al. 2008), this example happens to be for volume estimation. Please note that, because we know the log's true volume from simulation, we can in fact estimate

all the other attributes for the log. Normally, however, we do not know the true volume from field measurements, so we would only be able to estimate volume under "canonical" PDS, and would use the "omnibus" variant PDS given in the next section to estimate these other quantities...

```
R> pdsmet = perpendicularDistance(kpds=50, units='metric')
R> iz.pdsv = perpendicularDistanceIZ(dlogs@logs$log.1, pdsmet)
R> (izgPDS = izGrid(iz.pdsv, btr))
Object of class: InclusionZoneGrid
______
perpendicularDistanceIZ inclusion zone grid object
InclusionZone class: perpendicularDistanceIZ
 units of measurement: metric
Grid class: RasterLayer
Number of grid cells = 380
Cell dimensions: (nrows=20, ncol=19)
Grid cell values**...
  gridValues Freq
1
          0 136
2
            244
       <NA>
**Note: data slot values get swapped with zero-valued grid cells as necessary.
Per unit area estimates in the data slot (for cells inside IZ only)...
       volume Density Length surfaceArea coverageArea biomass carbon
Min.
                       1983
                                               466.4
          100
                279.6
                                   1466
                                                       2010
                                                              1005
1st Qu.
          100
                279.6
                                               466.4
                                                       2010
                       1983
                                   1466
                                                              1005
Median
          100
                279.6
                     1983
                                               466.4
                                                       2010
                                                             1005
                                   1466
Mean
          100
                279.6
                       1983
                                   1466
                                               466.4
                                                       2010
                                                              1005
3rd Qu.
          100
                279.6 1983
                                   1466
                                               466.4
                                                       2010
                                                              1005
Max.
          100
                279.6
                      1983
                                   1466
                                               466.4
                                                       2010
                                                             1005
 Encapulating bounding box...
  min max
x 47.5 57.0
y 17.5 27.5
```

R> plot(izgPDS)




Figure 9: A "InclusionZoneGrid" object based on a "perpendicularDistanceIZ" object showing that the stem and inclusion zone are covered by the bounding grid.

As noted in *The InclusionZone Class* vignette, the inclusion zone for PDS is developed directly from the dataframe in the taper slot of the "downLog" object. It can be seen here that if that taper approximation is poor because it uses too few points, it has the potential to exclude grid cells that would otherwise normally be included. This in turn could lead to unexpected "simulation bias" in the sampling surface result (the same thing can happen from using too large a grid cell). Thus, it is fairly important to use a good number of log sections in the taper dataframe to avoid this possibility.

# 10 Example: The "omnibusPDSIZ" Class

An extension to "canonical" PDS presented in the previous section and given by Ducey et al. (2008), allows one to estimate any attribute on the log and is sometimes referred to as "omnibus" PDS. Because this method uses stem measurements perpendicular to the sample point to form the

estimates, it has varying height surface in each case, except that for the variable we use for the PPS selection of the  $\log^1$ ...

```
R> iz.opds = omnibusPDSIZ(dlogs@logs$log.1, pdsmet)
R> (izgOPDS = izGrid(iz.opds, btr))
Object of class: InclusionZoneGrid
_____
omnibusPDSIZ inclusion zone grid object
InclusionZone class: omnibusPDSIZ
  units of measurement: metric
Grid class: RasterLayer
Number of grid cells = 380
Cell dimensions: (nrows=20, ncol=19)
Grid cell values**...
  gridValues Freq
          0 136
1
       <NA> 244
**Note: data slot values get swapped with zero-valued grid cells as necessary.
Per unit area estimates in the data slot (for cells inside IZ only)...
       volume Density Length surfaceArea coverageArea biomass carbon
Min.
          100
                133.7
                        947.7
                                    1091
                                                347.4
                                                        2010
                                                               1005
1st Qu.
          100
                153.3 1087.0
                                    1169
                                                372.0
                                                        2010
                                                               1005
                192.7 1366.0
Median
          100
                                                417.1
                                                        2010
                                                               1005
                                    1310
Mean
          100
                265.2 1880.0
                                    1464
                                                465.9
                                                        2010
                                                               1005
3rd Qu.
          100
                286.0 2028.0
                                    1596
                                                508.1
                                                        2010
                                                               1005
Max.
          100 1785.0 12660.0
                                    3988
                                               1269.0
                                                        2010
                                                               1005
```

```
Encapulating bounding box...
```

min max x 47.5 57.0 y 17.5 27.5

R> plot(izgOPDS, estimate='coverageArea')

<sup>&</sup>lt;sup>1</sup>Note that if log selection is with PP to volume, then since both biomass and carbon are simply scaled versions of volume, their surfaces will also be constant.




Figure 10: A "InclusionZoneGrid" object based on a "omnibusPDSIZ" object showing the variable height sampling surface for coverage area.

## 11 Example: The "distanceLimitedMCIZ" Class

Here we interject a method that is not a PDS variant, but we introduce it now because it is used in the distance limited PDS method presented in the next section. The inclusion zone is covered in *The "InclusionZone" Class* vignette, and the surface will be constant only for log length and density. An example follows...

```
R> dlsMet = distanceLimited(3, units='metric')
R> iz.dlmcs = distanceLimitedMCIZ(dlogs@logs$log.1, dls=dlsMet)
R> (izgDLMCS = izGrid(iz.dlmcs, btr))
```

 ${\tt Object\ of\ class:\ InclusionZoneGrid}$ 

\_\_\_\_\_\_

#### distanceLimitedMCIZ inclusion zone grid object

\_\_\_\_\_

Per unit area estimates in the data slot (for cells inside IZ only)...

	volume	Density	Length	${\tt surfaceArea}$	coverageArea	biomass	carbon
Min.	0.4893	235.1	1667	101.2	32.22	9.836	4.918
1st Qu.	30.6700	235.1	1667	800.4	254.80	616.400	308.200
Median	77.0200	235.1	1667	1270.0	404.10	1548.000	774.000
Mean	80.4300	235.1	1667	1195.0	380.30	1617.000	808.300
3rd Qu.	122.2000	235.1	1667	1600.0	509.20	2456.000	1228.000
Max.	175.2000	235.1	1667	1916.0	609.80	3522.000	1761.000

```
Encapulating bounding box...
min max
x 45.0 55.5
y 15.5 25.5
```

R> plot(izgDLMCS, estimate='biomass')

Note from the summary output that the surface is indeed variable for all attributes other than Density and Length. This is illustrated for biomass in Figure 11.

## 12 Example: The "distanceLimitedPDSIZ" Class

This class, as explained in *The "InclusionZone" Class* vignette, is a hybrid sampling method that restricts the maximum width of the PDS inclusion zone, effectively truncating the search distance for logs. The "hybrid" effect comes from the fact that the inclusion zone can have one of three




Figure 11: A "InclusionZoneGrid" object based on a "distanceLimitedMCIZ" object showing the variable height sampling surface for biomass.

variations: (i) the inclusion zone is all PDS, (ii) the inclusion zone is all DLMCS, or (iii) it is a combination of the two. This flexibility can make things a bit messy, however. We again define two different protocols within this method. First, "canonical" DLPDS uses DLMCS for the truncated portion of the inclusion zone and canonical PDS for the section that is treated as a normal PDS sample.<sup>2</sup> In the second protocol, we substitute omnibus PDS for any section that is to be sampled with PDS, and refer to this as "omnibus" DLPDS. Note that the difference is entirely based on the protocol for the PDS component (if any) for each log. The PDS component of the inclusion zone can, therefore, be either constant or variable depending on the PPS selection strategy (volume, surface area or coverage area) and the particular attribute we are estimating (refer to the last few sections for more information).

<sup>&</sup>lt;sup>2</sup>Of course, in field applications, this method is limited to sampling only for the PPS selection variable in the PDS component for the same reasons as described above.

```
R> iz.dlpds = distanceLimitedPDSIZ(dlogs@logs$log.1, pds=pdsmet, dls=dlsMet)
R> (izgDLPDS = izGrid(iz.dlpds, btr))
Object of class: InclusionZoneGrid
______
a distance limited PDSIZ inclusion zone grid object
InclusionZone class: distanceLimitedPDSIZ
  units of measurement: metric
Grid class: RasterLayer
Number of grid cells = 256
Cell dimensions: (nrows=16, ncol=16)
Grid cell values**...
  gridValues Freq
1
          0
             111
        <NA>
             145
**Note: data slot values get swapped with zero-valued grid cells as necessary.
Per unit area estimates in the data slot (for cells inside IZ only)...
       volume Density Length surfaceArea coverageArea biomass carbon
                                                               1005
        100.0
                293.5
                        1667
                                               462.5
                                                        2010
Min.
                                   1453
1st Qu. 100.0
                293.5
                        1667
                                   1661
                                               528.6
                                                        2010
                                                               1005
Median
        111.3
                293.5
                        1667
                                   1852
                                               589.6
                                                        2238
                                                               1119
Mean
        122.8
                345.8
                        2433
                                   1803
                                               573.9
                                                        2469
                                                               1234
3rd Qu.
        142.7
                428.6
                        3644
                                   1985
                                               631.5
                                                        2868
                                                               1434
```

1985

631.5

3522

1761

```
Encapulating bounding box...
min max
x 47.5 55.5
y 17.5 25.5
```

428.6

175.2

Max.

R> plot(izgDLPDS, estimate='biomass', showPDSPart=TRUE)

3644

Figure 12 shows<sup>3</sup> the two inclusion zones in the hybrid region. Since biomass is a scaled version of volume (the PPS selection variable), the PDS component surface is constant as in Figure 9. The DLMCS component is seen to be variable, however, just as the surface generated in Figure 11. Now

<sup>&</sup>lt;sup>3</sup>The log is randomly generated with each run of this document, and so differs with each creation, but the parameters are chosen such that it should show the two zones of case (iii).




Figure 12: A "InclusionZoneGrid" object based on a "distanceLimitedPDSIZ" object showing the variable height sampling surface for biomass.

we are able to see why this is a hybrid scheme more clearly. Note also from the object summary that the combination of the two types of inclusion zone objects makes all of the attributes variable in case (iii), since DLMCS will always produce a variable height surface for biomass. If we had chosen either length or density, then the surface would have been constant within each of the sub areas.

# 13 Example: The "omnibusDLPDSIZ" Class

Omnibus PDS is the final PDS-based method. Again, this is the same as canonical DLPDS with the exception that omnibus PDS is employed within the PDS component of the inclusion zone, if any. This method will be more appropriate for most field applications since one is able to estimate any attribute shown in Ducey et al. (2008). The resulting surface will be variable as described in the sections for the individual component methods above.

```
R> iz.odlpds = omnibusDLPDSIZ(dlogs@logs$log.1, pds=pdsmet, dls=dlsMet)
R> (izgODLPDS = izGrid(iz.odlpds, btr))
Object of class: InclusionZoneGrid
_____
a distance limited PDSIZ inclusion zone grid object
_____
InclusionZone class: omnibusDLPDSIZ
 units of measurement: metric
Grid class: RasterLayer
Number of grid cells = 256
Cell dimensions: (nrows=16, ncol=16)
Grid cell values**...
 gridValues Freq
          0 111
1
       <NA> 145
**Note: data slot values get swapped with zero-valued grid cells as necessary.
Per unit area estimates in the data slot (for cells inside IZ only)...
       volume Density Length surfaceArea coverageArea biomass carbon
Min.
        100.0
               213.1
                      1667
                                 1453
                                            462.5
                                                     2010
                                                           1005
1st Qu. 100.0
               293.5
                      1667
                                 1594
                                            507.5
                                                    2010
                                                           1005
Median
       111.3
               293.5
                      1667
                                 1724
                                            548.6
                                                    2238
                                                           1119
Mean
       122.8
               331.6
                      2311
                                 1799
                                            572.6
                                                    2469
                                                           1234
3rd Qu. 142.7
               293.5
                     2171
                                 1854
                                            590.0
                                                    2868
                                                           1434
Max.
        175.2 1494.0 12700
                                 3995
                                           1272.0
                                                    3522
                                                           1761
```

```
R> plot(izgODLPDS, estimate='surfaceArea', showPDSPart=TRUE)
```

Encapulating bounding box...

min max x 47.5 55.5 y 17.5 25.5

It may be difficult to see in Figure 13, but the surface is actually slightly convex from butt to tip, because it varies in the reverse sense for each of the two components; i.e., larger near the butt for DLMCS, but larger near the tip for omnibus PDS.




Figure 13: A "InclusionZoneGrid" object based on a "omnibusDLPDSIZ" object showing the variable height sampling surface for surface area.

## 14 Using plot3D

The plot3D generic was extended to handle objects of class "InclusionZoneGrid". Its use is simple, just remember to use the estimate argument to specify the desired surface attribute to be rendered...

R> plot3D(izgODLPDS, estimate='surfaceArea')




Figure 14: Representation of the sampling surface (via an "InclusionZoneGrid" object) for a single log sampled with "omnibusDLPDS".

### References

- M. J. Ducey, M. S. Williams, J. H. Gove, and H. T. Valentine. Simultaneous unbiased estimates of multiple downed wood attributes in perpendicular distance sampling. *Canadian Journal of Forest Research*, 38:2044–2051, 2008. 18, 20, 26
- J. H. Gove and P. C. Van Deusen. On fixed-area plot sampling for downed coarse woody debris. Forestry, 84(2):109–117, 2011. 7, 12, 13
- J. H. Gove, A. Ringvall, G. Ståhl, and M. J. Ducey. Point relascope sampling of downed coarse woody debris. *Canadian Journal of Forest Research*, 29(11):1718–1726, 1999. 17
- J. H. Gove, M. J. Ducey, A. Ringvall, and G. Ståhl. Point relascope sampling: a new way to assess down coarse woody debris. *Journal of Forestry*, 4:4–11, 2001. 17
- M. S. Williams and J. H. Gove. Perpendicular distance sampling: an alternative method for

sampling downed coarse woody debris. Canadian Journal of Forest Research, 33:1564–1579, 2003. 18

M. S. Williams, M. J. Ducey, and J. H. Gove. Assessing surface area of coarse woody debris with line intersect and perpendicular distance sampling. *Canadian Journal of Forest Research*, 35: 949–960, 2005. 18