Your Turn 1: Consider

What do you do when you want to learn a new package?

Learning new packages

1. Examples
2. Vignettes/pkgdown
3. README
4. Blog posts
5. Books

Learning new packages

1. **Examples**
2. Vignettes/pkgdown
3. README
4. Blog posts
5. Books

Learning new packages

1. Examples
2. **Vignettes/pkgdown**
3. **README**
4. Blog posts
5. Books

Guiding users

document	scope
Vignettes	User-friendly, deeper introductions and complex topics
README	Simple introduction, installation. Get users going
Documentation and examples	Granular, function-specific details and examples

Examples revisted

If you don't want to run examples, wrap them in `\dontrun{}` or `\dontrun{}`

```
#' [other roxygen code]
#' @examples
#'
#' \dontrun{
#'   get_data("daily_active_users")
#' }
get_data <- function(x) {
  # code to get data
}
```

Examples revisted

Don't mess around with the user's directory. Use `tempfile()` or withr if you need to.

```
withr::with_tempdir(...)
```

```
withr::with_tempdir(create_package("temp.package"))
```

```
## ✔ ✓ Creating 'temp.package/'

## ✔ ✓ Setting active project to '/private/var/folders/w7/8yv1...

## ✔ ✓ Creating 'R/'

## ✔ ✓ Writing 'DESCRIPTION'

## Package: temp.package
## Title: What the Package Does (One Line, Title Case)
## Version: 0.0.0.9000
## Authors@R (parsed):
##     * Malcolm Barrett <malcolmbarrett@gmail.com> [aut, cre] (<https://orci
## Description: What the package does (one paragraph).
## License: MIT + file LICENSE
## Encoding: UTF-8
## Roxygen: list(markdown = TRUE)
## RoxygenNote: 7.1.2

## ✔ ✓ Writing 'NAMESPACE'

## ✔ ✓ Writing 'temp.package.Rproj'

## ✔ ✓ Adding '^temp\\.package\\.Rproj$' to '.Rbuildignore'

## ✔ ✓ Adding '.Rproj.user' to '.gitignore'
```

Vignettes

Long-form documentation, written in R Markdown: `use_vignette()`

Vignettes

Long-form documentation, written in R Markdown: `use_vignette()`

Great for general introductions and complex topics you don't want buried in the documentation

Vignettes

Long-form documentation, written in R Markdown: `use_vignette()`

Great for general introductions and complex topics you don't want buried in the documentation

Get rendered on pkgdown sites.
See also `use_article()`

```
use_vignette("intro-to-shinRa")
```

```
shinRa
├── .Rbuildignore
├── .gitignore
├── DESCRIPTION
├── NAMESPACE
├── R/
│   ├── themes.R
├── man
│   ├── theme_mako.Rd
├── tests
│   ├── testthat
│   │   └── test-themes.R
│   └── testthat.R
├── vignettes
│   └── intro-to-shinRa.Rmd
└── shinRa.Rproj
```

```
use_vignette("intro-to-shinRa")
```

```
---
title: "intro-to-shinRa"
output: rmarkdown::html_vignette
vignette: >

%\VignetteIndexEntry{intro-to-shinRa}
  %\VignetteEngine{knitr::rmarkdown}
  %\VignetteEncoding{UTF-8}
---
```

```
use_vignette("intro-to-shinRa")
```

```
---
title: "intro-to-shinRa"
output: rmarkdown::html_vignette
vignette: >

%\VignetteIndexEntry{intro-to-shinRa}
  %\VignetteEngine{knitr::rmarkdown}
  %\VignetteEncoding{UTF-8}
---
```

lightweight R Markdown output

```
---
title: "intro-to-shinRa"
output: rmarkdown::html_vignette
vignette: >

  %\VignetteIndexEntry{intro-to-shinRa}
    %\VignetteEngine{knitr::rmarkdown}
    %\VignetteEncoding{UTF-8}
---
```

Need a Markdown refresher?

Interactive, 10-20 min tutorial:
https://commonmark.org/help/tutorial/

The R Markdown website or book

Your Turn 2

Open `vignettes/intro-to-avalanchr.Rmd`.

Let's add some more content before we knit this vignette. Lines 27-29 have an R Markdown code chunk. On line 28, fill in the blank with this code: `db_con("residents_per_sector")`

Let's also add some examples of the summarizing and plotting functions. On line 57, fill in the blank with `count_donations()`. On line 62, use `plot_donations()`

Knit the vignette. If you're having trouble finding some of your functions, try re-loading or documenting and re-building.

README

A quick overview of your package

README

A quick overview of your package

A good place for installation instructions

README

A quick overview of your package

A good place for installation instructions

Becomes the homepage for a pkgdown site

README

A quick overview of your package

A good place for installation instructions

Becomes the homepage for a pkgdown site

use_readme_md() or
use_readme_rmd()

What should I put in the README?

1. Badges (`?use_badge()`), where applicable.
2. Installation instructions
3. A few examples
4. Maybe: how to contribute (`use_tidy_contributing()`)

R Packages: ggplot2's README

README.md

ggplot2

build passing | build passing | coverage 81% | CRAN 3.2.1

Overview

ggplot2 is a system for declaratively creating graphics, based on The Grammar of Graphics. You provide the data, tell ggplot2 how to map variables to aesthetics, what graphical primitives to use, and it takes care of the details.

Installation

```
# The easiest way to get ggplot2 is to install the whole tidyverse:
install.packages("tidyverse")

# Alternatively, install just ggplot2:
install.packages("ggplot2")

# Or the development version from GitHub:
# install.packages("devtools")
devtools::install_github("tidyverse/ggplot2")
```

Cheatsheet



Usage

It's hard to succinctly describe how ggplot2 works because it embodies a deep philosophy of visualisation. However, in most cases you start with `ggplot()`, supply a dataset and aesthetic mapping (with `aes()`). You then add on layers (like `geom_point()` or `geom_histogram()`), scales (like `scale_colour_brewer()`), faceting specifications (like `facet_wrap()`) and coordinate systems (like `coord_flip()`).

Other READMEs: Zhi Yang's TidyTuesday repo

README.md

Data Visualization Gallery

Twitter | LinkedIn | GitHub | Website

▶ **Table of Contents** (click to expand)

How to make an interactive treemap using `treemap` and `d3treeR`

Data: introduction of #TidyTuesday media franchise data here

Code: click here

Note: to interact with the treemaps, please go to the post

How to make an geofacet waffle chart using `geofacet`



Other READMEs: Zhi Yang's TidyTuesday repo

Check out "Building a Better README"

README.md

Data Visualization Gallery

Twitter | LinkedIn | GitHub | Website

▶ **Table of Contents** (click to expand)

How to make an interactive treemap using `treemap` and `d3treeR`

Data: introduction of #TidyTuesday media franchise data here

Code: click here

Note: to interact with the treemaps, please go to the post

How to make an geofacet waffle chart using `geofacet`



Your Turn 3

Run `use_readme_rmd()` to setup a README. Knit the file and take a look.

Let's add some badges. Run `use_lifecycle_badge("experimental")` and `use_cran_badge()`. Then, re-knit.

Spell check with the spelling package

```
use_spell_check()
```