

Google Ads API Design Documentation

Application for Developer Token — Basic Access

Company Name

Geeko Digital Media

Business Model

Geeko Digital Media is a digital marketing agency specializing in paid media management for franchise and multi-location businesses.

MCC: Geeko Digital Media - MCC (Customer ID: 503-015-3115)

Current Accounts Under Management:

- 9 Dots - Ads Grant (Customer ID: 921-382-6651) — Google Ad Grants nonprofit account
- 9 Dots (Customer ID: 285-964-4846)
- Geeko Digital Media (Customer ID: 373-401-0058)

Upcoming Client Accounts (OTT - Onboarding in Progress):

- Radiant Waxing
- Amazing Lash Studio
- Drybar
- The Joint Chiropractic — MCC with 109 franchise locations
- Pause Studio

All accounts are owned by our clients and managed under our agency's MCC. We only manage Google Ads for contracted clients and do not resell API access to third parties.

Tool Name

3nzo — AI-Powered Paid Media Command Center

Tool Access/Use

3nzo is an internal agency tool used exclusively by Geeko Digital Media employees to:

- 1. View Performance Data** — Unified dashboard displaying metrics across all managed accounts including impressions, clicks, conversions, spend, CTR, CPC, CPA, and Search Impression Share.
- 2. Generate Reports** — Visual reports with date range selection, filterable by account, campaign status, and campaign name.
- 3. AI-Assisted Queries** — Natural language chat interface allowing team members to ask questions like "What's the spend this week?"
- 4. Campaign Management** — Ability to pause/enable campaigns, adjust daily budgets, and modify bids (with confirmation flows).
- 5. Automated Monitoring** — Daily sync of performance data at 6:30 AM to maintain up-to-date reporting.

Access Control:

- Only authenticated Geeko Digital Media employees can access the tool
- The tool is hosted at <https://3nzo.geekodmedia.com> (internal access only)
- Clients receive exported reports but cannot access the tool directly

Tool Design

Architecture

See attached: *architecture-diagram.png* for visual representation

The architecture consists of three main layers:

1. 3nzo Web App (Next.js on Vercel) — Dashboard, AI Chat, Campaigns, Settings

2. API Layer — RESTful endpoints for data operations (/api/dashboard, /api/chat, etc.)

3. Data Sources — Neon PostgreSQL (read replica) and Google Ads API (read/write)

Daily sync at 6:30 AM pulls latest metrics from Google Ads API into our database.

Data Flow

Reading Data (Reporting):

1. Daily scheduled job pulls metrics from Google Ads API
2. Data is transformed and stored in Neon PostgreSQL (star schema)
3. Dashboard UI queries the database to display metrics
4. AI chat queries the database for natural language responses

Writing Data (Mutations):

1. User initiates action in UI (e.g., "Pause Campaign X")
2. Confirmation dialog requires explicit approval
3. API call made to Google Ads API
4. Mutation logged in database for audit trail

API Services Called

Read Operations (Reporting)

Service	Resource	Purpose
GoogleAdsService	customer	Pull account-level performance metrics
GoogleAdsService	campaign	Pull campaign-level metrics and status
GoogleAdsService	ad_group	Pull ad group-level metrics and bids
GoogleAdsService	search_term_view	Analyze search query performance
CustomerService	customer	Retrieve account hierarchy for MCC

Write Operations (Mutations)

MutateCampaigns

Pause/enable campaigns

MutateCampaignBudgets

Adjust daily budgets

MutateAdGroups

Ad group		Bids		Status	
Ad group name	Ad group ID	Current bid	Target bid	Current status	Target status
Ad group 1					
Ad group 1.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 1.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 1.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 2					
Ad group 2.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 2.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 2.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 3					
Ad group 3.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 3.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 3.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 4					
Ad group 4.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 4.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 4.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 5					
Ad group 5.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 5.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 5.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 6					
Ad group 6.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 6.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 6.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 7					
Ad group 7.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 7.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 7.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 8					
Ad group 8.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 8.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 8.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 9					
Ad group 9.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 9.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 9.3	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 10					
Ad group 10.1	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 10.2	1111111111111111	1.00	1.00	Enabled	Enabled
Ad group 10.3	1111111111111111	1.00	1.00	Enabled	Enabled

GAQL Queries Used

Account Performance:

```
SELECT
  segments.date,
  metrics.impressions,
  metrics.clicks,
  metrics.cost_micros,
  metrics.conversions,
  metrics.search_impression_share,
  metrics.search_budget_lost_impression_share,
  metrics.search_rank_lost_impression_share
FROM customer
```

Campaign Performance:

```
SELECT
  campaign.id,
  campaign.name,
  campaign.status,
  campaign_budget.amount_micros,
  metrics.impressions,
  metrics.clicks,
  metrics.cost_micros,
  metrics.conversions
FROM campaign
```

Security & Compliance

1. **OAuth 2.0** — All API access uses OAuth 2.0 with refresh tokens stored securely
2. **Least Privilege** — We only request scopes necessary for our operations

- 3. Audit Logging** — All mutations logged with timestamp, user, and values
- 4. Confirmation Flows** — Destructive actions require explicit user confirmation
- 5. Rate Limiting** — We respect API quotas and implement exponential backoff
- 6. Data Retention** — Performance data retained for reporting; no PII stored

Tool Screenshots

The following screenshots are included as separate attachments:

- **architecture-diagram.png** — System architecture showing data flow
- **dashboard.png** — Account Overview with KPIs and brand performance table
- **campaigns.png** — Expanded brand row showing individual campaigns
- **chat.png** — AI Chat interface with natural language query
- **filters.png** — Google Ads-style filters for accounts and campaigns

Note: Screenshots show data from client accounts (OTT) currently being onboarded to our MCC.

Contact Information

Company: Geeko Digital Media

Contact: Russel Jan Fresnido

Email: rfresnido@geekodmedia.com

Website: <https://geekodmedia.com>

Tool URL: <https://3nzo.geekodmedia.com> (internal access only)

Document prepared for Google Ads API Developer Token application — Basic Access