

SecondariesDefaultWorkflows

Execution Environment

Host name	mbrookins - E-4W0SGY3-MB.icsfl.com
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/SecondariesDefaultWorkflows		
Description			
Total	5		
Passed	5	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	03-01-2024 10:01:01	End	03-01-2024 10:03:20
Elapsed	2m - 19.438s		

#	ID	Description	Status
1	Test Cases/Web Client Tests/AccountAliasIssue02		PASSED
2	Test Cases/Web Client Tests/MiscellaneousTransactions		PASSED
3	Test Cases/Web Client Tests/PutawayReceipt02		PASSED
4	Test Cases/Web Client Tests/Receiving05		PASSED
5	Test Cases/Web Client Tests/ViewItemQuantity		PASSED

AccountAliasIssue02

Information

ID	Test Cases/Web Client Tests/AccountAliasIssue02		
Description			
Tag			
Start	03-01-2024 10:01:01	End	03-01-2024 10:01:35
Elapsed	34.152s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.433s	PASSED
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	0.912s	PASSED
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.337s	PASSED
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.373s	PASSED
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	2.407s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.686s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02' is clicked on	1.166s	PASSED
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.900s	PASSED
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.106s	PASSED
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.837s	PASSED
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.856s	PASSED
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.864s	PASSED
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	2.720s	PASSED
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.889s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.629s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.816s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	0.774s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.843s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.540s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.833s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	6.914s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.846s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.538s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	0.888s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room")) Object: 'Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room' is clicked on	0.806s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.735s	PASSED
27	closeBrowser() Browser is closed	0.223s	PASSED

MiscellaneousTransactions

Information

ID	Test Cases/Web Client Tests/MiscellaneousTransactions		
Description			
Tag			
Start	03-01-2024 10:01:35	End	03-01-2024 10:02:06
Elapsed	30.545s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.187s	PASSED
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	2.616s	PASSED
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.316s	PASSED
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdI0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.332s	PASSED
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	2.985s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.580s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions' is clicked on	0.854s	PASSED
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.858s	PASSED
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.656s	PASSED
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.894s	PASSED
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.484s	PASSED
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.838s	PASSED
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	2.627s	PASSED
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.826s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.233s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.817s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	1.010s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.847s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.604s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.805s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	2.940s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.841s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.516s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	0.975s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	0.788s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.740s	PASSED
27	closeBrowser() Browser is closed	0.266s	PASSED

PutawayReceipt02

Information

ID	Test Cases/Web Client Tests/PutawayReceipt02		
Description			
Tag			
Start	03-01-2024 10:02:06	End	03-01-2024 10:02:28
Elapsed	21.754s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.575s	PASSED
2	maximizeWindow() Current window maximized	0.144s	PASSED
3	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	0.672s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.243s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHd0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.309s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	2.923s	PASSED

PutawayReceipt02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.586s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Putaway02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Putaway02' is clicked on	0.787s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.815s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.547s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Receipt"), "3642") Text '3642' is set on object 'Object Repository/WebClient_RF-SMART/txt_Receipt'	0.821s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.983s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "1129") Text '1129' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'	0.585s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.895s	PASSED
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.704s	PASSED

PutawayReceipt02

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.863s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.704s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.791s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.694s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.789s	PASSED
21	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	2.261s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	0.995s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.701s	PASSED
24	closeBrowser() Browser is closed	0.278s	PASSED

Receiving05

Information

ID	Test Cases/Web Client Tests/Receiving05		
Description			
Tag			
Start	03-01-2024 10:02:28	End	03-01-2024 10:02:57
Elapsed	29.717s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.484s	PASSED
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	0.659s	PASSED
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.170s	PASSED
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.322s	PASSED
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	2.943s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.583s	PASSED

Receiving05

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Receiving05")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Receiving05' is clicked on	0.851s	PASSED
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.880s	PASSED
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.780s	PASSED
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectOrder"), "325271") Text '325271' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectOrder'	0.863s	PASSED
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.317s	PASSED
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip"), "8675309") Text '8675309' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip'	0.766s	PASSED
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.272s	PASSED
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'	0.817s	PASSED

Receiving05

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.831s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.831s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.619s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Bx 4") Text 'Bx 4' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.889s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.015s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.832s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.031s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.864s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.598s	PASSED

Receiving05

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.813s	PASSED
25	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.695s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	0.909s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.021s	PASSED
28	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.749s	PASSED
29	closeBrowser() Browser is closed	0.200s	PASSED

ViewItemQuantity

Information

ID	Test Cases/Web Client Tests/ViewItemQuantity		
Description			
Tag			
Start	03-01-2024 10:02:57	End	03-01-2024 10:03:19
Elapsed	21.894s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.542s	PASSED
2	maximizeWindow() Current window maximized	0.129s	PASSED
3	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	0.708s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.143s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.338s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	2.137s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.676s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity")) Object: 'Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity' is clicked on	0.849s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.831s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.574s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "CD-REG-ITEM-01") Text 'CD-REG-ITEM-01' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.797s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.980s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.813s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.728s	PASSED
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.818s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.610s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.748s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.847s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.538s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyonlabel"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyonlabel'	0.796s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.511s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	0.864s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	0.882s	PASSED
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.746s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
25	closeBrowser() Browser is closed	0.201s	PASSED