

SecondariesDefaultWorkflows

Execution Environment

Host name	mbrookins - E-4W0SGY3-MB.icsfl.com
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/SecondariesDefaultWorkflows		
Description			
Total	5		
Passed	5	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	09-01-2024 12:51:06	End	09-01-2024 12:54:40
Elapsed	3m - 33.436s		

#	ID	Description	Status
1	Test Cases/Web Client Tests/AccountAliasIssue02		PASSED
2	Test Cases/Web Client Tests/MiscellaneousTransactions		PASSED
3	Test Cases/Web Client Tests/PutawayReceipt02		PASSED
4	Test Cases/Web Client Tests/Receiving05		PASSED
5	Test Cases/Web Client Tests/ViewItemQuantity		PASSED

AccountAliasIssue02

Information

ID	Test Cases/Web Client Tests/AccountAliasIssue02		
Description			
Tag			
Start	09-01-2024 12:51:07	End	09-01-2024 12:51:43
Elapsed	36.470s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.486s	PASSED
2	maximizeWindow() Current window maximized	0.144s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully	2.539s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.928s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.407s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	8.616s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.649s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02' is clicked on	0.638s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	1.366s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.683s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.879s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.130s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "QA-REG-ITEM-01") Text 'QA-REG-ITEM-01' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.845s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.736s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.929s	PASSED
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.717s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.999s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	0.688s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.903s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.576s	PASSED
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.929s	PASSED
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	3.700s	PASSED
23	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.921s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
24	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.833s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	0.900s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room")) Object: 'Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room' is clicked on	0.892s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.866s	PASSED
28	closeBrowser() Browser is closed	0.272s	PASSED

MiscellaneousTransactions

Information

ID	Test Cases/Web Client Tests/MiscellaneousTransactions		
Description			
Tag			
Start	09-01-2024 12:51:43	End	09-01-2024 12:52:22
Elapsed	39.042s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.431s	PASSED
2	maximizeWindow() Current window maximized	0.131s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully	2.027s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.919s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.413s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	8.220s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.650s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions' is clicked on	1.381s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.867s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.796s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.943s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.992s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.863s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.756s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.928s	PASSED
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.787s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	1.066s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	1.590s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.881s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.590s	PASSED
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.944s	PASSED
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	5.950s	PASSED
23	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.831s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
24	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.677s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.062s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	0.987s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.843s	PASSED
28	closeBrowser() Browser is closed	0.363s	PASSED

PutawayReceipt02

Information

ID	Test Cases/Web Client Tests/PutawayReceipt02		
Description			
Tag			
Start	09-01-2024 12:52:22	End	09-01-2024 12:53:32
Elapsed	1m - 10.301s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.512s	PASSED
2	maximizeWindow() Current window maximized	0.131s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully	2.005s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.805s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.495s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	12.778s	PASSED

PutawayReceipt02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	1.364s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Putaway02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Putaway02' is clicked on	3.409s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "JAX3") Text 'JAX3' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	3.512s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.364s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Receipt"), "416210") Text '416210' is set on object 'Object Repository/WebClient_RF-SMART/txt_Receipt'	3.654s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.799s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "8001") Text '8001' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'	4.235s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.339s	PASSED
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	3.599s	PASSED

PutawayReceipt02

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.289s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	3.839s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	5.419s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	3.511s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.271s	PASSED
21	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	2.027s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	2.277s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	2.636s	PASSED
24	closeBrowser() Browser is closed	0.894s	PASSED

Receiving05

Information

ID	Test Cases/Web Client Tests/Receiving05		
Description			
Tag			
Start	09-01-2024 12:53:32	End	09-01-2024 12:54:14
Elapsed	41.291s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.023s	PASSED
2	maximizeWindow() Current window maximized	0.153s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully	3.639s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.737s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.472s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	9.482s	PASSED

Receiving05

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.495s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Receiving05")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Receiving05' is clicked on	1.498s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.878s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.716s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectOrder"), "RFS100005") Text 'RFS100005' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectOrder'	1.181s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	3.578s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip"), "8675309") Text '8675309' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip'	1.007s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.144s	PASSED

Receiving05

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'	0.853s	PASSED
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.900s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.903s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.626s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Bx 4") Text 'Bx 4' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.881s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.896s	PASSED
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.938s	PASSED
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.071s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.001s	PASSED

Receiving05

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.114s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.865s	PASSED
26	closeBrowser() Browser is closed	0.286s	PASSED

ViewItemQuantity

Information

ID	Test Cases/Web Client Tests/ViewItemQuantity		
Description			
Tag			
Start	09-01-2024 12:54:14	End	09-01-2024 12:54:39
Elapsed	24.777s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.142s	PASSED
2	maximizeWindow() Current window maximized	0.139s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully	1.529s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.803s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.333s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	4.803s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.576s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity")) Object: 'Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity' is clicked on	1.315s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.871s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.581s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.890s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.627s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.942s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.937s	PASSED
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.897s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.960s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.855s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.967s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.651s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyonlabel"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyonlabel'	0.906s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.811s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	0.955s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.174s	PASSED
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.798s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
25	closeBrowser() Browser is closed	0.200s	PASSED