DefaultWorkflows

Execution Environment

Host name	mbrookins - E-4W0SGY3-MB.icsfl.com
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Chrome 121.0.0.0

Summary

ID	Test Suites/DefaultWorkflows
Description	

Total	5		
Passed	5	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	01-02-2024 07:18:20	End	01-02-2024 07:22:04
Elapsed	3m - 43.214s		

#	ID	Description	Status
1	Test Cases/Web Client Tests/AccountAliasIssue02		PASSED
2	Test Cases/Web Client Tests/MiscellaneousTransactions		PASSED
3	Test Cases/Web Client Tests/PutawayReceipt02		PASSED
4	Test Cases/Web Client Tests/Receiving05		PASSED
5	Test Cases/Web Client Tests/ViewItemQuantity		PASSED

AccountAliasIssue02

Information

ID	Test Cases/Web Client Tests/AccountAliasIssue02		
Description			
Tag			
Start	01-02-2024 07:18:21	End	01-02-2024 07:19:17
Elapsed	55.940s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	3.063s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.180s	PASSED
	Current window maximized		
3	navigateToUrl(URL)	3.072s	PASSED
	Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully		
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), UserName)	0.882s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
5	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Password"), Password)	0.814s	PASSED
	Text 'RFSics1650' is set on object 'Object Repository/WebClient_RF-SMART/txt_Password'		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_login"))	17.511s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_login' is clicked on		

AccountAliasIssue02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.914s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02' is clicked on	2.383s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.939s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.730s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.945s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.261s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "QA-REG-ITEM-01") Text 'QA-REG-ITEM-01' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.041s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.700s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.944s	PASSED
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.965s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.853s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	0.770s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.967s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.781s	PASSED
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.918s	PASSED
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	8.691s	PASSED
23	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.884s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
24	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.602s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.226s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room")) Object: 'Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room' is clicked on	1.362s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.865s	PASSED
28	closeBrowser() Browser is closed	0.240s	PASSED

MiscellaneousTransactions

Information

ID   Test Cases/Web Client Tests/MiscellaneousTransactions

Description

Tag

Start	01-02-2024 07:19:17	End	01-02-2024 07:20:03
Elapsed	46.957s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.718s	PASSED
2	maximizeWindow() Current window maximized	0.173s	PASSED
3	navigateToUrl(URL) Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully	2.619s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), UserName) Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	0.760s	PASSED
5	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Password"), Password) Text 'RFSics1650' is set on object 'Object Repository/WebClient_RF-SMART/txt_Password'	0.627s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_login")) Object: 'Object Repository/WebClient_RF-SMART/btn_login' is clicked on	14.544s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.342s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions' is clicked on	2.804s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	1.066s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.988s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.831s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	3.723s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.066s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.591s	PASSED

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.011s	PASSED
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.807s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.868s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	1.298s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.928s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.691s	PASSED
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.859s	PASSED
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	2.293s	PASSED
23	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.852s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
24	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.615s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.258s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.269s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.882s	PASSED
28	closeBrowser() Browser is closed	0.317s	PASSED

PutawayReceipt02

Information

ID	Test Cases/Web Client Tests/PutawayReceipt02
Description	
Tag	

Start	01-02-2024 07:20:03	End	01-02-2024 07:20:44
Elapsed	40.838s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.837s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.131s	PASSED
	Current window maximized		
3	navigateToUrl(URL)	0.803s	PASSED
	Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully		
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), UserName)	0.814s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
5	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Password"), Password)	0.726s	PASSED
	Text 'RFSics1650' is set on object 'Object Repository/WebClient_RF-SMART/txt_Password'		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_login"))	12.952s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_login' is clicked on		

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.672s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Putaway02"))	0.979s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_Putaway02' is clicked on		
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002")	0.818s	PASSED
	Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.098s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Receipt"), "2844")	0.817s	PASSED
	Text '2844' is set on object 'Object Repository/WebClient_RF-SMART/txt_Receipt'		
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	2.573s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "8009")	0.804s	PASSED
	Text '8009' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'		
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	2.589s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1")	0.964s	PASSED
	Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'		

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.761s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	1.018s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.641s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.808s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.166s	PASSED
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.820s	PASSED
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.865s	PASSED
23	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	1.024s	PASSED
24	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.924s	PASSED

PutawayReceipt02

#	Description	Elapsed	Status
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List"))	1.138s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on		
26	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter"))	0.862s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on		
27	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit"))	0.731s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on		
28	closeBrowser()	0.344s	PASSED
	Browser is closed		

Receiving05

Information

ID	Test Cases/Web Client Tests/Receiving05
Description	
Tag	

Start	01-02-2024 07:20:44	End	01-02-2024 07:21:27
Elapsed	42.352s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.613s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.163s	PASSED
	Current window maximized		
3	navigateToUrl(URL)	1.169s	PASSED
	Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully		
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), UserName)	0.754s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
5	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Password"), Password)	0.740s	PASSED
	Text 'RFSics1650' is set on object 'Object Repository/WebClient_RF-SMART/txt_Password'		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_login"))	14.823s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_login' is clicked on		

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.512s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Receiving05"))	1.247s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_Receiving05' is clicked on		
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002")	0.989s	PASSED
	Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.139s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectOrder"), "RFS100005")	0.854s	PASSED
	Text 'RFS100005' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectOrder'		
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.614s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip"), "8675309")	0.804s	PASSED
	Text '8675309' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip'		
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	2.270s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		

Receiving05

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'	0.821s	PASSED
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.909s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	1.094s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.597s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Bx 4") Text 'Bx 4' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.836s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.317s	PASSED
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.836s	PASSED
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.741s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.094s	PASSED

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.057s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.911s	PASSED
26	closeBrowser() Browser is closed	0.302s	PASSED

ViewItemQuantity

Information

ID	Test Cases/Web Client Tests/ViewItemQuantity
Description	
Tag	

Start	01-02-2024 07:21:27	End	01-02-2024 07:22:02
Elapsed	35.466s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.738s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.135s	PASSED
	Current window maximized		
3	navigateToUrl(URL)	0.735s	PASSED
	Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully		
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), UserName)	0.748s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
5	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Password"), Password)	0.628s	PASSED
	Text 'RFSics1650' is set on object 'Object Repository/WebClient_RF-SMART/txt_Password'		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_login"))	13.341s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_login' is clicked on		

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.337s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity"))	1.112s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity' is clicked on		
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002")	1.342s	PASSED
	Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.818s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "8009")	0.955s	PASSED
	Text '8009' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'		
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.237s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores")	0.805s	PASSED
	Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'		
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.911s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1")	1.158s	PASSED
	Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'		

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.891s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.900s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.818s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.721s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyonlabel"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyonlabel'	1.073s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.585s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.156s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.072s	PASSED
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.860s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
25	closeBrowser()	0.251s	PASSED

Browser is closed