SecondariesDefaultWorkflows

Execution Environment

Host name	mbrookins - E-4W0SGY3-MB.icsfl.com
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/SecondariesDefaultWorkflows
Description	

Total	5		
Passed	5	Failed	0
Error	0	Incomplete	0
Skipped	0		
Start	04-01-2024 13:16:23	End	04-01-2024 13:19:11
Elapsed	2m - 47.681s		

#	ID	Description	Status
1	Test Cases/Web Client Tests/AccountAliasIssue02		PASSED
2	Test Cases/Web Client Tests/MiscellaneousTransactions		PASSED
3	Test Cases/Web Client Tests/PutawayReceipt02		PASSED
4	Test Cases/Web Client Tests/Receiving05		PASSED
5	Test Cases/Web Client Tests/ViewItemQuantity		PASSED

AccountAliasIssue02

Information

ID   Test Cases/Web Client Tests/AccountAliasIssue02

Description

Tag

Start	04-01-2024 13:16:23	End	04-01-2024 13:17:03
Elapsed	40.014s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	2.882s	PASSED
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	1.692s	PASSED
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.417s	PASSED
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.538s	PASSED
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	5.714s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.737s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02' is clicked on	0.981s	PASSED
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.930s	PASSED
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.430s	PASSED
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.967s	PASSED
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.461s	PASSED
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.871s	PASSED
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.995s	PASSED
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.878s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.373s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.973s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	0.831s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.947s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.717s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.991s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	6.559s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	1.178s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.739s	PASSED

AccountAliasIssue02

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.411s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room")) Object: 'Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room' is clicked on	1.185s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.869s	PASSED
27	closeBrowser() Browser is closed	0.374s	PASSED

MiscellaneousTransactions

Information

ID	Test Cases/Web Client Tests/MiscellaneousTransactions
Description	
Tag	

Start	04-01-2024 13:17:03	End	04-01-2024 13:17:36
Elapsed	32.874s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.757s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/")	1.319s	PASSED
	Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully		
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one")	1.002s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==")	0.591s	PASSED
	Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'		
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter"))	3.058s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.688s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		

MiscellaneousTransactions

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions' is clicked on	1.306s	PASSED
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	1.014s	PASSED
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.630s	PASSED
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	1.252s	PASSED
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.391s	PASSED
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.013s	PASSED
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.036s	PASSED
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.017s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.234s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	1.022s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	1.358s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.982s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.751s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	1.101s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	2.833s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	1.012s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.664s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List"))	1.424s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on		
25	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter"))	1.125s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on		
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit"))	0.834s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on		
27	closeBrowser()	0.283s	PASSED
	Browser is closed		

PutawayReceipt02

Information

ID	Test Cases/Web Client Tests/PutawayReceipt02
Description	
Tag	

Start	04-01-2024 13:17:36	End	04-01-2024 13:18:02
Elapsed	26.239s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.298s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.171s	PASSED
	Current window maximized		
3	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/")	1.006s	PASSED
	Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully		
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one")	1.564s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==")	0.400s	PASSED
	Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter"))	3.009s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on		

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.602s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Putaway02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Putaway02' is clicked on	0.919s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.970s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.737s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Receipt"), "3642") Text '3642' is set on object 'Object Repository/WebClient_RF-SMART/txt_Receipt'	0.896s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.325s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "1129") Text '1129' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'	0.752s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.061s	PASSED
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.952s	PASSED

PutawayReceipt02

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.102s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	1.087s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.129s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.879s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.981s	PASSED
21	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	2.693s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.176s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.858s	PASSED
24	closeBrowser() Browser is closed	0.542s	PASSED

Receiving05

Information

ID	Test Cases/Web Client Tests/Receiving05
Description	
Tag	

Start	04-01-2024 13:18:02	End	04-01-2024 13:18:43
Elapsed	40.206s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.673s	PASSED
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	0.998s	PASSED
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.415s	PASSED
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.596s	PASSED
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	4.030s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on	0.601s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Receiving05"))	0.969s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_Receiving05' is clicked on		
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001")	1.080s	PASSED
	Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.074s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectOrder"), "325271")	0.924s	PASSED
	Text '325271' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectOrder'		
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	5.671s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip"), "8675309")	1.096s	PASSED
	Text '8675309' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip'		
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	2.475s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "AS65001")	1.020s	PASSED
	Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'		

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.121s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	1.001s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.701s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Bx 4") Text 'Bx 4' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	1.085s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.353s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.980s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.388s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	1.098s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.905s	PASSED

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	1.166s	PASSED
25	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.956s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.168s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.330s	PASSED
28	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.720s	PASSED
29	closeBrowser() Browser is closed	0.331s	PASSED

ViewItemQuantity

Information

ID	Test Cases/Web Client Tests/ViewItemQuantity
Description	
Tag	

Start	04-01-2024 13:18:43	End	04-01-2024 13:19:09
Elapsed	26.567s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.753s	PASSED
2	maximizeWindow() Current window maximized	0.130s	PASSED
3	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	0.957s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.181s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.600s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	3.293s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.681s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity"))	1.114s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity' is clicked on		
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001")	0.888s	PASSED
	Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.611s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "CD-REG-ITEM-01")	0.939s	PASSED
	Text 'CD-REG-ITEM-01' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'		
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.201s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores")	1.028s	PASSED
	Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'		
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.832s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1")	1.016s	PASSED
	Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'		

ViewItemQuantity

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.120s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.084s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.893s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.767s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyonlabel"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyonlabel'	1.127s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.694s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.083s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter")) Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on	1.008s	PASSED
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.925s	PASSED

ViewItemQuantity

#	Description	Elapsed	Status
25	closeBrowser()	0.385s	PASSED

Browser is closed