SecondariesDefaultWorkflows

Execution Environment

Host name	mbrookins - E-4W0SGY3-MB.icsfl.com
Local OS	Windows 11 64bit
Katalon version	9.1.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/SecondariesDefaultWorkflows
Description	

Total	5		
Passed	4	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	29-12-2023 08:04:48	End	29-12-2023 08:07:48
Elapsed	3m - 0.434s		

#	ID	Description	Status
1	Test Cases/Web Client Tests/AccountAliasIssue02		FAILED
2	Test Cases/Web Client Tests/MiscellaneousTransactions		PASSED
3	Test Cases/Web Client Tests/Receiving05		PASSED
4	Test Cases/Web Client Tests/ViewItemQuantity		PASSED
5	Test Cases/Web Client Tests/PutawayReceipt02		PASSED

AccountAliasIssue02

Information

ID	Test Cases/Web Client Tests/AccountAliasIssue02
Description	
Tag	

Start	29-12-2023 08:04:48	End	29-12-2023 08:05:45
Elapsed	57.322s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.317s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/")	1.706s	PASSED
	Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully		
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one")	1.045s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==")	0.395s	PASSED
	Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'		
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter"))	7.693s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.322s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		

AccountAliasIssue02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02"))	1.482s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02' is clicked on		
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002")	0.838s	PASSED
	Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.949s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US")	0.561s	PASSED
	Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	8.612s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		

AccountAliasIssue02

#	Description	Elapsed	Status
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001")	31.134s	FAILED

Unable to set text 'AS65001' of object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to set text 'AS65001' of object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
    at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)
    at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)
    at AccountAliasIssue02.run(AccountAliasIssue02:54)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)
    at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)
    at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)
    at TempTestSuite1703855079283.run(TempTestSuite1703855079283.groovy:36)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber' located by '//input[@id='txt']' not found
    at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1379)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27)
    at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26)
    at com.kms.katalon.core.webui.keyword.builtin.

#	Description	Elapsed	Status
	SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Script1700344883197.run(Script1700344883197.groovy:54) ... 15 more)		

Your connection was interrupted

A network change was detected.

ERR_NETWORK_CHANGED

MiscellaneousTransactions

Information

ID	Test Cases/Web Client Tests/MiscellaneousTransactions
Description	
Tag	

Start	29-12-2023 08:05:45	End	29-12-2023 08:06:19
Elapsed	33.572s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.329s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/")	1.074s	PASSED
	Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully		
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one")	1.113s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==")	0.312s	PASSED
	Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'		
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter"))	3.668s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.346s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		

MiscellaneousTransactions

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Miscellaneous Transactions' is clicked on	1.279s	PASSED
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.813s	PASSED
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.901s	PASSED
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.840s	PASSED
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	3.078s	PASSED
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.795s	PASSED
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.048s	PASSED
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.820s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.890s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.810s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'	1.579s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.821s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'	0.705s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.808s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'	4.887s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.789s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.719s	PASSED

MiscellaneousTransactions

#	Description	Elapsed	Status
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.153s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/option_Label Printer")) Object: 'Object Repository/WebClient_RF-SMART/option_Label Printer' is clicked on	0.888s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.826s	PASSED
27	closeBrowser() Browser is closed	0.179s	PASSED

Receiving05

Information

ID	Test Cases/Web Client Tests/Receiving05
Description	
Tag	

Start	29-12-2023 08:06:19	End	29-12-2023 08:06:56
Elapsed	37.001s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.184s	PASSED
	Browser is opened with url: ''		
2	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/")	1.157s	PASSED
	Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully		
3	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one")	1.208s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
4	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==")	0.313s	PASSED
	Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'		
5	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter"))	3.380s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.766s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		

Receiving05

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Receiving05")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Receiving05' is clicked on	0.907s	PASSED
8	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.843s	PASSED
9	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.821s	PASSED
10	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectOrder"), "325271") Text '325271' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectOrder'	0.809s	PASSED
11	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	5.207s	PASSED
12	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip"), "8675309") Text '8675309' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectPackingSlip'	0.847s	PASSED
13	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.353s	PASSED
14	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "AS65001") Text 'AS65001' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'	0.816s	PASSED

#	Description	Elapsed	Status
15	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.281s	PASSED
16	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'	0.815s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.808s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Bx 4") Text 'Bx 4' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.819s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.761s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	0.750s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.430s	PASSED
22	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.835s	PASSED
23	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.962s	PASSED

#	Description	Elapsed	Status
24	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.798s	PASSED
25	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.709s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.066s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/option_Label Printer")) Object: 'Object Repository/WebClient_RF-SMART/option_Label Printer' is clicked on	1.267s	PASSED
28	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.800s	PASSED
29	closeBrowser() Browser is closed	0.191s	PASSED

ViewItemQuantity

Information

ID	Test Cases/Web Client Tests/ViewItemQuantity
Description	
Tag	

Start	29-12-2023 08:06:56	End	29-12-2023 08:07:21
Elapsed	24.767s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.467s	PASSED
	Browser is opened with url: ''		
2	maximizeWindow()	0.132s	PASSED
	Current window maximized		
3	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/")	1.045s	PASSED
	Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully		
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one")	1.063s	PASSED
	Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'		
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==")	0.342s	PASSED
	Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'		
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter"))	2.896s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on		

ViewItemQuantity

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.600s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity"))	0.959s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_ViewItemQuantity' is clicked on		
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001")	0.820s	PASSED
	Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.636s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "CD-REG-ITEM-01")	0.843s	PASSED
	Text 'CD-REG-ITEM-01' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'		
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.085s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores")	0.798s	PASSED
	Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'		
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.337s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1")	0.780s	PASSED
	Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'		

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	3.037s	PASSED
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.849s	PASSED
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.818s	PASSED
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.747s	PASSED
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyonlabel"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyonlabel'	0.785s	PASSED
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.731s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	0.987s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/option_Label Printer")) Object: 'Object Repository/WebClient_RF-SMART/option_Label Printer' is clicked on	0.910s	PASSED
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.790s	PASSED

#	Description	Elapsed	Status
25	closeBrowser()	0.228s	PASSED

Browser is closed

PutawayReceipt02

Information

ID	Test Cases/Web Client Tests/PutawayReceipt02
Description	
Tag	

Start	29-12-2023 08:07:21	End	29-12-2023 08:07:47
Elapsed	26.051s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: ''	1.417s	PASSED
2	maximizeWindow() Current window maximized	0.126s	PASSED
3	navigateToUrl("https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/") Navigate to 'https://icsus-qa01.oraclecloud.rfsmart.com:8443/webclient/' successfully	1.249s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/txt_Username'	1.402s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/txt_password'	0.322s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Enter")) Object: 'Object Repository/WebClient_RF-SMART/btn_Enter' is clicked on	3.048s	PASSED

PutawayReceipt02

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_QA Regression"))	0.621s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_QA Regression' is clicked on		
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Putaway02"))	1.011s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/lnk_Putaway02' is clicked on		
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002")	0.840s	PASSED
	Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'		
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.831s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Receipt"), "3642")	0.828s	PASSED
	Text '3642' is set on object 'Object Repository/WebClient_RF-SMART/txt_Receipt'		
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.259s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "1129")	0.759s	PASSED
	Text '1129' is set on object 'Object Repository/WebClient_RF-SMART/txt_CollectItemNumber'		
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.961s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1")	0.818s	PASSED
	Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'		

PutawayReceipt02

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.907s	PASSED
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea") Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'	0.897s	PASSED
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	2.972s	PASSED
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1") Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.818s	PASSED
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.846s	PASSED
21	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.050s	PASSED
22	click(findTestObject("Object Repository/WebClient_RF-SMART/option_Label Printer")) Object: 'Object Repository/WebClient_RF-SMART/option_Label Printer' is clicked on	0.974s	PASSED
23	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	0.793s	PASSED
24	closeBrowser() Browser is closed	0.212s	PASSED