SecondariesDefaultWorkflows

Execution Environment

Host name mbrookins - E-4W0SGY3-MB.icsfl.com

Local OS Windows 11 64bit

Katalon version 9.1.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/SecondariesDefaultWorkflows

Description

Total 5

Passed 2 Failed 3
Error 0 Incomplete 0

Skipped 0

Start 10-01-2024 14:48:39 End 10-01-2024 14:50:12

Elapsed 1m - 33.283s

#	ID	Description	Status
1	Test Cases/Web Client Tests/AccountAliasIssue02		PASSED
2	Test Cases/Web Client Tests/MiscellaneousTransactions		FAILED
3	Test Cases/Web Client Tests/PutawayReceipt02		FAILED
4	Test Cases/Web Client Tests/Receiving05		FAILED
5	Test Cases/Web Client Tests/ViewItemQuantity		PASSED

Information

ID Test Cases/Web Client Tests/AccountAliasIssue02

Description

Tag

Start 10-01-2024 14:48:39 End 10-01-2024 14:49:15

Elapsed 35.209s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.223s	PASSED
2	maximizeWindow() Current window maximized	0.190s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/" successfully	2.175s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.896s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.567s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	5.437s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/Ink_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/Ink_QA Regression' is clicked on	0.758s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02")) Object: 'Object Repository/WebClient_RF-SMART/lnk_Account Alias Issue 02' is clicked on	1.024s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "001") Text '001' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.838s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.700s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "US") Text 'US' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.895s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.959s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "QA-REG-ITEM-01") Text 'QA-REG-ITEM-01' is set on object 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	1.045s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_collectItemNumber'	0.931s	PASSED

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores")	0.917s	PASSED
	Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'		
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), Keys.chord(ENTER))	1.143s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_subinventory'		
17	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1")	0.992s	PASSED
	Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'		
18	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), Keys.chord(ENTER))	0.849s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_locator'		
19	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1")	1.066s	PASSED
	Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qty'		
20	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), Keys.chord(ENTER))	1.005s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qty'		
21	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), "Ea")	1.048s	PASSED
	Text 'Ea' is set on object 'Object Repository/WebClient_RF-SMART/txt_UOM'		
22	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_UOM"), Keys.chord(ENTER))	2.240s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_UOM'		
23	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1")	1.004s	PASSED
	Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'		

#	Description	Elapsed	Status
24	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'	0.831s	PASSED
25	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List")) Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on	1.264s	PASSED
26	click(findTestObject("Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room")) Object: 'Object Repository/WebClient_RF-SMART/option_PRINT-SERVERLexmark-room' is clicked on	1.271s	PASSED
27	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit")) Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on	1.097s	PASSED
28	closeBrowser() Browser is closed	0.319s	PASSED

Information

ID Test Cases/Web Client Tests/MiscellaneousTransactions

Description

Tag

Start 10-01-2024 14:49:15 End 10-01-2024 14:49:18

Elapsed 3.571s
Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	1.563s	PASSED
	Browser is opened with url: "		
2	maximizeWindow()	0.170s	PASSED
	Current window maximized		
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/")	1.478s	PASSED

Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully

Descrip	tion	Elapsed	Status
	findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"),	0.181s	FAILED
"dev.one	e")		
Unable	to set text 'dev.one' of object 'Object Repository/WebClient_RF-		
	/AS_txt_Username' (Root cause: com.kms.katalon.core.exception.		
StepFai	ledException: Unable to set text 'dev.one' of object 'Object		
Reposit	ory/WebClient_RF-SMART/AS_txt_Username'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUI	KeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUI	KeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTex	tKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTex	tKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	KeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUil	BuiltInKeywords.groovy:1019)		
	at MiscellaneousTransactions.run(MiscellaneousTransactions:41)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119			
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439			
(T + 10	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCa	seExecutor.java:418)		
/T +0	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410)		
:001	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:285			
(Comm	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase onExecutor.java:65)		
(Commi	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(ToetSu	iteExecutor.java:148)		
(Testou	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at commins.rataiom.core.main. restourie Lacoutor.eacoute (restourie Lacoutor.java.		
100)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	and the second s		
/	at TempTestSuite1704916114099.run(TempTestSuite1704916114099.groovy:36)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)			
,	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Native	MethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	tingMethodAccessorImpl.java:43)		
	by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already			
	known error: web view not found		
	on info: chrome=120.0.6099.216)		
	o: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	info: host: 'E-4W0SGY3-MB', ip: '192.168.60.225', os.name: 'Windows 11', os.arch:		
	, os.version: '10.0', java.version: '17.0.7'		
	nfo: com.kms.katalon.selenium.driver.CChromeDriver		
	ties {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
120 0 60	099.216, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e,		

Elapsed

Status

Description userDataDir: C:\Users\MBROOK~1\AppData\L...}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:62581}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 9be0178f2eaf21b5dfdc60acf7840fdd *** Element info: {Using=css selector, value=#Username} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openga.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By Css Selector$ (RemoteWebDriver.java:424) at org.openqa.selenium.By\$ByCssSelector.findElements(By.java:441) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at jdk.proxy2/jdk.proxy2.\$Proxy23.findElements(Unknown Source) $at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements$ (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement

```
Description
                                                                                           Elapsed
                                                                                                             Status
(WebUiCommonHelper.java:1374)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
          at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:1019)
         at Script1700484077161.run(Script1700484077161.groovy:41)
         ... 15 more
```

Information

ID Test Cases/Web Client Tests/PutawayReceipt02

Description

Tag

Start 10-01-2024 14:49:18 End 10-01-2024 14:49:36

Elapsed 18.011s
Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.222s	PASSED
2	maximizeWindow() Current window maximized	0.149s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/" successfully	1.518s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.973s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ****** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.477s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	4.408s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/Ink_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/Ink_QA Regression' is clicked on	0.603s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/Ink_Putaway02")) Object: 'Object Repository/WebClient_RF-SMART/Ink_Putaway02' is clicked on	0.791s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	0.949s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.739s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_Receipt"), "2844") Text '2844' is set on object 'Object Repository/WebClient_RF-SMART/txt_Receipt'	1.073s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.207s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_CollectItemNumber"), "8009") Text '8009' is set on object 'Object Repository/WebClient_RF- SMART/txt_CollectItemNumber'	0.801s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.877s	PASSED

#	Description	Elapsed	Status
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qty"), "1")	1.022s	FAILED
13	set rext(lind restoblect(object repository/webolient_rx -olvizity/txt_qty), 1)	1.0223	TAILLD
	Unable to set text '1' of object 'Object Repository/WebClient_RF-SMART/txt_qty' (Root		
	cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text '1' of object		
	'Object Repository/WebClient_RF-SMART/txt_qty'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
	(SetTextKeyword.groovy:66)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
	(SetTextKeyword.groovy:37)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
	(WebUiBuiltInKeywords.groovy:1019)		
	at PutawayReceipt02.run(PutawayReceipt02:72)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:285)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:148)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1704916114099.run(TempTestSuite1704916114099.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	at java.oase/jdk.internal.reflect.NativeMethodAccessorimpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed		
	from unknown error: web view not found		
	(Session info: chrome=120.0.6099.216)		
	Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: host: 'E-4W0SGY3-MB', ip: '192.168.60.225', os.name: 'Windows 11', os.arch:		
	'amd64', os.version: '10.0', java.version: '17.0.7'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
	Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	120.0.6099.216, chrome: {chromedriverVersion: 119.0.6045.105 (38c72552c5e,		

userDataDir: C:\Users\MBROOK~1\AppData\L...}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:62610}, javascriptEnabled: true,

Elapsed

Status

```
Description
networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS,
platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability:
false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior:
dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,
webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:
virtualAuthenticators: true}
Session ID: e63a1bc88859ea5ce0c27de8fb5b853d
*** Element info: {Using=xpath, value=//input[@id='txt']}
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
         at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
         at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
         at\ org. open qa. selenium. remote. http. W3CHttpResponseCodec. createException
(W3CHttpResponseCodec.java:187)
         at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source)
         at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
         at org.openga.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1025)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:915)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:892)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:888)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.iava:720)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.java:1374)
```

at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.

```
Description
                                                                                            Elapsed
                                                                                                              Status
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:55)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. set Text
(SetTextKeyword.groovy:66)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:1019)
          at Script1703708070396.run(Script1703708070396.groovy:72)
```

... 15 more

Information

ID Test Cases/Web Client Tests/Receiving05

Description

Tag

Start 10-01-2024 14:49:36 End 10-01-2024 14:49:41

Elapsed 4.401s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("")	2.164s	PASSED
	Browser is opened with url: "		
2	maximizeWindow()	0.136s	PASSED
	Current window maximized		
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/")	1.721s	PASSED
	Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/' successfully		

Description	Elapsed	Status
setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one")	0.211s	FAILED
Unable to set text 'dev.one' of object 'Object Repository/WebClient_RF-SMART/AS_txt_Username' (Root cause: com.kms.katalon.core.exception.		
StepFailedException: Unable to set text 'dev.one' of object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUlKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)		
at Receiving05.run(Receiving05:42) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180) at TempTestSuite1704916114099.run(TempTestSuite1704916114099.groovy:36)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
already closed from unknown error: web view not found		
(Session info: chrome=120.0.6099.216)		
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'E-4W0SGY3-MB', ip: '192.168.60.225', os.name: 'Windows 11', os.arch:		
'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver		
Differ into. com.kms.katalon.seleniam.anver.comonieDiffer		

Elapsed

Status

Description userDataDir: C:\Users\MBROOK~1\AppData\L...}, fedcm:accounts: true, goog: chromeOptions: {debuggerAddress: localhost:62657}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn: virtualAuthenticators: true} Session ID: 3a6ce49292aec41854dfb1a0028af4bf *** Element info: {Using=css selector, value=#Username} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openga.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By Css Selector$ (RemoteWebDriver.java:424) at org.openqa.selenium.By\$ByCssSelector.findElements(By.java:441) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at jdk.internal.reflect.GeneratedMethodAccessor9.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at jdk.proxy2/jdk.proxy2.\$Proxy23.findElements(Unknown Source) $at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements$ (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1025) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBvSelectedMethod(WebUiCommonHelper.iava:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:888) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720)

at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement

```
Description
                                                                                           Elapsed
                                                                                                            Status
(WebUiCommonHelper.java:1374)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:26)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords. set Text
(WebUiBuiltInKeywords.groovy:1019)
         at Script1702667657002.run(Script1702667657002.groovy:42)
         ... 15 more
```

Information

ID Test Cases/Web Client Tests/ViewItemQuantity

Description

Tag

Start 10-01-2024 14:49:41 End 10-01-2024 14:50:11

Elapsed 30.296s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.085s	PASSED
2	maximizeWindow() Current window maximized	0.188s	PASSED
3	navigateToUrl("https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/") Navigate to 'https://icsstg-purplecobras.oraclecloud.rfsmart.com/webclient/" successfully	1.779s	PASSED
4	setText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_Username"), "dev.one") Text 'dev.one' is set on object 'Object Repository/WebClient_RF-SMART/AS_txt_Username'	0.872s	PASSED
5	setEncryptedText(findTestObject("Object Repository/WebClient_RF-SMART/AS_txt_password"), "UAHdl0l4+Bq3CwnfK3WMeA==") Text ***** has been set on object 'Object Repository/WebClient_RF-SMART/AS_txt_password'	0.518s	PASSED
6	click(findTestObject("Object Repository/WebClient_RF-SMART/AS_btn_login")) Object: 'Object Repository/WebClient_RF-SMART/AS_btn_login' is clicked on	5.366s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/WebClient_RF-SMART/Ink_QA Regression")) Object: 'Object Repository/WebClient_RF-SMART/Ink_QA Regression' is clicked on	0.662s	PASSED
8	click(findTestObject("Object Repository/WebClient_RF-SMART/Ink_ViewItemQuantity")) Object: 'Object Repository/WebClient_RF-SMART/Ink_ViewItemQuantity' is clicked on	1.048s	PASSED
9	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), "002") Text '002' is set on object 'Object Repository/WebClient_RF-SMART/txt_org'	1.002s	PASSED
10	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	0.831s	PASSED
11	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_collectItemNumber"), "8009") Text '8009' is set on object 'Object Repository/WebClient_RF- SMART/txt_collectItemNumber'	1.109s	PASSED
12	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.000s	PASSED
13	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_subinventory"), "Stores") Text 'Stores' is set on object 'Object Repository/WebClient_RF-SMART/txt_subinventory'	1.209s	PASSED
14	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'	1.213s	PASSED
15	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_locator"), "1.1.1.1") Text '1.1.1.1' is set on object 'Object Repository/WebClient_RF-SMART/txt_locator'	0.971s	PASSED

#	Description	Elapsed	Status
16	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.864s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
17	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	1.142s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
18	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyoflabels"), "1")	1.405s	PASSED
	Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyoflabels'		
19	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.899s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
20	setText(findTestObject("Object Repository/WebClient_RF-SMART/txt_qtyonlabel"), "1")	1.103s	PASSED
	Text '1' is set on object 'Object Repository/WebClient_RF-SMART/txt_qtyonlabel'		
21	sendKeys(findTestObject("Object Repository/WebClient_RF-SMART/txt_org"), Keys.chord(ENTER))	0.648s	PASSED
	Keys 'ENTER + ' sent to object: 'Object Repository/WebClient_RF-SMART/txt_org'		
22	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_List"))	0.778s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_List' is clicked on		
23	click(findTestObject("Object Repository/WebClient_RF-SMART/option_LabelPrinter"))	1.073s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/option_LabelPrinter' is clicked on		
24	click(findTestObject("Object Repository/WebClient_RF-SMART/btn_Exit"))	1.028s	PASSED
	Object: 'Object Repository/WebClient_RF-SMART/btn_Exit' is clicked on		

# Description	Elapsed	Status
25 closeBrowser()	0.298s	PASSED

Browser is closed