Nmap scan report for 192.168.10.1

Host is up (0.0023s latency).

Not shown: 998 closed tcp ports (reset)

PORT   STATE SERVICE VERSION

22/tcp open ssh   OpenSSH 7.9p1 Debian 10+deb10u2 (protocol 2.0)

| ssh-hostkey:

| 2048 31f125c9b76bf7fd55aba6543a899248 (RSA)

| 256 3102e0f1ee5ca5f02360d751c2626516 (ECDSA)

|_ 256 872cb77a178c69edc3ed1309ba6e9ff2 (ED25519)

53/tcp open domain PowerDNS Recursor 4.3.7

| dns-nsid:

| NSID: flatIronOS (666c617449726f6e4f53)

| id.server: flatIronOS

|_ bind.version: PowerDNS Recursor 4.3.7 (built Mar 19 2021 13:53:22 by root@142be0f3f0c9)

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 5.701 days (since Fri Sep 12 04:16:18 2025)

Network Distance: 1 hop

TCP Sequence Prediction: Difficulty=262 (Good luck!)

IP ID Sequence Generation: All zeros

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Nmap scan report for 192.168.10.20

Host is up (0.0042s latency).

Not shown: 994 closed tcp ports (reset)

PORT   STATE SERVICE   VERSION

135/tcp   open msrpc?

139/tcp   open netbios-ssn?

445/tcp   open microsoft-ds?

3389/tcp open ms-wbt-server?

9100/tcp open jetdirect?

10000/tcp open snet-sensor-mgmt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 16.761 days (since Mon Sep 1 02:49:41 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=260 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.10.25

Host is up (0.0045s latency).

Not shown: 994 closed tcp ports (reset)

PORT   STATE SERVICE   VERSION

135/tcp   open msrpc?

139/tcp   open netbios-ssn?

445/tcp   open microsoft-ds?

3389/tcp open ms-wbt-server?

9100/tcp open jetdirect?

10000/tcp open snet-sensor-mgmt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 19.153 days (since Fri Aug 29 17:26:14 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=256 (Good luck!)

IP ID Sequence Generation: All zeros

Host script results:

|_smb2-time: Protocol negotiation failed (SMB2)

Nmap scan report for 192.168.10.50

Host is up (0.0047s latency).

Not shown: 999 closed tcp ports (reset)

PORT   STATE SERVICE VERSION

22/tcp open ssh   OpenSSH 8.9p1 Ubuntu 3 (Ubuntu Linux; protocol 2.0)

| ssh-hostkey:

| 256 051649fb5603d1d95662caaf4995460c (ECDSA)

|_ 256 133d72fb54aa9a3a2570d1ce91169caa (ED25519)

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 8.839 days (since Tue Sep 9 00:57:48 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=262 (Good luck!)

IP ID Sequence Generation: All zeros

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Nmap scan report for 192.168.10.52

Host is up (0.0049s latency).

Not shown: 994 closed tcp ports (reset)

PORT   STATE SERVICE   VERSION

135/tcp   open msrpc?

139/tcp   open netbios-ssn?

445/tcp   open microsoft-ds?

3389/tcp open ms-wbt-server?

9100/tcp open jetdirect?

10000/tcp open snet-sensor-mgmt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 37.189 days (since Mon Aug 11 16:33:39 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=261 (Good luck!)

IP ID Sequence Generation: All zeros

Host script results:

|_smb2-time: Protocol negotiation failed (SMB2)

Nmap scan report for 192.168.10.90

Host is up (0.0052s latency).

Not shown: 994 closed tcp ports (reset)

PORT   STATE SERVICE   VERSION

135/tcp   open msrpc?

139/tcp   open netbios-ssn?

445/tcp   open microsoft-ds?

3389/tcp open ms-wbt-server?

9100/tcp open jetdirect?

10000/tcp open snet-sensor-mgmt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 26.480 days (since Fri Aug 22 09:34:35 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=261 (Good luck!)

IP ID Sequence Generation: All zeros

Host script results:

|_smb2-time: Protocol negotiation failed (SMB2)

Nmap scan report for 192.168.10.180

Host is up (0.0055s latency).

Not shown: 994 closed tcp ports (reset)

PORT   STATE SERVICE   VERSION

135/tcp   open tcpwrapped

139/tcp   open tcpwrapped

445/tcp   open microsoft-ds?

3389/tcp open ms-wbt-server?

9100/tcp open jetdirect?

10000/tcp open snet-sensor-mgmt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 41.869 days (since Thu Aug 7 00:14:12 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=262 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.10.181

Host is up (0.0056s latency).

Not shown: 994 closed tcp ports (reset)

PORT   STATE SERVICE   VERSION

135/tcp   open msrpc?

139/tcp   open netbios-ssn?

445/tcp   open microsoft-ds?

3389/tcp open ms-wbt-server?

9100/tcp open jetdirect?

10000/tcp open snet-sensor-mgmt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 24.746 days (since Sun Aug 24 03:12:08 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=262 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.10.200

Host is up (0.0040s latency).

Not shown: 997 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

22/tcp open ssh   OpenSSH 8.9p1 Ubuntu 3 (Ubuntu Linux; protocol 2.0)

| ssh-hostkey:

| 256 b2c4498b91e40ab4dea45116d59432e0 (ECDSA)

|_ 256 d28ace9528a5ac2ed32de8bb3b72d363 (ED25519)

139/tcp open netbios-ssn Samba smbd 4.6.2

445/tcp open netbios-ssn Samba smbd 4.6.2

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 34.236 days (since Thu Aug 14 15:26:36 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=260 (Good luck!)

IP ID Sequence Generation: All zeros

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

Nmap scan report for 192.168.20.1

Host is up (0.0023s latency).

Not shown: 999 closed tcp ports (reset)

PORT   STATE SERVICE VERSION

53/tcp open domain PowerDNS Recursor 4.3.7

| dns-nsid:

| NSID: flatIronOS (666c617449726f6e4f53)

| id.server: flatIronOS

|_ bind.version: PowerDNS Recursor 4.3.7 (built Mar 19 2021 13:53:22 by root@142be0f3f0c9)

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 3.144 days (since Sun Sep 14 16:18:39 2025)

Network Distance: 1 hop

TCP Sequence Prediction: Difficulty=259 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.20.60

Host is up (0.0050s latency).

Not shown: 994 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

21/tcp   open tcpwrapped

25/tcp   open tcpwrapped

|_smtp-commands: Couldn't establish connection on port 25

443/tcp open https?

1723/tcp open pptp?

8080/tcp open http-proxy?

8443/tcp open https-alt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 19.712 days (since Fri Aug 29 02:41:30 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=263 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.20.61

Host is up (0.0063s latency).

Not shown: 994 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

21/tcp   open ftp?

25/tcp   open smtp?

|_smtp-commands: Couldn't establish connection on port 25

443/tcp open https?

1723/tcp open pptp?

8080/tcp open http-proxy?

8443/tcp open https-alt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 41.757 days (since Thu Aug 7 01:35:29 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=258 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.20.62

Host is up (0.0064s latency).

Not shown: 994 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

21/tcp   open ftp?

25/tcp   open smtp?

|_smtp-commands: Couldn't establish connection on port 25

443/tcp open https?

1723/tcp open pptp?

8080/tcp open http-proxy?

8443/tcp open https-alt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 0.581 days (since Wed Sep 17 05:49:01 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=256 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.20.74

Host is up (0.0076s latency).

Not shown: 994 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

21/tcp   open ftp?

25/tcp   open smtp?

|_smtp-commands: Couldn't establish connection on port 25

443/tcp open https?

1723/tcp open pptp?

8080/tcp open http-proxy?

8443/tcp open https-alt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 7.900 days (since Tue Sep 9 22:09:31 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=262 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.20.100

Host is up (0.0076s latency).

Not shown: 999 closed tcp ports (reset)

PORT   STATE SERVICE VERSION

80/tcp open http   Apache httpd 2.4.52 ((Ubuntu))

| http-methods:

|_   Supported Methods: HEAD GET POST OPTIONS

|_http-server-header: Apache/2.4.52 (Ubuntu)

|_http-title: ACME Intranet

|_http-favicon: Unknown favicon MD5: 0C8269D1A72CD2CD6B8F978D961BD41E

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 9.270 days (since Mon Sep 8 13:17:10 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=262 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.20.110

Host is up (0.0044s latency).

Not shown: 994 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

21/tcp   open ftp?

25/tcp   open smtp?

|_smtp-commands: Couldn't establish connection on port 25

443/tcp open https?

1723/tcp open pptp?

8080/tcp open http-proxy?

8443/tcp open https-alt?

No exact OS matches for host (If you know what OS is running on it, see https://nmap.org/submit/).

TCP/IP fingerprint:

OS:SCAN(V=7.93%E=4%D=9/17%OT=21%CT=1%CU=33451%PV=Y%DS=2%DC=T%G=Y%TM=68CB646

OS:2%P=x86_64-pc-linux-gnu)SEQ(SP=F9%GCD=1%ISR=105%TI=Z%CI=Z%II=I%TS=A)OPS(

OS:O1=M5B4ST11NW7%O2=M5B4ST11NW7%O3=M5B4NNT11NW7%O4=M5B4ST11NW7%O5=M5B4ST11

OS:NW7%O6=M5B4ST11)WIN(W1=FE88%W2=FE88%W3=FE88%W4=FE88%W5=FE88%W6=FE88)ECN(

OS:R=Y%DF=Y%T=40%W=FAF0%O=M5B4NNSNW7%CC=Y%Q=)T1(R=Y%DF=Y%T=40%S=O%A=S+%F=AS

OS:%RD=0%Q=)T2(R=N)T3(R=N)T4(R=Y%DF=Y%T=40%W=0%S=A%A=Z%F=R%O=%RD=0%Q=)T5(R=

OS:Y%DF=Y%T=40%W=0%S=Z%A=S+%F=AR%O=%RD=0%Q=)T6(R=Y%DF=Y%T=40%W=0%S=A%A=Z%F=

OS:R%O=%RD=0%Q=)T7(R=Y%DF=Y%T=40%W=0%S=Z%A=S+%F=AR%O=%RD=0%Q=)U1(R=Y%DF=N%T

OS:=40%IPL=164%UN=0%RIPL=G%RID=G%RIPCK=G%RUCK=G%RUD=G)IE(R=Y%DFI=N%T=40%CD=

OS:S)

Nmap scan report for 192.168.20.111

Host is up (0.0070s latency).

Not shown: 994 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

21/tcp   open ftp?

25/tcp   open smtp?

|_smtp-commands: Couldn't establish connection on port 25

443/tcp open https?

1723/tcp open pptp?

8080/tcp open http-proxy?

8443/tcp open https-alt?

Device type: general purpose

Running: Linux 4.X|5.X

OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5

OS details: Linux 4.15 - 5.6

Uptime guess: 9.116 days (since Mon Sep 8 16:59:37 2025)

Network Distance: 2 hops

TCP Sequence Prediction: Difficulty=258 (Good luck!)

IP ID Sequence Generation: All zeros

Nmap scan report for 192.168.20.222

Host is up (0.0053s latency).

Not shown: 977 closed tcp ports (reset)

PORT STATE SERVICE   VERSION

21/tcp   open ftp   vsftpd 2.3.4

| ftp-syst:

| STAT:

| FTP server status:

| Connected to 192.168.30.204

| Logged in as ftp

| TYPE: ASCII

| No session bandwidth limit

| Session timeout in seconds is 300

| Control connection is plain text

| Data connections will be plain text

| vsFTPd 2.3.4 - secure, fast, stable

|_End of status

|_ftp-anon: Anonymous FTP login allowed (FTP code 230)

22/tcp open ssh   OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)

| ssh-hostkey:

| 1024 600fcfe1c05f6a74d69024fac4d56ccd (DSA)

|_ 2048 5656240f211ddea72bae61b1243de8f3 (RSA)

23/tcp open telnet   Linux telnetd

25/tcp open smtp   Postfix smtpd