

How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N . We can write $\mathbb{E}_{p(\theta|X,w)}[\theta]$.



Original weights:



Leave-one-out weights:



Bootstrap weights:



How does the IJ work? Data re-weighting.

How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N .


Original weights:



How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N .

Original weights:



Leave-one-out weights:



How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N .


Original weights:



Leave-one-out weights:



Bootstrap weights:



How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N . We can write $\mathbb{E}_{p(\theta|X,w)}[\theta]$.


Original weights:



Leave-one-out weights:



Bootstrap weights:



How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N . We can write $\mathbb{E}_{p(\theta|X, w)}[\theta]$.



Original weights:



Leave-one-out weights:



Bootstrap weights:




How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N . We can write $\mathbb{E}_{p(\theta|X, w)}[\theta]$.



Original weights:



Leave-one-out weights:



Bootstrap weights:



How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N . We can write $\mathbb{E}_{p(\theta|X, w)}[\theta]$.



Original weights:



Leave-one-out weights:



Bootstrap weights:



How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N . We can write $\mathbb{E}_{p(\theta|X, w)}[\theta]$.



Original weights:



Leave-one-out weights:



Bootstrap weights:



How does the IJ work? Data re-weighting.

Augment the problem with *data weights* w_1, \dots, w_N . We can write $\mathbb{E}_{p(\theta|X, w)}[\theta]$.

Original weights:



Leave-one-out weights:



Bootstrap weights:

