LIST OF PUBLICATIONS (most recent first) [Last updated: September 02, 2023]

- Toward quantum computations of the O(3) model using qumodes [1]
- GPU-Acceleration of Tensor Renormalization with PyTorch using CUDA [2]
- Supersymmetric Wilson loops on the lattice in the large N limit [3]
- Notes on Quantum Computation and Information [4]
- Non-perturbative phase structure of the bosonic BMN matrix model [5]
- Thermal phase structure of dimensionally reduced super-Yang-Mills [6]
- Tensor renormalization of three-dimensional Potts model [7]
- Introduction to Monte Carlo for Matrix Models [8]
- Large-N limit of two-dimensional Yang-Mills theory with four supercharges [9]
- Tensor renormalization group study of the three-dimensional O(2) model [10]
- Three-dimensional super-Yang-Mills theory on the lattice and dual black branes [11]
- Positive Geometries for all Scalar Theories from Twisted Intersection Theory [12]
- Critical analysis of two-dimensional classical XY model [13]
- Finite N unitary matrix model [14]
- Thermal phase structure of a supersymmetric matrix model [15]
- Tensor renormalization group study of the non-Abelian Higgs model in two dimensions [16]
- Lattice quantum gravity with scalar fields [17]
- The properties of D1-branes from lattice super Yang-Mills theory using gauge/gravity duality [18]
- Removal of the trace mode in lattice N=4 super Yang-Mills theory [19]
- Truncation of lattice N = 4 super Yang-Mills [20]
- Nonperturbative study of dynamical SUSY breaking in $\mathcal{N}=(2,2)$ Yang-Mills theory [21]
- Testing the holographic principle using lattice simulations [22]
- Testing holography using lattice super-Yang-Mills theory on a 2-torus [23]

Bibliography

- [1] R. G. Jha, F. Ringer, G. Siopsis, and S. Thompson, "Toward quantum computations of the O(3) model using qumodes," arXiv:2308.06946 [hep-lat].
- [2] R. G. Jha and A. Samlodia, "GPU-Acceleration of Tensor Renormalization with PyTorch using CUDA," arXiv:2306.00358 [hep-lat].
- [3] R. G. Jha, "Supersymmetric wilson loops on the lattice in the large n limit," *The European Physical Journal Special Topics* (Jan., 2023) . https://doi.org/10.1140/epjs/s11734-023-00768-x.
- [4] R. G. Jha, "Notes on Quantum Computation and Information," arXiv:2301.09679 [quant-ph].
- [5] N. S. Dhindsa, R. G. Jha, A. Joseph, A. Samlodia, and D. Schaich, "Non-perturbative phase structure of the bosonic BMN matrix model," *JHEP* 05 (2022) 169, arXiv:2201.08791 [hep-lat].
- [6] D. Schaich, R. G. Jha, and A. Joseph, "Thermal phase structure of dimensionally reduced super-Yang-Mills," PoS LATTICE2021 (2022) 187, arXiv:2201.03097 [hep-lat].
- [7] R. G. Jha, "Tensor renormalization of three-dimensional Potts model," arXiv:2201.01789 [hep-lat].
- [8] R. G. Jha, "Introduction to Monte Carlo for matrix models," *SciPost Phys. Lect. Notes* **46** (2022) 1, arXiv:2111.02410 [hep-th].
- [9] N. S. Dhindsa, R. G. Jha, A. Joseph, and D. Schaich, "Large-N limit of two-dimensional Yang-Mills theory with four supercharges," *PoS* LATTICE2021 (2022) 433, arXiv:2109.01001 [hep-lat].
- [10] J. Bloch, R. G. Jha, R. Lohmayer, and M. Meister, "Tensor renormalization group study of the three-dimensional O(2) model," *Phys. Rev. D* 104 no. 9, (2021) 094517, arXiv:2105.08066 [hep-lat].
- [11] S. Catterall, J. Giedt, R. G. Jha, D. Schaich, and T. Wiseman, "Three-dimensional super-Yang-Mills theory on the lattice and dual black branes," *Phys. Rev. D* 102 no. 10, (2020) 106009, arXiv:2010.00026 [hep-th].
- [12] N. Kalyanapuram and R. G. Jha, "Positive Geometries for all Scalar Theories from Twisted Intersection Theory," *Phys. Rev. Res.* **2** no. 3, (2020) 033119, arXiv:2006.15359 [hep-th].
- [13] R. G. Jha, "Critical analysis of two-dimensional classical XY model," J. Stat. Mech. 2008 (2020) 083203, arXiv:2004.06314 [hep-lat].
- [14] R. G. Jha, "Finite N unitary matrix model," arXiv:2003.00341 [hep-lat].
- [15] D. Schaich, R. G. Jha, and A. Joseph, "Thermal phase structure of a supersymmetric matrix model," *PoS* LATTICE2019 (2020) 069, arXiv:2003.01298 [hep-lat].
- [16] A. Bazavov, S. Catterall, R. G. Jha, and J. Unmuth-Yockey, "Tensor renormalization group study of the non-Abelian Higgs model in two dimensions," *Phys. Rev. D* **99** no. 11, (2019) 114507, arXiv:1901.11443 [hep-lat].
- [17] R. G. Jha, J. Laiho, and J. Unmuth-Yockey, "Lattice quantum gravity with scalar fields," *PoS* LATTICE2018 (2018) 043, arXiv:1810.09946 [hep-lat].
- [18] R. G. Jha, "The properties of D1-branes from lattice super Yang-Mills theory using gauge/gravity duality," PoS LATTICE2018 (2018) 308, arXiv:1809.00797 [hep-lat].
- [19] S. Catterall, J. Giedt, and R. G. Jha, "Removal of the trace mode in lattice N=4 super Yang-Mills theory," *Phys. Rev. D* **98** no. 9, (2018) 095017, arXiv:1808.04735 [hep-lat].
- [20] J. Giedt, S. Catterall, and R. G. Jha, "Truncation of lattice N=4 super Yang-Mills," *EPJ Web Conf.* 175 (2018) 11008.
- [21] S. Catterall, R. G. Jha, and A. Joseph, "Nonperturbative study of dynamical SUSY breaking in N=(2,2) Yang-Mills theory," *Phys. Rev. D* **97** no. 5, (2018) 054504, arXiv:1801.00012 [hep-lat].

- [22] R. G. Jha, S. Catterall, D. Schaich, and T. Wiseman, "Testing the holographic principle using lattice simulations," *EPJ Web Conf.* 175 (2018) 08004, arXiv:1710.06398 [hep-lat].
- [23] S. Catterall, R. G. Jha, D. Schaich, and T. Wiseman, "Testing holography using lattice super-Yang-Mills theory on a 2-torus," *Phys. Rev. D* **97** no. 8, (2018) 086020, arXiv:1709.07025 [hep-th].