Class	Samples		Methods			
	Train	Test	CKLADA	CKADA	CKLFDA	KPCA
Grass-healthy	30	168	94.9 ± 5.4	95.1 ± 4.1	92.6 ± 5.2	95.9 ± 4.4
Grass-stressed	30	160	99.4 ± 0.8	$97.8 {\pm} 1.9$	$99.8 {\pm} 0.3$	$98.6 {\pm} 1.9$
Grass-synthetic	30	162	96.5 ± 0.3	$96.8 {\pm} 2.7$	$88.2 {\pm} 4.8$	96.7 ± 2.7
Tree	30	158	99.7 ± 0.8	$99.5 {\pm} 0.8$	$98.9 {\pm} 1.7$	$99.9 {\pm} 0.3$
Soil	30	156	97.6 ± 2.7	$93.2 {\pm} 4.4$	95.0 ± 4.4	97.4 ± 2.5
Water	30	152	95.1 ± 2.9	$92.6 {\pm} 4.0$	94.0 ± 3.5	96.0 ± 2.8
Residential	30	166	86.1 ± 6.9	$80.8 {\pm} 6.9$	82.4 ± 7.9	$82.2 {\pm} 7.8$
Commercial	30	161	86.1±8.3	91.3 ± 6.6	$73.5 {\pm} 11.8$	$86.5 {\pm} 9.7$
Road	30	163	83.5±8.6	87.8 ± 6.8	76.8 ± 7.2	82.6 ± 8.9
Highway	30	161	82.8±8.3	$83.9 {\pm} 6.9$	76.7 ± 7.8	83.4 ± 8.3
Railway	30	151	84.5 ± 7.7	$81.8 {\pm} 7.6$	80.6 ± 8.0	83.6 ± 8.6
Parking Lot 1	30	162	71.7 ± 8.7	$49.8 {\pm} 11.6$	$64.5 {\pm} 7.6$	71.8 ± 10.2
Parking Lot 2	30	154	92.2 ± 3.3	$96.7 {\pm} 1.5$	$84.8 {\pm} 6.7$	$92.5 {\pm} 4.3$
Tennis Court	30	151	98.0 ± 2.0	96.7 ± 3.4	$95.5 {\pm} 2.8$	$98.5 {\pm} 1.9$
Running Track	30	157	96.6 ± 2.0	97.1 ± 1.9	94.9 ± 2.9	97.9 ± 1.5
OA	_	_	90.9 ± 1.2	$89.3{\pm}1.3$	$86.5{\pm}1.3$	84.6±1.6
AA	_	_	91.0 ± 4.7	89.4 ± 4.7	$86.6 {\pm} 5.5$	90.9 ± 5.0