

```
/* The following code is added by mdx_elementid.py It was originally lifted from http://subversion.apache.org/
style/site.css */ /* * Hide class="elementid-permalink", except when an enclosing heading * has the :hover
property. */ .headerlink, .elementid-permalink { visibility: hidden; } h2:hover > .headerlink, h3:hover
> .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover > .headerlink, h5:hover > .headerlink,
dt:hover > .elementid-permalink { visibility: visible }
```

# Apache™ FOP¶

- [FOP Home](#)
- [Download](#)
- [Quick Start Guide](#)
- [Compliance](#)
- [Getting Help](#)
- [FAQs](#)
- [FOP Wiki](#)
- [Mailing Lists](#)
- [License](#)

## Resources¶

- [XSL-FO](#)
- [Examples](#)
- [Bugs](#)
- [Wiki](#)
- [Other](#)

## Project¶

- [News](#)
- [Who We Are](#)
- [Status](#)
- [Known Issues](#)
- [Changes](#)

## Versions¶

- FOP Trunk (dev)¶

- x [Overview](#)
- x [Upgrading](#)
- x

### Using Apache™ FOP¶

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

### Features¶

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.7¶

- x [FOP 2.7 Overview](#)
- x [Release Notes](#)
- x [Changes \(2.7\)](#)
- x [Known Issues](#)
- x [Upgrading](#)
- x

### Using Apache FOP 2.7¶

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

### Features¶

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.6¶

- x [FOP 2.6 Overview](#)
- x [Release Notes](#)
- x [Changes \(2.6\)](#)
- x [Known Issues](#)
- x [Upgrading](#)

x

## Using Apache FOP 2.6

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

## Features

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.5

- x [FOP 2.5 Overview](#)
- x [Release Notes](#)
- x [Changes \(2.5\)](#)
- x [Known Issues](#)
- x [Upgrading](#)

x

## Using Apache FOP 2.5

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

## Features

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)

- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.4¶

- x [FOP 2.4 Overview](#)
- x [Release Notes](#)
- x [Changes \(2.4\)](#)
- x [Known Issues](#)
- x [Upgrading](#)
- x

### Using Apache FOP 2.4¶

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

### Features¶

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.3¶

- x [FOP 2.3 Overview](#)
- x [Release Notes](#)
- x [Changes \(2.3\)](#)
- x [Known Issues](#)
- x [Upgrading](#)
- x

### Using Apache FOP 2.3¶

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

## Features¶

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.2¶

- x [FOP 2.2 Overview](#)
- x [Release Notes](#)
- x [Changes \(2.2\)](#)
- x [Known Issues](#)
- x [Upgrading](#)

x

## Using Apache FOP 2.2¶

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

## Features¶

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.1¶

- x [FOP 2.1 Overview](#)
- x [Release Notes](#)

- x [Changes \(2.1\)](#)
- x [Known Issues](#)
- x [Upgrading](#)
- x

## Using Apache FOP 2.1

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

## Features

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 2.0

- x [FOP 2.0 Overview](#)
- x [Release Notes](#)
- x [Changes \(2.0\)](#)
- x [Known Issues](#)
- x [Upgrading](#)
- x

## Using Apache FOP 2.0

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

## Features

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)

- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)
- x [PDF Images](#)
- x [Whitespace Management](#)

o

## FOP 1.1

- x [FOP 1.1 Overview](#)
- x [Release Notes](#)
- x [Changes \(1.1\)](#)
- x [Known Issues](#)
- x [Upgrading](#)
- x

### Using Apache FOP 1.1

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

### Features

- x [Accessibility](#)
- x [Complex Scripts](#)
- x [Events](#)
- x [Extensions](#)
- x [Fonts](#)
- x [Graphics](#)
- x [Hyphenation](#)
- x [Intermediate Format](#)
- x [Metadata](#)
- x [Output Targets](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [PDF Encryption](#)

o

## FOP 1.0

- x [FOP 1.0 Overview](#)
- x [Release Notes](#)
- x [Changes \(1.0\)](#)
- x [Known Issues](#)
- x [Upgrading](#)
- x

### Using Apache FOP 1.0

- x [Build](#)
- x [Configure](#)
- x [Run](#)
- x [Embed](#)
- x [Servlets](#)
- x [Ant Task](#)

x

## Features¶

- x [Output Targets](#)
- x [Intermediate Format](#)
- x [PDF Encryption](#)
- x [PDF/A](#)
- x [PDF/X](#)
- x [Graphics](#)
- x [Fonts](#)
- x [Hyphenation](#)
- x [Extensions](#)
- x [Events](#)
- x [Metadata](#)
- x [Accessibility](#)

o

## FOP Development¶

- x [General Info](#)

x

## Design¶

- x [Design Info](#)

x

## Core Process¶

- x [Startup](#)
- x [XML Parsing](#)
- x [FO Tree](#)
- x [Properties](#)
- x [Layout](#)
- x [Break Possibility](#)
- x [Area Tree](#)
- x [Renderers](#)

x

## Miscellaneous¶

- x [Images](#)
- x [PDF Library](#)
- x [SVG](#)
- x [Embedding](#)
- x [Extending](#)
- x [Optimisations](#)
- x [User Agent](#)

- x [Unresolved \(Wiki\)](#)

- x [SVG](#)

- x [Extensions](#)

x

## Develop¶

- x [Walk-Thru](#)
- x [Patch Queue](#)
- x [Conventions](#)

x

## Test¶

- x [Testing](#)



x  
Deploy

- x [Doc Mgmt](#)
- x [Release](#)
- x [Bugs](#)

x  
Resources

- x [FAQs](#)
- x [Tools](#)
- x [ViewVC](#)

x  
SubPackages

- x [RTFlib](#)

# Apache™ XML Graphics

## ● Project Overview

- o [Who We Are](#)
- o [Legal Stuff](#)
- o [Project Charter](#)
- o [Mailing Lists](#)
- o [Code Repositories](#)
- o [ASF Sponsorship Program](#)
- o [ASF Thanks](#)
- o [Licenses](#)
- o [Apache XML Graphics Security](#)
- o [ASF Security](#)

## Sub Projects

- [Apache Batik](#)
- [Apache XML Graphics Commons](#)

Search Apache XML Graphics

ApacheCon N. America

# APACHECON

- [ApacheCon NA](#)

Hope to see you there!

ApacheCon Europe

# APACHECON

- [ApacheCon Europe](#)

Hope to see you there!



## The Apache™ FOP Project

/\* The following code is added by mdx\_elementid.py It was originally lifted from <http://subversion.apache.org/style/site.css> \*/ /\* \* Hide class="elementid-permalink", except when an enclosing heading \* has the :hover property. \*/ .headerlink, .elementid-permalink { visibility: hidden; } h2:hover > .headerlink, h3:hover > .headerlink, h1:hover > .headerlink, h6:hover > .headerlink, h4:hover > .headerlink, h5:hover > .headerlink, dt:hover > .elementid-permalink { visibility: visible }

# Apache™ FOP: Configuration

## Configuration File Basics

The FOP configuration file is an XML file containing a variety of settings that are useful for controlling FOP's behavior, and for helping it find resources that you wish it to use.

The easiest way to get started using a FOP configuration file is to copy the sample found at `{fop-dir}/conf/fop.xconf` to a location of your choice, and then to edit it according to your needs. It contains templates for the various configuration options, most of which are commented out. Remove the comments and change the settings for entries that you wish to use. Be sure to follow any instructions, including comments which specify the value range. Also, since the configuration file is XML, be sure to keep it well-formed.

## Making Configuration Available to FOP

After creating your configuration file, you must tell FOP how to find it:

- 

If running FOP from the command-line, see the "-c" command-line option in [Running FOP](#).

If running FOP as an embedded application, see [Embedding, Using a Configuration File](#).

See [Setting the Configuration Programmatically](#) for instructions on how to do so in an embedded environment.

## Summary of the General Configuration Options

This is an excerpt from the example configuration file coming with FOP:

```
<fop version="1.0">

<!-- Strict user configuration -->
<strict-configuration>true</strict-configuration>

<!-- Strict FO validation -->
<strict-validation>true</strict-validation>

<!-- Base URL for resolving relative URLs -->
<base>./</base>

<!-- Font Base URL for resolving relative font URLs -->
<font-base>./</font-base>

<!-- Source resolution in dpi (dots/pixels per inch) for determining the size of
pixels in SVG and bitmap images, default: 72dpi -->
<source-resolution>72</source-resolution>
<!-- Target resolution in dpi (dots/pixels per inch) for specifying the target
resolution for generated bitmaps, default: 72dpi -->
<target-resolution>72</target-resolution>

<!-- default page-height and page-width, in case
value is specified as auto -->
<default-page-settings height="11in" width="8.26in"/>

<!-- etc. etc..... -->
</fop>
```

## Renderer configuration

Each Renderer has its own configuration section which is identified by the MIME type the Renderer is written for, ex. "application/pdf" for the PDF Renderer.

The configuration for the PDF Renderer could look like this:

```
<renderers>
<renderer mime="application/pdf">
<filterList>
<!-- provides compression using zlib flate (default is on) -->
<value>flate</value>
</filterList>
<font>
<font metrics-url="arial.xml" kerning="yes" embed-url="arial.ttf">
<font-triplet name="Arial" style="normal" weight="normal"/>
<font-triplet name="ArialMT" style="normal" weight="normal"/>
</font>
<font metrics-url="arialb.xml" kerning="yes" embed-url="arialb.ttf">
```

```

<font-triplet name="Arial" style="normal" weight="bold"/>
<font-triplet name="ArialMT" style="normal" weight="bold"/>
</font>
</fonts>
</renderer>

```

```

<renderer mime="application/postscript">
<!-- etc. etc..... -->

```

The details on the font configuration can be found on the separate [Fonts](#) page. Note especially the section entitled [Register Fonts with FOP](#).

## Special Settings for the PDF Renderer

The configuration element for the PDF renderer contains two elements. One is for the font configuration (please follow the link above) and one is for the "filter list". The filter list controls how the individual objects in a PDF file are encoded. By default, all objects get "flate" encoded (i.e. simply compressed with the same algorithm that is also used in ZIP files). Most users don't need to change that setting. For debugging purposes, it may be desired not to compress the internal objects at all so the generated PDF commands can be read. In that case, you can simply use the following filter list. The second filter list (type="image") ensures that all images still get compressed but also ASCII-85 encoded so the produced PDF file is still easily readable in a text editor.

```

<renderer mime="application/pdf">
<filterList>
<value>null</value>
</filterList>
<filterList type="image">
<value>flate</value>
<value>ascii-85</value>
</filterList>

<font>....
</renderer>

```

Another (optional) setting specific to the PDF Renderer is an output color profile, an ICC color profile which indicates the target color space the PDF file is generated for. This setting is mainly used in conjunction with the [PDF/X](#) feature. An example:

```

<renderer mime="application/pdf">
<filterList...

<output-profile>C:\FOP\Color\EuropeISOCoatedFOGRA27.icc</output-profile>

<font>....
</renderer>

```

Some people don't have high requirements on color fidelity but instead want the smallest PDF file sizes possible. In this case it's possible to disable the default sRGB color space which XSL-FO requires. This will cause RGB colors to be generated as device-specific RGB. Please note that this option is unavailable (and will cause an error) if you enable PDF/A or PDF/X functionality or if you specify an output profile. This setting will make the PDF about 4KB smaller. To disable the sRGB color space add the following setting:

```

<renderer mime="application/pdf">
<filterList...

<disable-srgb-colorspace>true</disable-srgb-colorspace>

```

```
<font>....  
</renderer>
```

## Special Settings for the PostScript Renderer

Besides the normal font configuration (the same "fonts" element as for the PDF renderer) the PostScript renderer has an additional setting to force landscape pages to be rotated to fit on a page inserted into the printer in portrait mode. Set the value to "true" to activate this feature. The default is "false". Example:

```
<renderer mime="application/postscript">  
<auto-rotate-landscape>true</auto-rotate-landscape>  
  
<font>  
<font metrics-url="arial.xml" kerning="yes" embed-url="arial.ttf">  
<font-triplet name="Arial" style="normal" weight="normal"/>  
<font-triplet name="ArialMT" style="normal" weight="normal"/>  
</font>  
<font metrics-url="arialb.xml" kerning="yes" embed-url="arialb.ttf">  
<font-triplet name="Arial" style="normal" weight="bold"/>  
<font-triplet name="ArialMT" style="normal" weight="bold"/>  
</font>  
</fonts>  
</renderer>
```

## Special Settings for the PCL Renderer

Non-standard fonts for the PCL renderer are made available through the Java2D subsystem which means that you don't have to do any custom font configuration in this case but you have to use the font names offered by Java.

Additionally, there are certain settings that control how the renderer handles various elements.

```
<renderer mime="application/vnd.hp-PCL">  
<rendering>quality</rendering>  
<text-rendering>bitmap</text-rendering>  
</renderer>
```

The default value for the "rendering" setting is "speed" which causes borders to be painted as plain rectangles. In this mode, no special borders (dotted, dashed etc.) are available. If you want support for all border modes, set the value to "quality" as indicated above. This will cause the borders to be painted as bitmaps.

The default value for the "text-rendering" setting is "auto" which paints the base fonts using PCL fonts. Non-base fonts are painted as bitmaps through Java2D. If the mix of painting methods results in unwelcome output, you can set this to "bitmap" which causes all text to be rendered as bitmaps.

## When it does not work

FOP searches the configuration file for the information it expects, at the position it expects. When that information is not present, FOP will not complain, it will just continue. When there is other information in the file, FOP will not complain, it will just ignore it. That means that when your configuration information is in the file but in a different XML element, or in a different XML path, than FOP expects, it will be silently ignored.

Check the following possibilities:

- The format of the configuration file has changed considerably between FOP 0.20.5 and FOP 1.0 and its beta versions. Did you convert your file to the new format?

- The FOP distribution contains a schema for configuration files, at `src/foschema/fop-configuration.xsd`. Did you validate your configuration file against it? Add the following schema location to the `schema` element:

`:::xml`

and run the configuration file through a validating schema parser. Note that the schema cannot detect all errors, and that it is stricter about the order of some elements than FOP itself is.

- Run FOP in debug mode (command line option `-d`). This makes FOP report which configuration information it finds. Check if FOP finds what you expect.

Copyright © 2016 The Apache Software Foundation, Licensed under the [Apache License, Version 2.0](#). Apache, Apache XML Graphics, Apache FOP, Apache Batik, the Apache feather logo, and the Apache XML Graphics logos are trademarks of [The Apache Software Foundation](#). All other marks mentioned may be trademarks or registered trademarks of their respective owners.