7/16/25, 8:49 AM Lighthouse Report



57

Performance



Accessibility



Best Practices



SEO



Performance

Values are estimated and may vary. The <u>performance score is calculated</u> directly from these metrics. <u>See calculator.</u>

0-49

50-89

90-100



METRICS Expand view

First Contentful Paint

0.8 s

▲ Largest Contentful Paint

6.7 s

Lighthouse Report

Total Blocking Time


Cumulative Layout Shift

0

840 ms

Speed Index

 $3.0 \, s$



Later this year, insights will replace performance audits. <u>Learn more and</u> provide feedback here.

Go back to audits

Show audits relevant to: All FCP LCP TBT


INSIGHTS

▲ Legacy JavaScript — Est savings of 8 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile

Baseline features, unless you know you must support legacy browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP

URL **Wasted bytes** localhost 1st Party 7.5 KiB ...chunks/54445_next_dist_a97a6a16._.js (localhost) 7.5 KiB ...chunks/54445_next_dist_a97a6a16._.js:41:27 (localhost) Array.prototype.at ...chunks/54445_next_dist_a97a6a16._.js:21:29 (localhost) Array.prototype.flat ...chunks/54445_next_dist_a97a6a16._.js:23:3 (localhost) Array.prototype.flatMap ...chunks/54445_next_dist_a97a6a16._.js:37:27 (localhost) Object.fromEntries ...chunks/54445_next_dist_a97a6a16._.js:44:22 (localhost) Object.hasOwn ...chunks/54445_next_dist_a97a6a16._.js:15:127 (localhost) String.prototype.trimEnd ...chunks/54445 next dist a97a6a16. .js:15:36 (localhost) String.prototype.trimStart



<u>Avoid chaining critical requests</u> by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. <u>LCP</u>

Maximum critical path latency: 482 ms

Initial Navigation

http://localhost:3000 - 442 ms, 9.82 KiB

...chunks/%5Broot-of...%5D_8ebb6d4b._.css (localhost) - **482 ms,** 5.53 KiB

Render blocking requests

Requests are blocking the page's initial render, which may delay LCP. <u>Deferring or inlining</u> can move these network requests out of the critical path. [FCP] [LCP]

URL	Transfer	Est Savings
	Size Est Savings 5.5 KiB 170 ms 5.5 KiB 170 ms	
localhost 1st Party	5.5 KiB	170 ms
chunks/%5Broot-of%5D_8ebb6d4bcss (localhost)	5.5 KiB	170 ms

O LCP by phase

Each <u>phase has specific improvement strategies</u>. Ideally, most of the LCP time should be spent on loading the resources, not within delays. [LCP]

Phase	Duration
Time to first byte	340 ms
Element render delay	1,200 ms



The Digital Signature of Ramon Guillermo Pérez

<h2 class="text-5xl font-bold text-gray-900 mb-4" style="opacity: 1;
transform: none;">

3rd parties

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content.

^

3rd party	Transfer size	Main thread time
fmkadmapgofadopljbjfkapdkoienihi	0 KiB	43 ms
chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js	0 KiB	22 ms
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backend _compact.js</pre>	0 KiB	11 ms
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/backendManager.js</pre>	0 KiB	3 ms
<pre>chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/proxy.js</pre>	0 KiB	2 ms
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/prepareInjection.js</pre>	0 KiB	2 ms
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/hookSettingsInjector.j s</pre>	0 KiB	2 ms
<pre>chrome-extension://fmkadmapgofadopljbjfkapdkoienihi/build/fileFetcher.js</pre>	0 KiB	1 ms
mnojpmjdmbbfmejpflffifhffcmidifd	0 KiB	11 ms
<pre>chrome-extension://mnojpmjdmbbfmejpflffifhffcmidifd/bundles/web- discovery-content-script.bundle.js</pre>	0 KiB	11 ms
jechbjkglifdaldbdbigibihfaclnkbo	0 KiB	9 ms
chrome-extension://jechbjkglifdaldbdbigibihfaclnkbo/content-script.js	0 KiB	6 ms
<pre>chrome-extension://jechbjkglifdaldbdbigibihfaclnkbo/bridge.js</pre>	0 KiB	3 ms
hkgfoiooedgoejojocmhlaklaeopbecg	0 KiB	1 ms
<pre>chrome-extension://hkgfoiooedgoejojocmhlaklaeopbecg/autoPip.js</pre>	0 KiB	1 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS



Reduce JavaScript execution time — 2.4 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn how to reduce Javascript execution time</u>. <u>TBT</u>

URL	Total CPU Time	Script Evaluation	Script Parse
localhost 1st Party	3,631 ms	1,661 ms	587 ms
http://localhost:3000	1,135 ms	101 ms	83 ms

URL	Total CPU Time	Script Evaluation	Script Parse
chunks/54445_next_dist_compiled_next-devtools_index_2aa63035.js (localhost)	766 ms	558 ms	156 ms
chunks/54445_next_dist_compiled_bdc90ddbjs (localhost)	681 ms	628 ms	37 ms
chunks/54445_next_dist_compiled_react-dom_f3eadbf3js (localhost)	556 ms	113 ms	130 ms
chunks/node_modulespnpm_f190b445js (localhost)	380 ms	232 ms	102 ms
chunks/54445_next_dist_client_7ec01a99js (localhost)	114 ms	28 ms	77 ms
Unattributable	462 ms	70 ms	43 ms
Unattributable	351 ms	12 ms	0 ms
<pre>chrome- extension://mnojpmjdmbbfmejpflffifhffcmidifd/bundles/web- discovery-content-script.bundle.js</pre>	57 ms	45 ms	11 ms
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_de vtools_backend_compact.js</pre>	55 ms	12 ms	33 ms

▲ Minimize main-thread work — 4.3 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT

Category	Time Spent
Script Evaluation	1,810 ms
Other	974 ms
Script Parsing & Compilation	723 ms
Style & Layout	525 ms
Rendering	150 ms
Garbage Collection	71 ms
Parse HTML & CSS	48 ms

▲ Minify JavaScript — Est savings of 274 KiB

Minifying JavaScript files can reduce payload sizes and script parse time. <u>Learn how to minify</u> <u>JavaScript</u>. FCP <u>LCP</u>

✓ Show 3rd-party resources (1)

URL	Transfer Size	Est Savings
localhost 1st Party	712.9 KiB	244.8 KiB
chunks/54445_next_dist_compiled_next-devtools_index_2aa63035.js (localhost)	237.7 KiB	108.6 KiB
chunks/54445_next_dist_compiled_react-dom_f3eadbf3js (localhost)	152.8 KiB	41.7 KiB
chunks/54445_next_dist_client_7ec01a99js (localhost)	86.9 KiB	30.6 KiB
chunks/node_modulespnpm_f190b445js (localhost)	121.6 KiB	22.1 KiB
chunks/54445_next_dist_compiled_bdc90ddbjs (localhost)	47.1 KiB	17.7 KiB
chunks/54445_next_dist_a97a6a16js (localhost)	29.1 KiB	8.2 KiB
chunks/_9d198e11js (localhost)	16.4 KiB	8.1 KiB
chunks/54445_next_dist_c6307456js (localhost)	21.4 KiB	7.8 KiB
Unattributable	57.6 KiB	24.5 KiB
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe nd_compact.js</pre>	57.6 KiB	24.5 KiB
Three.js DevTools Chrome Extension	12.5 KiB	4.7 KiB
<pre>chrome-extension://jechbjkglifdaldbdbigibihfaclnkbo/bridge.js</pre>	12.5 KiB	4.7 KiB

▲ Reduce unused JavaScript — Est savings of 386 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. <u>Learn how to reduce unused JavaScript</u>. <u>FCP</u> <u>LCP</u>

URL	Transfer Size	Est Savings
localhost 1st Party	646.0 KiB	316.9 KiB
chunks/54445_next_dist_compiled_next-devtools_index_2aa63035.js (localhost)	237.7 KiB	160.4 KiB
chunks/54445_next_dist_compiled_react-dom_f3eadbf3js (localhost)	152.8 KiB	55.3 KiB

URL	Transfer Size	Est Savings
chunks/node_modulespnpm_f190b445js (localhost)	121.6 KiB	39.7 KiB
chunks/54445_next_dist_client_7ec01a99js (localhost)	86.9 KiB	38.3 KiB
chunks/54445_next_dist_compiled_bdc90ddbjs (localhost)	47.1 KiB	23.2 KiB
Unattributable	104.7 KiB	69.5 KiB
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backe nd_compact.js</pre>	57.6 KiB	38.7 KiB
//react-devtools-shared/src/utils.js	8.9 KiB	8.1 KiB
//react-devtools-shared/src/backend/agent.js	8.8 KiB	5.3 KiB
//react-devtools-shared/src/hydration.js	5.3 KiB	5.0 KiB
//react-devtools-shared/src/backend/utils/index.js	3.5 KiB	3.2 KiB
<pre>//react-devtools- shared/src/backend/views/Highlighter/Overlay.js</pre>	2.5 KiB	2.4 KiB
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/installHook.js</pre>	47.1 KiB	30.7 KiB
//react-devtools-shared/src/backend/fiber/renderer.js	16.5 KiB	7.8 KiB
<pre>//build/oss-experimental/react-debug-tools/cjs/react-debug- tools.production.js</pre>	4.1 KiB	3.7 KiB
//react-devtools-shared/src/backend/legacy/renderer.js	3.6 KiB	3.6 KiB
//react-devtools-shared/src/utils.js	2.7 KiB	2.4 KiB
//build/oss-experimental/react/cjs/react.production.js	2.9 KiB	2.2 KiB

▲ Avoid serving legacy JavaScript to modern browsers — Est savings of 8 KiB

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support legacy browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP

URL	Est Savings
localhost 1st Party	7.8 KiB
chunks/54445_next_dist_a97a6a16js (localhost)	7.5 KiB

RL		Es Saving
chunks/54445_next_dist_a97a6a16js:41:27 (localhost)	Array.prototype.at	
chunks/54445_next_dist_a97a6a16js:21:29 (localhost)	Array.prototype.flat	
chunks/54445_next_dist_a97a6a16js:23:3 (localhost)	Array.prototype.flatMa	
chunks/54445_next_dist_a97a6a16js:37:27 (localhost)	Object.fromEntries	
chunks/54445_next_dist_a97a6a16js:44:22 (localhost)	Object.hasOwn	
chunks/54445_next_dist_a97a6a16js:15:127 (localhost)	String.prototype.trimE	
chunks/54445_next_dist_a97a6a16js:15:36 (localhost)	String.prototype.trimS	
chunks/54445_next_dist_compiled_next-devtools_index_2aa63035.js (localhost)		0.4 Ki
chunks/54445_next_dist_compiled_next-	@babel/plugin-	
devtools_index_2aa63035.js:394:71 (localhost)	transform-classes	
chunks/54445_next_dist_compiled_next-	@babel/plugin-	
devtools_index_2aa63035.js:22079:29 (localhost)	transform-spread	

▲ Page prevented back/forward cache restoration — 3 failure reasons

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. <u>Learn more about the bfcache</u>

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache.	Pending browser support
http://localhost:3000	
Pages whose main resource has cache-control:no-store cannot enter back/forward cache.	Not actionable
http://localhost:3000	
Back/forward cache is disabled because WebSocket has been used.	Not actionable
http://localhost:3000	

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. <u>Learn how to avoid long main-thread tasks TBT</u>

✓ Show 3rd-party resources (1)

URL	Start Time	Duration
localhost 1st Party		1,411 ms
chunks/54445_next_dist_compiled_next-devtools_index_2aa63035.js (localhost)	5,903 ms	425 ms
chunks/54445_next_dist_compiled_bdc90ddbjs (localhost)	6,399 ms	177 ms
http://localhost:3000	762 ms	156 ms
http://localhost:3000	618 ms	144 ms
chunks/node_modulespnpm_f190b445js (localhost)	5,523 ms	144 ms
chunks/54445_next_dist_compiled_react-dom_f3eadbf3js (localhost)	5,129 ms	132 ms
chunks/54445_next_dist_compiled_bdc90ddbjs (localhost)	5,667 ms	82 ms
chunks/54445_next_dist_client_7ec01a99js (localhost)	4,403 ms	80 ms
chunks/54445_next_dist_compiled_next-devtools_index_2aa63035.js (localhost)	6,328 ms	71 ms
Three.js DevTools Chrome Extension		63 ms
chrome-extension://jechbjkglifdaldbdbigibihfaclnkbo/bridge.js	953 ms	63 ms
Unattributable		54 ms
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/build/react_devtools_backen d_compact.js</pre>	1,016 ms	54 ms

O User Timing marks and measures — 2 user timings

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more about User Timing marks</u>.

Name	Туре	Start Time	Duration
_v3	Mark	0.00 ms	
clearMarks	Mark	422.34 ms	

More information about the performance of your application. These numbers don't directly affect the Performance score.

7/16/25, 8:49 AM Lighthouse Report

PASSED AUDITS (21) Hide

Use efficient cache lifetimes

A long cache lifetime can speed up repeat visits to your page. Learn more.

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. <u>Investigate the causes of layout shifts</u>, such as elements being added, removed, or their fonts changing as the page loads. <u>CLS</u>

Document request latency

Your first network request is the most important. Reduce its latency by avoiding redirects, ensuring a fast server response, and enabling text compression. [FCP] [LCP]

- Avoids redirects
- Server responds quickly
- Applies text compression

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. <u>Learn how to avoid an excessive DOM size</u>.

Statistic	Element	Value
Total elements		114
Most children	<pre>body.geist_e531dabc-moduleQGiZLqvariable</pre>	26
DOM depth	<pre>svg > defs > lineargradient#next_logo_paint0_linear_1357_10853 > stop <stop stop-color="white"></stop></pre>	13

Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network activity.

Duplicated JavaScript

7/16/25, 8:49 AM Lighthouse Report

Font display Consider setting <u>font-display</u> to swap or optional to ensure text is consistently visible. swap can be further optimized to mitigate layout shifts with font metric overrides. Forced reflow Many APIs, typically reading layout geometry, force the rendering engine to pause script execution in order to calculate the style and layout. Learn more about forced reflow and its mitigations. Improve image delivery Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size INP by phase Start investigating with the longest phase. Delays can be minimized. To reduce processing duration, optimize the main-thread costs, often JS. LCP request discovery Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-<u>loading</u> Modern HTTP HTTP/2 and HTTP/3 offer many benefits over HTTP/1.1, such as multiplexing. Learn more about using modern HTTP. Optimize viewport for mobile Tap interactions may be delayed by up to 300 ms if the viewport is not optimized for mobile. head > meta <meta name="viewport" content="width=device-width, initial-scale=1"> Defer offscreen images Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to

file:///C:/Users/raygp/Downloads/localhost_2025-07-16_08-35-03.html

lower time to interactive. <u>Learn how to defer offscreen images</u>. [FCP] [LCP]

Minify CSS

Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP [LCP]

Reduce unused CSS

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. <u>Learn how to reduce unused CSS</u>. [FCP] [LCP]

Preconnect to required origins

Consider adding preconnect or dns-prefetch resource hints to establish early connections to important third-party origins. Learn how to preconnect to required origins. [LCP] FCP

Use HTTP/2

HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. <u>Learn more about HTTP/2</u>. [LCP] FCP

• Avoids enormous network payloads — Total size was 830 KiB

Large network payloads cost users real money and are highly correlated with long load times. <u>Learn</u> how to reduce payload sizes.

URL	Transfer Size
localhost 1st Party	783.5 KiB
chunks/54445_next_dist_compiled_next-devtools_index_2aa63035.js (localhost)	238.0 KiB
chunks/54445_next_dist_compiled_react-dom_f3eadbf3js (localhost)	153.1 KiB
chunks/node_modulespnpm_f190b445js (localhost)	122.0 KiB
chunks/54445_next_dist_client_7ec01a99js (localhost)	87.3 KiB
chunks/54445_next_dist_compiled_bdc90ddbjs (localhost)	47.4 KiB

^

URL	Transfer Size
media/8ee3a1ba4ed5baee-s.p.be19f591.woff2 (localhost)	30.8 KiB
chunks/54445_next_dist_a97a6a16js (localhost)	29.5 KiB
media/b0a57561b6cb5495-s.p.da1ebef7.woff2 (localhost)	28.0 KiB
/favicon.ico?favicon.45db1c09.ico (localhost)	25.6 KiB
chunks/54445_next_dist_c6307456js (localhost)	21.7 KiB

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. <u>Learn how to defer third-parties with a facade</u>. (TBT)

Uses passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. <u>Learn more about adopting passive event listeners</u>.

Avoids document.write()

For users on slow connections, external scripts dynamically injected via document.write() can delay page load by tens of seconds. <u>Learn how to avoid document.write()</u>.



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

7/16/25, 8:49 AM

CONTRAST

Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. <u>Learn how to provide sufficient color contrast</u>.

Failing Elements



The Digital Signature of Ramon Guillermo Pérez

```
<h2 class="text-5xl font-bold text-gray-900 mb-4" style="opacity: 1;
transform: none;">
```



body.geist_e531dabc-module__QGiZLq__variable
<body class="geist_e531dabc-module__QGiZLq__variable geist_mono_68a01160module__YLcDdW...">



Not just a portfolio — a preview of what's possible.



body.geist_e531dabc-module_QGiZLq_variable

<body class="geist_e531dabc-module__QGiZLq__variable geist_mono_68a01160module__YLcDdW...">



This isn't a static collection of past work—it's an invitation into the future....



body.geist_e531dabc-module__QGiZLq__variable

```
<body class="geist_e531dabc-module__QGiZLq__variable geist_mono_68a01160-
module YLcDdW...">
```



Creative Content Assistant

```
<h4 class="text-x1 font-bold mb-2">
```



Creative Content Assistant Transforms video or audio content—like shows, inter...

```
<div class="bg-white rounded-lg shadow-md p-6" style="opacity: 1; transform:
none;">
```



Smart Sprint Planner

```
<h4 class="text-xl font-bold mb-2">
```

Failing Elements





Smart Sprint Planner Reads project files and auto-generates the next sprint pl...

<div class="bg-white rounded-lg shadow-md p-6" style="opacity: 1; transform:
none;">



Touchpoint Generator (preview)

<h4 class="text-xl font-bold mb-2">



Touchpoint Generator (preview) Converts internal knowledge into onboarding ste...

<div class="bg-white rounded-lg shadow-md p-6" style="opacity: 1; transform:
none;">



Decision-makers

<h4 class="text-xl font-bold mb-2">



Decision-makers A compelling vision of new efficiencies—leaderboards built-in,...

<div class="bg-white rounded-lg shadow-md p-6" style="opacity: 1; transform:
none;">



Tech leads

<h4 class="text-xl font-bold mb-2">



Tech leads Clean, declarative systems built with modern stacks, ready to integ...

<div class="bg-white rounded-lg shadow-md p-6" style="opacity: 1; transform:
none;">



Employees & Users

<h4 class="text-x1 font-bold mb-2">



Employees & Users Smarter tools support daily work, reducing friction and unlo...

<div class="bg-white rounded-lg shadow-md p-6" style="opacity: 1; transform:
none;">



This single-page experience is just the beginning. Scroll down to explore the l... class="text-lg text-gray-700 leading-relaxed max-w-3xl mx-auto"

style="opacity: 1; transform: none;">



These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Hide

Interactive controls are keyboard focusable

^

Custom interactive controls are keyboard focusable and display a focus indicator. <u>Learn how to make</u> custom controls focusable.

Interactive elements indicate their purpose and state

^

Interactive elements, such as links and buttons, should indicate their state and be distinguishable from non-interactive elements. <u>Learn how to decorate interactive elements with affordance hints</u>.

The page has a logical tab order

^

Tabbing through the page follows the visual layout. Users cannot focus elements that are offscreen. <u>Learn more about logical tab ordering</u>.

O Visual order on the page follows DOM order

•

DOM order matches the visual order, improving navigation for assistive technology. <u>Learn more about DOM and visual ordering.</u>

User focus is not accidentally trapped in a region

^

A user can tab into and out of any control or region without accidentally trapping their focus. <u>Learn</u> how to avoid focus traps.

O The user's focus is directed to new content added to the page

^

If new content, such as a dialog, is added to the page, the user's focus is directed to it. <u>Learn how to</u> direct focus to new content.

O HTML5 landmark elements are used to improve navigation

^

Landmark elements (<main>, <nav>, etc.) are used to improve the keyboard navigation of the page for assistive technology. Learn more about landmark elements.

Offscreen content is hidden from assistive technology

Offscreen content is hidden with display: none or aria-hidden=true. <u>Learn how to properly hide</u> <u>offscreen content</u>.

Custom controls have associated labels

Custom interactive controls have associated labels, provided by aria-label or aria-labelledby. <u>Learn</u> more about custom controls and <u>labels</u>.

Custom controls have ARIA roles

Custom interactive controls have appropriate ARIA roles. Learn how to add roles to custom controls.

These items address areas which an automated testing tool cannot cover. Learn more in our guide on <u>conducting an</u> <u>accessibility review</u>.

PASSED AUDITS (21)

• [aria-*] attributes match their roles

Each ARIA role supports a specific subset of aria-* attributes. Mismatching these invalidates the aria-* attributes. <u>Learn how to match ARIA attributes to their roles</u>.

[aria-hidden="true"] is not present on the document <body>

Assistive technologies, like screen readers, work inconsistently when aria-hidden="true" is set on the document <body>. Learn how aria-hidden affects the document body.

• [role]s have all required [aria-*] attributes

Some ARIA roles have required attributes that describe the state of the element to screen readers. <u>Learn more about roles and required attributes</u>. ^

^

• [aria-*] attributes have valid values

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid values. <u>Learn</u> more about valid values for ARIA attributes.

• [aria-*] attributes are valid and not misspelled

Assistive technologies, like screen readers, can't interpret ARIA attributes with invalid names. <u>Learn</u> more about valid ARIA attributes.

Buttons have an accessible name

When a button doesn't have an accessible name, screen readers announce it as "button", making it unusable for users who rely on screen readers. <u>Learn how to make buttons more accessible</u>.

[user-scalable="no"] is not used in the <meta name="viewport"> element and the [maximum-scale] attribute is not less than 5.

Disabling zooming is problematic for users with low vision who rely on screen magnification to properly see the contents of a web page. <u>Learn more about the viewport meta tag.</u>

ARIA attributes are used as specified for the element's role

Some ARIA attributes are only allowed on an element under certain conditions. <u>Learn more about conditional ARIA attributes</u>.

• [aria-hidden="true"] elements do not contain focusable descendents

Focusable descendents within an [aria-hidden="true"] element prevent those interactive elements from being available to users of assistive technologies like screen readers. <u>Learn how aria-hidden</u> affects focusable elements.

Elements use only permitted ARIA attributes

Using ARIA attributes in roles where they are prohibited can mean that important information is not communicated to users of assistive technologies. <u>Learn more about prohibited ARIA roles</u>.

[role] values are valid

ARIA roles must have valid values in order to perform their intended accessibility functions. <u>Learn more</u> about valid ARIA roles.

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <u>Learn more about document titles</u>.

<html> element has a [lang] attribute

If a page doesn't specify a lang attribute, a screen reader assumes that the page is in the default language that the user chose when setting up the screen reader. If the page isn't actually in the default language, then the screen reader might not announce the page's text correctly. Learn more about the language attribute.

<html> element has a valid value for its [lang] attribute

Specifying a valid <u>BCP 47 language</u> helps screen readers announce text properly. <u>Learn how to use the lang attribute</u>.

Links have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. <u>Learn how to make links accessible</u>.

Lists contain only elements and script supporting elements (<script> and <template>).

Screen readers have a specific way of announcing lists. Ensuring proper list structure aids screen reader output. <u>Learn more about proper list structure</u>.

List items () are contained within , or <menu> parent elements Screen readers require list items () to be contained within a parent , or <menu> to be announced properly. Learn more about proper list structure. Touch targets have sufficient size and spacing. Touch targets with sufficient size and spacing help users who may have difficulty targeting small controls to activate the targets. Learn more about touch targets. Heading elements appear in a sequentially-descending order Properly ordered headings that do not skip levels convey the semantic structure of the page, making it easier to navigate and understand when using assistive technologies. <u>Learn more about heading order</u>. Uses ARIA roles only on compatible elements Many HTML elements can only be assigned certain ARIA roles. Using ARIA roles where they are not allowed can interfere with the accessibility of the web page. Learn more about ARIA roles. Deprecated ARIA roles were not used Deprecated ARIA roles may not be processed correctly by assistive technology. Learn more about deprecated ARIA roles. NOT APPLICABLE (35) Hide [accesskey] values are unique Access keys let users quickly focus a part of the page. For proper navigation, each access key must be unique. Learn more about access keys. O button, link, and menuitem elements have accessible names

When an element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. <u>Learn how to make command elements more accessible.</u>

Elements with role="dialog" or role="alertdialog" have accessible names. ARIA dialog elements without accessible names may prevent screen readers users from discerning the purpose of these elements. Learn how to make ARIA dialog elements more accessible. ARIA input fields have accessible names When an input field doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn more about input field labels. ARIA meter elements have accessible names When a meter element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to name meter elements. ARIA progressbar elements have accessible names When a progressbar element doesn't have an accessible name, screen readers announce it with a generic name, making it unusable for users who rely on screen readers. Learn how to label progressbar elements. Elements with an ARIA [role] that require children to contain a specific [role] have all required children. Some ARIA parent roles must contain specific child roles to perform their intended accessibility functions. Learn more about roles and required children elements. [role]s are contained by their required parent element Some ARIA child roles must be contained by specific parent roles to properly perform their intended accessibility functions. Learn more about ARIA roles and required parent element. Elements with the role=text attribute do not have focusable descendents. \wedge Adding role=text around a text node split by markup enables VoiceOver to treat it as one phrase, but the element's focusable descendents will not be announced. Learn more about the role=text

attribute.

ARIA toggle fields have accessible names	^
When a toggle field doesn't have an accessible name, screen readers announce it with a gene making it unusable for users who rely on screen readers. <u>Learn more about toggle fields</u> .	ric name,
ARIA tooltip elements have accessible names	^
When a tooltip element doesn't have an accessible name, screen readers announce it with a gname, making it unusable for users who rely on screen readers. Learn how to name tooltip	
O ARIA treeitem elements have accessible names	^
When a treeitem element doesn't have an accessible name, screen readers announce it with name, making it unusable for users who rely on screen readers. Learn more about labeling treelements.	
O The page contains a heading, skip link, or landmark region	^
Adding ways to bypass repetitive content lets keyboard users navigate the page more efficien more about bypass blocks.	ntly. <u>Learn</u>
O <dl>'s contain only properly-ordered <dt> and <dd> groups, <script>, <template> or <div> ele</td><td>ements. ^</td></tr><tr><td>When definition lists are not properly marked up, screen readers may produce confusing or ir output. Learn how to structure definition lists correctly.</td><td>naccurate</td></tr><tr><td>O Definition list items are wrapped in <dl> elements</td><td>^</td></tr><tr><td>Definition list items (<dt> and <dd>) must be wrapped in a parent <dl> element to ensure the readers can properly announce them. Learn how to structure definition lists correctly.</td><td>at screen</td></tr><tr><td>O ARIA IDs are unique</td><td>^</td></tr><tr><td>The value of an ARIA ID must be unique to prevent other instances from being overlooked by technologies. <u>Learn how to fix duplicate ARIA IDs</u>.</td><td>assistive</td></tr><tr><td>O No form fields have multiple labels</td><td>^</td></tr><tr><td>Form fields with multiple labels can be confusingly announced by assistive technologies like s readers which use either the first, the last, or all of the labels. <u>Learn how to use form labels</u>.</td><td>creen</td></tr></tbody></table></script></dd></dt></dl>	

	<frame/> Or <iframe> elements have a title</iframe>	^
	Screen reader users rely on frame titles to describe the contents of frames. <u>Learn more about frame</u> <u>titles</u> .	
0	html element has an [xml:lang] attribute with the same base language as the [lang] attribute.	^
	If the webpage does not specify a consistent language, then the screen reader might not announce t page's text correctly. Learn more about the lang attribute.	he
0	Image elements have [alt] attributes	^
	Informative elements should aim for short, descriptive alternate text. Decorative elements can be ignored with an empty alt attribute. <u>Learn more about the alt attribute</u> .	
0	Image elements do not have [alt] attributes that are redundant text.	^
	Informative elements should aim for short, descriptive alternative text. Alternative text that is exactly the same as the text adjacent to the link or image is potentially confusing for screen reader users, because the text will be read twice. Learn more about the alt attribute.	
0	Input buttons have discernible text.	^
	Input buttons have discernible text. Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons.	
	Adding discernable and accessible text to input buttons may help screen reader users understand the	
0	Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. <u>Learn more about input buttons</u> .	e
0	Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. <input type="image"/> elements have [alt] text When an image is being used as an <input/> button, providing alternative text can help screen reade	e
0	Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. <input type="image"/> elements have [alt] text When an image is being used as an <input/> button, providing alternative text can help screen reade users understand the purpose of the button. Learn about input image alt text.	e ^
0	Adding discernable and accessible text to input buttons may help screen reader users understand the purpose of the input button. Learn more about input buttons. <input type="image"/> elements have [alt] text When an image is being used as an <input/> button, providing alternative text can help screen reade users understand the purpose of the button. Learn about input image alt text. Form elements have associated labels Labels ensure that form controls are announced properly by assistive technologies, like screen reader.	e ^

0	The document does not use <meta http-equiv="refresh"/>	^
	Users do not expect a page to refresh automatically, and doing so will move focus back to the top of the page. This may create a frustrating or confusing experience. Learn more about the refresh meta tag.	f
0	<object> elements have alternate text</object>	^
	Screen readers cannot translate non-text content. Adding alternate text to <object> elements helps screen readers convey meaning to users. Learn more about alt text for object elements.</object>	
0	Select elements have associated label elements.	^
	Form elements without effective labels can create frustrating experiences for screen reader users. Leamore about the select element.	<u>arn</u>
0	Skip links are focusable.	^
	Including a skip link can help users skip to the main content to save time. <u>Learn more about skip link</u>	<u>.s</u> .
0	No element has a [tabindex] value greater than 0	^
	A value greater than 0 implies an explicit navigation ordering. Although technically valid, this often creates frustrating experiences for users who rely on assistive technologies. <u>Learn more about the tabindex attribute</u> .	
0	Tables have different content in the summary attribute and <caption>.</caption>	^
	The summary attribute should describe the table structure, while <caption> should have the onscretitle. Accurate table mark-up helps users of screen readers. Learn more about summary and caption.</caption>	
0	Cells in a element that use the [headers] attribute refer to table cells within the same table.	^
	Screen readers have features to make navigating tables easier. Ensuring cells using the [headers] attribute only refer to other cells in the same table may improve the experience for scree reader users. Learn more about the headers attribute.	n
0	elements and elements with [role="columnheader"/"rowheader"] have data cells they describe.	^
	Screen readers have features to make navigating tables easier. Ensuring table headers always refer to some set of cells may improve the experience for screen reader users. Learn more about table headers	

O [lang] attributes have a valid value

Specifying a valid <u>BCP 47 language</u> on elements helps ensure that text is pronounced correctly by a screen reader. <u>Learn how to use the lang attribute</u>.

<video> elements contain a <track> element with [kind="captions"]

When a video provides a caption it is easier for deaf and hearing impaired users to access its information. <u>Learn more about video captions</u>.



Best Practices

TRUST AND SAFETY

Ensure CSP is effective against XSS attacks

A strong Content Security Policy (CSP) significantly reduces the risk of cross-site scripting (XSS) attacks. <u>Learn how to use a CSP to prevent XSS</u>



Use a strong HSTS policy

Deployment of the HSTS header significantly reduces the risk of downgrading HTTP connections and eavesdropping attacks. A rollout in stages, starting with a low max-age is recommended. <u>Learn more about using a strong HSTS policy.</u>

Description	Directive	Severity
No HSTS header found		High

Ensure proper origin isolation with COOP

The Cross-Origin-Opener-Policy (COOP) can be used to isolate the top-level window from other documents such as pop-ups. <u>Learn more about deploying the COOP header.</u>

Description	Directive	Severity
No COOP header found		High

Mitigate clickjacking with XFO or CSP

The X-Frame-Options (XFO) header or the frame-ancestors directive in the Content-Security-Policy (CSP) header control where a page can be embedded. These can mitigate clickjacking attacks by blocking some or all sites from embedding the page. <u>Learn more about mitigating clickjacking</u>.


Description	Severity
No frame control policy found	High

GENERAL

▲ Mis

Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. <u>Learn more about source maps</u>.



```
URL
                                                        Map URL
 ...chunks/54445_next_dist_compiled_react-
                                                         ...chunks/54445_next_dist_compiled_react-
 dom_f3eadbf3._.js (localhost)
                                                        dom_f3eadbf3._.js.map (localhost)
   Large JavaScript file is missing a source
   map
   Error: Map has no `mappings` field
  ...chunks/54445_next_dist_compiled_next-
                                                        ...chunks/54445_next_dist_compiled_next-
 devtools_index_2aa63035.js (localhost)
                                                        devtools_index_2aa630....map (localhost)
   Large JavaScript file is missing a source
   map
   Error: Map has no `mappings` field
                                                        chunks/54445_next_dist_client_7ec01a99._.js.map (local
 chunks/54445_next_dist_client_7ec01a99._.js (localhost)
                                                        host)
   Large JavaScript file is missing a source
   map
   Error: Map has no `mappings` field
 ...chunks/src_1eb09f33._.js (localhost)
                                                        ...chunks/src_1eb09f33._.js.map (localhost)
   Error: Map has no `mappings` field
 chunks/61dca_%40swc_helpers_cjs_28edb73c._.js (local
                                                        chunks/61dca_%40swc_helpers_cjs_28edb73c._.js.map (
 host)
                                                        localhost)
   Error: Map has no `mappings` field
 chunks/54445_next_dist_compiled_bdc90ddb._.js (local
                                                        chunks/54445_next_dist_compiled_bdc90ddb._.js.map (
 host)
                                                        localhost)
   Error: Map has no `mappings` field
 ...chunks/54445_next_dist_c6307456._.js (localhost)
                                                        ...chunks/54445_next_dist_c6307456._js.map (localhost)
   Error: Map has no `mappings` field
 ...chunks/54445_next_dist_a97a6a16._.js (localhost)
                                                        ...chunks/54445_next_dist_a97a6a16._.js.map (localhost)
   Error: Map has no `mappings` field
 ...chunks/%5Bturbopack%5D_browser_dev_hmr-
                                                         ...chunks/%5Bturbopack%5D_browser_dev_hmr-
 client_hmr-client_ts....js (localhost)
                                                        client_hmr-client_t....map (localhost)
   Error: Map has no `mappings` field
```

URL	Map URL
chunks/_9d198e11js (localhost)	chunks/_9d198e11js.map (localhost)
Error: Map has no `mappings` field	
Unattributable	
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/b uild/react_devtools_backend_compact.js Warning: missing 31 items in `.sourcesContent`</pre>	<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi /build/react_devtools_backend_compact.js.map</pre>
<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi/b uild/installHook.js</pre>	<pre>chrome- extension://fmkadmapgofadopljbjfkapdkoienihi /build/installHook.js.map</pre>
Warning: missing 46 items in `.sourcesContent`	

PASSED AUDITS (14)

Uses HTTPS

All sites should be protected with HTTPS, even ones that don't handle sensitive data. This includes avoiding <u>mixed content</u>, where some resources are loaded over HTTP despite the initial request being served over HTTPS. HTTPS prevents intruders from tampering with or passively listening in on the communications between your app and your users, and is a prerequisite for HTTP/2 and many new web platform APIs. <u>Learn more about HTTPS</u>.

Avoids deprecated APIs

Deprecated APIs will eventually be removed from the browser. Learn more about deprecated APIs.

Avoids third-party cookies

Third-party cookies may be blocked in some contexts. <u>Learn more about preparing for third-party</u> cookie restrictions.

Allows users to paste into input fields

Preventing input pasting is a bad practice for the UX, and weakens security by blocking password managers. Learn more about user-friendly input fields.

Avoids requesting the geolocation permission on page load

Users are mistrustful of or confused by sites that request their location without context. Consider tying the request to a user action instead. <u>Learn more about the geolocation permission</u>.

Avoids requesting the notification permission on page load

Users are mistrustful of or confused by sites that request to send notifications without context.

Consider tying the request to user gestures instead. <u>Learn more about responsibly getting permission</u> for notifications.

Displays images with correct aspect ratio

Image display dimensions should match natural aspect ratio. Learn more about image aspect ratio.

Serves images with appropriate resolution

Image natural dimensions should be proportional to the display size and the pixel ratio to maximize image clarity. <u>Learn how to provide responsive images</u>.

Has a <meta name="viewport"> tag with width or initial-scale

A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents <u>a</u> 300 millisecond delay to user input. Learn more about using the viewport meta tag.

Document uses legible font sizes — 100% legible text

Font sizes less than 12px are too small to be legible and require mobile visitors to "pinch to zoom" in order to read. Strive to have >60% of page text $\ge 12px$. Learn more about legible font sizes.

 Source
 Selector
 % of Page Text
 Font Size

 Legible text
 100.00%
 ≥ 12px

^

Page has the HTML doctype

Specifying a doctype prevents the browser from switching to quirks-mode. <u>Learn more about the doctype declaration</u>.

Properly defines charset

A character encoding declaration is required. It can be done with a <meta> tag in the first 1024 bytes of the HTML or in the Content-Type HTTP response header. Learn more about declaring the character encoding.

No browser errors logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. <u>Learn more about this errors in console diagnostic audit</u>

No issues in the Issues panel in Chrome Devtools

Issues logged to the Issues panel in Chrome Devtools indicate unresolved problems. They can come from network request failures, insufficient security controls, and other browser concerns. Open up the Issues panel in Chrome DevTools for more details on each issue.

NOT APPLICABLE (2) Hide

Redirects HTTP traffic to HTTPS

Make sure that you redirect all HTTP traffic to HTTPS in order to enable secure web features for all your users. <u>Learn more</u>.

Detected JavaScript libraries

All front-end JavaScript libraries detected on the page. <u>Learn more about this JavaScript library</u> detection diagnostic audit.



These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CONTENT BEST PRACTICES

Document does not have a meta description

Meta descriptions may be included in search results to concisely summarize page content. <u>Learn more about the meta description</u>.

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1)

Hide

Structured data is valid

Run the <u>Structured Data Testing Tool</u> and the <u>Structured Data Linter</u> to validate structured data. <u>Learn</u> more about Structured Data.

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (6) Hide

Page isn't blocked from indexing

Search engines are unable to include your pages in search results if they don't have permission to crawl them. <u>Learn more about crawler directives</u>.

Document has a <title> element

The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. <u>Learn more about document titles</u>.

Page has successful HTTP status code

Pages with unsuccessful HTTP status codes may not be indexed properly. <u>Learn more about HTTP</u> status codes.

Links have descriptive text

Descriptive link text helps search engines understand your content. <u>Learn how to make links more accessible.</u>

Links are crawlable

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. <u>Learn how to make links crawlable</u>

Document has a valid hreflang

hreflang links tell search engines what version of a page they should list in search results for a given language or region. Learn more about hreflang.

NOT APPLICABLE (3) Hide

robots.txt is valid

If your robots.txt file is malformed, crawlers may not be able to understand how you want your website to be crawled or indexed. Learn more about robots.txt.

Image elements have [alt] attributes

7/16/25, 8:49 AM Lighthouse Report

ignored with an empty alt attribute. <u>Learn more about the alt attribute</u> .		
O Document has a valid rel=car	nonical	
Canonical links suggest which	URL to show in search results. <u>Learn</u>	more about canonical links.
Continued at Ital 16, 2025, 9:25 AM	Fraulated Mate C Dower with	° Cingle page cossion
Captured at Jul 16, 2025, 8:35 AM GMT-4	Emulated Moto G Power with Lighthouse 12.6.0	Single page session
O Initial page load	Slow 4G throttling	Using Chromium 138.0.0.0 with devtools

Generated by **Lighthouse** 12.6.0 | File an issue