



Rafał Grzegorczyk  
Senior APEX Developer



Oracle ACE  
Pro

# Oracle's SQLcl CI/CD bombshell: It will forever change your APEX & Database deployments

**POUG2025 - Poznań, Poland**

6th September 2025 9:00 AM



# pretius

ORACLE

Partner

Liquibase



# Oracle SQLcl “Project”

— —

Is Oracle's latest SQLcl feature  
the only CI/CD Tool  
for APEX  
and Oracle Database  
**YOU** will ever need?

— —



Scan to meet us  
Pretius.com

## Providing what you **need**, not what you **want**

**300+**  
People


**60+**  
APEX Devs

**5**  
Oracle ACEs

**70+**  
Customers

**4**  
Continents

**2**  
Warsaw, PL  
London, UK



ORACLE

Partner

Liquibase



ISO 27001

# About me

- 1
- 2
- 3
- 4
- Find me at:

Kielce, Poland - 200km (125mi) south from Warsaw

Oracle APEX and PL/SQL Developer

Worldwide speaker since 2021

Oracle ACE Pro

Find me at:

[rgrzegorczyk@pretius.com](mailto:rgrzegorczyk@pretius.com)

[rgrzegorczyk](https://rgrzegorczyk.in) 

<https://rafal.hashnode.dev/>




Rafal Grzegorczyk



Oracle ACE  
Pro

# What is Oracle SQLcl?

# Oracle SQLcl



- Oracle SQL Developer Command Line (SQLcl)
- Free command line interface for Oracle Database
- Allows to execute SQL and PL/SQL
- Provides in-line editing, statement completion
- Supports SQL\*Plus scripts, allows to access Cloud Storage
- Data Pump, Codescan..... and much more

## User's Guide

Title and Copyright Information

Preface

1 Changes in Release 25.1 for Oracle SQLcl User's Guide

▶ 2 Using Oracle SQLcl

▶ 3 Using Liquibase

▶ 4 Database Application CI/CD

5 Using Cloud Storage

6 Using Data Pump

7 Using the Cloud Premigration Advisor Tool

8 Using the PGQL Plug-in

▶ 9 SQLcl Command Reference

A List of Unsupported SQL\*Plus Commands and Features

B SQL Performance Troubleshooting

C Third-Party License Information

# “Project” command

# “Project” command

- “Project” is an CI/CD extension in SQLcl
- Introduced in 2nd half of 2024
- Contains several sub-commands to help developers manage database & APEX changes
- It uses Liquibase & GIT in a simple & developer-friendly way

Title and Copyright Information

Preface

1 Changes in Release 25.1 for Oracle SQLcl User's Guide

▶ 2 Using Oracle SQLcl

▶ 3 Using Liquibase

▶ 4 Database Application CI/CD

5 Using Cloud Storage

6 Using Data Pump

7 Using the Cloud Premigration Advisor Tool


8 Using the PGQL Plug-in

▶ 9 SQLcl Command Reference

A List of Unsupported SQL\*Plus Commands and Features

B SQL Performance Troubleshooting

C Third-Party License Information



## Audience Q&A



Presenting with animations, GIFs or speaker notes? Enable our [Chrome extension](#)

# Questions & Answers

app.sli.do

R\_Gregorczyk.Oracle's SQLcl CI/CD b...

Q&A Polls

Type your question

Ask

Acceptable Use Slido Privacy Cookie Settings

← → + 46 ...


Join at [slido.com](https://slido.com)

#2972607




# Demo

GIT + Fork (GUI Client)





Oracle SQLcl 25.1.1.0 (demo)



Get latest version 25.2.2 (21th July 2025)

Visual Studio Code






# Configured database connections

The screenshot shows the 'Connections' section of the Oracle SQL Developer Extension for VSCode. On the left, there's a sidebar with 'SQL DEVELOPER' and 'SQL SNIPPETS'. The 'CONNECTIONS' section lists several databases under three main categories: 'DEVELOPMENT', 'PRODUCTION', and 'TEST'. Each category contains one or more database connections, each represented by a folder icon and a connection name (e.g., 'dev\_admin', 'prod\_admin', 'test\_admin'). The 'DEVELOPMENT' category has a green circular badge with a white dot, indicating it is the active or default category. The 'PRODUCTION' category has a red circular badge with a white dot. The 'TEST' category has a blue circular badge with a white dot.


This screenshot shows the extension page for 'Oracle SQL Developer Extension for VSCode' on the Microsoft Store. At the top, it says 'Extension: Oracle SQL Developer Extension for VSCode'. Below that is a large image of a database cylinder with a play button icon. The title 'Oracle SQL Developer Extension for VSCode' is prominently displayed. It shows the developer as 'Oracle Corporation' with a link to oracle.com, 395,286 installs, and a 4.5-star rating from 99 reviews. A brief description states 'End-to-end development tools for your SQL and PL/SQL applications.' Below this are buttons for 'Disable' (with a dropdown arrow), 'Uninstall' (with a dropdown arrow), and 'Auto Update' (with a checked checkbox). There are also 'DETAILS', 'FEATURES', and 'CHANGELOG' tabs. The 'Installation' section on the right provides details: Identifier: oracle.sql-developer, Version: 25.1.1, Last Updated: 2025-05-05, Updated: 10:20:21, and Size: 482.32MB.

Empty folder "Bombshell":



The screenshot shows the GitHub Desktop application. A new repository named 'bombshell' is initialized. The repository view shows three branches: 'main', 'dev' (which is checked out), and 'test'. The 'Changes' tab is selected, showing a single commit from 'Grzegorczyk Rafal' with the message 'Initialize repository'. The file tree shows a single file 'readme.md'.

- GIT repository in "bombshell" folder
- 3 branches - dev, test and main(for production)
- All branches are equal at this moment



1.Kick-off new project

## Initialize a new project:

```
> sql -name dev_admin  
> project init -name bombshell -schemas HR,CO
```

### Parameters:


- “name” - project name
- “schemas” - comma separated schemas to be tracked in project

The screenshot shows a code editor interface with the following details:


- Explorer Bar:** On the left, it shows a tree view with a folder icon, the text "EXPLORER", and a dropdown menu. Below it, under "BOMBSHELL", there is a file icon and the file "readme.md".
- Terminal Tab:** The "TERMINAL" tab is active, displaying the following output:

```
o → bombshell git:(dev) ✘ sql -name dev_admin
SQLcl: Release 25.1 Production on Wed May 14 15:40:34 2025
Copyright (c) 1982, 2025, Oracle. All rights reserved.
```
- Search Bar:** At the top center, there is a search bar with the text "bombshell".
- Icons:** The sidebar contains various icons for file operations like copy, paste, cut, and delete, as well as icons for Git, databases, and user management.
- Status Bar:** At the bottom, the status bar shows "dev\*" with a file icon, "0 0 0", "Git Graph", and "bomshell". It also includes standard window control buttons (minimize, maximize, close) and a system tray with a magnifying glass, a person icon, and a bell icon.


Several files and folders were created:



# .dbtools - project configuration files




## .dbtools - project configuration files



```
project.filters U X
.dbtools > filters > project.filters
1 /* Comma separated list of predicates to be fine-tuned for individual project.
2 Run
3   project export -debug
4   to double check the dictionary queries
5   with internal and custom filters applied.
6 */
7
8
9 -- Uncomment the line below if don't want to export grants:
10 -- export_type not in ('ALL_TAB_PRIVS','USER_SYS_PRIVS'),
11 /* Reference list of export_types from internal.fixed.filters
12   'ALL_OBJECTS',
13   'APEX_APPLICATIONS',
14   'ALL_COL_COMMENTS',
15   'ALL_TAB_COMMENTS',
16   'ALL_TAB_PRIVS',
17   --'USER_SYS_PRIVS',
18   'ALL_DEPENDENCIES',
19   'ALL_MVIEW_LOGS',
```

The code editor displays the 'project.filters' file. The content defines a list of predicates for fine-tuning projects. It includes instructions for running the project export with specific filters applied. Below this, it lists various export types such as 'ALL\_OBJECTS', 'APEX\_APPLICATIONS', etc.

.src - source files from exported schema(s)



- Export will be done in next steps

## .dist - generated install files and releases

The screenshot shows a code editor interface with the following details:

- EXPLORER** sidebar:
  - BOMBSHELL folder
    - .dbtools
    - dist (selected)
    - install.sql
  - src/database
  - .gitignore
  - readme.md
- install.sql** file in the main editor area:

```
dist > install.sql
1 -- SQLcl uses the SQLCL engine for formatted sql changelog not the JDBC engine
2 -- By default, a project will not use substitution variables and allows blank
3 -- lines in sql statements.
4
5 set define off
6 set sqlblanklines on
7
8 -- Prechecks modifiable helper
9 -- Check running with SQLcl
10 -- Check minimum DB version
11 -- Check character set
```

2. Take a snapshot of

existing

Database & APEX code

Export ALL database objects

> project **export**

Questions & Answers

Join at [slido.com](https://slido.com)

#2972607



The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. The title bar at the top has the text "bomshell". The left sidebar contains various icons for navigation and management, including a file icon, a search icon, a connection icon with a "10" badge, a preview icon, a folder icon with a "4" badge, a bookmark icon, a ship icon, a cylinder icon, an alert icon with a "1" badge, and a gear icon with a "1" badge.

The main area displays the "EXPLORER" view for the project "BOMBSHELL". The "dist" folder is currently selected, highlighted with a light blue background. Other visible files and folders include ".dbtools", "src", ".gitignore", and "readme.md".


Below the Explorer is the "OUTLINE" section, which is currently collapsed.

The bottom navigation bar includes tabs for PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, SCRIPT OUTPUT, SQL HISTORY, and TASK MONITOR. The "TERMINAL" tab is active, showing the following text:

```
07:16:55 SQL> project export  
The current connection DEVELOPMENT_HIGH ADMIN will be used for all operations
```

At the very bottom, there is a status bar with the text "viins | 1:14 | ADMIN | dev\_admin" and a series of small icons representing file status and Git integration.

All selected objects CO, HR and APEX were exported



—  
— Optionally export only selected objects:



> project **export -objects** HR.COUNTRIES, CO.CUSTOMERS

> project **export -objects** APEX.101

3. Mark current state of  
DB & APEX  
[release 1.0]

Commit current state of DB & APEX [release 1.0]

git commit









# release 1.0

# Current state of DB & APEX [release 1.0]



git commit



# Merge dev into test



# Merge dev into main [prod]




# 4.New development

## [release 1.1]

## Create new GIT branch [1.1]

1.0



Questions & Answers



Join at [slido.com](https://slido.com)

#2972607



# pretius

# release 1.1




## Developer RAFAL makes some changes on DEV

```
ALTER TABLE hr.employees ADD (
    phone_prefix VARCHAR2(10)
);
COMMENT ON COLUMN hr.employees.phone_prefix IS 'Phone number prefix';
```

```
CREATE OR REPLACE VIEW hr.v_emp_names_phones AS
SELECT e.first_name,
       e.last_name,
       e.phone_number,
       e.phone_prefix
FROM employees e;
```


RAFAL



## — RAHAL exports changes using SQLcl Project Export

```
> project export -objects HR.EMPLOYEES,HR.V_EMP_NAMES_PHONES
```

RAHAL



The screenshot shows the pretius IDE interface. On the left, there's a sidebar with icons and a connection tree:

- SQL DEVELOPER (1)
- SQL SNIPPETS
- CONNECTIONS (3):
  - Priv
  - BOMBSHELL
    - DEVELOPMENT (4): dev\_admin, dev\_co, dev\_hr, dev\_hr\_john, dev\_hr\_rafal
- REPORTS

The main area is a code editor titled "bombshell" containing the following SQL script:

```
ALTER TABLE hr.employees ADD (
    phone_prefix VARCHAR2(10)
);
COMMENT ON COLUMN hr.employees.phone_prefix IS 'Phone number prefix';

CREATE OR REPLACE VIEW hr.v_emp_names_phones AS
SELECT e.first_name,
       e.last_name,
       e.phone_number,
       e.phone_prefix
  FROM employees e;
```


Below the code editor, there are tabs: PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, SCRIPT OUTPUT (selected), SQL HISTORY, and TASK MONITOR.

In the bottom right corner, there's a user profile icon for "RAFAL" and some status indicators (1 notification).


At the very bottom, there's a footer bar with various icons and text: "1.1\*", "Git Graph", "bombshell", "Ln 1, Col 1 (290 selected)", "Spaces: 2", "UTF-8", "LF", "PL/SQL", "(Dedicated) dev\_hr\_rafal".

# RAFAL commits changes into GIT 1.1 branch

git commit



RAFAL



@@ -39,2 +39,5 @@ comment  
+ comment on column hr.emplo  
+ 'Phone number prefix'  
+  
CO  
@  
- No  
+ No  
new file mode 1  
@@ -0,0 +1,  
1 + create or r  
2 + first\_n  
3 + last\_na  
4 + phone\_n  
5 + phone\_p  
6 + ) as  
7 + select  
8 + e.first  
9 + e.last\_name,  
10 + e.phone\_number,  
11 + e.phone\_prefix  
from  
employees  
-- sqlcl\_snapshot  
No newline at end of file

Staged

Unstage

src  
database  
hr  
comments  
employees.sql  
tables  
employees.sql  
views  
v\_emp\_names\_phones.sql

feature 1.1 [RAFAL] - Added phone prefix to employees

Description

Amend Commit 3 Files

bombshell Y 1.1

Quick Launch Fetch Pull Push Stash

1.1 feature 1.1 [RAFAL] - Added phone prefix to employees

test Merge branch 'dev' into test

main Merge branch 'dev' into main


dev doc: Initial state of Bombshell project - current version 1.0

Initialize repository

# Developer JOHN makes some changes on DEV

```
CREATE TABLE CO.APPLICATION_PARAMS  
  (ID NUMBER GENERATED ALWAYS AS IDENTITY NOT NULL,  
   NAME VARCHAR2(20) UNIQUE,  
   VALUE VARCHAR2(20),  
   CONSTRAINT APPLICATION_PARAMS_PK PRIMARY KEY (ID)  
 );  
COMMENT ON COLUMN CO.APPLICATION_PARAMS.ID IS 'Unique ID';  
COMMENT ON COLUMN CO.APPLICATION_PARAMS.NAME IS 'Parameter name';  
COMMENT ON COLUMN CO.APPLICATION_PARAMS.VALUE IS 'Parameter value';
```

JOHN





```
INSERT INTO CO.APPLICATION_PARAMS (NAME, VALUE) VALUES  
  ('support_email', 'hello@pretius.com');
```

## — JOHN exports changes using SQLcl Project Export

```
> project export -objects CO.APPLICATION_PARAMS
```

JOHN






The screenshot shows the pretius IDE interface. On the left is a sidebar with various icons and sections: SQL DEVELOPER (with 1 snippet), CONNECTIONS (Customers, Priv, BOMBSHELL (with DEVELOPMENT folder containing dev\_admin, dev\_co, dev\_co\_john, dev\_hr, dev\_hr\_rafal)), REPORTS, PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL (selected), SCRIPT OUTPUT, SQL HISTORY, and TASK MONITOR. The terminal tab shows the command "14:58:08 SQL>". The main area displays a SQL script for creating a table:

```
CREATE TABLE CO.APPLICATION_PARAMS Untitled-1
1 CREATE TABLE CO.APPLICATION_PARAMS
2 (
3   ID NUMBER GENERATED ALWAYS AS IDENTITY NOT NULL,
4   NAME VARCHAR2(20) UNIQUE,
5   VALUE VARCHAR2(20),
6   CONSTRAINT APPLICATION_PARAMS_PK PRIMARY KEY (ID)
7 );
8
9 COMMENT ON COLUMN CO.APPLICATION_PARAMS.ID IS 'Unique ID';
10 COMMENT ON COLUMN CO.APPLICATION_PARAMS.NAME IS 'Parameter name';
11 COMMENT ON COLUMN CO.APPLICATION_PARAMS.VALUE IS 'Parameter value';
```

The bottom status bar includes: viins | 1:0 | CO | dev\_co\_john, 1.1, Git Graph, bombshell, Ln 9, Col 1 (192 selected), Spaces: 2, UTF-8, LF, PL/SQL, (Dedicated) dev\_co\_john.

# JOHN adds new IR in APEX app 101

JOHN



Bombshell App


John's Report

Employee Id	First Name	Last Name	Email	Phone Number	Hire Date	Job Id	Salary	Commission Pct	Manager Id	Department Id	Phone Prefix
100	Steven	King	SKING	1.515.555.0100	6/17/2013	AD_PRES	24000			90	
101	Neena	Yang	NYANG	1.515.555.0101	9/21/2015	AD_VP	17000		100	90	
102	Lex	Garcia	LGARCIA	1.515.555.0102	1/13/2011	AD_VP	17000		100	90	
103	Alexander	James	AJAMES	1.590.555.0103	1/3/2016	IT_PROG	9000		102	60	
104	Bruce	Miller	BMILLER	1.590.555.0104	5/21/2017	IT_PROG	6000		103	60	
105	David	Williams	DWILLIAMS	1.590.555.0105	6/25/2015	IT_PROG	4800		103	60	
106	Valli	Jackson	VJACKSON	1.590.555.0106	2/5/2016	IT_PROG	4800		103	60	
107	Diana	Nguyen	DNGUYEN	1.590.555.0107	2/7/2017	IT_PROG	4200		103	60	
108	Nancy	Gruenberg	NGRUENBE	1.515.555.0108	8/17/2012	FI_MGR	12008		101	100	
109	Daniel	Faviet	DFAVIET	1.515.555.0109	8/16/2012	FI_ACCOUNT	9000		108	100	

JOHN also adds custom change on DEV

```
INSERT INTO CO.APPLICATION_PARAMS (NAME, VALUE) VALUES ('support_email', 'hello@pretius.com');
```


JOHN



JOHN adds custom file to SQLcl Project's stage

```
> project stage add-custom -file-name application_params_dml_1
```


JOHN



The screenshot shows the pretius IDE interface. On the left is a sidebar with icons for SQL DEVELOPER (1), SQL SNIPPETS, CONNECTIONS (2), REPORTS (4), and a database icon. The CONNECTIONS section is expanded, showing a 'Priv' folder containing a 'BOMBSHELL' folder which has a 'DEVELOPMENT' folder. Inside 'DEVELOPMENT' are connections: dev\_admin (yellow), dev\_co (yellow), dev\_co\_john (green), dev\_hr (yellow), and dev\_hr\_rafal (yellow). Below 'DEVELOPMENT' is a 'PRODUCTION' folder with a red exclamation mark. At the top right is a search bar with the text 'bombshell'. The main area displays a script titled 'INSERT INTO CO.APPLICATION\_PARAMS (NAME, Untitled-1)'. The first line of the script is: `1 INSERT INTO CO.APPLICATION_PARAMS (NAME, VALUE) VALUES ('support_email', 'hello@pretius.co'`. Below the script are several small icons: a green triangle, a green file, a green folder, a green gear, a green checkmark, a green arrow, a green square, and a green circle. The bottom navigation bar includes tabs for PROBLEMS, OUTPUT, DEBUG CONSOLE, TERMINAL, SCRIPT OUTPUT (which is selected), SQL HISTORY, and TASK MONITOR. The status bar at the bottom shows version 1.1\*, 0 errors, 0 warnings, a Git Graph, a folder labeled 'bombshell', a magnifying glass icon, 'Ln 1, Col 95', 'Spaces: 2', 'UTF-8', 'LF', a PL/SQL icon, a dedicated connection icon, and '(Dedicated) dev\_co\_john'.

# JOHN commits changes into GIT 1.1 branch

git commit



Screenshot of a Git commit interface showing the commit message "feature 1.1 [JOHN] - Added application\_params". The commit details "Description" and "Amend" are visible. The commit summary shows "Commit 8 Files" with a preview of the XML content:

```
<NAME>VALUE</NAME>\n      <DATATYPE>VARCHAR2</DATATYPE>\n      <PRIMARY_KEY_CONSTRAINT_LIST>\n      <COL_LIST_ITEM>\n          </COL_LIST>\n      <UNIQUE_KEY_CONSTRAINT_LIST_ITEM>\n      </UNIQUE_KEY_CONSTRAINT_LIST_ITEM>\n      \n      </RELATIONAL_TABLE>\n  </TABLE>"\n\nNo newline at end of file
```

# Liquibase syntax is fully handled by SQLcl Project



The image shows three screenshots of the SQLcl interface, each displaying a different XML changelog file:

- Top Screenshot:** Shows the `stage.changelog.xml` file under the `dist/releases/next/changes/1.1` directory. The code includes an `<include file="_custom/application_params_dml_1.sql" relativeToChangelogFile="true"/>` tag.
- Middle Screenshot:** Shows the `release.changelog.xml` file under the `dist/releases/next` directory. It includes an `<!--CHANGES-->` section and an `<include file="changes/1.1/stage.changelog.xml" relativeToChangelogFile="true"/>` tag.
- Bottom Screenshot:** Shows the `main.changelog.xml` file under the `dist/releases/main` directory. It includes an `<include file="next/release.changelog.xml" relativeToChangelogFile="true"/>` tag and a note "No newline at end of file".

# 5. Prepare for deployment of release 1.1

## [DEV to TEST]

\* Similar steps for deployment to any other environment

## Export ALL database objects

```
> sql -name dev_admin  
> project export
```

**Questions & Answers**

Join at [slido.com](https://slido.com)

#2972607

- This step ensures you won't miss any changes that were made in DEV environment



07:14:35 SQL> **project export**

The current connection DEVELOPMENT\_HIGH ADMIN will be used for all operations

\*\*\* TABLES \*\*\*

\*\*\* PROCEDURES \*\*\*

\*\*\* SEQUENCES \*\*\*

\*\*\* VIEWS \*\*\*

\*\*\* INDEXES \*\*\*

\*\*\* TRIGGERS \*\*\*

\*\*\* COMMENTS \*\*\*

\*\*\* REF\_CONSTRAINTS \*\*\*

\*\*\* APEX\_APPLICATIONS \*\*\*

Exporting Workspace BOMBSHELL - application 101:Bombshell App

<u>APEX_APPLICATION</u>	1
COMMENT	15
INDEX	18
PROCEDURE	2
REF_CONSTRAINT	19
SEQUENCE	3
TABLE	15
TRIGGER	2
VIEW	6

Exported 81 objects

Elapsed 74 sec

07:16:06 SQL> ■






The screenshot shows a file explorer interface with a tree view on the left and a code editor on the right. The tree view shows a directory structure under 'Unstaged': 'src' -> 'database' -> 'hr' -> 'apex\_apps' -> 'f101' -> 'readable' -> 'application' -> 'pages'. Inside 'pages' are three files: 'p00001.yaml' (selected), 'f101.yaml', and 'f101.sql'. The code editor displays the YAML configuration for 'p00001.yaml'. The code is as follows:


```
@@ -1,80 +80,646 @@ regions:  
 1 80  
 81 + # ===== Region: John's Report ======  
 82 + id: 15709240491311201  
 83 + identification:  
 84 +   name: John's Report  
 85 +   type: Interactive Report  
 86 +  
 87 + source:  
 88 +   location: Local Database  
 89 +   type: Table / View  
 90 +   table-owner: Parsing Schema  
 91 +   table-name: EMPLOYEES  
 92 +   include-rowid-column: false  
 93 +  
 94 + layout:  
 95 +   sequence: 10  
 96 +   parent-region: No Parent  
 97 +   slot: BODY  
 98 +   start-new-layout: false  
 99 +   start-new-row: true  
100 +   column: Automatic  
101 +   new-column: true  
102 +   column-span: Automatic  
103 +  
104 + appearance:  
105 +   template: Standard  
106 +   template-options:  
107 +     - '#DEFAULT#'  
108 +     - t-Region--scrollBody  
109 +   render-components: Above Content  
110 +  
111 + accessibility:  
112 +   use-landmark: true  
113 +   landmark-type: Template Default  
114 +  
115 + advanced:
```

# ADMIN commits extra changes into GIT 1.1 branch

git commit



ADMIN



# Project Stage

- Automatically **generates Liquibase changelogs/changesets** from all source and custom SQL files.
- Compares the current branch **(1.1)** with the target branch **(test)** to create changelogs that apply the necessary database updates.
- Organizes the output into a well-structured folders and files in a **/dist/** directory.



## Project Stage

> project **stage -branch-name** test

### Parameters:

- “-branch-name” - (optional) branch name for comparison.



The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. On the left is the Explorer sidebar, which displays a project structure under the 'BOMBSHELL' folder. The structure includes '.dbtools', 'dist', 'src', '.gitignore', and 'readme.md'. Below the Explorer is the Outline view, which is currently collapsed. The main workspace contains a terminal window with the following content:

```
16:38:24 SQL> project stage -branch-name test
```

The status bar at the bottom of the screen shows the following information:

- User: viins
- Time: 1:31
- Role: ADMIN
- Session: dev\_admin

At the bottom right of the status bar, there are icons for search, file operations, and notifications.

# Project Stage

- Review generated files and change order of custom changelogs if required



The screenshot shows a code editor interface with the following details:

- EXPLORER** pane on the left showing the project structure:
  - BOMBSHELL** folder
    - .dbtools
    - dist
    - releases
      - apex
      - next
        - changes/1.1
          - \_custom
          - co
          - hr
  - File **stage.changelog.xml** is selected in the Explorer.
  - ...> stage.changelog.xml M** is shown in the top bar.
  - The code editor displays the XML content of **stage.changelog.xml**:

```
dist > releases > next > changes > 1.1 > </> stage.changelog.xml
1   <?xml version="1.0" encoding="UTF-8"?>
2   <databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
3       xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
4       xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
5           http://www.liquibase.org/xml/ns/dbchangelog-dbchangelog-4.3.xsd">
6       <include file="_custom/application_params_dml_1.sql" relativeToChangelogFile="true"/>
7       <include file="hr/tables/employees.sql" relativeToChangelogFile="true"/>
8       <include file="hr/views/v_emp_names_phones.sql" relativeToChangelogFile="true"/>
9       <include file="co/tables/application_params.sql" relativeToChangelogFile="true"/>
10      <include file="co/comments/application_params.sql" relativeToChangelogFile="true"/>
11      <include file="hr/comments/employees.sql" relativeToChangelogFile="true"/>
12
13   </databaseChangeLog>
```

A blue rectangular selection highlights the line containing the first include statement (line 6). A green vertical bar is positioned to the left of line 6, and a dotted blue arrow points from the end of line 6 down towards the bottom of the code editor area.

EXPLORER

- BOMBSHELL
  - .dbtools
  - dist
    - releases
      - apex
      - next
        - changes/1.1
          - \_custom
          - co
          - hr

stage.changelog.xml M

```

<?xml version="1.0" encoding="UTF-8"?>
<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
    xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
        http://www.liquibase.org/xml/ns/dbchangelog-4.3.xsd">
    <include file="hr/tables/employees.sql" relativeToChangelogFile="true"/>
    <include file="hr/views/v_emp_names_phones.sql" relativeToChangelogFile="true"/>
    <include file="co/tables/application_params.sql" relativeToChangelogFile="true"/>
    <include file="co/comments/application_params.sql" relativeToChangelogFile="true"/>
    <include file="hr/comments/employees.sql" relativeToChangelogFile="true"/>
    <include file="_custom/application_params_dml_1.sql" relativeToChangelogFile="true"/>
</databaseChangeLog>

```

release.changelog.xml M

main.changelog.xml M

# Project Stage

- Review generated files and change order of custom changelogs if required

EXPLORER

- BOMBSHELL
  - .dbtools
  - dist
    - releases
      - apex
      - next
        - changes/1.1
          - \_custom
          - co
          - hr

stage.changelog.xml M

```

dist > releases > next > changes > 1.1 > stage.changelog.xml
<?xml version="1.0" encoding="UTF-8"?>
<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
    xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
        http://www.liquibase.org/xml/ns/dbchangelog-4.3.xsd">
    <include file="hr/tables/employees.sql" relativeToChangelogFile="true"/>
    <include file="hr/views/v_emp_names_phones.sql" relativeToChangelogFile="true"/>
    <include file="co/tables/application_params.sql" relativeToChangelogFile="true"/>
    <include file="co/comments/application_params.sql" relativeToChangelogFile="true"/>
    <include file="hr/comments/employees.sql" relativeToChangelogFile="true"/>
    <include file="_custom/application_params_dml_1.sql" relativeToChangelogFile="true"/>
</databaseChangeLog>

```

release.changelog.xml M

main.changelog.xml M



# Project Stage

- Review generated files



The image shows a screenshot of a code editor with an Explorer sidebar on the left. The Explorer sidebar lists a project structure under 'BOMBSHELL': .dbtools, dist, releases, apex, next, changes/1.1, \_custom, co, hr, stage.changelog.xml, release.changelog.xml, and main.chanaeloa.xml. The 'stage.changelog.xml' file is selected and shown in the main editor area. The code is an XML changelog:

```
<?xml version="1.0" encoding="UTF-8"?>
<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
    xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
        http://www.liquibase.org/xml/ns/dbchangelog-4.3.xsd">
    <include file="hr/tables/employees.sql" relativeToChangelogFile="true"/>
    <include file="hr/views/v_emp_names_phones.sql" relativeToChangelogFile="true"/>
    <include file="co/tables/application_params.sql" relativeToChangelogFile="true"/>
    <include file="co/comments/application_params.sql" relativeToChangelogFile="true"/>
    <include file="hr/comments/employees.sql" relativeToChangelogFile="true"/>
    <include file="_custom/application_params_dml_1.sql" relativeToChangelogFile="true"/>
</databaseChangeLog>
```

# Project Stage - commit [GIT branch 1.1]

The screenshot shows a Git commit interface with the following details:

- Unstaged:** A file named `stage.changelog.xml` is shown with two new lines added:

```
@@ -5,2 +5,7 @@
      http://www.liquibase.org/xml/ns/dbchangelog.xml
+<include file="hr/tables/employees.sql" relativeToChangelogEnd="true"/>
+<include file="hr/views/v_emp_names_phones.sql" relativeToChangelogEnd="true"/>
```
- Staged:** A commit titled "feature 1.1 - staged changes" is being prepared. The commit message is "feature 1.1 - staged changes".
- Commit Buttons:** "Commit 10 Files" and "Amend" buttons are visible.
- File Tree:** The commit includes 10 files:
  - `dist/releases/apex/apex.changelog.xml`
  - `dist/releases/apex/f101/f101.sql`
  - `dist/releases/apex/f101/f101.xml`
  - `dist/releases/main.changelog.xml`
  - `dist/releases/next/changes/1.1/co/comments/application_params.sql`
  - `dist/releases/next/changes/1.1/co/tables/application_params.sql`
  - `dist/releases/next/changes/1.1/hr/comments/employees.sql`
  - `dist/releases/next/changes/1.1/hr/tables/employees.sql`
  - `dist/releases/next/changes/1.1/hr/views/v_emp_names_phones.sql`
  - `dist/releases/next/changes/1.1/stage.changelog.xml`
- Author:** Grzegorczyk Rafal (rgrzegorczyk@pretius.com) on 22 May 2025 at 09:59:59 CEST.
- Refs:** Branch 1.1.
- SHA:** 5c993c570beb131f609cec9286c62d2152d4dd9d
- Parents:** 18770e2

**ADMIN** is written above a cartoon character icon in the bottom left corner.

# 5.1 Verify

# Project Verify

- Test various aspects of your project (snapshots, changes, overall project)

```
> project verify -verbose
```

## Parameters:

- “-verbose” - (optional) show extra details about current process.



# Project Verify

- Test various aspects of your project (snapshots, changes, overall project).

```
11:53:46 SQL> project verify -verbose
----- Results Summary -----
Errors:  0
Warnings: 0
Info:   6
-----
Level      Group Name    Test Name          Message
-----      -----        -----          -----
INFO       settings     verifynonpublicsettings No unsupported internal settings found
INFO       init         verifyprojectname   The final project name will be "pmt_feedback"
INFO       examples    exampletest        a message
INFO       stage        stagechangelogcomplete Stage Changelog validation found no issues.
INFO       project     sqlclversion      SQLcl Version check passed
INFO       snapshot    verifysnapshot    Snapshot validation found no issues.
11:53:51 SQL>
```



6.Create release [1.1]

# Project Release

- Transitions current work set into a released state and initiates a fresh set of work
- The `release` command renames the contents of `dist/next` directory to the specified version number
- Afterwards, it generates a new `next` folder inside `dist`
- Once the code is moved into a release, it must not be altered.

Questions & Answers

Join at [slido.com](https://slido.com)

#2972607



# Project Release

```
> project release -version 1.1 -verbose
```

## Parameters:

- “-version” - specify the version to label release
- “-verbose” - (optional) show extra details about current process.



The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. On the left, there's a sidebar with various icons: a file icon (EXPLORER), a magnifying glass (SEARCH), a circular arrow (REFRESH), a grid with a '1' (PROBLEMS), a bookmark (OUTLINE), a ship (OUTPUT), and a database (SQL HISTORY). The main area has a search bar at the top with the text "bombshell". Below it is a large terminal window with the following content:

```
10:21:19 SQL> project release -version 1.1 -verbose
```

At the bottom of the terminal window, there's some footer text: "viins | 1:37 | ADMIN | dev\_admin". The status bar at the very bottom shows "1.1" and "Git Graph". A watermark of a bomb with a lit fuse is overlaid across the center of the screen.




Several files and folders were created/changed:

```
10:21:19 SQL> project release -version 1.1 -verbose
Creating a release version 1.1 for the current body of work

Updated change:dist/releases/main.changelog.xml
Moved folder "dist/releases/next" to "dist/releases/1.1"
Created file: dist/releases/next
Created change:dist/releases/next/release.changelog.xml
Created change:dist/releases/next/release.changelog.xml
Created file: bombshell/.dbtools/project.config.json
Process completed successfully
10:21:28 SQL>
```



Version was changed in `project.config.json`



```
bombshell
diff --git a/.dbtools/project.config.json b/.dbtools/project.config.json
--- a/.dbtools/project.config.json
+++ b/.dbtools/project.config.json
@@ -7,3 +7,3 @@
 "schemas": [ "HR", "CO" ],
 - "lastReleaseVersion": "",
 + "lastReleaseVersion": "1.1",
 "export": {
```



# Updated dist/releases/main.changelog.xml

```
dist/releases/main.changelog.xml
@@ -5,4 +5,5 @@
      http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
- <include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
+ <include file="1.1/release.changelog.xml" relativeToChangelogFile="true"/>
- <include file="apex/apex.changelog.xml" relativeToChangelogFile="true"/>
+ <include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
</databaseChangeLog>
```



# Created dist/releases/1.1/release.changelog.xml

The screenshot shows a diff tool interface comparing two XML files. The top file is 'dist/releases/main.changelog.xml' and the bottom file is 'dist/releases/1.1/release.changelog.xml'. A blue box highlights the title of the bottom file. A blue arrow points from the bottom file's title to the corresponding line in the top file.

```
diff --git a/dist/releases/main.changelog.xml b/dist/releases/1.1/release.changelog.xml
@@ -5,4 +5,5 @@
 http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
-<include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
+<include file="1.1/release.changelog.xml" relativeToChangelogFile="true"/>
-<include file="apex/apex.changelog.xml" relativeToChangelogFile="true"/>
+<include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
</databaseChangeLog>
```

```
@@ -0,0 +1,8 @@
+<?xml version="1.0" encoding="UTF-8"?>
+<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
+                     xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
+                     xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
+                                         http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
+<!--CHANGES-->
+<include file="changes/1.1/stage.changelog.xml" relativeToChangelogFile="true"/>
+</databaseChangeLog>
```



# Created dist/releases/1.1/changes/1.1/stage.changelog.xml

The terminal window shows the command to create the changelog file:

```
dist/releases/1.1/stage.changelog.xml
```

```
@@ -0,0 +1,8 @@
+<?xml version="1.0" encoding="UTF-8"?>
+<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
+    xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
+    xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
+        http://www.liquibase.org/xml/ns/dbchangelog-dbchangelog-4.3.xsd">
+<!--CHANGES-->
+<include file="changes/1.1/stage.changelog.xml" relativeToChangelogFile="true"/>
+</databaseChangeLog>
```

A dotted arrow points from the terminal output to the file browser. The file browser shows the staged changes:

Unstaged

- .dbtools
- project.config.json
- dist
- releases
- 1.1
- changes
- 1.1
- \_custom
- co
- hr

Stage

new file mode 100755


```
@@ -0,0 +1,12 @@
<?xml version="1.0" encoding="UTF-8"?>
<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
    xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
        http://www.liquibase.org/xml/ns/dbchangelog-dbchangelog-4.3.xsd">
<include file="hr/tables/employees.sql" relativeToChangelogFile="true"/>
<include file="hr/views/v_emp_names_phones.sql" relativeToChangelogFile="true"/>
<include file="co/tables/application_params.sql" relativeToChangelogFile="true"/>
<include file="co/comments/application_params.sql" relativeToChangelogFile="true"/>
<include file="hr/comments/employees.sql" relativeToChangelogFile="true"/>
<include file="_custom/application_params_dml_1.sql" relativeToChangelogFile="true"/>
</databaseChangeLog>
```

ADMIN

A cartoon character icon with a sun and a laptop.

Do you remember this slide?


## RAFAL commits changes into GIT 1.1 branch



```
diff --git a/src/database/hr/tables/employees.sql b/src/database/hr/tables/employees.sql
@@ -15,3 +15,4 @@ create table hr.employees (
     manager_id    number(6, 0),
     department_id number(4, 0)
-    department_id number(4, 0),
-    phone_prefix  varchar2(10 byte)
+);
@@ -34,2 +35,2 @@ alter table hr.employees add constraint emp_salary_min check ( salary > 0 ) enab
```



ADMIN



# SQLcl Project automatically created necessary DDL:

The screenshot shows the SQLcl IDE interface. On the left, the Explorer pane displays a project structure under 'BOMBSHELL' with folders like '.dbtools', 'dist', 'releases', '1.1', 'changes/1.1', '\_custom', 'co', 'hr', 'comments', and 'tables'. A file named 'employees.sql' is selected in the Explorer. On the right, the main editor pane shows the contents of 'employees.sql'. The code includes a Liquibase formatted SQL changeset for the 'hr.employees' table, specifically adding a 'phone\_prefix' column of type VARCHAR2(10). The code is annotated with comments: '-- liquibase formatted sql', '-- changeset HR:1747665513507 stripComments:false logica', '-- sqlcl\_snapshot src/database/hr/tables/employees.sql:1', 'alter table hr.employees add (', ' phone\_prefix varchar2(10)', ')', '/'. A blue arrow points from the code editor back towards the Explorer pane, indicating the automatic generation of the DDL.

ADMIN


```
src/database/hr/tables/employees.sql
@@ -15,3 +15,4 @@ create table hr.employees (
 15   manager_id      number(6, 0),
 16 - department_id  number(4, 0)
 16 + department_id  number(4, 0),
 17 + phone_prefix   varchar2(10 byte)

EXPLORER
... dist > releases > 1.1 > changes > 1.1 > hr > tables > employees.sql > ...
... .dbtools
... dist
... releases
... 1.1
... changes/1.1
... _custom
... co
... hr
... comments
... tables
... employees.sql R
```

```
employees.sql R X
-- liquibase formatted sql
-- changeset HR:1747665513507 stripComments:false logica
-- sqlcl_snapshot src/database/hr/tables/employees.sql:1
alter table hr.employees add (
    phone_prefix varchar2(10)
)
/
10
```

## Merge 1.1 into test

- Merge 1.1 into test
- Merge 1.1 into dev as well



# Merge 1.1 into test

The screenshot shows a Git commit interface with the following details:

- Staged:** .dbtools, dist/releases/1.1/changes/1.1/\_custom/application\_params\_dml\_1.sql, dist/releases/1.1/changes/1.1/co/comments/application\_params.sql, dist/releases/1.1/changes/1.1/tables/application\_params.sql, dist/releases/1.1/hr/comments/employees.sql, dist/releases/1.1/hr/tables/employees.sql, dist/releases/1.1/views/v\_emp\_names\_phones.sql, dist/releases/1.1/stage.changelog.xml, dist/releases/1.1/release.changelog.xml, apex/f101/f101.sql, apex/f101/f101.xml, apex/apex.changelog.xml, next/changes/1.1/stage.changelog.xml, next/changes/1.1/release.changelog.xml, next/main.changelog.xml, utils/prechecks.sql.
- Merge branch '1.1' into test**
- Description:** (empty)
- Amend:**
- Commit 26 Files**

# 7. Generate artifact

# Project Gen-Artifact

- Generates an artifact representing the current state of your project.

```
> sql -name test_admin
```

```
> project gen-artifact -name test -version 1.1 -verbose
```

**Questions & Answers**  
Join at [#2972607](https://slido.com)



## Parameters (most used)

- "-name" - custom name (I named it with my target environment)
- "-version" - artifact version (use release version)

The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. The title bar includes the pretius logo, a search bar with the text "bombshell", and several status icons. The left sidebar features the Explorer view, which is expanded to show the contents of a folder named "BOMBSHELL". Inside "BOMBSHELL", there are subfolders ".dbtools", "dist", and "src", along with files ".gitignore" and "readme.md". Below the Explorer is the Outline view, which is currently active. The main workspace contains a large, semi-transparent watermark of a bomb with a lit fuse. At the bottom of the screen is a terminal window. The tab bar at the top of the terminal window is labeled "TERMINAL" and shows the command "13:47:29 SQL> project gen-artifact -name test -version 1.1". The status bar at the bottom of the terminal window displays the user "viins", the session time "1:44", the profile "ADMIN", and the name "dev\_admin". The bottom right corner of the status bar also shows a small icon of a person with a gear.

# 8.Deploy [1.1]

## [DEV to TEST]

# Project Deploy

- Deploys the artifact on a target database (TEST database, deployed from GIT branch 1.1)

```
> sql -name test_admin
```

```
> project deploy -file artifact/test-1.1.zip
```

## Parameters

- “-file” - location of artifact file



The screenshot shows the Bombshell application interface. The top navigation bar includes a search bar with the text "bombshell", a user icon, and a settings icon. The left sidebar features a file icon, a magnifying glass icon, a network icon, a gear icon, and a QR code icon. The main area has tabs for EXPLORER, OUTPUT, DEBUG CONSOLE, TERMINAL, SQL HISTORY, and TASK MONITOR. The EXPLORER tab is active, displaying a tree view of a project named "BOMBSHELL" with subfolders ".dbtools", "artifact" (which is selected), "dist", "src", and ".gitignore". Below the EXPLORER is a TERMINAL tab with a single bash session. The terminal output shows the command: "16:13:43 SQL> project deploy -file artifact/test-1.1.zip". The bottom status bar shows the user "ADMIN", the session "emacs | 1:42 | ADMIN | test\_admin", and the file "bombshell". A small cartoon character icon labeled "ADMIN" is also present on the left.

Questions & Answers

Join at [slido.com](https://slido.com)

#2972607



## Verify TEST after deployment

The image shows the SQL Developer interface. On the left, the connection tree is visible, showing the 'test\_co' connection expanded, with the 'TEST' folder selected. Inside 'TEST', 'Tables' is expanded, and 'APPLICATION\_PARAMS' is selected. The table structure is shown with columns: ID, NAME, and VALUE.

The main workspace displays the 'APPLICATION\_PARAMS' table from the 'test\_co' connection. The table has one row:

ID	NAME	VALUE
1	support_email	hello@pretius.com

Below the table, there are several buttons: Insert, Export, Delete Selected, Commit, Undo All, and a filter icon. The 'Data' tab is currently selected.

**ADMIN** is written vertically next to the SQL Developer interface.

# Verify TEST after deployment



SQL DEVELOPER ...

> SQL SNIPPETS

✓ CONNECTIONS

✓ Priv

✓ BOMBSHELL

✓ TEST

> test\_admin

> test\_co

✓ test\_hr

✓ Tables

> COUNTRIES

> DATABASECHANGELOG

> DATABASECHANGELOGLOCK

> DATABASECHANGELOG\_ACTIONS

> DEPARTMENTS

✓ EMPLOYEES

EMPLOYEE\_ID  
FIRST\_NAME  
LAST\_NAME  
EMAIL  
PHONE\_NUMBER  
HIRE\_DATE

EMPLOYEES X

test\_hr > object > HR > TABLE > EMPLOYEES

Columns Data JSON Schema Constraints Grants  
Triggers Flashback Dependencies Details Partitic  
SQL

	COLUMN_NAME	DATA_TYPE
1	EMPLOYEE_ID	NUMBER(6,0)
2	FIRST_NAME	VARCHAR2(20 BYTE)
3	LAST_NAME	VARCHAR2(25 BYTE)
4	EMAIL	VARCHAR2(25 BYTE)
5	PHONE_NUMBER	VARCHAR2(20 BYTE)
6	HIRE_DATE	DATE
7	JOB_ID	VARCHAR2(10 BYTE)
8	SALARY	NUMBER(8,2)
9	COMMISSION_PCT	NUMBER(2,2)
10	MANAGER_ID	NUMBER(6,0)
11	DEPARTMENT_ID	NUMBER(4,0)
12	PHONE_PREFIX	VARCHAR2(10 BYTE)

## Verify TEST after deployment

SQL DEVELOPER

... 

> SQL SNIPPETS

▽ CONNECTIONS

- ▽ Priv
- ▽ BOMBSHELL
- ▽ TEST 
- ▽ test\_hr 
- ▽ Views

> **V\_EMP\_NAMES\_PHONES** 

> Duality Views

> Indexes

> Packages

> Procedures

 ADMIN

V\_EMP\_NAMES\_PHONES 

test\_hr > object > HR > VIEW > V\_EMP\_NAMES\_PHONES

Columns Data JSON Schema Grants Dependencies Details

Triggers SQL Errors

	COLUMN_NAME	DATA_TYPE	NULLABLE	DATA_DEFAULT
1	FIRST_NAME	VARCHAR2(20)	Yes	(null)
2	LAST_NAME	VARCHAR2(25)	No	(null)
3	PHONE_NUMBER	VARCHAR2(20)	Yes	(null)
4	PHONE_PREFIX	VARCHAR2(10)	Yes	(null)

# Liquibase - tracking table



ID	AUTHOR	FILENAME	DATEEXECUTED
1	HR	1.1/hr/tables/employees.sql	22/05/25 14:15:21.111
2	HR	1.1/hr/views/v_emp_names_phones.sql	22/05/25 14:15:23.336
3	CO	1.1/co/tables/application_params.sql	22/05/25 14:15:26.138
4	co	1.1/co/comments/application_params.sql	22/05/25 14:15:29.005
5	hr	1.1/hr/comments/employees.sql	22/05/25 14:15:34.786
6	Sqlcl	1.1/_custom/application_params_dml_1.sql	22/05/25 14:15:36.978
7	INSTALL_101	releases/apex/f101/f101.xml	22/05/25 14:16:06.526

We've just deployed  
release 1.1 to TEST but....

# What if production is on fire?



# Issue on production


```
Error starting at line : 1 in command -
Insert into HR.JOBS (JOB_ID,JOB_TITLE,MIN_SALARY,MAX_SALARY)
values ('APEX','Oracle APEX Professional Certified APEX Low-Code Pretius Developer',20080,40000)
Error at Command Line : 2 Column : 16
Error report -
SQL Error: ORA-12899: value too large for column "HR"."JOBS"."JOB_TITLE" (actual: 66, maximum: 35)
```

Questions & Answers  
Join at [slido.com](https://slido.com)

#2972607




Create new GIT branch [fix-1.0] and switch to it



## Prepare a fix on DEV environment

```
ALTER TABLE hr.jobs MODIFY job_title varchar2(100);
```


GEORGE



## Export changes using SQLcl Project Export

```
> project export -objects HR.JOB$
```


GEORGE



## Export changes using SQLcl Project Export


```
14:17:55 SQL> project export -objects HR.JOB$  
The current connection DEVELOPMENT_HIGH HR will be used for all operations  
*** TABLES ***  
*** COMMENTS ***  
-----  
COMMENT 1  
TABLE 1  
-----  
Exported 2 objects  
Elapsed 21 sec  
14:18:44 SQL>
```

GEORGE




# GEORGE commits changes into fix-1.0

git commit



GEORGE



bombshell

src/database/hr/tables/jobs.sql

```
^ v @@ -2,3 +2,3 @@ create table hr.jobs (
 2   job_id      varchar2(10 byte),
 3   job_title   varchar2(35 byte)
 4   job_title   varchar2(100 byte)
 5     constraint job_title_nn not null enable,
@@ -19,2 +19,2 @@ alter table hr.jobs

 19
 20 -- sqlcl_snapshot {"hash":"9a36822cda4e6440a4f19c69e3ca05985221ce75","type":"TABLE","name":"JOBS","schemaName":"HR","sxml":"
<RELATIONAL_TABLE>\n    <COL_LIST>\n        <COL_LIST_ITEM>\n            <NAME>JOB_ID</NAME>\n            <DATATYPE>VARCHAR\n        <COL_LIST_ITEM>\n            <NAME>JOB_TITLE</NAME>\n            <DATATYPE>VARCHAR2</DA
\>          bombshell <COL_LIST_ITEM>\n            <NAME>JOB_TITLE_NN</NAME>\n            <NOT_NULL>\n            <PRECISION>6</PRECISION>\n            <SCALE>0</SCALE>\n            <COL_LIST_ITEM>\n            <NAME>JOB_ID</NAME>\n            <PRIMARY_KEY_CONSTRAINT_LIST>\n            <DEFAULT_COLLATION>USING_NLS_COMP</DEFAULT_COLLATION>\n            <PHYSICAL_PROPERTIES>\nNo newline at end of file
 20 -- sqlcl_snapshot {"hash":"fcba1f5c21282af87643c1dc2cf54d925dd40036","type":"TABLE","name":"JOBS","schemaName":"HR","sxml":"
<RELATIONAL_TABLE>\n    <COL_LIST>\n        <COL_LIST_ITEM>\n            <NAME>JOB_ID</NAME>\n            <DATATYPE>VARCHAR\n        <COL_LIST_ITEM>\n            <NAME>JOB_TITLE</NAME>\n            <DATATYPE>VARCHAR2</DA
\>          <COL_LIST_ITEM>\n            <NAME>JOB_TITLE_NN</NAME>\n            <NOT_NULL>\n            <PRECISION>6</PRECISION>\n            <SCALE>0</SCALE>\n            <COL_LIST_ITEM>\n            <NAME>JOB_ID</NAME>\n            <PRIMARY_KEY_CONSTRAINT_LIST>\n            <DEFAULT_COLLATION>USING_NLS_COMP</DEFAULT_COLLATION>\n            <PHYSICAL_PROPERTIES>\nNo newline at end of file
```

## Project Stage

```
> sql -name dev_admin  
> !git checkout fix-1.0  
> project stage -branch-name main
```

- Compares the current branch (**fix-1.0**) with the production branch (**main**) to create changelogs that apply the necessary database updates.
- Parameter `-branch-name` is optional in that case as **main** branch is default in `project.config`



# Project Stage

```
18:41:23 SQL> project stage -branch-name main -verbose
```

Starting execution of stage command using the current branch

Stage is Comparing:

Old Branch refs/heads/main  
New Branch refs/heads/fix-1.0

```
Created dir: dist/releases
Created dir: dist/utils
Created dir: dist/releases/next
Created dir: dist/releases/next/changes
Created dir: dist/releases/next/changes/fix-1.0
Created dir: dist/releases/next/changes/fix-1.0/_custom
Created change:dist/releases/next/changes/fix-1.0/stage.changelog.xml
Created change:dist/releases/main.changelog.xml
Created change:dist/releases/next/release.changelog.xml
Created file: dist/utils/recompile.sql
Created file: dist/utils/prechecks.sql
Updated file: dist/releases/next/changes/fix-1.0/hr/tables/jobs.sql
Updated change:dist/releases/next/changes/fix-1.0/stage.changelog.xml
Updated change:dist/releases/next/changes/fix-1.0/stage.changelog.xml
Updated change:dist/releases/next/release.changelog.xml
Updated change:dist/releases/next/release.changelog.xml
Created change:dist/releases/apex/apex.changelog.xml
Created change:dist/releases/apex/apex.changelog.xml
Created file: dist/releases/apex/f101/f101.sql
Created change:dist/releases/apex/f101/f101.xml
Updated change:dist/releases/apex/apex.changelog.xml
Updated change:dist/releases/main.changelog.xml
```

Completed executing stage command on branch: fix-1.0

Stage processesing completed, please review and commit your changes to repository



# Project Stage

- Review generated files



The image shows a screenshot of a file explorer window titled "EXPLORER". The left pane displays a tree structure of project folders under "BOMBSHELL". The "dist" folder contains "releases" and "next". The "next" folder contains "changes/fix-1.0", which in turn contains "\_custom" and "hr/tables". Inside "hr/tables", there is a file named "jobs.sql" and another file named "stage.changelog.xml". The right pane shows the contents of the "jobs.sql" file. The file path is listed as "dist > releases > next > changes > fix-1.0 > hr > tables > jobs.sql". The file content is a SQL script:

```
1 -- liquibase formatted sql
2 -- changeset HR:1748018521326 stripComment
3 -- sqlcl_snapshot src/database/hr/tables/j
4
5 alter table hr.jobs modify (
6   job_title varchar2(100)
7 )
8 /
9
10
```

A blue rectangular box highlights the line "alter table hr.jobs modify (".

# Project Stage - commit [GIT branch fix-1.0]

Staged      Unstage


- dist
  - releases
    - apex
  - next
    - changes
      - fix-1.0
        - hr
          - tables
            - jobs.sql
            - stage.changelog.xml
            - release.changelog.xml
            - main.changelog.xml
      - utils

fix-1.0 Staged changes      28

Description

Amend

**Commit 9 Files**



## Project Release

```
> project release -version fix-1.0 -verbose
```



Several files and folders were created/changed:

▼ TERMINAL


```
18:54:25 SQL> project release --version fix-1.0 --verbose
Creating a release version fix-1.0 for the current body of work

Updated change:dist/releases/main.changelog.xml
Moved folder "dist/releases/next" to "dist/releases/fix-1.0"
Created file: dist/releases/next
Created change:dist/releases/next/release.changelog.xml
Created change:dist/releases/next/release.changelog.xml
Created file: bombshell/.dbtools/project.config.json
Process completed successfully
18:54:35 SQL>
```



Version was changed in `project.config.json`

```
📁 .dbtools/project.config.json
@@ -7,3 +7,3 @@
"schemas" : [ "HR", "CO" ],
- "lastReleaseVersion" : "",
+ "lastReleaseVersion" : "fix-1.0",
"export" : {
```



# Updated dist/releases/main.changelog.xml

```
dist/releases/main.changelog.xml @@ -5,4 +5,5 @@
http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
- <include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
+ <include file="fix-1.0/release.changelog.xml" relativeToChangelogFile="true"/>
<include file="apex/apex.changelog.xml" relativeToChangelogFile="true"/>
+ <include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
</databaseChangeLog>
No newline at end of file
```



# Created dist/releases/fix-1.0/release.changelog.xml

The screenshot shows a diff tool comparing two XML files. The top window is titled "dist/releases/main.changelog.xml" and the bottom window is titled "dist/releases/fix-1.0/release.changelog.xml". A blue arrow points from the bottom window back up to the top window, indicating the flow of changes.

**dist/releases/main.changelog.xml**

```
@@ -5,4 +5,5 @@
      http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
-<include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
+<include file="fix-1.0/release.changelog.xml" relativeToChangelogFile="true"/>
 <include file="apex/apex.changelog.xml" relativeToChangelogFile="true"/>
+<include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
</databaseChangeLog>
No newline at end of file
```


**dist/releases/fix-1.0/release.changelog.xml**

```
@@ -0,0 +1,8 @@
+<?xml version="1.0" encoding="UTF-8"?>
+<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
+                     xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
+                     xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
+                                         http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
+<!--CHANGES-->
+<include file="changes/fix-1.0/stage.changelog.xml" relativeToChangelogFile="true"/>
+</databaseChangeLog>
```



Created dist/releases/fix-1.0/changes/fix-1.0/stage.changelog.xml

```
@@ -0,0 +1,8 @@
+<?xml version="1.0" encoding="UTF-8"?>
+<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
+                     xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
+                     xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
+                                         http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
+<!--CHANGES-->
+<include file="changes/fix-1.0/stage.changelog.xml" relativeToChangelogFile="true"/>
+</databaseChangeLog>
```



dist > releases > fix-1.0 > changes > fix-1.0 > [stage.changelog.xml](#)



# SQLcl Project automatically created necessary DDL:



The image shows a screenshot of an IDE interface. At the top, there is a diff view of a SQL script named `src/database/hr/tables/jobs.sql`. A blue box highlights a change where the `job_title` column is modified from `varchar2(35 byte)` to `varchar2(100 byte)`. Below this is an **EXPLORER** view showing a project structure under `BOMBSHELL`, including `dist/releases/fix-1.0/changes/fix-1.0/hr/tables`. In the bottom right, there is a code editor window titled `jobs.sql A` containing Liquibase formatted SQL. The code includes an `alter table hr.jobs modify` statement changing the `job_title` column type to `varchar2(100)`.


```
diff --git a/src/database/hr/tables/jobs.sql b/src/database/hr/tables/jobs.sql
@@ -2,3 +2,3 @@ create table hr.jobs (
 2     job_id      varchar2(10 byte),
 3     job_title   varchar2(35 byte)
 4 +    job_title   varchar2(100 byte)
 4     constraint job_title_nn not null enable,
 5
@@ -19,2 +19,2 @@ alter table hr.jobs
 1
 2
 3
 4
 5
 6
 7
 8
 9
```

```
diff --git a/src/database/hr/tables/jobs.sql b/src/database/hr/tables/jobs.sql
@@ -2,3 +2,3 @@ create table hr.jobs (
 2     job_id      varchar2(10 byte),
 3     job_title   varchar2(35 byte)
 4 +    job_title   varchar2(100 byte)
 4     constraint job_title_nn not null enable,
 5
@@ -19,2 +19,2 @@ alter table hr.jobs
 1
 2
 3
 4
 5
 6
 7
 8
 9
```

```
-- liquibase formatted sql
-- changeset HR:1748018521326 stripComments=true
-- sqlcl_snapshot src/database/hr/tables/jobs.sql
-- 
-- alter table hr.jobs modify (
--     job_title varchar2(100)
-- )
-- /
-- 
```

## Merge fix-1.0 into main [production]

- Merge fix-1.0 into main
- Merge fix-1.0 into dev, test



# Project Gen-Artifact

- Generates an artifact representing the current state of your project.

```
> sql -name prod_admin  
> !git checkout main  
> project gen-artifact -name prod -version fix-1.0
```

```
19:25:39 SQL> project gen-artifact -name prod -version fix-1.0  
Your artifact has been generated prod-fix-1.0.zip  
19:25:43 SQL> █
```



## Project Deploy

- Deploys the artifact on a target database

```
> sql -name prod_admin
```

```
> project deploy -file artifact/prod-fix-1.0.zip
```



The screenshot shows a Microsoft Visual Studio Code (VS Code) interface. The title bar displays the project name "fix-1.0". The Explorer sidebar on the left shows a folder structure for "BOMBSHELL" containing ".dbtools", "artifact", "dist", "src", ".gitignore", and "readme.md". The Terminal tab is active, showing the prompt "19:38:40 SQL>". The bottom status bar shows the command "viins | 1:0 | ADMIN | prod\_admin". A large watermark of a bomb with a lit fuse is overlaid on the center of the screen. In the bottom-left corner, there is a cartoon illustration of a person sitting at a laptop with a sun icon above their head, labeled "ADMIN". The bottom navigation bar includes icons for file operations like "main", "Git Graph", and "bombshell".

# Tips and tricks

## Keep your DB users minimally privileged

- Do not use OVERprivileged users like SYS
- Use PROXY users instead:

```
CREATE USER JOHN IDENTIFIED BY password;
```

```
ALTER USER HR GRANT CONNECT THROUGH JOHN;
```

Questions & Answers  
Join at [slido.com](https://slido.com)

#2972607


- Consider schema-level privileges (23 AI)

```
GRANT SELECT ANY TABLE ON SCHEMA HR TO JOHN;
```

```
GRANT EXECUTE ANY PROCEDURE ON SCHEMA HR TO JOHN;
```



# Adjust your APEX export



The image shows a code editor window with the file name "project.config.json" at the top. The file path ".dbtools > project.config.json > export > apex > expPubReports" is visible above the code. The code itself is a JSON object with several properties and their values:

```
{ "export": { "apex": { "exptype": [ "READABLE_YAML", "APPLICATION_SOURCE" ], "expAclAssignments": false, "expComments": false, "skipExportDate": true, "expirNotif": false, "expOriginalIds": false, "expSavedReports": false, "expPubReports": false, "expSubscriptions": false, "expSupportingObjects": "N", "expTranslations": false, "auditType": "NULL" } } }
```

## Use default connectionName

The screenshot shows the Oracle SQL Developer interface with the following components:

- EXPLORER** pane: Shows a project named "BOMBSHELL" with the following structure:
  - .dbtools (selected)
  - filters
  - project.config.json
  - project.sqlformat.xml
  - artifact
- EDITOR** pane: Displays the contents of `project.config.json`:


```
{ } project.config.json X  
.dbtools > { } project.config.json > {} sqlcl  
1 {  
2   "project" : "bombshell",  
3   "sqlcl" : {  
4     "connectionName" : "dev_admin",  
5     "version" : "25.1.1.0"  
6   },  
7 }
```

The line `"connectionName" : "dev_admin",` is highlighted with a blue rectangle.
- TERMINAL** pane: Shows the following SQL\*Plus session:

```
09:39:35 09:31:28 SQL> show connection  
SP2-0640: Not connected  
09:39:40 09:31:28 SQL> project export -o APEX.101  
Current connection is not set  
Connecting using the named connection dev_admin from the project config  
Connected.
```

The last three lines of the terminal output are highlighted with a blue rectangle.

# Exclude APEX from export




The image shows a screenshot of a code editor with an Explorer sidebar on the left. The Explorer sidebar lists several project folders and files under a 'BOMBSHELL' root. The 'filters' folder contains a file named 'project.filters'. The code editor's main area displays the contents of this file:

```
.dbtools > filters > project.filters
37 object_name not like 'I_MLOG%',      -- covers Materialized Views Logs Indexes
38 object_name not like 'I_SNAP$%',
39
40 export_type not in ('USER'),
41
42 -- Exclude APEX applications
43 export_type != 'APEX_APPLICATIONS',
44 export_type != 'ORDS_SCHEMA',
45
46 -- Exclude certain database object types:
47 -- object_type not in ('CONTEXT', 'SCHEDULE'), -- trailing comma is optional
48
```

The code uses SQL-like syntax with numbered lines (37, 38, 39, etc.) to filter database objects based on their name and type. It specifically excludes Materialized Views, Logs, and Indexes, and then excludes APEX applications and ORDS schemas. It also excludes certain database object types like CONTEXT and SCHEDULE.

## Export certain objects only



```
project.filters M
.dbtools > filters > project.filters
48
49 --include certain objects only
50 object_name = 'EMPLOYEES',
51
```

# Interested what's in the background of SQLcl Project?

- Run your commands with **-debug** parameter

```
> project export -debug
```

The screenshot shows the pretius IDE interface with the following details:

- Top Bar:** Includes standard OS window controls (red, yellow, green), a back/forward button, a search bar containing "bombshell", a pinned tab icon, and a status bar showing "08" and icons for full screen, minimize, maximize, and close.
- Left Sidebar:** Features a vertical toolbar with icons for file operations (New, Open, Save, Find, Copy, Paste, Delete, Undo, Redo), a magnifying glass for search, a gear for settings, and a refresh symbol.
- Central Area:**
  - EXPLORER:** Shows a tree view with "BOMBSHELL" expanded, revealing "dbtools" which contains "filters". A file named "project.filters" is selected.
  - TERMINAL:** The active tab, showing the command "project export -debug". The output displays the following:
    - DISPLAY ARGUMENTS -----
    - LIST: null
    - OBJECTS: null
    - SCHEMAS: null
    - THREADS: null
    - DEBUG: true
    - VERBOSE: false  - END ARGUMENTS -----
  - List:false
  - Objects:[]
  - Schemas:[]
  - Threads:5
  - Debug: true
  - Verbose: false
  - Exporting database objects...
  - The current connection DEVELOPMENT\_HIGH ADMIN will be used for all operations
  - /\* Main dictionary query against ALL\_OBJECTS: \*/
  - select \* from (SELECT OWNER, OBJECT\_NAME, SUBOBJECT\_NAME, OBJECT\_ID, DATA\_OBJECT\_ID, OBJECT\_TYPE, CREATED, LAST\_DDL\_TIME, TIMESTAMP, STATUS, TEMPORARY, GENERATED, SECONDARY, NAMESPACE, EDITION\_NAME, SHARING, EDITIONABLE, ORACLE\_MAINTAINED, APPLICATION, DEFAULT\_COLLATION,
- Bottom Bar:** Includes file navigation icons (Back, Forward, Home, Stop, Refresh), a Git Graph icon, a tab labeled "bombshell", and a status bar with "Ln 48, Col 1", "Spaces: 4", "UTF-8", "LF", and "Plain Text" options.

ADMIN [DEV] [ACE] [CHICAGO]

Worksheet Query Builder

```
1 select * from (SELECT OWNER, OBJECT_NAME, SUBOBJECT_NAME, OBJECT_ID, DATA_OBJECT_ID,
2 OBJECT_TYPE, CREATED, LAST_DDL_TIME, TIMESTAMP, STATUS,
3 TEMPORARY, GENERATED, SECONDARY, NAMESPACE, EDITION_NAME,
4 SHARING, EDITIONABLE, ORACLE_MAINTAINED, APPLICATION, DEFAULT_COLLATION,
5 DUPLICATED, SHARDED, CREATED_APPID, CREATED_VSNID,
6 MODIFIED_APPID, MODIFIED_VSNID, 'ALL_OBJECTS' EXPORT_TYPE
7 FROM Dba_objects) Dba_objects where 1=1
8 filters --
9 and (not /*object_type in ('TABLE','VIEW','SEQUENCE') and*/ object_name like 'AQ$%') --<-- sqlcl internal.fixed.filters
10 and (export_type not in ('USER')) --<-- project.filters
11 and (not(Dba_objects.object_name = 'HTMLDB_PLAN_TABLE' and Dba_objects.object_type = 'TABLE')) --<-- sqlcl internal.fixed.filters
12 and (oracle_maintained = 'N') --<-- sqlcl internal.fixed.filters
13 and (not (object_type = 'TABLE' and object_name like 'MLOG$\_%' escape '\'
14 /* object_name in (select log_table from all_mview_logs)*/) ) --<-- sqlcl internal.fixed.filters
15 and (not (object_type = 'TRIGGER' and object_name ='DATABASECHANGELOG_ACTIONS_TRG')) --<-- project.filters
16 and (object_name not like 'I MLOG$%') --<-- project.filters
```

Script Output x | Query Result x

SQL | All Rows Fetched: 26 in 0.381 seconds

OWNER	OBJECT_NAME	SUBOBJECT_NAME	OBJECT_ID	DATA_OBJECT_ID	OBJECT_TYPE	CREATED	LAST_DDL_TIME	TIMESTAMP	STATUS	TEMPORARY	GENER
CO	APPLICATION_PARAMS	(null)	133896	133896	TABLE	2025-05-19 12:58:32	2025-05-19 12:58:37	2025-05-19 12:58:32	VALID	N	N
CO	CUSTOMERS	(null)	131985	131985	TABLE	2025-05-12 07:59:23	2025-05-12 08:00:54	2025-05-12 08:00:54	VALID	N	N
CO	INVENTORY	(null)	132002	132002	TABLE	2025-05-12 07:59:24	2025-05-12 08:00:54	2025-05-12 08:00:54	VALID	N	N
CO	ORDERS	(null)	131997	131997	TABLE	2025-05-12 07:59:24	2025-05-12 08:00:54	2025-05-12 08:00:54	VALID	N	N
CO	ORDER_ITEMS	(null)	132001	132001	TABLE	2025-05-12 07:59:24	2025-05-12 07:59:37	2025-05-12 07:59:24	VALID	N	N
CO	PRODUCTS	(null)	131991	131991	TABLE	2025-05-12 07:59:24	2025-05-12 08:00:53	2025-05-12 08:00:53	VALID	N	N
CO	SHIPMENTS	(null)	131999	131999	TABLE	2025-05-12 07:59:24	2025-05-12 08:00:54	2025-05-12 08:00:54	VALID	N	N
CO	STORES	(null)	131987	131987	TABLE	2025-05-12 07:59:23	2025-05-12 08:00:53	2025-05-12 08:00:53	VALID	N	N
HR	COUNTRIES	(null)	132028	132028	TABLE	2025-05-12 08:01:38	2025-05-12 08:01:47	2025-05-12 08:01:38	VALID	N	N
HR	DEPARTMENTS	(null)	132033	132033	TABLE	2025-05-12 08:01:39	2025-05-12 08:01:54	2025-05-12 08:01:39	VALID	N	N
HR	EMPLOYEES	(null)	132038	132038	TABLE	2025-05-12 08:01:40	2025-05-24 05:51:45	2025-05-23 12:12:48	VALID	N	N
HR	JOB_HISTORY	(null)	132036	132036	TABLE	2025-05-12 08:01:40	2025-05-23 12:17:52	2025-05-23 12:17:52	VALID	N	N
HR	JOB_HISTORY	(null)	132042	132042	TABLE	2025-05-12 08:01:41	2025-05-12 08:01:47	2025-05-12 08:01:41	VALID	N	N
HR	LOCATIONS	(null)	132030	132030	TABLE	2025-05-12 08:01:39	2025-05-12 08:01:45	2025-05-12 08:01:39	VALID	N	N
HR	REGIONS	(null)	132026	132026	TABLE	2025-05-12 08:01:38	2025-05-12 08:01:44	2025-05-12 08:01:38	VALID	N	N
HR	ADD_JOB_HISTORY	(null)	132058	(null)	PROCEDURE	2025-05-12 08:01:55	2025-05-12 08:01:55	2025-05-12 08:01:55	VALID	N	N
HR	SECURE_DML	(null)	132056	(null)	PROCEDURE	2025-05-12 08:01:54	2025-05-12 08:01:54	2025-05-12 08:01:54	VALID	N	N
HR	DEPARTMENTS_SEQ	(null)	132035	(null)	SEQUENCE	2025-05-12 08:01:40	2025-05-12 08:01:40	2025-05-12 08:01:40	VALID	N	N
HR	EMPLOYEES_SEQ	(null)	132041	(null)	SEQUENCE	2025-05-12 08:01:41	2025-05-12 08:01:41	2025-05-12 08:01:41	VALID	N	N
HR	LOCATIONS_SEQ	(null)	132032	(null)	SEQUENCE	2025-05-12 08:01:39	2025-05-12 08:01:39	2025-05-12 08:01:39	VALID	N	N
CO	CUSTOMER_ORDER_PRODUCTS	(null)	132004	(null)	VIEW	2025-05-12 07:59:25	2025-05-15 11:56:46	2025-05-12 07:59:25	VALID	N	N
CO	PRODUCT_ORDERS	(null)	132007	(null)	VIEW	2025-05-12 07:59:25	2025-05-15 11:56:52	2025-05-12 07:59:25	VALID	N	N
CO	PRODUCT_REVIEWS	(null)	132006	(null)	VIEW	2025-05-12 07:59:25	2025-05-12 07:59:40	2025-05-12 07:59:25	VALID	N	N
CO	STORE_ORDERS	(null)	132005	(null)	VIEW	2025-05-12 07:59:25	2025-05-15 11:56:59	2025-05-15 11:56:59	VALID	N	N
HR	EMP_DETAILS_VIEW	(null)	132044	(null)	VIEW	2025-05-12 08:01:42	2025-05-12 08:01:42	2025-05-12 08:01:42	INVALID	N	N
HR	V_EMP_NAMES_PHONES	(null)	133884	(null)	VIEW	2025-05-19 10:39:09	2025-05-19 10:39:09	2025-05-19 10:39:09	VALID	N	N

Want more about certain SQLcl command?

```
> help project [command][examples|syntax]
```

## Want more about certain SQLcl command?

```
13:47:44 13:47:31 SQL> help project export  
Export database objects to your repository
```

Usage:

```
project|proj  export|ex {OPTIONS}
```

Options:

```
-list|-l
```

List all objects in alphabetical order

Outputs the list of objects that will be exported based on the current parameters

```
-objects|-o <objects>
```

Define a comma-separated list of objects to export, e.g. HR.COUNTRIES,HR.EMPLOYEES

```
-schemas|-s <schemas>
```

Specify a comma-separated list of schemas to export, e.g., HR

## Want more about certain SQLcl command?

```
13:48:58 13:47:31 SQL> help project export examples
```

- Examples of custom export filters are in ".dbtools/filters/project.filters"
- ```
SQL> project export -debug -list -objects REGIONS,COUNTRIES -schemas HR,SCOTT -threads 4
```

```
13:49:02 13:47:31 SQL> █
```


```
13:49:38 13:47:31 SQL> help project stage syntax
```

```
project|proj stage|st [ [add-custom|ac] ] | [ [-branch-name|-bn <branch-name>] [-debug|-de] [-verbose|-v] ]
```

```
13:50:34 13:47:31 SQL> █
```

# Want to add repeatable PRE and POST scripts to your deployments?

- Modify main.changelog.xml



```
</> main.changelog.xml <...>
dist > releases > </> main.changelog.xml
1  <?xml version="1.0" encoding="UTF-8"?>
2  <databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
3  |   xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
4  |   xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
5  |   http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
6  <include file="pre_scripts/pre_scripts.changelog.xml" relativeToChangelogFile="true"/>
7  <include file="fix-1.0/release.changelog.xml" relativeToChangelogFile="true"/>
8  <include file="1.1/release.changelog.xml" relativeToChangelogFile="true"/>
9  <include file="apex/apex.changelog.xml" relativeToChangelogFile="true"/>
10 <include file="1.1.1/release.changelog.xml" relativeToChangelogFile="true"/>
11 <include file="1.2/release_changelog.xml" relativeToChangelogFile="true"/>
12 <include file="post_scripts/post_scripts.changelog.xml" relativeToChangelogFile="true"/>
13
14 <include file="next/release.changelog.xml" relativeToChangelogFile="true"/>
15 </databaseChangeLog>
```


# Want to add repeatable PRE and POST scripts to your deployments?

The screenshot shows the Liquibase IDE interface. The Explorer view on the left displays a project structure under 'BOMBSHELL' with folders like 'dist', 'releases', 'pre\_scripts', and 'post\_scripts'. In the 'pre\_scripts' folder, there are two files: 'pre\_scripts.changelog.xml' and 'prechecks.sql'. The 'pre\_scripts.changelog.xml' file is selected in the Explorer and is also the active tab in the main editor window. The editor shows the XML code for a database changelog:

```
<?xml version="1.0" encoding="UTF-8"?>
<databaseChangeLog xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns="http://www.liquibase.org/xml/ns/dbchangelog"
    xsi:schemaLocation="http://www.liquibase.org/xml/ns/dbchangelog
        http://www.liquibase.org/xml/ns/dbchangelog/dbchangelog-4.3.xsd">
    <!--CHANGES-->
    <include file="prechecks.sql" relativeToChangelogFile="true"/>
</databaseChangeLog>
```

A blue arrow points from the 'prechecks.sql' file in the Explorer to the 'include' tag in the XML code, indicating that the script is being included in the changelog.

# Want to add repeatable PRE and POST scripts to your deployments?



The screenshot shows a code editor window with a tab labeled "prechecks.sql 2 X". The file path is shown as "dist > releases > pre\_scripts > prechecks.sql > ...". The code itself is a SQL script:

```
1 -- liquibase formatted sql
2 -- changeset rafal:prechecks stripComments:false runAlways:true
3 -- comment Prechecks for the installer script.
4 -- prechecks.sql
5 set serverout on feedback off
6
7 prompt Checking SQLcl version...
8 column _SQLPLUS_RELEASE new_value _SQLPLUS_RELEASE
9 column _PWD new_value _PWD
10 select
11   null "_SQLPLUS_RELEASE",
12   null "_PWD"
13 from sys.dual
14 where 1=2;
15
16 begin
17   if '&&_SQLPLUS_RELEASE' is null or '&&_PWD' is null then
18     raise_application_error(-20001, 'This installer must be run using SQLcl');
19   end if;
```

The first three lines of the script are highlighted with a blue box.

# Preview scripts instead of direct deployment? Easy

- Generate a copy of install.sql file and call it e.g. my\_preview\_script.sql
- Change update command to **update-sql**
- Provide a path to preview file



The screenshot shows a code editor window with a tab labeled "my\_preview\_script.sql 1, U X". The file path is "dist > my\_preview\_script.sql". The code content is as follows:

```
17
18 -- Kick off Liquibase
19 prompt "Generate SQL Preview file - IT WILL NOT DEPLOY ANYTHING"
20 lb update-sql -log -changelog-file releases/main.changelog.xml -search-path "." -liquibase-schema-name HR -output-file preview.sql
21
```

Two blue dashed arrows point upwards from the bottom of the slide towards the underlined "update-sql" command in the code. The first arrow is on the left, and the second is on the right.

# Preview scripts instead of direct deployment? Easy

- Connect to target env and execute @dist/my\_preview\_script.sql

The screenshot shows a code editor interface with the following details:

- EXPLORER** panel on the left:

  - BOMBSHELL** folder:
    - Search (F)
    - releases
    - utils
    - install.sql
    - my\_preview\_script.sql** (selected, 1, U)
    - preview.sql

- my\_preview\_script.sql** tab in the top bar.
- Content of my\_preview\_script.sql:**

```
17
18 -- Kick off Liquibase
19 prompt "Generate SQL Preview file - IT WILL NOT DEPLOY ANYTHING"
20 lb update-sql -log -changelog-file releases/main.changelog.xml -sear
21
22
```
- TERMINAL** tab is active at the bottom.
- Terminal Output:**

```
12:40:53 SQL> @dist/my_preview_script.sql;
```

```

dist > preview.sql > ...
146 -- sqlcl_snapshot src/database/co/tables/orders.sql:4084312c5833d82e2806b031b774a93f
147
148 alter table co.orders modify (
149   |   order_status varchar2(20 char)
150 );
151
152 update HR.DATABASECHANGELOG_ACTIONS set status = 'RAN' where id = '1748427658649' and
153
154 INSERT INTO HR.DATABASECHANGELOG (ID, AUTHOR, FILENAME, DATEEXECUTED, ORDEREXECUTED,
155
156 -- Changeset releases/post_scripts/recompile.sql::recompile::rafal
157 -- Logging Oracle Liquibase Extension actions to HR.DATABASECHANGELOG_ACTIONS
158 DECLARE
159   id varchar2(2000) := 'post_scripts/recompile';
160   status varchar2(2000) := 'PREPARING';
161   rawAction clob;
162   rawXml clob;
163   myrow varchar2(2000);
164   action clob := '';
165
166   begin
167     insert into HR.DATABASECHANGELOG (ID, AUTHOR, FILENAME, DATEEXECUTED, ORDEREXECUTED, STATUS)
168     values (id, 'rafal', 'post_scripts/recompile.sql', sysdate, 1, status);
169
170     for myrow in (select * from apex_collections where collection_name = 'LIQUIBASE_CHANGELOG') loop
171       rawAction := myrow.collection_value;
172       rawXml := myrow.collection_value;
173       if rawAction is not null then
174         execute immediate rawAction;
175       end if;
176       if rawXml is not null then
177         execute immediate rawXml;
178       end if;
179     end loop;
180   end;
181
182   update HR.DATABASECHANGELOG_ACTIONS set status = 'RAN' where id = 'recompile' and status = 'PREPARING';
183
184   commit;
185
186   update HR.DATABASECHANGELOGLOCK SET LOCKED = 0, LOCKEDBY = NULL, LOCKGRANTED = NULL ;
187
188   end;
189
190
191
192
193 set feedback off
194
195 select count(*) as "Other compilation errors not listed"
196   from dba_errors
197  where owner in
198    (
199      select upper(regexp_substr(:p_schemas, '[^,]+', 1, level)) schema
200        from dual
201       connect by regexp_substr(:p_schemas, '[^,]+', 1, level) is not null
202    )
203  and ( text like 'PL/SQL: ORA-06575: %' /*Package or function is in an invalid state*/
204        or text like 'PLS-00905: %' /*object is invalid*/
205  and name not like 'BIN$%';
206
207 update HR.DATABASECHANGELOG_ACTIONS set status = 'RAN' where id = 'recompile' and status = 'PREPARING';
208
209 INSERT INTO HR.DATABASECHANGELOG (ID, AUTHOR, FILENAME, DATEEXECUTED, ORDEREXECUTED, STATUS)
210   values ('prechecks', 'rafal', 'pre_scripts/prechecks.sql::prechecks', sysdate, 1, 'PREPARING');
211
212 -- Release Database Lock
213 UPDATE HR.DATABASECHANGELOGLOCK SET LOCKED = 0, LOCKEDBY = NULL, LOCKGRANTED = NULL ;
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413

```

```

dist > preview.sql > ...
1 -- Lock Database
2 UPDATE HR.DATABASECHANGELOGLOCK SET LOCKED = 1, LOCKEDBY = 'MacBook-Pro.local (192.168.1.11)' ;
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22

```

## Modify install.sql

- If you deploy to more than one schema - you need to specify schema to store Liquibase tracking table
- The liquibase DATABASECHANGELOG tracking table (automatically created) is an object that holds all of the information about what and when was already deployed



```
bombshell
dist/install.sql

Unstaged Stage
dist/install.sql

@@ -19,3 +19,3 @@ set sqlblanklines on
prompt "Installing/updating schemas"
- lb update -log -changelog-file releases/main.changelog.xml -search-path "."
+ lb update -log -changelog-file releases/main.changelog.xml -search-path "." -liquibase-schema-name HR
```

# Project commands (review)

# Project commands

## ❑ Initialize a new project

```
project init -name bombshell -schemas HR, CO
```

## ❑ Export all DB objects

```
project export
```

```
project export -objects HR.COUNTRIES, APEX.101
```

```
project stage add-custom -file-name my_file
```

## ❑ Stage (gen. changelogs/changesets)

```
project stage -branch-name test
```

## ❑ Release

```
project release -version 1.1
```


## ❑ Generate artifact (zip)

```
project gen-artifact -name test -version 1.1
```

## ❑ Deploy

```
project deploy -file artifact/test-1.1.zip
```

# Questions & Answers




## Audience Q&A



Presenting with animations, GIFs or speaker notes? Enable our [Chrome extension](#)



How confident do you feel about using SQLcl Project for Oracle Database & APEX CI/CD after today's session?



**GitHub - rgrzegorczyk/conferences: A place  
for public content related to my  
presentations at various conferences**

github.com

<https://github.com/rgrzegorczyk/conferences>



Thank you!  
Feel free to reach me at  
the event or online!



Rafal Grzegorczyk  
[rgrzegorczyk@pretius.com](mailto:rgrzegorczyk@pretius.com)



You can find more at  
[www.pretius.com](http://www.pretius.com)



Partner



# Extra slides ( hidden)

# project config

**View current configuration for the project:**

> project config **-list -verbose**

| SETTING NAME         | VALUE       | DEFAULT VALUE | DESCRIPTION                                 |
|----------------------|-------------|---------------|---------------------------------------------|
| project              | bombshell   |               | the project name                            |
| sqlcl.connectionName | dev_admin   |               | Connection name                             |
| sqlcl.version        | 25.1.1.0    |               | SQLcl version                               |
| schemas              | ["HR","CO"] |               | Array of schemas to include in this project |
| lastReleaseVersion   |             |               | The last version released                   |
| export.format.enable | true        | true          | Format code after export                    |

# project config

**View current configuration for the project:**

> project config **-list -verbose**

|                               |                                        |                                   |                                                                                                    |
|-------------------------------|----------------------------------------|-----------------------------------|----------------------------------------------------------------------------------------------------|
| export.apex.exptype           | ["READABLE_YAML","APPLICATION_SOURCE"] | READABLE_YAML, APPLICATION_SOURCE | READABLE_YAML and APPLICATION_SOURCE are the default. See -expType attribute for available options |
| export.apex.expAclAssignments | false                                  | false                             | Export ACL User Role Assignments                                                                   |
| export.apex.expComments       | false                                  | false                             | Export developer comments                                                                          |
| export.apex.skipExportDate    | true                                   | true                              | Skip export date in application export files                                                       |
| export.apex.expirNotif        | false                                  | false                             | Export all interactive report notifications                                                        |

# project config


**View current configuration for the project:**

> project config **-list -verbose**

|                                             |       |       |                                                                                            |
|---------------------------------------------|-------|-------|--------------------------------------------------------------------------------------------|
| export.apex.expPubReports                   | false | false | Export all user saved public interactive reports                                           |
| export.apex.expSubscriptions                | false | false | Export references to subscribed components                                                 |
| <u>export.apex.expSupportingObje</u><br>cts | N     | N     | Pass (Y)es, (N)o or (I)nstall to override the default                                      |
| export.apex.expTranslations                 | false | false | Export the translation mappings and all text from the translation repository               |
| export.apex.auditType                       | NULL  | NULL  | Specifies the detail of audit information to include: DATE_S_ONLY, NAMES_AND_DATES or NULL |

# project config - adjust settings

## Manually:



The image shows a code editor window with the file `project.config.json` open. The file contains configuration settings for a database export. The code is written in JSON and includes comments indicating the purpose of various parameters.

```
{ } project.config.json U X
.dbtools > { } project.config.json > {} export
 8   "lastReleaseVersion": "",
 9   "export": {
10     "format": {
11       "enable": true
12     },
13     "setTransform": {
14       "collationClause": "NEVER",
15       "constraints": true,
16       "constraintsAsAlter": true,
17       "emitSchema": true,
18       "force": true,
19       "partitioning": false,
20       "segmentAttributes": false,
21       "sizeByteKeyword": true,
22       "sqlterminator": true,
23       "storage": false,
24       "tablespace": false
25     },
26     "apex": {
27       "exptype": [ "READABLE_YAML", "APPLICATION_SOURCE" ],
28       "expAclAssignments": false,
29       "expComments": false,
30       "skipExportDate": true,
31       "skipExportFile": false
32     }
33   }
```

## project config - adjust settings

### Using command line:

```
> project config set -name sqlcl.version -type INTEGER -value 24 -verbose
```

Edit project.filters to adjust your export:

```
project.filters U X .dbtools > filters > project.filters
25   object_type != 'TABLE' or object_name not in ('DATABASECHANGELOG',
26   | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
27   | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
28   | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
29   | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
30   | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
31   | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
32
33   -- DM generated tables
34   --not (object_type = 'TABLE' and object_name like 'DM$%' ),
35   --not (object_type = 'VIEW' and object_name like 'DM$V%' ),
36   object_name not like 'DM$%',           -- covers tables, views, indexes
37   object_name not like 'I_MLOG$%',       -- covers Materialized Views Logs Indexes
38   object_name not like 'I_SNAP$',        --
39
40   export_type not in ('USER'),
41
42   -- Export APEX application only:
43   -- export_type = 'APEX_APPLICATIONS',
44
45   -- Exclude certain database object types:
46   -- object_type not in ('CONTEXT', 'SCHEDULE'),    -- trailing comma is optional
47
```

The screenshot shows the Visual Studio Code (VS Code) interface with a terminal window open. The terminal is titled 'bash' and contains the following command and its output:

```
14:33:42 SQL> project export -objects HR.COUNTRIES,CO.CUSTOMERS,APEX.101
The current connection DEVELOPMENT_HIGH ADMIN will be used for all operations
\
```

The terminal window is located in the 'TERMINAL' tab of the interface. The left sidebar shows the 'EXPLORER' view with a folder icon, the 'BOMBSHELL' project selected, and the 'OUTLINE' view expanded. The bottom status bar shows the user 'viins', the time '1:58', the session 'ADMIN', and the connection 'dev\_admin'. The bottom right corner features the standard VS Code status icons.



project export -objects -list

Preview your export:

> project **export -objects** HR.COUNTRIES, CO.CUSTOMERS **-list**

## Preview your export:

```
14:26:04 SQL> project export -objects HR.COUNTRIES,CO.CUSTOMERS -list  
The current connection DEVELOPMENT_HIGH ADMIN will be used for all operations
```

```
*** TABLES ***
```

```
CO.CUSTOMERS
```

```
HR.COUNTRIES
```

```
*** INDEXES ***
```

```
CO.CUSTOMERS_NAME_I
```

```
*** COMMENTS ***
```

```
CO.CUSTOMERS
```

```
HR.COUNTRIES
```

```
HR.COUNTRIES
```

```
HR.COUNTRIES
```

```
HR.COUNTRIES
```

```
CO.CUSTOMERS
```

```
CO.CUSTOMERS
```

```
CO.CUSTOMERS
```

```
*** REF_CONSTRAINTS ***
```

```
HR.COUNTR_REG_FK
```

|                |   |
|----------------|---|
| INDEX          | 1 |
| REF_CONSTRAINT | 1 |
| TABLE          | 2 |

Listed 4 objects

# SQLcl will warn you about DROP statements

- HR.JOB.MAX\_SALARY column was dropped

```
10:56:09 SQL> project stage -branch-name test
```

```
Stage is Comparing:
```

|            |                  |
|------------|------------------|
| Old Branch | refs/heads/test  |
| New Branch | refs/heads/1.1.1 |

```
Stage processing completed, please review and commit your changes to repository
```


**WARN:** Your changes contain changelogs with one or more DROP statements.

These statements are commented out in the changeset and must be manually uncommented prior to execution.

This is done to ensure no destructive operations happen without notice.

*NOTE: In latest SQLcl 25.1 above warning is not shown. Bug is reported and will be fixed soon*

# SQLcl will warn you about DROP statements



The screenshot shows a code editor interface with an Explorer sidebar on the left and a main editor area on the right.

**EXPLORER** sidebar:

- BOMBSHELL
  - dist
  - releases
  - next
  - changes/1.1.1/...
    - jobs.sql
  - tables
- views
- stage.change... U

**Editor Area:**

File: jobs.sql

Path: dist > releases > next > changes > 1.1.1 > hr > tables > jobs.sql

```
1 -- liquibase formatted sql
2 -- changeset HR:1748249775737 stripComments:false logicalFilePath:1.1.1/hr/tables/jobs.s
3 -- sqlcl_snapshot src/database/hr/tables/jobs.sql:fcbaf5c21282af87643c1dc2cf54d925dd400:
4
5 /* Uncomment drop statement after ensuring it is performing the correct actions
6 ALTER TABLE "HR"."JOBS" DROP ("MAX_SALARY")
7 /
8 */
```