

Table 1. Baseline Characteristics by Penguin Species

Palmer Station, Antarctica (2007-2009)

Adelie (N=146)

Chinstrap (N=68)

Gentoo (N=119)

Total (N=333)

p-value

Island, n (%)

Biscoe

44 (30.1)

0 (0.0)

119 (100.0)

163 (48.9)

Dream

55 (37.7)

68 (100.0)

0 (0.0)

123 (36.9)

Torgersen

47 (32.2)

0 (0.0)

0 (0.0)

47 (14.1)

<0.001

Sex, n (%)

Female

73 (50.0)

34 (50.0)

58 (48.7)

165 (49.5)

Male

73 (50.0)

34 (50.0)

61 (51.3)

168 (50.5)

0.976

Bill length (mm)

Mean (SD)

38.8 (2.66)
48.8 (3.34)
47.6 (3.11)
44.0 (5.47)
Median [IQR]
38.8 [36.7, 40.8]
49.5 [46.3, 51.1]
47.4 [45.3, 49.6]
44.5 [39.5, 48.6]
<0.001

Bill depth (mm)
Mean (SD)
18.3 (1.22)
18.4 (1.14)
15.0 (0.99)
17.2 (1.97)

Median [IQR]
18.4 [17.5, 19.0]
18.4 [17.5, 19.4]
15.0 [14.2, 15.8]
17.3 [15.6, 18.7]
<0.001

Flipper length (mm)
Mean (SD)
190.1 (6.52)
195.8 (7.13)
217.2 (6.59)
201.0 (14.02)

Median [IQR]
190 [186, 195]
196 [191, 201]
216 [212, 222]
197 [190, 213]
<0.001

Body mass (g)
Mean (SD)
3706 (459)
3733 (384)

5092 (501)

4207 (805)

Median [IQR]

3700 [3362, 4000]

3700 [3488, 3950]

5050 [4700, 5500]

4050 [3550, 4775]

<0.001

Source: Palmer Penguins Dataset (Gorman et al., 2014)

Categorical variables presented as n (%); continuous variables as mean (SD) and median [IQR].

P-values from chi-square test (categorical) or Kruskal-Wallis test (continuous).